

V-Drums V-Pro® Series

TD-30KV / TD-30K



SuperNATURAL

midi
VISUAL
CONTROL

USB

USB
MEMORY

SuperNATURAL® V-Drums – A Complete and Natural Drumming Experience



For over a decade, Roland's revolutionary V-Drums have lead the industry in expressive sound quality and incredible playability. With the introduction of the SuperNATURAL-powered TD-30KV/TD-30K V-Pro Series, the electronic drum set reaches a new pinnacle in drumming performance. SuperNATURAL sounds with Behavior Modeling, along with advanced sensing technology, provides a new level of expressive sound quality and playability, resulting in an instrument that reacts and responds to all the subtleties, nuances, and dynamics of a drummer's technique. In addition, USB audio-playback functionality has been added to expand the performance palette. For the stage (TD-30KV) or for professional recording (TD-30K), the new V-Pro is truly a complete and natural drumming experience.

TD-30KV and TD-30K

- ▶ Flagship V-Drums with advanced sensing technology and SuperNATURAL sounds
- ▶ Expressive and accurate playability produced by Behavior Modeling
- ▶ Professional V-Edit mode for customizing sounds
- ▶ Dedicated "Ambience" fader with new room-ambience and overhead-mic simulation
- ▶ USB memory port for data backup and audio playback (WAV/MP3)
- ▶ Separate USB-MIDI port for computer connectivity


TD-30KV / V-Drums V-Pro Series

- ▶ Solid stage set with metallic gray and black-chrome color finish
- ▶ New V-Hi-Hat® (VH-13-MG) with improved motion sensor for natural hi-hat response
- ▶ New V-Pads™ (PD-128S/-128/-108-BC) with improved rim sensor for accurate rim-shot sensing
- ▶ New V-Cymbals® (CY-14C-MG Crash, CY-15R-MG Ride) with natural feel and accurate triggering



TD-30KV Kit Configuration

Drum Sound Module	TD-30	x 1
V-Kick	KD-140-BC	x 1
V-Pad (Snare)	PD-128S-BC	x 1
V-Pad (Tom1, Tom2)	PD-108-BC	x 2
V-Pad (Tom3, Tom4)	PD-128-BC	x 2
V-Hi-Hat	VH-13-MG	x 1
V-Cymbal Crash	CY-14C-MG	x 2
V-Cymbal Ride	CY-15R-MG	x 1



Drum Stand MDS-25 x1 (included in the US)


TD-30K / V-Drums V-Pro Series

- ▶ Compact, solid drum stand (MDS-12V) for professional studio requirements
- ▶ New lightweight 10-inch V-Pad (PDX-100) for toms



TD-30K Kit Configuration

Drum Sound Module	TD-30	x 1
V-Kick	KD-120BK	x 1
V-Pad (Snare)	PD-125BK	x 1
V-Pad (Tom)	PDX-100	x 3
V-Hi-Hat	VH-11	x 1
V-Cymbal Crash	CY-12C	x 1
V-Cymbal Ride(Crash)	CY-13R	x 1
V-Cymbal Ride	CY-15R	x 1



Drum Stand MDS-12V x1 (included in the US)

TD-30 / Drum Sound Module



The heart of the V-Pro series is the new TD-30 drum. With SuperNATURAL sounds produced by Behavior Modeling, the sound quality is superior, responding naturally to a variety of drumming techniques and dynamics. From rim shots, rolls, flams, even ghost notes on the snare, to dramatic crash hits and sustained cymbal swells, every nuance is accurate and smooth. For spatial depth, a dedicated Ambience fader gives you immediate access to lush room ambience and overhead-microphone simulation.



TD-30 Specifications

Drum Kits 100 ■ **Instruments** Drum Instruments: 1100, Backing Instruments: 262 ■ **Drum Kit Chains** 16 chains (32 steps per chain) ■ **Effect Types** Pad Compressor (each pad), Pad Equalizer (each pad), Ambience Section (Overhead Mic Simulator, Room Type (25 types), Reverb), Multi-Effects: 21 types, Master Compressor, Master Equalizer, Reverb (for backing part), Chorus (for backing part) ■ **Percussion Sets** 8 ■ **USB Memory Song Player** Audio File: WAV, MP3 ■ **Sequencer** User Patterns: 100, Preset Patterns: 100, Parts: 6, Play Type: Oneshot, Loop, Tap, Recording Method: Realtime, Maximum Note Storage: approx. 40,000 Notes ■ **Display** Graphic LCD 80 x 256 dots, 7 segments, 3 characters (LED), TRIGGER Level Indicator (LED) ■ **Faders** 8 (KICK, SNARE, TOMS, HI-HAT, CRASH, RIDE, AUX, AMBIENCE) ■ **Connectors** TRIGGER INPUT jack x 15, MASTER OUT jacks (L/MONO, R): 1/4-inch phone type, DIRECT OUT jack x 8 (1/4-inch phone type), DIGITAL OUT jack (Coaxial type, 44.1 kHz/24-bit), PHONES jack (Stereo 1/4-inch phone type), MIX IN jack (Stereo 1/4-inch phone type), MIDI Connectors (IN, OUT/THRU), USB COMPUTER port (MIDI), USB MEMORY port, FOOT SW jack (1/4-inch TRS phone type), AC IN jack ■ **Power Consumption** 18 W ■ **Dimensions** 330 (W) x 258 (D) x 106 (H) mm; 13 (W) x 10-3/16 (D) x 4-3/16 (H) inches ■ **Weight** 3.2 kg; 7 lbs 1 oz ■ **Accessories** Owner's Manual, CD-ROM (Play-along Audio Song/USB Driver), Power Cord ■ **Options (sold separately)** Pads (PD series, PDX series), Cymbals (CY series), Kicks (KD series), Hi-Hats (VH series, FD series), Acoustic Drum Triggers (RT series), Footswitches (FS-5U, FS-6), Personal Drum Monitors (PM-30, PM-10), USB Flash Memory, * Use USB Flash Memory sold by Roland. We cannot guarantee operation if other products are used.

PD-128S-BC/-128-BC / V-Pad

A new rim sensor has been specifically developed for these 12-inch mesh head pads in conjunction with the TD-30 to accurately detect dynamics and rim-shot depth. The pads feature an exchangeable black-chrome color shell wrap. The pad is offered in two formats, the PD-128-BC and PD-128S-BC. The PD-128-BC is designed as toms and comes with a two-way mount holder; PD-128S-BC is snare-stand mountable.



PD-128S-BC Specifications

Pad size 12 inches ■ **Triggers** 2 (Head, Rim) ■ **Dimensions** 358 (W) x 322 (D) x 117 (H) mm; 14-1/8 (W) x 12-11/16 (D) x 4-5/8 (H) inches ■ **Weight** 3.0 kg; 6 lbs 10 oz ■ **Accessories** Owner's Manual, Connection Cable, Drum Key ■ **Options (sold separately)** Pad Mount (MDH series), Drum Stands (MDS series)

PD-128-BC Specifications

Pad size 12 inches ■ **Triggers** 2 (Head, Rim) ■ **Dimensions** 358 (W) x 368 (D) x 117 (H) mm; 14-1/8 (W) x 14-1/2 (D) x 4-5/8 (H) inches ■ **Weight** 3.4 kg; 7 lbs 8 oz ■ **Accessories** Owner's Manual, Connection Cable, Drum Key ■ **Options (sold separately)** Pad Mount (MDH series), Drum Stands (MDS series) ■ **Acceptable rod diameters** 9.0 to 11.5 mm; 3/8 to 1/2 inches ■ **Usable pipe size** 22.2 mm; 7/8 inches


PD-108-BC / V-Pad

This mesh head pad also includes the new rim sensor for improved dynamics and rim-shot depth. The pad features an exchangeable black-chrome color shell wrap and accommodates dual mounting for setup versatility.



PD-108-BC Specifications

Pad size 10 inches ■ **Triggers** 2 (Head, Rim) ■ **Dimensions** 307 (W) x 317 (D) x 117 (H) mm; 12-1/8 (W) x 12-1/2 (D) x 4-5/8 (H) inches ■ **Weight** 3.0 kg; 6 lbs 10 oz ■ **Accessories** Owner's Manual, Connection Cable, Drum Key ■ **Options (sold separately)** Pad Mount (MDH series), Drum Stands (MDS series) ■ **Acceptable rod diameters** 9.0 to 11.5 mm; 3/8 to 1/2 inches ■ **Usable pipe size** 22.2 mm; 7/8 inches



VH-13-MG / V-Hi-Hat

The new V-Hi-Hat (VH-13-MG) features an improved motion sensor. Combined with advanced triggering technology, the response is more natural with smooth open to closed control. The surface is a new metallic-gray color, cosmetically matching the new series of V-Cymbals.



VH-13-MG Specifications

■ **Size** 12 inches ■ **Triggers** 2 (Bow/Edge) ■ **Connectors** TRIGGER OUTPUT Jack, CONTROL OUTPUT Jack ■ **Dimensions** 314 (W) x 314 (D) x 89 (H) mm; 12-3/8 (W) x 12-3/8 (D) x 3-9/16 (H) inches ■ **Weight** 1.9 kg; 4 lbs 4 oz (Excluding clutch) ■ **Accessories** Owner's Manual, Clutch, Clamp, Holder (3 types), Link Cable, Connection Cable x 2, Drum Key, Cable Tie

CY-14C-MG/-15R-MG / V-Cymbal

The new V-Cymbals (CY-14C-MG Crash, CY-15R-MG Ride) are offered in an eye-catching metallic-gray color surface to cosmetically match the new V-Hi-Hat, new V-Pads, and chrome-finished drum stand. They provide a natural swing-feel and accurate triggering and sensitivity across the entire cymbal surface.



CY-14C-MG Specifications

■ **Size** 14 inches ■ **Triggers** 2 (Bow/Edge) ■ **Connector** BOW/EDGE Output Jack ■ **Dimensions** 352 (W) x 352 (D) x 48 (H) mm; 13-7/8 (W) x 13-7/8 (D) x 1-15/16 (H) inches ■ **Weight** 1.4 kg; 3 lbs 2 oz ■ **Accessories** Owner's Manual, Wing Nut, Felt Washer, Stopper, Connection Cable, Cable Tie ■ **Options (sold separately)** Cymbal Mount (MDY Series), Cymbal Parts Set (CYM-10)

CY-15R-MG Specifications

■ **Size** 15 inches ■ **Triggers** 3 (Bow/Bell/Edge) ■ **Connectors** BOW/BELL Output Jack, BOW/EDGE Output Jack ■ **Dimensions** 376 (W) x 376 (D) x 50 (H) mm, 14-13/16 (W) x 14-13/16 (D) x 2 (H) inches ■ **Weight** 1.6 kg; 3 lbs 9 oz ■ **Accessories** Owner's Manual, Wing Nut, Felt Washer, Stopper, Connection Cable x 2, Cable Tie ■ **Options (sold separately)** Cymbal Mount (MDY Series), Cymbal Parts Set (CYM-10)

KD-140-BC / V-Kick

This solid, stylish new kick pad features an exchangeable new black-chrome shell wrap. It provides stable performance and accurate triggering with a natural, acoustic-like kick feel.



KD-140-BC Specifications

■ **Pad size** 14 inches ■ **Dimensions** 550 (W) x 320 (D) x 530 (H) mm; 21-11/16 (W) x 12-5/8 (D) x 20-7/8 (H) inches ■ **Weight** 11.0 kg; 24 lbs 5 oz ■ **Accessories** Plastic Beater, Owner's Manual, Connection Cable, Drum Key

PDX-100 / V-Pad

Compact and lightweight, this new 10-inch mesh head V-Pad also provides a dual-mount option for increased setup versatility.



PDX-100 Specifications

■ **Pad size** 10 inches ■ **Triggers** 2 (Head, Rim) ■ **Acceptable rod diameters** 9.0 to 13.0 mm; 3/8 to 9/16 inches ■ **Usable pipe size** 22.2 mm; 7/8 inches ■ **Dimensions** 310 (W) x 325 (D) x 90 (H) mm; 12-1/4 (W) x 12-13/16 (D) x 3-9/16 (H) inches ■ **Weight** 1.8 kg; 4 lbs ■ **Accessories** Connection Cable, Drum Key, Owner's Manual ■ **Options (sold separately)** Pad Mount (MDH series), Drum Stands (MDS series)

MDS-12V / Drum Stand

This compact, solid drum rack provides flexible ball clamps for snare and toms, boom/straight options for the cymbal arms, and an internal cable management system, for a clean professional look. It has been specifically designed for the TD-30K V-Pro series.



MDS-12V Specifications

■ **Accessories** Cymbal Mount x 3, Pad Mount x 4, Connection Cable (concealed in pipes), Owner's Manual, Drum Key, Cable Clip x 6, Mounting Plate ■ **Required Space for Set-up** 1,200 (W) x 700 (D) x 1,100 (H) mm; 47-1/4 (W) x 27-9/16 (D) x 43-5/16 (H) inches (Drum Stand only), 1,500 (W) x 1,200 (D) x 1,250 (H) mm; 59-1/16 (W) x 47-1/4 (D) x 49-1/4 (H) inches (including Sound Module, Kick Pad, Cymbals and Stool) ■ **Tube Diameter** Stand: 38.1 mm; 1-1/2 inches, Pad Arm/Cymbal Arm: 22.2mm; 7/8 inches ■ **Weight** 15.5 kg; 34 lbs 3 oz (including Pad Mounts and Cymbal Mounts)

* All specifications and appearances are subject to change.

