



Specifications

| Type of Comere | | |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Type of Camera | | |
| Туре | Compact digital still camera with built-in flash, 40x Optical, 4x Digital and 160x Combined Zoom with Optical Image Stabilizer | |
| Image Capture Device | | |
| Туре | 20.3 Megapixel*, 1/2.3-inch CMOS *Image processing may cause a decrease in the number of pixels. | |
| Total Pixels | Approx. 21.1 Megapixels | |
| Effective Pixels | Approx. 20.3 Megapixels | |
| Lens | | |
| Focal Length | 4.3 (W) – 172.0 (T) mm (35mm film equivalent: 24–960mm) | |
| Optical Zoom | 40x | |
| Digital Zoom | 4x | |
| Focusing Range | Normal: 2.0 in. (5.0cm) – infinity (W), 6.6 ft. (2.0m) – infinity (T) Auto/Manual: 0.4 in. (1.0cm) – infinity (W), 6.6 ft. (2.0m) – infinity (T) Macro: 0.4 in. – 1.6 ft. (1–50cm) (W) | |
| Autofocus System | TTL Autofocus, Manual focus | |
| Viewfinder & Monito | r | |
| Viewfinder | N/A | |
| LCD Monitor | 3.0-inch TFT Color LCD with wide viewing angle (4:3) | |
| LCD Pixels | Approx. 922,000 dots | |
| LCD Coverage | Approx. 100% | |
| Aperture & Shutter | | |
| Maximum Aperture | f/3.3 (W), f/6.9 (T) | |
| Shutter Speed | 1–1/3200 sec. 15–1/3200 sec. (in Tv and M modes) | |
| Exposure Control | | |
| ISO Sensitivity | Auto, ISO 80-3200 | |
| Light Metering Method | Evaluative, Center Weighted Average, Spot | |
| Exposure Control Method | Manual Exposure, Program Shift, Safety Shift, AE Lock | |
| Exposure Compensation | Still Images: ±2 stops in 1/3-stop increments | |
| White Balance | | |
| White Balance Control | Auto, Daylight, Cloudy, Tungsten, Fluorescent, Fluorescent H, Custom | |
| Flash | | |
| Built-in Flash | Auto, On, Slow Synchro, Off | |
| | | |

| Flack Dance | 1.6–13.0 ft. (W), 6.6 ft. (T) | | |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Flash Range | 50.0cm – 4.0m (W), 2.0m (T) | | |
| Flash Exposure Compensation | ±2 stops in 1/3-stop increments | | |
| Shooting Specification | ons | | |
| Shooting Modes | M, Av, Tv, P, Live View Control, Hybrid Auto, Auto, Creative Shot, Sports, Portrait, Smile, Wink Self-Timer, Face Self-Timer, Handheld Night Scene, Low Light, Fish-eye Effect, Miniature Effect, Toy Camera Effect, Soft Focus, Monochrome, Super Vivid, Poster Effect, Fireworks, Standard (Movie), Short Clip, iFrame Movie | | |
| My Colors | My Colors Off, Vivid, Neutral, Sepia, Black & White, Positive Film, Lighter Skin Tone, Darker Skin Tone, Vivi Blue, Vivid Green, Vivid Red, Custom Color | | |
| Self Timer | Off/2 sec./10 sec./Custom | | |
| Wireless Control | Built-in Wi-Fi° and NFC | | |
| Continuous Shooting | Normal Continuous Shooting in Auto/P modes: Approx. 5.9 shots/sec. Continuous Shooting AF in P mode: Approx. 4.6 shots/sec. Continuous Shooting LV in P mode: Approx. 4.6 shots/sec. • Under lighting conditions where flash does not fire automatically. • Excluding RAW and RAW+JPEG. • Until memory card becomes full. | | |
| Image Storage | | | |
| Storage Media | SD/SDHC/SDXC and UHS-I Memory Cards | | |
| File Format | Design rule for Camera File system (DCF) compliant; DPOF (Version 1.1) compatible | | |
| Image Compression | Superfine / Fine | | |
| JPEG Compression Mode | Still Image: Exif. 2.3 (JPEG) Video: MP4 (Image: MPEG-4 AVC/H.264; Audio: MPEG-4 AAC-LC (Stereo)) | | |
| Number of Recording Pixels | Still Images: 1) 16:9 - Large: 5184 x 2912; Medium 1: 3648 x 2048; Medium 2: 1920 x 1080; Small: 640 x 360 2) 3:2 - Large: 5184 x 3456; Medium 1: 3648 x 2432; Medium 2: 2048 x 1368; Small: 640 x 424 3) 4:3 - Large: 5184 x 3888; Medium 1: 3648 x 2736; Medium 2: 2048 x 1536; Medium: 2592 x 1944; Small: 640 x 480 4) 1:1 - Large: 3888 x 3888; Medium 1: 2736 x 2736; Medium 2: 1536 x 1536; Small: 480 x 480 Videos: Full HD 1920 x 1280: 59.94 fps / 29.97 fps HD 1280 x 720: 29.97 fps 640 x 480: 29.97 fps | | |

Approx. Number of Shots Recordable to 16GB Memory Card

| | | 16:9 | 3:2 | 4:3 | 1:1 |
|---------------|----|-------|-------|-------|-------|
| Large | SF | 2358 | 1991 | 1766 | 2347 |
| | F | 3950 | 3350 | 2980 | 3950 |
| Medium 1 (M1) | SF | 4717 | 3982 | 3546 | 4717 |
| | F | 7965 | 6656 | 5925 | 7837 |
| Medium 2 (M2) | SF | 13497 | 10563 | 9344 | 12459 |
| | F | 24296 | 18689 | 16755 | 22087 |
| Medium | F | _ | _ | 10798 | _ |
| Small | SF | 69418 | 60741 | 53992 | 69418 |
| | F | 97186 | 80988 | 80988 | 97186 |

Note: SF=Superfine, F=Fine

Total Movie Time Recordable to Memory Card

- The values in the table are based on Canon measurement conditions and may change depending on the subject, memory card and camera settings.
- After Low-level formatting.

| Shooting Mode | Pixels | Frame Rate/ Video System | Recording Time per 16 GB Memory Card (Approx.) | Single Clip Recording Time (Approx.)*1 | Movie Size (KB/sec.) | Video Recording Bit Rate |
|------------------|--------------------------|-----------------------------|------------------------------------------------------|----------------------------------------------|-------------------------|--------------------------------|
| Standard (Movie) | Full HD (1920 x 1080) | 59.94 fps | 59 min. 30 sec. | 29 min. 59 sec. | 4288 | Approx. 35 Mbps |
| | | 29.97 fps | 1 hr. 26 min. 5 sec. | 29 min. 59 sec. | 2945 | Approx. 24 Mbps |
| | HD (1280 x 720) | 29.97 fps | 4 hr. 5 min. 15 sec. | 29 min. 59 sec. | 992 | Approx. 8 Mbps |
| | VGA (640 x 480) | 29.97 fps | 10 hr. 22 min. 35 sec. | 1 hr. | 382 | Approx. 3 Mbps |

| Playback Specification | Playback Specifications | | |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Playback Modes File | Smart Shuffle, Group Playback, List/Play Digest Movies, Story Highlights, Print, Protect, Favorites, Erase, Slideshow, Rotate, Album Playback, Play Creative Shot Movies, Short Clip Mix, i-Contrast, Resize, Cropping, Red-Eye Correction, My Colors, Face ID Info, Photobook Set-up, Image Transition Effect, Index Effect, Scroll Display, Group Images, Auto Rotate, Resume | | |
| Interfaces | | | |
| Video Out | HDMI (Type D) | | |
| Audio Out | Stereo | | |
| Other | Hi-Speed USB (Micro); direct connection to Canon SELPHY, PIXMA Photo Printers & PictBridge compatible printers | | |
| Power Supply | Power Supply | | |
| Power Source | Battery Pack NB-13L | | |
| Shooting Capacity | Approx. 250 shots Approx. 355 shots in ECO Mode | | |
| | Video Recording Time: Approx. 50 min. | | |
| Playback Time | Approx. 5 hr. | | |
| Physical Specification | Physical Specifications | | |
| Operating Temperature | 32-104°F/0-40°C | | |
| Operating Humidity | 10-90% | | |
| Dimensions (W x H x D) | 4.32 x 2.51 x 1.41 in. / 109.7 x 63.8 x 35.7mm | | |
| Weight | 9.52 oz. / 270g (CIPA standard) 8.64 oz. / 245g (Body only) | | |

^{*}¹ Using an SD Speed Class 10 / UHS-I compatible memory card
• Recording stops automatically once the file size reaches 4 GB or the memory card becomes full.
• Recording may stop unexpectedly if a memory card with a low Speed Class is used.