

MC 7000 Series



The MC 7000 Series lighting consoles are simple and flexible with three operating modes. These consoles provide standard 2-scene preset operation, single scene wide mode for double channel capacity and memory scene operation mode.

The MC 7000 Series is particularly well-suited to small theaters and stage performances. These products are so easy to program and operate, the instructions are silk-screened on the back of the units.

APPLICATIONS

- Small Theater
- Houses of Worship
- Club/Bar
- Rentals
- Music Band

DIMENSIONAL DATA - IN. [CM] LBS. [KG]

	7008	7016	7024
Width	10.50 [26.7]	16.50 [41.9]	22.50 [57.2]
Depth	8.60 [21.8]	8.60 [21.8]	8.60 [21.8]
Height	2.50 [6.4]	2.50 [6.4]	2.50 [6.4]
Shipping Weight	7.00 [3.2]	9.00 [4.1]	12.00 [5.5]

PRODUCT DATA



FEATURES

- Two user programmable 32 step chase patterns
- Tap sync button allows chase rate to be adjusted “on the fly”
- Dual split dipless cross faders allow even fades from scene to scene
- Channel bump buttons can be used to raise an individual control channel level to full or in wide mode can act as a flash memory scene
- Master level slider used to proportionally vary the intensity of the console’s current output levels
- Blackout button
- Optional DMX512 protocol kit

PORTS

- NSI 128 channel Micro-Plex (3-pin XLR male and female)
- DMX512 (optional) digital control (5-pin XLR female)
- Auxiliary power connector +15VDC

MC 7008

- 8 x 8 individual control channels in two scene mode
- 16 individual control channels and 8 flash memory scenes in wide mode
- 8 individual control channels and 8 user programmable memory scenes in memory mode

MC 7016

- 16 x 16 individual control channels in two scene mode
- 32 individual control channels and 16 flash memory scenes in wide mode
- 16 individual control channels and 16 user programmable memory scenes in memory mode

MC 7024

- 24 x 24 individual control channels in two scene mode
- 48 individual control channels and 24 flash memory scenes in wide mode
- 24 individual control channels and 24 user programmable memory scenes in memory mode

CAT. NO.	DESCRIPTION
N7008-000	8/16 Channel Console, 2 Manual Presets, 8 Memory Scenes, 2 Chases, NSI Micro-Plex
N7008-D00	8/16 Channel Console, 2 Manual Presets, 8 Memory Scenes, 2 Chases, NSI DMX Installed
N7016-000	16/32 Channel Console, 2 Manual Presets, 16 Memory Scenes, 2 Chases, NSI Micro-Plex
N7016-D00	16/32 Channel Console, 2 Manual Presets, 16 Memory Scenes, 2 Chases, NSI DMX Installed
N7024-000	24/48 Channel Console, 2 Manual Presets, 24 Memory Scenes, 2 Chases, NSI Micro-Plex
N7024-D00	24/48 Channel Console, 2 Manual Presets, 24 Memory Scenes, 2 Chases, NSI DMX Installed
ACCESSORIES	
OPT-00015-0	+12VDC Power Supply, 120V
OPT-00540-0	19" EIA Rack Mount Kit for MC 7016 Only
A7512-001	DMX 512 Kit

MC 7000 Series

LEVITON SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:
JOB NUMBER:	

Leviton Manufacturing Co., Inc. Lighting Management Systems

20497 SW Teton Avenue, Portland, OR 97062

Telephone: 1-800-736-6682 • FAX: 503-404-5594 • Tech Line (6:00AM-4:00PM P.S.T. Monday-Friday): 1-800-959-6004

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 • Telephone: 1-800-469-7890 • FAX: 1-800-563-1853

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 • Tel. (+52) 55-5082-1040 • FAX: (+52) 5386-1797 • www.leviton.com.mx

Visit our Website at: www.leviton.com/lms

© 2008 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

G-7919/B8-ak