# **Home/Business Theater Surge Suppressor**

High-performance surge and line-noise protection for all components



#### Model #: HT706TV

- 7 outlets / 6 ft. cord
- 1080 joule rating
- Coaxial surge protection
- ▶ \$50,000 Ultimate Lifetime Insurance (USA and Canada only)

#### DESCRIPTION

Tripp Lite's HT706TV Home/Business Theater Surge Suppressor provides high-performance protection--1080 joules--stopping damaging surges and filtering disruptive line noise so components perform at their peak! You can see and hear the difference: sharper, crisper video; deeper, fuller audio and longer component life spans. Perfect for small home/business theater installations: high-definition TVs, satellite and A/V receivers, DVD/CD players and more. 7 outlets (with transformer spacing) and 1-line coaxial protection safeguard an entire home/business theater system. \$50,000 Ultimate Lifetime Insurance coverage (USA & Canada only). Includes two diagnostic LEDs, 6 ft. cord with a right-angle plug and 6 ft. coaxial cable.

#### **KEY BUYING POINTS**

- 1080 joules surge suppression rating with EMI/RFI line noise filtering help components perform at their peak (sharper, crisper video; deeper, fuller audio and longer component life spans)
- \$50,000 Ultimate Lifetime Insurance (USA & Canada only) covers connected components against surge damage...for life!
- 7 surge-protected NEMA 5-15R AC outlets safeguard an entire home/business theater system
- Widely-spaced outlets accommodate up to 4 transformers
- 1 set of Type F surge-protected coaxial connectors (with included 6 ft. coaxial cable) safeguard components on cable, satellite or antenna line
- 6 ft. cord with right-angle NEMA 5-15P plug provides convenient location anywhere within a home/business theater system
- 2 diagnostic LEDs alert user to protection and grounding status
- Keyhole slots provide convenient wall or cabinet mounting
- Illuminated master switch provides one-touch power control over all components. Integrated circuit breaker protects against dangerous system overload
- High-impact plastic housing (black) stands up to the most demanding environments
- UL and CSA listed
- Lifetime product warranty

### TYPICAL APPLICATIONS

Perfect for small home/business theater installations: high-definition TVs, satellite and A/V receivers, DVD/CD players and more

## **PACKAGE INCLUDES**

- HT706TV Home/Business Theater Surge Suppressor
- 6 ft. coaxial cable
- Instruction manual with warranty information

# **COMPLETE SPECIFICATIONS**

System overview: HT706TV Home/Business Theater Surge Suppressor provides high-performance protection--

1080 joules--stopping damaging surges and filtering disruptive line noise so components perform at their peak! 7 outlets (with transformer spacing) and 1-line coaxial protection safeguard an entire home/business theater system. \$50,000 Ultimate Lifetime Insurance coverage (USA & Canada only). Includes two diagnostic LEDs, 6 ft. cord with a right-angle

plug and 6 ft. coaxial cable.

Voltage compatibility: 120 VAC
Frequency compatibility: 50/60 Hz

**OUTPUT** 

Output volt amp capacity (amps): 15
Output watt capacity (watts): 1800

Outlet quantity / type: 7 NEMA 5-15R

**Transformer accomodation:** Accommodates 4 transformers

**INPUT** 

Input connection type: NEMA 5-15P

Input cord length (ft.): 6 ft.
Input cord length (m): 1.8

**Input plug features:** Space-saving right angle input plug

**Input cord gauge, type:** 14 gauge, SJT

Recommended electrical service: 120V,15A

**LEDS ALARMS & SWITCHES** 

Diagnostic LEDs: Built-in LEDs confirm protection and grounding status

Switches: Combination AC circuit breaker and 2 position red illuminated on/off power switch

**AC SURGE / NOISE SUPPRESSION** 

Protection modes: Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression

AC suppression joule rating: 1080 joules

Clamping voltage (RMS): 150V
AC suppression response time: < 1 ns

UL1499 let through rating: 330V - UL verified

EMI / RFI filtering: Up to 40 dB

**DATALINE SURGE SUPPRESSION** 

Coax line protection: 1 line

**PHYSICAL** 

Shipping weight (lbs): 5.02
Shipping weight (kg): 2.28
Unit weight (lbs): 1
Unit weight (kg): 0.45

Unit Dimensions (HWD/in): $1.5 \times 14 \times 2.75$ Unit Dimensions (HWD/cm): $3.8 \times 35.6 \times 7$ Shipping Dimensions (HWD/in): $2 \times 15 \times 6$ 

**Shipping Dimensions (HWD/cm):** 5.1 x 38.1 x 15.2

Material of construction: Plastic

Integrated keyhole mounting tabs: Keyhole mounting slots allow desk or wall mounting

**Housing color:** Attractive black color scheme

AC line cord color: Black

**CERTIFICATIONS** 

UL1449 1998 Rev. (AC Suppression): UL1449
UL1363 (Power Tap): UL1363
UL497A (Communications): UL497A
cUL / CSA (Canada): CSA

**Approvals:** Exceeds IEEE 587 category A&B specifications

**WARRANTY** 

Product warranty: Lifetime

Connected equipment insurance (USA and \$50,000

Canada Only):

The policy of Tripp Lite is one of continuous improvement.

Specifications are subject to change without notice.

Therefore, your product may vary slightly from what is currently listed.



Tripp Lite World Headquarters 1111 W. 35th Street Chicago, IL 60609 USA

> Customer Support (773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.