

## PS4816

- ▶ 16 outlets
- ▶ Convenient and safe covered, on/off switch
- ▶ 15-amp circuit breaker
- ▶ 15-ft. cord
- ▶ 48" length



## DESCRIPTION

Tripp Lite's PS4816 power strip offers 15 amp, 120V multi-outlet AC power distribution in a convenient 48 inch mountable housing. Offers horizontal or vertical power distribution in rackmount, raceway and workbench applications. Includes 16 NEMA 5-15R output receptacles with 2.717 inch center-to-center spacing, 15 ft AC line cord and lighted power switch with locking transparent cover to prevent accidental shutoff. Sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory or factory environments.

INPUT / OUTPUT: Input: NEMA 5-15P / Output: 16 NEMA 5-15R

ELECTRICAL: 120V AC, 50/60Hz, 15A

FORMAT: 48 in. corded, mountable power strip

## KEY BUYING POINTS

- Sturdy all-metal 48 inch corded strip format with 2.717 inch center-to-center outlet spacing
- Included mounting hardware supports vertical or horizontal mounting in rack enclosures, raceways and more
- Includes 16 NEMA 5-15R output receptacles
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- Lighted power switch with locking transparent cover prevents accidental shutoff
- 15 amp electrical capacity with circuit breaker
- 120VAC, 50/60Hz electrical compatibility
- Lifetime warranty

## TYPICAL APPLICATIONS

- Offers vertical or horizontal multi-outlet power distribution in rack enclosures, raceways, desktops and more.

## PACKAGE INCLUDES

- PS4816
- Mounting hardware
- Instruction manual

## COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW	
System overview:	4 ft. vertical power strip, includes mounting clips
Voltage compatibility:	120VAC
Frequency compatibility:	50/60 Hz

<b>OUTPUT</b>	
<b>Output volt amp capacity (amps):</b>	15A
<b>Output watt capacity (watts):</b>	1800
<b>Outlet quantity / type:</b>	16 Nema 5-15R
<b>Outlet spacing:</b>	2.717 in.
<b>INPUT</b>	
<b>Input connection type:</b>	Nema 5-15P
<b>Input cord length (ft.):</b>	15
<b>Input cord length (m):</b>	4.572
<b>Input plug features:</b>	Black
<b>Input cord gauge, type:</b>	14/3 SJT
<b>Recommended electrical service:</b>	15A 120V
<b>LEDS ALARMS &amp; SWITCHES</b>	
<b>Switches:</b>	Lighted 2 position switch controls power to all outlets
<b>Locking switch cover:</b>	Transparent on/off switch cover prevents accidental turn-off
<b>PHYSICAL</b>	
<b>Unit weight (lbs):</b>	4.3
<b>Unit weight (kg):</b>	1.9522
<b>Unit Dimensions (HWD/in):</b>	1.5 x 1.5 x 48 in.
<b>Unit Dimensions (HWD/cm):</b>	3.8 x 3.8 x 122
<b>Material of construction:</b>	Aluminum
<b>Form factors supported:</b>	Supports vertical or horizontal mounting in rack enclosures, raceways and a variety of other applications
<b>Mounting accessories included:</b>	Includes mounting clips
<b>Housing color:</b>	Silver
<b>Receptacle color:</b>	Black
<b>AC line cord color:</b>	Black
<b>CERTIFICATIONS</b>	
<b>UL1363 (Power Tap):</b>	UL1363
<b>cUL / CSA (Canada):</b>	cUL
<b>WARRANTY</b>	
<b>Product warranty:</b>	Lifetime

*The policy of Tripp Lite is one of continuous improvement.  
Specifications are subject to change without notice.  
Therefore, your product may vary slightly from what is currently listed.*



**Tripp Lite World Headquarters**  
1111 W. 35th Street  
Chicago, IL 60609 USA

**Customer Support**  
(773) 869-1234

© 2004 Tripp Lite. All Rights Reserved.