

## PS7224-20HW

- ▶ AC input hardwired via knockout on unit
- ▶ 24 outlets
- ▶ Ideal for applications requiring permanent installation



## DESCRIPTION

Tripp Lite's PS7224-20HW Power Strip offers 20 amp multi-outlet AC power distribution in a convenient 72 inch hardwire cabinet. Includes knockout panels to accept 3/4 in. conduit fittings for hardwire installation and 24 output receptacles with 2.795 inch center-to-center spacing. Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications.

**INPUT / OUTPUT:** Input: Hard-wire access via knockout panels that accept 3/4 inch conduit fittings Output: 24 outlets total, 2 NEMA5-20R (20A) and 22 NEMA5-15R (15A)

**ELECTRICAL:** 120V AC, 50/60Hz, 20A (no circuit breaker)

**FORMAT:** 72 inch strip format with 24 outlets

## KEY BUYING POINTS

- Versatile all-metal 72 inch format with outlets arranged in a single row
- Knockout panels for 3/4 inch conduit fittings allow permanent hardwire installation
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- 24 outlets total, 2 NEMA5-20R (20A) and 22 NEMA5-15R (15A)
- 20 amp electrical capacity
- 120V AC, 50/60Hz electrical compatibility

## TYPICAL APPLICATIONS

- Offers multiple outlet power distribution for a variety of applications, including office, workbench, industrial, networking, telecom and more.

## PACKAGE INCLUDES

- PS7224-20HW
- Instruction manual

## COMPLETE SPECIFICATIONS

### SYSTEM OVERVIEW

<b>System overview:</b>	6 ft. mountable hardwire power strip, 20A capacity
<b>Voltage compatibility:</b>	120VAC
<b>Frequency compatibility:</b>	50/60 Hz

### OUTPUT

<b>Output volt amp capacity (amps):</b>	20A
<b>Output watt capacity (watts):</b>	2400

**Outlet quantity / type:** 22 Nema 5-15R / 2 Nema 5-20R

**Outlet spacing:** 2.795 in.

## **INPUT**

**Input connection type:** 3/4 inch knockouts support hardwire input connection

**Recommended electrical service:** 20A 120V

## **PHYSICAL**

**Unit Dimensions (HWD/in):** 1.5 x 1.5 x 72

**Unit Dimensions (HWD/cm):** 3.8 x 3.8 x 182.88

**Material of construction:** Metal

**Integrated keyhole mounting tabs:** Mount through housing supports bolt down installation to a variety of flat surfaces

**Housing color:** Beige

**Receptacle color:** Almond

## **CERTIFICATIONS**

**cUL / CSA (Canada):** cUL

**Approvals:** UL

## **WARRANTY**

**Product warranty:** Lifetime

*The policy of Tripp Lite is one of continuous improvement.  
Specifications are subject to change without notice.  
Therefore, your product may vary slightly from what is currently listed.*



**Tripp Lite World Headquarters**  
1111 W. 35th Street  
Chicago, IL 60609 USA

**Customer Support**  
(773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.