

602

▶ 5 outlets

▶ No switch

▶ 6-ft. cord

▶ 8.6-in. overall length



DESCRIPTION

The Waber-by-Tripp Lite 602 Power Strip offers a convenient method of power distribution in workbench, wallmount or floor mount applications. Includes 5 NEMA 5-15R output receptacles with 1.188-inch center-to-center spacing, 6-foot AC line cord and keyhole mounting tabs for installation in a wide variety of applications. Corded, multi-outlet strip reduces cable clutter and enables the connection of multiple electrical devices to a single AC wall socket. Unfiltered electrical pass-through makes the 602 ideal for distributing alternate waveform UPS or generator power. Features rugged all-metal housing, 15-amp resettable circuit breaker and attractive blue/gray color scheme. Lifetime warranty.

PLUG / OUTLETS - Input: NEMA 5-15P / Output: 5 NEMA 5-15R

ELECTRICAL - 120VAC, 50/60Hz, 15A (Requires standard NEMA 5-15R wall receptacle)

FORMAT - Corded power distribution strip

KEY BUYING POINTS

- Multi-outlet power strip offers convenient power distribution in workbench, wallmount or floor mount applications
- Includes 5 NEMA 5-15R output receptacles with 1.188-inch center-to-center outlet spacing
- Keyhole mounting tabs support permanent installation on a wide variety of surfaces
- UL1363 (USA), cUL (Canada)
- 15-amp power handling capacity with circuit breaker
- 6-foot AC line cord
- Lifetime warranty

TYPICAL APPLICATIONS

- Offers multiple outlet power distribution in workbench, wallmount or floor mount applications. Unfiltered electrical pass-through makes the 602 ideal for distributing alternate waveform UPS or generator power to protected equipment.

PACKAGE INCLUDES

- 602 Power Strip
- Warranty information
- Instruction manual

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW

System overview:	5-outlet power strip, 6-ft. cord
Voltage compatibility:	120VAC
Frequency compatibility:	50/60 Hz

OUTPUT

Output volt amp capacity (amps):	15A
Outlet quantity / type:	5 NEMA 5-15R
Outlet orientation:	Single row of 5
Outlet spacing:	1.188 in.

INPUT

Input connection type:	NEMA 5-15P input plug
Input cord length (ft.):	6
Input cord length (m):	1.8288
Recommended electrical service:	15A 120V

LEDS ALARMS & SWITCHES

Switches:	No switch
------------------	-----------

PHYSICAL

Unit Dimensions (HWD/in):	1.5 x 2.5 x 8.6 (overall); 1.5 x 2.5 x 7.38 (housing only)
Unit Dimensions (HWD/cm):	3.8 x 6.35 x 21.8 (overall); 3.8 x 6.35 x 18.7
Material of construction:	Metal
Integrated keyhole mounting tabs:	Keyhole mounting tabs enable mounting to a variety of surfaces
Housing color:	Blue / Gray
Receptacle color:	Black
AC line cord color:	Black

CERTIFICATIONS

UL1363 (Power Tap):	UL1363
cUL / CSA (Canada):	cUL

WARRANTY

Product warranty:	Lifetime
--------------------------	----------

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.