

HEADPHONES AND HEADSETS



AKG K44 Monitor Headphones

The K44 has unique AKG styling and solid "best buy" performance. It is among the least expensive true pro headphones on the market, yet still has many proven AKG features including gimbal suspended closed-back "cans." The closed-back design delivers solid performance and provides some acoustic isolation for use in noisy environments. The self-adjusting headband and suspended ear cups ensure outstanding comfort and a secure, easy fit. The high sensitivity and low impedance of the K44 also make it perfect for use with computers and portable audio devices.

LIST
K44On ear, 18-20,000 Hz 32-ohms39.00

CALL FOR PRICE

AKG K206 AFC Wireless RF Headphones

Lively, accurate sound in a comfortable headphone. Uses RF signals which penetrates walls and ceilings up to 330 feet away. Recharge-able batteries deliver up to 15 hours of use - simply place the headphones on the transmitter cradle unit to recharge. With automatic gain control, the K206 afc is compatible with TVs, computers and game consoles.

LIST
K206/AFC ..Semi-open wireless headphone with transmitter base, 18-20kHz.....134.00

CALL FOR PRICE

audio-technica ATH-M3X Closed Back Stereophones

Features a closed back design for powerful low end response. Provides privacy and prevents unwanted sounds from interfering. High performance drivers and a low-mass diaphragm allow for accurate audio sound sources. Features: 20-21,000Hz frequency response, 4-16 ohm impedance and mini plug with 1/4" adapter.

LIST
ATHM3X.....Closed-back headphones49.95
ATHM2X.....Open back version of M3X39.95

CALL FOR PRICE



audio-technica ATHD40FS Enhanced Bass Response/ATHM40FS Flat Response

New high SPL studio headphones with 1600mW of power handling. 40mm drivers with neodymium magnets, OFC litz wire cables exit on one side. The M40 model has extended flat response for mixing and monitoring. The D40 has enhanced low frequency response for drummers and bass players. Earpieces rotate for easy one-ear monitoring.

LIST
ATHD40FSEnhanced bass response150.00
ATHM40FSFlat response150.00

CALL FOR PRICE




audio-technica ATH-P5

Lightweight Open-Back Dynamic Stereo Headphones, Cushioned earpads, adjustable headband, neodymium magnets, 3.3' cable with stereo mini-plug, 1/4" adapter included, 40mm driver, 20-20K Hz response, 40 ohms, 100mW, 2.5 oz.

LIST
ATH-P529.95

CALL FOR PRICE



beyerdynamic DT100/200 Series Communication Headsets

The industry standard of industrial headsets offering maximum comfort and acoustic isolation, available in single or dual muff and with or without boom microphones. Ideal for intercom and monitoring situations. Microphones are unbalanced 200-ohms and headphones are available in a variety of impedances. Cables are unterminated unless otherwise indicated. All have single-sided detachable cables. The DT108/109/150 have modular construction offering easy field repair.

LIST
DT108-400/200 ..Single w/boom 400 ohms259.00
DT108-28-CCSingle for Clear-Corn A4F.....269.00
DT108-38-RTS.....Single for RTS A5M.....269.00
DT108-42-RTS.....Single for RTS A4M.....269.00
DT109-200/50Dual w/Boom 50-ohms299.00
DT109-400/200Dual w/Boom 400-ohms299.00
DT109-28-CCDual for Clear Com A4F.....319.00
DT109-38-RTS.....Dual for RTS A5M319.00
DT109-42-RTS.....Dual for RTS A4M319.00
DT150.....Dual stereo 250-ohms239.00
DT250-80Dual stereo, 80-ohms199.00
DT280-80Single w/Boom 80-ohms229.00
DT280-250Single w/Boom 250 ohms229.00
DT290-80Dual w/Boom 80-ohms249.00
DT290-250Dual w/Boom 250-ohms249.00

CALL FOR PRICE



Equation Audio Eartools RP-10, RP-20, XB-1

Professional headphones with full circum-aural cups and large, efficient 32 ohm transducers, with extended, but not exaggerated, frequency response. They are durable and comfortable and designed for extended use without ear fatigue. The RP-20 has a flat frequency response for professional reference monitoring in mixing, recording and evaluation applications. Two year limited warranty.

LIST
RP-10Lightweight 5.82 oz. model89.00
RP-2012.3 oz closed phones, with flat response, replaceable cushions149.00
XB-112.5 oz. high output dual element, with extended bass169.00

CALL FOR PRICE



KOSS A130

Enclosed stereo headphone. Frequency response of 16-23,000Hz, 60-ohm impedance, 8-ft. cord with 1/4" plug. Detachable head-band for easy travel and storage.

LIST
A13099.99

CALL FOR PRICE



KOSS Professional Headphones

From the time tested classic Pro-4AA to the new Pro-4AAT & Pro-3AAT Titanium versions, Koss has great sounding studio quality headphones. These closed ear headphones quality fatigue-free sound and feel, with excellent durability.

LIST
PRO/4AAT ..15-20kHz, 250 ohms, 95dB SPL sensitivity, mini+1/4" connector99.00
PRO/4AA10-22kHz, 230 ohms, 94dB SPL sensitivity, 1/4" connector.....99.99
PRO/3AAT ..15-20kHz, 60 ohms, 100dB SPL sensitivity, mini+1/4" connector69.99

CALL FOR PRICE



KOSS R/80 Headphones

Enclosed stereo headphones, 60 ohm impedance with 8 ft cable, with a combination of 1/4" and mini plug connectors.

LIST
R/80.....16-22kHz response49.99

CALL FOR PRICE

CONFIDENTIAL

The prices in this catalog are only for:

- ✓ CONTRACTORS
- ✓ AV DEALERS
- ✓ RETAILERS
- ✓ SYSTEM INTEGRATORS
- ✓ SECURITY INSTALLERS

HEADPHONES AND HEADSETS

Lifetime Warranty

KOSS[®] TD/80 Industrial

A Koss headphone for studios, schools and other industrial uses. Has a heavy-duty 10 foot cord, is 60 ohms and has a response of 20Hz to 17kHz.



CALL FOR PRICE

KOSS[®] UR/29 Collapsible Headphones

Enclosed with anisotropic magnet, 18-20kHz response, 100 ohms, single entry 8 foot cord, collapsible for portable use.



UR/29 LIST29.99

CALL FOR PRICE



KOSS[®] UR15C Home Stereo Headphones

Closed leatherette earphones with dynamic element, 25-15kHz response, includes 1/8" and 1/4" plugs.

UR/15C LIST19.99

CALL FOR PRICE



SENNHEISER[®] Closed Back/Isolating Headphones

For studio monitoring or listening when acoustic isolation from the outside is preferred. Designed with feature weight and long term comfort in mind, rugged and accurate response.

- EH15018-18,000 Hz, 32 ohms, circumaural, ultra-light59.95
- EH25014-19,000 Hz, 32 ohm, supra-aural, ultra-light99.95
- HD2516-22,000Hz, 70 ohms, supraaural, single cable269.95
- HD25SP30-16,000Hz, 85 ohms, supraaural, with dual cables139.95
- HD20218-18,000Hz, 32 ohms, semi-circumaural leatherette.....29.95
- HD250-II10-25,000Hz, 300 ohms, diffused field EQ, circumaural.....249.95
- HD26510-30,000Hz, 150 ohm, circumaural249.95
- HD280-PROFESSIONAL8-25,000Hz, 64 ohm, circumaural, folding199.95
- PX20010-21,000 Hz, 32 ohms, supra-aural, folding mini headphones69.95

CALL FOR PRICE



SENNHEISER[®] Open-Aire Headphones

Sennheiser invented the Open style headphone, which has less outside isolation but an enhanced open feeling with extended bass response and non-critical placement or sealing against the head. The best for long term wear for both HI-FI listening or studio/control use when maximum isolation is not required. For studio musicians and vocalists the ambient sound can be a plus when recording and overdubbing. Most models have dual cables and mini and 1/4" plugs.

- EH35014-22,000Hz, 32 ohm, supra-aural, ultra-light139.95
- EH143018-20,000Hz, 32 ohm, supraaural59.95
- HD43721-18,000Hz, 32 ohms, supra-aural, rugged ultra-light weight29.95
- HD45725-21,000Hz, 32 ohms, supra-aural, flex. headband, replaceable cushions39.95
- HD47737-21,000Hz 32 ohms, semi-circumaural cloth59.95
- HD49724-22,000Hz, 32 ohm semi-circumaural leatherette.....69.95
- HD51514-26,000Hz, 120 ohms, circumaural, outstanding comfort109.95
- HD55515-28,000Hz, 120 ohms, circumaural, extended spatial sound field169.95
- HD56516-30,000Hz, 120 ohm, supraaural, semi-open229.95
- HD58012-38,000Hz, 300 ohm, circumaural259.95
- HD59512-38,500Hz, 120 ohms, circumaural, highest grade components, with shelf holder289.95
- HD60012-39,000Hz, 300 ohm, circumaural449.95
- HD65010-39,500Hz, 300 ohms, reference class w/ matched drivers, silver finish549.95
- PX10015-27,000Hz, 32 ohm, supra-aural fold and flip style, w/designer case59.95
- PMX6018-21,000Hz, 32 ohm, open miniature neckband style34.95

CALL FOR PRICE



SENNHEISER[®] Wireless Headphones

Enjoy your music or TV programs with the freedom to roam without the tangle of headphone cords. The Sennheiser 900 MHz RF headphones provide reception through walls and ceilings. Excellent sound in comfortable and durable designs. Infrared models are good to approx. 30' and must be used within line of sight of the base transmitter unit. Replaceable parts for long service life. Two year warranty.

- RS45RF, open139.95
- RS65Open type, w/ SRS surround processor209.95
- RS85RF type, circumaural with velour cushions, 20Hz-22kHz, 5.6 oz., noise reduction, NiMH batteries and charger269.95
- RS100RF type, supraural, 22-18500 Hz, 8.1 g., runs on AAA batteries89.95
- RS110RF type, supraural, 22-19500 Hz, 8.1 g., runs on AAA batteries89.95
- RS120RF type, supraural, 22-19500Hz, 8.1g. rechargeable NiMH batteries and charger109.95
- IS380Infrared, 20-19,500 Hz109.95

CALL FOR PRICE



SENNHEISER[®] Noise Cancelling Headphones

Designed to electronically cancel and reduce outside sounds by up to 10dB in noisy environments, these headphones can also play the sounds you want to enjoy. Excellent for the frequent business traveler on airplanes, and in crowded public areas with a high level of background noise. Two year warranty.

- PXC150Supra-aural mini w/switchable NoiseGuard active cancelling129.95
- PXC250Foldable NoiseGuard travel headphones w/airplane adapter169.95
- PXC300Foldable NoiseGuard travel headphones w/airplane adapter w/ACT for reduced mobile phone interference219.95

CALL FOR PRICE



TELEX Educational/Computer Headphones

Educational computer headphones known for their dependability, quality construction, and value. Ideal for K-12 music labs and listening centers. Can be used with any type of computer in addition to tape players, CD/DVD players, and TVs. They feature a steel-reinforced headband, easy to clean cushions, and high-quality voice & music reproduction.

- EH-1130 ohms, single-cord, 1/4" mono plug17.00
- EH-2130 ohms, single-cord, 1/8" mono plug15.69
- EH-3S65 ohms, single-cord, 1/8" stereo plug17.00
- EH-3SV65 ohms, single-cord, 1/8" stereo plug, volume control18.00
- EH52165 ohms single-cord, 1/8" & 1/4" mono/stereo switch, volume control19.00
- LE6VSix Explorer headsets111.83
- LE8VEight Explorer headsets160.00
- 610 Series**
- 610-41600 ohms, mono, single-cord, 1/4" plug14.00
- 610-44600 ohms, mono, single-cord, 1/8" plug15.00
- 610-44S65 ohms, stereo, single-cord, 1/8" plug14.00
- L610-6VSix 610 headphones115.00
- L610-8VEight 610 headphones120.00
- Odyssey Series, deep comfortable earcups, volume controls, replaceable cables**
- OH-1V64 ohms, mono, single-cord, 1/8" plug45.00
- OH-4V300 ohms, stereo single-cord, 1/8" plug45.00
- CA1506' replacement cable for mono OH-1V3.00
- CA160-TELEX6' replacement cable for stereo OH-4V5.00

- Discovery Series, with noise canceling mics and volume controls**
- DS-4V300 ohms, stereo, dynamic mic, Y-cord, 1/8" stereo headphone & mic plugs90.00
- DS-8V64 ohms, stereo, electret mic, Y-cord, 1/8" stereo headphone & mic plugs90.00
- DS-9V64 ohms, mono, electret mic, Y-cord, 1/8" mono headphone & mic plugs90.00
- Genesis Series, behind the ear design, ideal for assigned individual use, in resealable storage bag.**
- GENESIS-I32 ohms, stereo9.00
- GENESIS-II32 ohms, stereo with boom mic11.00

CALL FOR PRICE

FAX: 608-831-1890 | WWW.FULLDISCOUNT.COM
8AM-8PM M-F CST | 10AM-4PM SAT CST

FDW
FULL DISCOUNT WHOLESALE



IN-EAR MONITORS



Hearbuds

By creating acoustic chambers at the ear, hearbuds not only dramatically improves the sound of standard in-ear headphones and ear-pieces, their molded, 100% silicon, design also significantly reduces unwanted background noises levels - enabling you to enjoy the same sound clarity at lower volumes. And, because they're audiologically designed, they're comfortable to wear and won't fall out of your ears either!

LIST	
HBUD1Hearbuds14.99
HBUD-PHN1Hearbuds with Headset39.95

CALL FOR PRICE



KOSS "The Plug"

The Plug - micro in ear canal headphones, with quality sound. Frequency response: 10-20,000Hz, Unique earbud design directs sound

into the ear canal for deep bass and extended frequency performance. Specialty ear cushion material forms slowly in the ear canal to provide a custom fit and maximum isolation Straight, dual-entry, 4-foot cord and a 3.5mm plug. Impedance: 16 ohms Weight: 0.25 oz. Sensitivity: 112 dB SPL/1mW Distortion: <0.3%.

LIST	
THE-PLUG14.99

CALL FOR PRICE



SENNHEISER MX500 In-Ear Headphones

Lightweight in-ear system headphones for listening on the move. Superior quality for your MP3 player, portable CD player or any other mobile audio source. Comes with volume control built into the cable and a convenient wind-up case.

LIST	
MX300Optimized for bass, 32 ohms9.95
MX400Black & silver, 32 ohms14.95
MX450With "basswind" system, 16 ohms17.95
MX500Blue w/volume control, 32 ohms19.95
MX600With "basswind" system and volume control, 16 ohmsCALL

CALL FOR PRICE

DON'T FORGET!

You must fill out the
DEALER APPLICATIONS

on pages 3 & 4 or online

to purchase from this catalog.



SHURE E2/E3/E4/E5 Universal Fit Earphones

Lightweight (1 oz.) high quality, sound isolating earphones with replaceable foam pads and flex sleeves of different sizes for a universal fit. The E2 and E3 types use a single high-energy dynamic driver, with the E3 offering extended frequency response. The E4C uses a new single high definition driver. The E5 types use a two-way, dual driver for extraordinary frequency response. They come with 1/8" stereo plug con-

nection, 2 extra foam pads and 2 each of the three different sizes of flex sleeves and a zippered nylon case. "C" suffix indicates consumer packaging.

LIST	
E216 ohms, 105 dB SPL/mw110.00
E2C16 ohms, 105 dB SPL/mw110.00
E326 ohms, 115 dB SPL/mw, grey214.80
E3C26 ohms, 115 dB SPL/mw, white214.80
E4C29 ohms, 111 dB SPL/mw, white349.00
E5110 ohms, 122 dB SPL/mw625.88
E5C110 ohms, 122 dB SPL/mw, w/volume control625.88
PA750Foam eartips, 10 pair for E3/E531.83
PA752Foam sleeves, 5 pair of E2 in S,M, L9.83
PA754Foam eartips, 250 pair398.00
PA755Rubber flange eartips, 1 pair15.90

CALL FOR PRICE

TELEX

Earset® Components

To provide optimum versatility, the Announcer's Earset is made up of interchangeable parts which simply snap together. Depending on the component pieces selected, users can construct a version of the Announcer's Earset that best suits their particular needs.

Eartips/Earcones/ Earloops/Eartubes

LIST	
ET1(35608-000) soft silicone tip9.00
BT1(70594-000) bag of 25 eartips for use w/ET-144.00
BT2(35629-012) bag of 5 small earcones for use with ET-4 or ET-521.00
BT3(35629-013) bag of 5 medium earcones for use with ET-4 or ET-521.00
BT4(35629-014) bag of large earcones for use with ET-4 or ET-521.00
AEF2(09252-000) plastic covered metal earloop fits eartip and all Telethin receivers8.00
AEF3(18304-000) Nylon earloop fits eartip and all Telethin receivers8.00
ET2(70491-000) Coiled acoustic eartube with clothing tip26.00
ET4(70491-001) Coiled acoustic eartube for earcones26.00
ET3(70491-000) straight acoustic eartube with clothing clip26.00

CALL FOR PRICE

Cords


Cords without volume controls. High-flex tinsel cords 5' (1.52m) long, neutral grey, single tamper-proof jacket

LIST	
CMT2(60013-000) Standard ears system cord 1/4" (6.35mm) phone plug26.00
CMT92(60013-013) straight cord with miniature right angle. 140° (3.56mm)26.00
CMT98(60013-015) straight cord miniature straight 140° (6.56mm) phone plug26.00
CC2(19652-000) coiled 5' extended (1.52m) cord with 1/4" (6.35mm) phone plug26.00
CMT95(60013-073) straight cord with miniature straight .097" (2.46mm) phone plug26.00

Cords with volume controls. Volume controls with clothing clip on 5' (1.52m) straight cord with 1/4" (6.25mm) phone plug.

LIST	
VXT3(19616-001) 500 ohms58.00
VYT3(19616-000) 2000 ohms58.00
CCX2(19652-004) with right angle mini connectors26.00

CALL FOR PRICE



Earmolds

LIST	
EML1(35401-014) large, right ear23.00
EML2(35401-019) large, left ear23.00
EMM1(35401-12) medium, right ear23.00
EMM2(35401-17) medium, left ear23.00
EMS1(35401-010) small, right ear23.00
EMS2(35401-015) small, left ear23.00

CALL FOR PRICE

Telethin® Receivers

LIST	
RTR04(60012-000) 15 ohms21.00
RTV04(60012-003) 125 ohms21.00
RTW04(60012-005) 500 ohms21.00
RTY04(60012-009) 2000 ohms21.00
RTW04-V(600150-039) 500 ohms with built-in volume control60.00

CALL FOR PRICE