

AUDIO



ANTARI F3 FAZER The stackable F-3 Fazer features a rugged flight case design and an air pump system that mixes fog and air to produce fine, dry fog for with minimal fluid consumption. One liter of fog liquid will provide 5 hours of fog. Also has built-in DMX functionality, silent operation and a LCD screen for timer and volume control.



ITEM	DESCRIPTION	PRICE
F3-FAZER.....	Fogger machine w/800W heater & DMX.....	1499.99

ANTARI Z-1200II Features the ECO thermal control system which detects a temperature drop and will automatically reheat the machine. The heater core can be easily taken out from the heater block for quick, easy cleaning. Also has an electronic low-fluid detector that automatically shuts down the pump power when the fluid level is low. Includes standard hanging bracket and Z-8 timer remote with 25' cable.



ITEM	DESCRIPTION	PRICE
Z-1200-II.....	1200W fogger, 2.5 liter tank.....	399.99
Z-9.....	Wireless remote.....	51.33

ANTARI M-5 STAGE FOGGER

A high performance, heavy duty stage fogger designed to meet the demands of stage and touring use. A high-capacity 10 liter tank offers non-stop power to fog generators and allows extended use between refills. Initial heat-up time is 8 minutes. A rectangular, durable housing makes it easy to carry and is able to withstand rigorous toad transport. The M-5 has DMX on-board and can be controlled remotely with a digital LCD display model or the included wired M-20 timer remote.



ITEM	DESCRIPTION	PRICE
M5-FOGGER.....	Stage Fogger.....	749.99
M-30.....	Wireless remote for M-5.....	149.17
FM-5.....	Flight Case.....	149.99

ANTARI HZ-400 PRO HAZER

The HZ-400 produces safe, dry, clean, and almost invisible haze that enhances the beams from any projected light, especially laser equipment. It has an internal, maintenance-free air compressor, a haze transfer mechanism, two haze nozzles and a specially designed liquid tank. An added on-board DMX lets users control the unit with any DMX 512. HC-1 timer remote included.



ITEM	DESCRIPTION	PRICE
HZ-400.....	Pro Hazer, 2.5 liter tank, HC-1 timer remote included.....	1399.99
HCR-1.....	Wireless remote.....	35.80

ANTARI DNG-200 LOW FOG GENERATOR

The DNG-200 Low Fog Generator is the complete ground fog effect solution producing an effect virtually indistinguishable from that of dry ice. It creates a low fog straight from the machine's nozzle; making it far more efficient than those using CO2. With a powerful compressor and aluminum heater block, 3 output levels can be selected from a tiny cloud to the thickest fog with a heat-up time of only 12 minutes.



- Tank Capacity: 10 liters
- Remote Included: D-20 (LCD Timer Panel Controller; 2 Meters)
- Liquid Used: Antari FLR (Light Fog Liquid) recommended
- Floor-Mount installations (4 wheels)
- DMX on-Board

ITEM	DESCRIPTION	PRICE
DNG-200.....	Low Fog Generator.....	CALL
FLR-20.....	Fog Fluid, 20L.....	119.32
FLR-4.....	Fog Fluid, 4L.....	29.78



APOLLO DESIGN TECHNOLOGY

RIGHT ARM 2™ The Right Arm® 2 adds 300° pan and 270° tilt capabilities to a wide range of static theatrical and studio lighting fixtures. Video cameras & LCD projectors can be added to a lighting rig with minimal prep and easy adjustment from the lighting console. The Right Arm® 2 features a 2-point integral balancing system that allows use of front or rear-heavy fixtures without counterweights or fixture modification. It offers a wide range of adjustment for fixture heights and widths without removing shutters or existing yokes. The Right Arm 2 also features user-defined pan and tilt range, an LCD screen, a 5-pin output, and a 4-pin output.



ITEM	DESCRIPTION	PRICE
AC-RIGHT-ARM-2.....	Pan and tilt arm for static light fixtures, 40lb capacity.....	905.24



APOLLO DESIGN TECHNOLOGIES POWER SUPPLIES Smart Power™ power supplies provide 24VDC to lighting accessories as well as control of indexing devices with a DMX signal.

- Smart Power 75W powers up to 1 MXR color mixer, 2 Smart Color scrollers, 5 Smart Move rotators, or a combination of these, (1) DMX 5pin in, (1) DMX 5pin out
- Smart Power 200W powers up to 8 Smart Color PROs, 6 Smart Colors, 13 Smart Moves, 13 EZ Irises or 5 MXRs, or a combination of these, (1) DMX 5pin in, (1) DMX 5pin out, (4) 4pin XLR out, (4) 4pin XLR returns
- Smart Power 400W powers up to 16 Smart Color PROs, 12 Smart Colors, 26 Smart Moves, 26 EZ Irises, 10 MXRs or a combination of these, (1) DMX 5pin in, (1) DMX 5pin out, (2) 4pin XLR out, (2) 4pin XLR returns
- Smart Power 600W powers up to 24 Smart Color PROs, 18 Smart Colors, 40 Smart Moves, 40 EZ Irises, 15 MXRs or a combination of these, (1) DMX 5pin in, (1) DMX 5pin out, (6) 4pin XLR out, (6) 4pin XLR returns

ITEM	DESCRIPTION	PRICE
AC-SP-75W.....	Smart Power 75W power supply.....	124.83
AC-SP-200W.....	Smart Power 200W power supply.....	517.14
AC-SP-400W.....	Smart Power 400W power supply.....	748.95
AC-SP-600W.....	Smart Power 600W power supply.....	980.78



APOLLO SMART COLOR PRO SCROLLERS Quiet operation, local or remote fan speed control and pre-installed Gel Shield are still standard, but the Pro Series adds a larger, rectangular front aperture which provides 10% more light throughput. Also new to the Pro Series are standard 18 color frames, 18% lighter weight and 25% lower power consumption. All models feature universal or adjustable mounting tabs, push button menu with LED display, 4-pin XLR in/out ports for daisy chaining and front-load gel strings. Other standard features include state-of-the-art digital circuitry with rotary DMX addressing, an automatic scrolling mode to continuously scroll or frame-by-frame step through each color at various speeds, and remote fan control.

ITEM	DESCRIPTION	PRICE
SC-SCROLL-5-PRO.....	For narrow beam fixtures, 5.25" apertures.....	399.45
SC-SCROLL-7-PRO.....	For all ellipsoidals and many wash fixtures, 7.25" apertures.....	420.84
SC-SCROLL-10-PRO.....	For 1-2K Watt fixtures, 10" apertures.....	517.14



Follow us!

Let us show you exactly what to expect with our lighting design computer modeling & pre-visualization.

RIGHT ARM[®]

For Precise, Smooth, And Quiet
Pan/Tilt Movement Of Static Devices



Ellipsoidals



PARs



LEDs



Projectors



Cameras



Snow Machines



- DMX 512 Control
- 315° Pan
- 270° Tilt
- 40 lb. Capacity
- Compact 26"x15"x7"

Recent Installations



Right Arm w/LED and Scroller

Courtesy: Light Source, Inc.



Right Arm w/Lighting Fixture

Courtesy: Metropolitan Museum of Art, New York



Right Arm w/Projector

Courtesy: Future Light, Denmark



Right Arm w/Audio Speaker

Courtesy: Museum of Modern Art, San Francisco

Other Apollo Lighting Products



Gobos



Rotators



Gel



Scrollers



Power Supplies



LEDs



Architectural Fixtures



For more information on all Apollo lighting solutions,
contact your Full Compass sales representative today!
800-356-5844 www.fullcompass.com

FULL COMPASS
PRO AUDIO | VIDEO | AV | LIGHTING
MUSICAL INSTRUMENTS
800-356-5844
FULLCOMPASS.COM

AUDIO



COMPUTER AV



VIDEO



LIGHTS




ACCESSORIES



APOLLO SMART MOVE® ROTATOR Holds 1 or 2

"B"-size round gobos, secured by a heavy-duty retaining ring. Made of machined aluminum, the retaining ring is secured in place by 2 spring clips for easy adjustment and replacement. It is belt-driven for quiet operation and powered by a rugged 24V power supply (included). The rotator's black, powder-coat 18-gauge steel provides rigidity and durability. Variable speed range from 0 to 21 RPM plus rotary switches for easy setting to desired effect.



ITEM	DESCRIPTION	PRICE
SM-MOVE-000	Smart Move Rotator	353.79
SM-MOVE-DMX	DMX controlled version	442.57
AC-SP-75W	Power supply for DMX version	124.83

APOLLO SMART MOVE® VERTICAL

The Vertical features motion, time, and speed presets that create vertical movement of patterns or text. It can have 2 individual images on 1 gobo, allowing 1 image at a time to be placed in the focal path of the fixture. Additional effects can be created by placing another gobo in the fixture's gobo slot. Engineered for quiet, reliable operation and easy change out, the Smart Move Vertical holds 1 metal, 1 B/W, or 1 color glass gobo. It has variable vertical travel of 1/4" to 1 1/2", variable dwell time, and 17 pre-programmed effects.



ITEM	DESCRIPTION	PRICE
SM-MOVE-VRT	Smart Move Vertical	350.16
SM-MOVE-VRT-DMX	DMX Controlled Version	435.76
AC-SP-75W	Power Supply for DMX Version	124.83

APOLLO MXR COLOR SCROLLER A new twist on 2-string color mixing using subtractive color mixing to achieve desired hue and saturation. MXR's innovative color selection and frame sequence maximize useful colors. Its direct-drive, 4-motor system provides quiet and smooth color transition with low power consumption. The MXR gives the designer absolute color control at a very affordable price. Includes universal mounting plate.



ITEM	DESCRIPTION	PRICE
AC-SCROLL-MXR	MXR Color Mixer	766.47



AMERICAN DJ FOG-STORM-1200HD HIGH OUTPUT FOG MACHINE

- 1,200W high output fog machine
- Electronic heater stays hot at all times with no warm-up time between fog blasts
- Advanced cut-off system warns when fluid level is low and stops pumping when minimum level is reached
- 25' cable remote
- External fog control switch
- 7,000 cu. ft. per minute fog output
- Warm up time: 8 minutes
- 2.5-liter removable fog fluid tank



ITEM	DESCRIPTION	PRICE
FOG-STORM-1200HD	Fog machine	149.99

Look SOLUTIONS

LOOK SOLUTIONS TINY C07 COMPACT FOG MACHINE

The Tiny C07 is a compact, battery-driven fog generator. With its warm up time of less than a second, lightweight design and small dimensions, this machine is well suited for theater, film, TV, photography, musicals, special effects, and everywhere else that fog might be needed quickly and unobtrusively. The internal battery produces up to 10 minutes of continuous output or up to 150 puffs of 5 seconds each.



ITEM	DESCRIPTION	PRICE
TC-0700	Compact Fog Machine	1624.56
TC-1705	Ducting Adaptor for Tiny C07	71.67
TF-2616	Lithium Battery Pack for Tiny C07	186.34
TF-3119	Tiny Fluid (250mL)	25.83
TF-3119X	Case of Tiny Fluid (12)	301.35
TF-3128	Tiny Fluid (2L)	77.49
TF-3149	Tiny Fluid (5L)	163.67

Look

LOOK SOLUTIONS TINY F07 COMPACT FOG MACHINE

Because of its small dimensions (only 4.2" x 1.9" x 2") and light weight (only 11 oz.), this little gadget can be easily built into backdrops, puppets, costumes, props, etc. The Tiny F07 has a sleep mode and a start up time of less than a second. The Tiny F07 package includes a fluid tank, battery with charger, cable remote, carrying case and 250mL fluid.



ITEM	DESCRIPTION	PRICE
TF-0600	Tiny F07 Fog Machine	1767.91
TF-1605	Ducting Adapter for Tiny F07	71.67
TF-2616	Lithium Battery Pack for Tiny F07	186.34
TF-3119	Tiny Fluid (250mL)	25.83
TF-3119X	Case of Tiny Fluid (12)	301.35
TF-3149	Tiny Fluid (5L)	163.67

Martin

MARTIN MAGNUM 2500HZ HAZE MACHINE The Magnum 2500HZ is a plug-and-play, easy-to-use hazer suitable for DJs, smaller venues, bars, and clubs. With a large fluid container and optional DMX, this hazer is ideal for installations.

- Continuous output w/ output & density level control
- Integrated fan
- 900W heat exchanger
- 3.8-liter fluid capacity
- Fluid-out sensing
- Timer and output level remote control



ITEM	DESCRIPTION	PRICE
MAGNUM-2500-HAZER	Haze machine	827.00
91612011	Optional DMX interface	130.00

MARTIN MAGNUM 2000 HIGH OUTPUT FOG MACHINE The authority in portable fog machines. Few other portable foggers can match the optional DMX controlled output of the Magnum 2000, or its logical plug and fog simplicity.

- 1600W heat exchanger
- 8 minutes heat-up time
- Floor standing or truss mounting
- 9.5-liter fluid capacity
- Different fluid options for different applications
- On-board control panel
- Removable panel for timer and output level remote control



ITEM	DESCRIPTION	PRICE
MAGNUM-2000	High output fog machine	985.00
90758020	Optional DMX interface	166.00



ROSCO BELT DRIVE ROTATORS

Belt Drive FX units are designed for applications including theater, television and long running installations. They feature high temperature silicon belts that are virtually silent at all speeds. The Belt Drives are versatile, fitting steel, litho glass or effect glass gobos. Also featured are reliable stepper motors for smooth drive even at the slowest speed.

ITEM	DESCRIPTION	PRICE
SIMPLE-SPIN	Dual gobo rotator, single motor	333.78
REVO	Dual indexing rotator, two variable speed motors	418.28
REVO-PRO	Dual programmable rotator, DMX or stand-alone	502.78



Follow us!

Let us show you exactly what to expect with our lighting design computer modeling & pre-visualization.



ROSCO DELTA 3000 FOG MACHINE

Capable of filling many stages in less than a minute, the Delta 3000 is made of a cast aluminum heat exchanger that houses a 1500W heater element. Rosco's Delta technology allows you to treat the fog machine's controls as you would a light fixture's controls by starting and ending it on cue. The Delta 3000 is controlled via digital DMX remote, analog DMX remote, or timed remote- any of which must be purchased in order to operate the machine.



ITEM	DESCRIPTION	PRICE
DELTA-3000	Fog machine	839.06
DELTA-3000-CASE	Case for Delta 3000	394.74
REMOTE-DELTA-DIGITAL	Digital DMX remote for Delta 3000	474.88
REMOTE-DELTA-ANALOG	Analog DMX remote for Delta 3000	303.95
REMOTE-TIMED	Timed remote for Delta 3000	303.95
08200-0034	Fog fluid, 1 liter	16.95

ROSCO DELTA HAZER The Delta Hazer uses a water-based fluid and can quickly fill venues of varying size thanks to its 1000W heat exchanger and its high quality blower. One knob regulates the fan and pump speed, varying the two for optimum output and allowing it to run continuously at high speeds. Also features continuous self-cleaning, onboard DMX, a low fluid sensor, and auto timers.



ITEM	DESCRIPTION	PRICE
DELTA-HAZER	Haze machine	1246.88
DELTA-HAZE-FLUID	Haze fluid, 4 liter bottle	58.45
REMOTE-DELTA-DIGITAL	Digital DMX remote	474.88
REMOTE-DELTA-ANALOG	Analog DMX remote	303.95
REMOTE-TIMED	Timed remote	303.95

ROSCO I-CUE INTELLIGENT MIRROR

The Rosco I-Cue is an intelligent mirror accessory designed to allow users of ellipsoidal spotlights to achieve many of the moving light effects traditionally available with automated fixtures. The unit is controlled via DMX 512 in 8-bit or 16-bit resolution. The moving mirror head offers smooth pan and tilt, as well as quick response re-positioning. The Rosco I-Cue ships ready to fit ETC Source Four, Altman Shakespeare, Strand SL, Selecon Pacific or any other light fixture with a 6.25" gel slot.



ITEM	DESCRIPTION	PRICE
I-CUE	Intelligent mirror	677.63
PSU-50	I-CUE power supply	132.97

ROSCO IPRO IMAGE PROJECTOR™

The iPro Image Projector™ projects images created from simple plastic slides. These iPro Slide cartridges are then attached to the back plate of the iPro and inserted it into the iris slot of any one of several common luminaires. Even at 100% intensity, the iPro Slide will last from 15-50 hrs with no fading or degradation. Choose any image from the Rosco iPro Slide Library (over 400 designs in 14 categories) or order a custom iPro Slide from your design. For last minute changes, an iPro Slide Kit is also available with easy instructions to design and print slides on-site.




ITEM	DESCRIPTION	PRICE
IMAGE-PRO-PROJECTOR	Image projector	287.63
HYBRID-TWO-FER	Power supply, allows you to connect the iPro and your light fixture into the same dimmer	53.57
IPRO-SLIDE-KIT	1-time slide kit which includes the slide mount and protective film to make an iPro slide with transparency film (not included) and your own printer	28.28
IPRO-SLIDE-LIBRARY	More than 400 images that can be made into an iPro slide, 24hr turnaround	38.03
IPRO-CUSTOM-SLIDE	Turns your own design into an iPro slide, 24hr turnaround	38.03



GLOBAL TRUSS SQUARE TRUSS

- 11-7/16" overall width
- 2" outer diameter of tubing
- 3/4" diagonal bracing
- 0.008" tubing wall thickness
- 1 set of connecting hardware included



ITEM	DESCRIPTION	PRICE
SQ4109	1.64' square truss	146.30
SQ4110	3.28' square truss	186.20
SQ4110-75	2.46' square truss	159.60
SQ4111	4.92' square truss	246.05
SQ4111-1250	4.10' square truss	206.15
SQ4112	6.56' square truss	285.95
SQ4112-2.15	7.05' square truss	292.60
SQ4112-BLK	6.56' square truss, black	345.80
SQ4113	8.2' square truss	332.50
SQ4114	9.84' square truss	365.75
SQ4115	11.48' square truss	418.95
SQ4116	13.12' square truss	465.50
SQ4117	14.76' square truss	505.40
SQ4118	16.4' square truss	551.95

GLOBAL TRUSS TRIANGULAR TRUSS

- 11-7/16" overall width
- 2" outer diameter tubing
- 3/4" diagonal bracing
- 0.008" wall thickness
- 1 set of connecting hardware included



ITEM	DESCRIPTION	PRICE
TR4076	1.64' triangular truss	126.35
TR4077	3.28' triangular truss	166.25
TR4078	4.92' triangular truss	199.50
TR4079	6.56' triangular truss	226.10
TR4080	8.2' triangular truss	252.70
TR4081	9.84' triangular truss	279.30
TR4083	13.12' triangular truss	352.45
TR4084	14.76' triangular truss	385.70
TR4085	16.4' triangular truss	425.60



GLOBAL TRUSS CLAMPS AND ACCESSORIES

ITEM	DESCRIPTION	PRICE
PRO-SWIVEL-CLAMP	2" diameter swivel clamp	28.00
TRIGGER-CLAMP	Heavy-duty hook style clamp	21.00
PRO-CLAMP	2" diameter aluminum fixture clamp	18.20
JR-CLAMP	1-1/3" diameter aluminum clamp	7.00
JR-SWIVEL-CLAMP	Light-duty swivel clamp	14.00
EYE-CLAMP	2" diameter aluminum clamp w/ eyebolt	21.00
COUPLER-CLAMP	2" diameter aluminum clamp w/ half coupler	19.60
COUPLER	Double ended coupler for connection of truss sections	11.20
SQ4137	Base plate for square truss	53.20
TR4108	Base plate for triangular truss	39.90
SQ4121	2-way 90° corner block for square truss	231.00
SQ4123	2-way 135° corner block for square truss	259.35
SQ4126	3-way 90° corner block for square truss	305.90
SQ4129	3-way T-junction for square truss	305.90
SQ4133	4-way cross-junction for square truss	332.50
TR4086-U/D	2-way 45° corner for triangular truss, apex up or down	259.35
TR4088-U/D	2-way 90° corner for triangular truss, apex up or down	206.15
TR4088-I	2-way 90° corner for triangular truss, apex in	206.15
TR4089-U/D	2-way 120° corner for triangular truss, apex up or down	203.00
TR4090-U/D	2-way 135° corner for triangular truss, apex up or down	192.85
TR4093-U/L	3-way 90° corner for triangular truss, apex up	266.00
TR4093-U/R	3-way 90° corner for triangular truss, apex up	266.00
TR4096H-U/D	3-way horizontal T-junction for triangular truss, apex up or down	272.65
TR4100-U/D	4-way cross-junction for triangular truss, apex down	272.65

