



**AMERICAN DJ POWER CONTROL PRODUCTS** These units offer basic on/off control of AC outlets for audio or lighting gear. The PC-4 offers control of 4 AC 3-prong outlets via 4 lighted switches. The PC-100A offers control of 8 AC 3-prong outlets via 8 lighted switches. It is rackmountable and uses only 1RU of space. Both models feature a 15A resettable circuit breaker.

ITEM	DESCRIPTION	PRICE
PC-4	AC power center, 4 outlets	14.99
PC-100A	AC power center, 8 outlets	29.99

**ART**



**ART 4X4 POWER DISTRIBUTORS** These units feature ART's 4x4 layout on the back of the unit – 4 of the 8 rear outputs are spaced 1.25" apart, allowing space for wall warts. They all offer Surge and Spike protection as well as RFI and EMI filtering, front mounted power switches and 15A circuit breakers. They are all rackmountable and use only 1RU of space. The PB4X4 is a basic model. The PS4X4 features backlit linear volt and amp meters. The PS4X4 PRO features LED volt and amp meters, pull out light pipes with auto-off and dimmer, as well as the APF (Advanced Power Filtering) which filters out digital and dimmer hash as well as any high frequency noise that is above the audio range. APF's high power discrete design allows the filter to stay effective over the full operating range.

ITEM	DESCRIPTION	PRICE
PB4X4	Power distributor, 8 outlets	49.00
PS4X4	Power distributor, 8 outlets, analog meters	144.00
PS4X4-PRO	Power distributor, 8 outlets, LED meters, APF filtering	155.00



**ART POWER REGULATION AND SEQUENCING** The PR8 PRO regulates incoming AC line voltages to deliver clean and stable power. Output voltage at any of the 8 rear AC outlets is maintained within 112-122 volts even when the incoming AC line varies from 97 to 137 volts. The PS8 PRO provides controlled power sequencing to 8 rear AC outlets. Each output is delayed by a fixed amount that is determined by the front panel Sequence Delay control. Remote switching is provided via a rear-mounted remote connector.

ITEM	DESCRIPTION	PRICE
PR8-PRO	Power regulator w/Extreme Voltage Shutdown, Advanced Power Filtering, LCD display, 8 outlets	399.00
PS8-PRO	Power sequencer w/Advanced Power Filtering, EMI & RFI filtering, surge & spike protection, LCD display, 8 outlets	249.00

**EBTECH.**

**EBTECH HUM-X** Hum X™ filters out unwanted voltage & current in the ground line that cause ground loop hum while simultaneously maintaining a solid, safe ground. Simply place the Hum X™ on the end of the power cord of the equipment that has a ground loop and plug the Hum X™ into the wall outlet. Ground loop is gone and audio signal remains intact. Easy to use and easy to install.



ITEM	DESCRIPTION	PRICE
HUM-X	Ground hum extermiator	71.99



**ETA SYSTEMS UL LISTED POWER CONDITIONERS**

The ETA-ECS6RM and ECS3 are rack-mountable multi-stage sequencing units. The ECS3 is a 15A unit that features three sequential timing sections (activated via the unit or remotely). It includes noise filtering for both EMI & RFI, and spike & surge protection. It has 9 power outlets and 24VDC control outputs. The ETA-ECS6RM is a modular system with six sequential timing sections. It can monitor up to six independent 20A AC main lines both for voltage and current readings and informs of potentially damaging voltages as well as incorporating Extreme Voltage Shutdown. The companion ETA-ECM20 and ETA-15SH/20SH power conditioner units provide voltage monitoring and spike/surge suppression.

ITEM	DESCRIPTION	PRICE
<b>Rackmount Power Distribution AC (15A) Power Conditioner/Distribution with Spike &amp; Surge Protection, and EMI/RFI Filtration</b>		
PDB	15amp, 8 outlets, no lights	59.50
PDBL	15amp, 8 outlets, retractable lights	76.50
ETA-S15L	15amp, 9 outlets, lights, 1 front panel outlet	123.50
ETA-C15D	15amp, 11 outlets, lights, voltmeter, dual front panel outlet	258.50
<b>Rackmount Power Distribution – Sequential Power</b>		
ETA-ECM20	2amp, 2400W module w/ voltage monitoring, EMI & RFI filtering	82.50
EDM-RACEWYG6	Power module strip, holds up to 6 ECM modules, 4 AC inlets	107.50
ETA-15SH	5amp, 1800W stand alone module, EMI & RFI filtering, mntg rails	136.50
ETA-20SH	20amp, 2400W stand alone module, EMI & RFI filtering, mntg rails	176.50
ETA-ECS3	15amp, 1800W sequenced power conditioner & distribution unit w/3 control channels, 9 outlets	361.50
ETA-ECS6RM	6 output sequencer controller w/ voltage & current monitoring	407.50
AP-GNL18	16" gooseneck LED lamp w/ XLR connection	26.88

**FURMAN**

**FURMAN CLASSIC SERIES POWER CONDITIONERS**

These are 15amp/1800W and 20amp/2400W power conditioners with Series Multi Stage Protection. This absorbs damaging transient voltages and clamps at 188VAC peak, 133 VAC RMS. Other features include 2 retractable, long-life, low-heat LED light fixtures with dimmer switch, BNC utility light connection on the rear panel, 8 rear panel outlets and 1 front panel outlet with circuit breaker and 5-year limited warranty. The PL-PLUS-C and PL-PRO-C add a front panel meter to display incoming line voltage ranging from 90-128V and the DMC versions add a large digital voltmeter/ammeter with discrete dimmer button displaying line voltage and true RMS current draw.

ITEM	DESCRIPTION	PRICE
PL-8C	15amp power conditioner	189.95
PL-PLUS-C	15amp metered power conditioner	229.95
PL-PLUS-DMC	15amp digital readout voltmeter power conditioner	324.95
PL-PRO-C	20amp metered power conditioner	374.95
PL-PRO-DMC	20amp digital readout voltmeter power conditioner	439.95

**FURMAN P-3600-ARG GLOBAL VOLTAGE REGULATOR**

A 30 amp power conditioner/True RMS voltage regulator that ensures stable 120V power delivery from any input voltage source between 100V to 127V or 208V to 240V, making it ideal for use when travelling to countries with 100V, 220V, 230V, or 240V services. It features Furman's True RMS Regulation Technology (utilizing an ultra-low-noise toroidal isolation transformer/autoformer, high-current switching TRIACs, and micro-processing control) to step-down or step-up input voltages. The unit also offers Furman's exclusive LiFT/SMP/EVS technologies for professional-level protection and linear AC noise filtration. The front panel has a status LED status light, large LED voltage and current meters and two NEMA-20 power outlets, plus eight more and a L-5 30amp outlet on the rear.

ITEM	DESCRIPTION	PRICE
P-3600-ARG	30amp voltage regulator	CALL

**FURMAN PLUGLOCK LOCKING OUTLET STRIP**

Finally a solution to the "wall wart" problem. The PlugLock securely locks 5 transformers or regular plugs onto a heavy-duty outlet strip.



ITEM	DESCRIPTION	PRICE
PLUGLOCK	Locking outlet strip	44.95



**FURMAN AR1215 VOLTAGE REGULATOR/POWER CONDITIONER**

Delivers a stable stream of AC power to protect equipment from problems caused by AC line voltage irregularities such as sags, brownouts, or over-voltages. Features 8 outlets on the rear panel and one on the front.

ITEM	DESCRIPTION	PRICE
AR1215	15amp, for 97-141V	549.95



AUDIO



COMPUTER AV



# FURMAN



F1000-UPS

F1500-UPS

## FURMAN F1000-UPS & F1500-UPS UNINTERRUPTIBLE POWER SUPPLIES

These power supplies provide a comprehensive battery backup solution for electronics which need to maintain critical memory and be shut down properly in the event of a power outage. The F1000-UPS has a 1,000VA capacity with simulated sine wave output, while the F1500-UPS has a 1,500VA capacity with true sine wave output. Both models feature 8 outlets, RS232 interface and IR control to send "Off" command to components that require a shutdown procedure (component must be capable of receiving IR commands).

ITEM	DESCRIPTION	PRICE
F1000-UPS	Programmable uninterruptible power supply, 1,000VA	749.95
F1500-UPS	Programmable uninterruptible power supply, 1,500VA	1299.95

## FURMAN ACD-100 A/C POWER DISTRO

Compact, low-cost 100amp power distribution with 5 20amp circuits with high inrush breakers prevent false tripping, MOV spike suppression on each circuit. Four buss design allows easy reconfiguration for 120V, 240V, or 208V 3-phase inputs. 2RU 19" rackmountable. Unit must have supply cable installed by qualified electrician.



ITEM	DESCRIPTION	PRICE
ACD-100	100amp power distro	564.95

## FURMAN ASD-120 A/C SEQUENCED POWER DISTRO

The ASD-120 AC Sequenced Power Distro allows you to power up its 6 -20amp, 120V circuits in a user-adjustable, delayed-sequenced fashion. The sequence is reversed for power down. Each circuit's 20amp rear panel duplex outlet can be switched to be part of or apart from the power up/down sequence, which can be initiated with either momentary or maintained switches, locally or remotely. The ASD-120's design incorporates four oversized buses, allowing wiring for 120V or 240V single phase, or 208V 3-phase power.



ITEM	DESCRIPTION	PRICE
ASD-120	Sequenced power distro	699.95



## FURMAN P-2400 IT SYMMETRICALLY BALANCED POWER CONDITIONER

Designed for the most critical, ultra-low noise installations, it can supply 20 amps of balanced AC power for recording studios, broadcast stations, or video production facilities. Features include Series Multi-Stage Protection non-sacrificial surge suppression, E.V.S. protection, Linear Filtering Technology (LiFT), and large LED voltmeter/ammeter. Includes a front panel USB outlet to charge most personal devices.

ITEM	DESCRIPTION	PRICE
P2400IT	20amp balanced power conditioner	2499.95



PS8R-II

**FURMAN PS SERIES POWER CONDITIONERS** Powers up equipment in 3 delayed outlet groups, power down in reverse sequence. Power is protected with triple mode Varistor spike and surge suppression, RFI filtering, status LEDs monitor groups and wiring integrity. Rated for 15 amps, the PS8R version has terminals for remote control.

ITEM	DESCRIPTION	PRICE
PS8R-II	Sequencer with remote terminals	299.95
PS-PRO-II	20amp/2400W power conditioner/3-step sequencer	439.95
PS-REL	AC relay accessory	39.95
RS1	Wall-key switch remote	29.61



M-8DX

**FURMAN MERIT X SERIES POWER CONDITIONERS** Rackmount power conditioners offering "Noise Sniffer" compatible RFI/EMI filtration, and standard level surge & spike protection. The M-8LX also features front-panel lights, and the M-8DX features lights and a digital voltage meter.

ITEM	DESCRIPTION	PRICE
M-8X2	15amp power conditioner	64.95
M-8LX	As M-8X with front-panel lights	99.95
M-8DX	As M-8X with front-panel lights and voltage meter	129.95

# FURMAN



## FURMAN P-2400 AR 20AMP VOLTAGE REGULATOR/POWER CONDITIONER

Delivers a stable 120V of AC power to protect equipment from problems caused by AC line voltage irregularities such as sags, brownouts, or overvoltages. It accepts input voltage between 97V-137V. It is ideal for high-current equipment such as power amplifiers or powering AV racks in large installations. Additionally, it's a full-featured power conditioner that filters and purifies AC power, reducing line noise and ensuring optimum performance.

ITEM	DESCRIPTION	PRICE
P2400AR	20 amp voltage regulator/power conditioner	1799.95

P1800PFR



**FURMAN PRESTIGE SERIES POWER CONDITIONERS** Power conditioners offering high levels of filtration and protection with advanced features like power factor technology to provide the headroom your equipment needs or true RMS voltage regulation. Other features include series multi-stage protection, automatic extreme voltage shutdown, 1800W rating with circuit breaker, rear BNC for optional gooseneck light, isolated outlet banks minimize inter-component interference and noise, wall wart spacing, and USB charger. Each unit has 9 total outlets, 8 in the rear and 1 in the front. The P-1800 AR adds true RMS voltage regulation and the LED voltmeter displays both incoming voltage and output current draw (LED on P-1800PFR only shows voltage in).

ITEM	DESCRIPTION	PRICE
P1800PFR	15amp power distributor	619.95
P1800AR	15amp power distributor w/ RMS regulation	899.95



**FURMAN MP-SERIES POWER SEQUENCERS** These remote power relays provide remote turn-on for use with PowerLink, ASD-120, PS-REL, and other units. Q-models feature turn-on via 12VDC trigger. Non-Q-models feature power relay delay.

ITEM	DESCRIPTION	PRICE
MP15	Power relay and outlet (120V/15A)	119.95
MP20	Power relay and outlet (120V/20A)	159.95
MP20Q	Power relay and outlet, quad plate (120V/20A)	99.95



PST-6

**FURMAN POWER STATION SERIES: POWER SURGE STRIPS** The Power Station series provides zero ground contamination, series mode maintenance-free surge suppression and Linear Filtering Technology for safe and quiet AC for Home Theatre and other sensitive applications. The PST-8 and PST-8D feature Furman's Series Multi Stage Protection circuit which incorporates Linear Filtering Technology (LiFT) to insure that any electronic device is fed clean, filtered AC power.

ITEM	DESCRIPTION	PRICE
PST-6	6-outlet surge strip	95.00
PST-2+6	8-outlet surge block and surge alarm	60.00
PST-8	8-outlet surge strip	149.00
PST-8-DIGITAL	8-outlet, isolated analog plus digital banks	185.00

# JUICE GOOSE

## JUICE GOOSE JUICE BOX FLOOR MOUNTED POWER EXTENDER

The JuiceBox 6 features (7) switched outlets and a 25' power cord. It is available in 15 and 20 amp versions. The 20 amp JB 6-20 has more power capacity, but comes with a 12 gauge power cord and 20 amp plug which requires a 20 amp, NEMA 5-20R receptacle. Both models have (6) high quality AC outlets on the top of the chassis and a seventh outlet on the side. Current overloads are prevented by a thermal circuit breaker which allows brief high power consumption but prevents dangerous, excessive current draw. The circuit breaker is on the side of the chassis along with a lighted rocker switch which can turn on or off the power outlets.




ITEM	DESCRIPTION	PRICE
JB6-15	Power extender, 15A	106.65
JB6-20	Power extender, 20A	124.20



Follow us!

Shop anytime. Buy online. Go to [fullcompass.com](http://fullcompass.com)



**JUICE GOOSE JG SERIES POWER CONDITIONERS** Switched outlets on the back of each unit provide power and a basic level of protection from dirty and dangerous AC voltage. The basic power conditioning can clamp voltage spikes and reduce AC line interference between line and neutral leads.

ITEM	DESCRIPTION	PRICE
JG-JUNIOR	15 amps, 6 outlets	44.80
JG8.0	15 amps, 8 outlets	54.00
JG8.0L	JG8.0 w/ two sliding dimmable rack lights	75.60
JG8.0LM	JG8.0L w/ 20 segment color-coded voltmeter	122.85
JG11.0-15A	15 amps, 11 outlets (1 unswitched & 9 switched on rear, 1 unswitched on front)	97.20
JG11.0-20A	20 amps, 11 outlets (1 unswitched & 9 switched on rear, 1 unswitched on front), requires 20 amp rated receptacle	110.70



**MIDDLE ATLANTIC PD SERIES RACKMOUNT POWER STRIPS** These cost-effective power units all feature 9 outlets in a variety of configurations. All models feature surge and spike protection, EMI filtering, and are rackmountable, requiring only 1RU of space. The PDC models can be used with existing control systems, or even a remote switch, to control power remotely. The PD-915RV-RN offers remote and local notification of surge suppression status.

ITEM	DESCRIPTION	PRICE
PD915R	Power strip, 8 rear, 1 front, power switch, 9' cord	87.28
PD915R-PL	Power strip, 8 rear, 1 front, no power switch, 9' cord	93.54
PD915RC-20	Power strip, 8 rear, 1 front, power switch, 20' cord	92.53
PD915RV-RN	Power strip, 8 rear, 1 front, power switch, 9' cord, status notification	136.30
PDC-915R-2	Power strip, 8 rear (2 controlled), 1 front, power switch, 9' cord, remote control ability	159.43
PDC-915R-6	Power strip, 8 rear (6 controlled), 1 front, power switch, 9' cord, remote control ability	159.43

**MIDDLE ATLANTIC ISOCENTER™ RACKMOUNT ISOLATION TRANSFORMER & LOAD CENTER**

Protects equipment from voltage spikes, and performs an automatic shutdown if hazardous over/under input voltage is detected. Has minimized magnet leakage so it can be rackmounted near sensitive equipment, minimizes idle power draw and is acoustically inaudible. Advanced toroidal transformer is 98% efficient. Newly derived reference ground helps prevent ground loops and provides lowest possible noise floor. Features 4 20A branch circuits, true same-phase output circuits, and 5KVA capacity sized for typical rack systems.



ITEM	DESCRIPTION	PRICE
ISOCTR-5R-240-NS	Rackmount integrated load center, 240V single phase	1998.75
ISOCTR-5R-208-NS	Rackmount integrated load center, 208V single phase	1998.75

**MONSTER**

**MONSTER PRO-SERIES POWER CONDITIONERS**

Affordable, audio-ophile-grade power centers that provide better sound and complete protection against electrical surges and spikes for performing musicians and recording professionals. They feature Monster Clean Power filtering for high-quality sound, along with an audible and visual alarm for comprehensive power surge protection.



ITEM	DESCRIPTION	PRICE
PRO3500	12 outlets, Stage 3 Clean Power	299.95
PRO2500	10 outlets, Stage 2 Clean Power	199.95
PRO2000	12 outlets, Stage 2 Clean Power	199.95
PRO1000	8 outlets, Stage 2 Clean Power	149.95



**MONSTER PRO 900 POWERCENTER™** Designed for high-performance hookup to AC power for both studio and live sound equipment. Features Monster Clean Power™ Stage 1 filtering for high quality sound, Dual Mode Plus Disconnect Protection which automatically disconnects all of your equipment in case of a big power surge (if your system takes a hit, dual indicators with lights and an audible alarm will tell you that Monster Power has protected your system from damage) and 1850-joule rating for surge protection. Unit has 8 switched, color-coded outlets for error free connections, and a heavy-duty 8' high current Powerline® cable.

ITEM	DESCRIPTION	PRICE
PRO900	8 switched outlets w/Stage 1 Clean Power	99.95



**SURGEX PROFESSIONAL AC POWER PRODUCTS**

SurgeX's patented Series Mode® technology is superior to conventional MOV circuitry. It provides proven, reliable protection, stopping multiple surges of up to 6,000V, and does not produce ground contamination. The entire line meets the most stringent government purchase specifications for power line surge suppressors. Its A-1-1 rating assures you of dependable protection from destructive spikes, surges and inductive transients. All models carry a 10-year manufacturer's warranty. Models shown with COUVS® designation have Catastrophic Over/Under Voltage Shutdown feature.



ITEM	DESCRIPTION	PRICE
<b>Rack Mount Models</b>		
SEQ	2RU, 14-outlet, 20A, sequential startup, LCD display, ICE inrush current elimination, EMI/RFI filtering, COUVS®	1039.00
SX2120	2RU, 15-outlet, 20A, EMI/RFI filtering	719.00
SX1120RT	1RU, 9-outlet, 20A, ICE, COUVS®, remote control capability for AC power distribution systems, can interface with SEQ model	689.00
SX1115	1RU, 9-outlet, 15A, EMI/RFI filtering	539.00
SX1115RT	1RU, 9-outlet, 15A, ICE, COUVS®, remote control capability for AC power distribution systems, can interface with SEQ model	629.00
SX1115RL	1RU, 8-outlet, 15A, COUVS®, 2 Littlite ports	629.00
SX1115RLX	As SX1115RL, but adds 2 Littlite 6X-HI lamps	729.00
<b>Stand-Alone Models</b>		
SA966	6-outlet, 8A	229.00
SA1810	10-outlet, 15A, EMI/RFI filtering	369.00
SA15	2-outlet, 15A, EMI/RFI filtering	339.00
SA20	2-outlet, 20A, EMI/RFI filtering	389.00
SA-B	Mounting brackets (1 pair)	19.00

**SURGEX ICE REMOTE CONTROLLABLE INRUSH CURRENT ELIMINATORS**

20amp/2400W ICE20C-stand-alone, rackmountable & cascadable, 700joules/2 standard receptacles.



ITEM	DESCRIPTION	PRICE
ICE20C	Cord-connected remote controllable	329.00
ICE/RK	Rackmount for 2-ICE20C units	59.00
ICE-B	Mounting brackets for ICE20C (pair)	19.00

**SURGEX SA82 FLATPAK™ PROTECTION FOR FLAT PANEL MONITORS AND PROJECTORS**

The SA82 utilizes the patented Series Mode® surge protection technology, Impedance Tolerant® EMI/RFI filtering and Over-Voltage-Shutdown which automatically restores power when line voltage returns to a safe level. Units are 8amp load capable & have 2 industrial-grade grounded AC receptacles. The unit's compact design can be easily integrated with today's flat panel monitor or projector mounting systems. The FlatPak SA82 is available in black & silver finishes, comes with detachable IEC power cord & universal mounting brackets. 10-year manufacturer's warranty.



ITEM	DESCRIPTION	PRICE
FLATPAK-SA82	2-outlet, 8A surge suppressor/power conditioner for LCD panels (select color)	259.00

**SURGEX SU-1000LI 1000 VA LINE INTERACTIVE UPS**

This 2RU surge eliminator & power conditioner provides fast response, auto voltage regulation, and battery backup. It is backed with SurgeX's Advanced Series Mode® technology, shielding computer & AV equipment from damage. It also includes common mode and normal mode Impedance Tolerant® EMI/RFI filtering, and provides a sophisticated web browser-based interface with USB port to manage power settings, customize diagnostics, monitor multiple computers, and schedule shutdowns and restarts. Is A-1-1 certified and RoHS compliant. It has 2 UPS/4 surge-elimination receptacles, a load rating of 15amps at 120V, and is USA-made.



ITEM	DESCRIPTION	PRICE
SU1000LI	1000 VA UPS surge eliminator, 6-outlets, 15amps, USB port, 2RU	1199.00

