

CARTONI
PROFESSIONAL CAMERA SUPPORTS

CARTONI H101/H102 TRIPOD KITS Perfect for HDV and MiniDV cameras weighing from .5-10lbs. Features include tilt range +90°/-90°, bowl diameter of 75mm, pan range of 360°, infinite fluid drag and counterbalance. The H100 HiDV head in both systems includes a quick release sliding camera plate, spirit level, and orientable pan bar. The head weighs 4lbs and each total kit weights 10lbs.

ITEM	DESCRIPTION	PRICE
H101HiDV head, 1-stage aluminum tripod, mid-level spreader, & soft case.....	1037.87
H102HiDV head, 2-stage aluminum tripod, mid-level spreader, & soft case.....	1186.67

CARTONI FOCUS HD KITS The FOCUS HD is a 4.4lb fluid head that is ideal support for the latest HD cameras weighing up to 26 lbs. Features include tilt range of +90°/-90°, a bowl diameter of 100mm, pan range of 360°, infinite fluid drag and counterbalance. The Focus HD head in all systems includes a quick release sliding camera plate, illuminated spirit level, extendable pan bar and soft case. Please go to www.fullcompass.com for more info.

ITEM	DESCRIPTION	PRICE
F126FocusHD System includes FocusHD Head, 3 tube ultra-light tripod with mid-level spreader and soft case.....	1394.98
F127FocusHD AL 2/ML includes FocusHD Head, 2-stage 3 tube ultra light tripod with mid-level spreader and soft case.....	1644.86
F128FocusHD CF System includes FocusHD Head, 3 tube CF ultra-light tripod with mid-level spreader and soft case.....	1692.58
2325FocusHD ENG AL System includes FocusHD Head, 1-stage AL ENG tripod with mid-level spreader and soft case.....	1729.77
F130FocusHD ENG CF System includes FocusHD Head, 1-stage, CF eng tripod with mid-level spreader and soft case.....	2332.41
F131FocusHD ENG 2 System includes FocusHD Head, 2-stage AL eng tripod, mid-level spreader and soft case.....	2045.97
F132FocusHD ENG CF 2 System includes FocusHD Head, 2-stage CF ENG tripod, mid-level spreader and soft case.....	2470.05
F133FocusHD ENG SS 2 System includes FocusHD Head, 2-stage AL Smart Stop ENG tripod, mid-level spreader and soft case.....	2324.97
F134FocusHD ENG SS 2 System includes FocusHD Head, 2 stage CF Smart Stop ENG tripod, mid-level spreader and soft case.....	2659.77

CARTONI P-SERIES PEDESTALS/PEDESTAL KITS The P20 pedestal is a compact portable model with a capacity for loads up to 55lbs. Weighing only 39lbs it takes less than 5 minutes to assemble. Includes hand pump and a 100mm base adapter. The P50 handles loads up to 120lbs. Weighing only 62lbs it takes less than 10 minutes to assemble. It also includes hand pump and an adapter. The P90 is designed to support camera/lens combinations up to 198lbs.

ITEM	DESCRIPTION	PRICE
P200P20 pedestal with 100mm ball base adapter.....	CALL
P2L01Includes P20 pedestal w/Laser head, 2 pan bars.....	CALL
P2G01Includes P20 pedestal w/Gamma head, 2 pan bars.....	CALL
P500P50 pedestal with 1 adapter (specify from adapter list below).....	CALL
P500-PWIncludes P50 pedestal w/pneumatic wheels, 1 adapter (specify from adapter list below).....	CALL
P5D01Includes P50 pedestal w/Delta head, 2 pan bars.....	CALL
P5MA1Includes P50 pedestal w/Master head, 2 pan bars.....	CALL
P900P90 pedestal with flat base adapter.....	CALL
P90MA1P90 pedestal w/Master head, 2 pan bars.....	CALL
Adapters (required for ordering certain models above)		
P863100mm ball base adapter.....	256.67
P856Flat base adapter.....	279.00
P150150mm ball base adapter.....	279.00



Manfrotto
proven professional



MANFROTTO 501HDV KITS The 501HDV head features a fixed counterbalance set for a typical weight of camera and accessories at 5.5lbs, that helps ensure both smoother tilt movements and greater equipment safety even when tilt locks are inadvertently left off. It has a standard 3/8" female thread attachment on the bottom, -60°/+90° tilt range, 360° panoramic rotation, 1 bubble spirit level, quick release camera plate, and includes 1 pan bar.

TECH SPECS	501HDV, 546BK	501HDV, 546GBK	501HDV, 547BK
LOAD CAPACITY13.23 lbs.....13.23 lbs.....13.23 lbs.....
MAX HEIGHT66.34".....66.93".....60.43".....
MIN HEIGHT17.13".....17.32".....35.83".....
WEIGHT11.46 lbs.....11.24 lbs.....8.6 lbs.....
SPREADERMid-level.....Ground-level.....Mid-level.....
STAGES/MATERIAL2-stage, aluminum.....2-stage, aluminum.....1-stage, aluminum/technopolymer.....

ITEM	DESCRIPTION	PRICE
501HDV, 546BK501HDV head, 546B tripod, MBAG90PN bag.....	499.89
501HDV, 546GBK501HDV head, 546GB tripod, MBAG90PN bag.....	569.89
501HDV, 547BK501HDV head, 547B tripod, MBAG100PN bag.....	384.89
501HLVAdditional pan bar for 501HDV.....	25.72

MANFROTTO MVH502A KITS The MVH502A pro video head incorporates Manfrotto's patented Bridging Technology, which utilizes a larger base for more stable shooting. The head's variable fluid cartridge offers fluid pan & tilt. Additional MVH502A features include a 75mm leveling bowl, fixed counterbalance system, and a long sliding plate for better balance & stability. The aluminum tripods feature a mid-level spreaders and the carbon fiber kit comes with a bag.

TECH SPECS	MVK502AM	MVH502A, 546BK	MVK502C
LOAD CAPACITY8.8 lbs.....8.8 lbs.....8.8 lbs.....
MAX HEIGHT62".....66.1".....72.8".....
MIN HEIGHT24.8".....17.3".....16.2".....
WEIGHT8.8 lbs.....12.1 lbs.....9.5 lbs.....
SPREADERMid-level.....Mid-level.....None.....
STAGES/MATERIAL2-stage, aluminum.....2-stage, aluminum.....2-stage, carbon fiber.....

ITEM	DESCRIPTION	PRICE
MVK502AMMVH502A head with 2-stage aluminum tripod, spreader.....	CALL FOR PRICE
MVH502A, 546BKMVH502A head with 546BK tripod, spreader.....	CALL FOR PRICE
MVK502CMVH502A head with 2-stage carbon fiber tripod & bag.....	CALL FOR PRICE

MANFROTTO 504 HD KITS The 504 HD video head offers great fluidity and features a 4-step counterbalance system, ergonomic tilt drag and tilt locking knobs on its left side. The 546B and 546GB aluminum tripods come with mid-level and ground-level spreaders, respectively. The 546B also features spike foot shoes.

TECH SPECS	504HD, 546BK	504HD, 546GBK	504HD, 535K
LOAD CAPACITY19.8lbs.....19.8lbs.....19.8lbs.....
MAX HEIGHT65.9".....67.3".....72.4".....
MIN HEIGHT17.3".....18.3".....15.9".....
WEIGHT13.9lbs.....13.9lbs.....11lbs.....
STAGES/MATERIAL2-stage, aluminum.....2-stage, aluminum.....3-section, carbon fiber.....

ITEM	DESCRIPTION	PRICE
504HD, 546BK504HD head, 546B tripod, MBAG100PN bag.....	779.89
504HD, 546GBK504HD head, 546GB tripod, MBAG100PN bag.....	883.99
504HD, 535K504HD head, 535 tripod, MBAG100PN bag.....	1039.89
504HLVAdditional pan bar for 504HD video head.....	37.82

MANFROTTO 509 HD KITS The 509HD incorporates Manfrotto's patented Bridging Technology with a larger base for more stable shooting. Uses a 100mm ball and full fluid in both tilt and pan. Also includes variable counter balance and adjustable friction control to balance most video cameras. The 536 tripod has no center column and a 75/100mm bowl adapter. The 545B tripod features a 100mm bowl interface, mid-level spreader, and rubber shoes. The 545GB kit is the same tripod as the 545B, but with a ground-level spreader instead of a mid-level.

TECH SPECS	509HD, 536K	509HD, 546BK	509HD, 545GBK
LOAD CAPACITY28.6lbs.....28.6 lbs.....28.6lbs.....
MAX HEIGHT85.8".....66.5".....68.3".....
MIN HEIGHT16.5".....17.7".....18.7".....
WEIGHT17.4lbs.....18lbs.....17.8lbs.....
STAGES/MATERIAL3-stage, carbon fiber.....2-stage, aluminum.....2-stage, aluminum.....

ITEM	DESCRIPTION	PRICE
509HD, 536K509HD head, 536 tripod w/bag.....	1649.89
509HD, 545BK509HD head, 545B tripod w/bag.....	1499.89
509HD, 545GBK509HD head, 545GB tripod w/bag.....	1499.89

FOR
**JIBS, CRANES, &
OTHER SUPPORT ITEMS**
SEE CAMERA ACCESSORIES
PAGE 327-330





MANFROTTO TRIPOD HEADS

ITEM	APPLICATION	TYPE	LOAD	ARM	PLATE	TILT	PAN	WEIGHT	PRICE
701HDV	Mini DV	Fluid	8.8 lbs.	Fixed	QR	+90/-60	360°	1.8 lbs.	165.89
128LP	Micro Video	Fluid	8.82 lbs.	Fluid	Fixed	-90/+90	360°	2.2 lbs.	79.89
128RC	Micro Video	Fluid	8.9 lbs.	QR	Fixed	-60/+90	360°	2.3 lbs.	99.89
501HDV	Pro Video	Fluid	13.2 lbs.	Fixed	QR	-60/+90	360°	3.96 lbs.	209.89
504HD	Pro Video	Fluid	16.5 lbs.	Tele	QR	+90/-60	360°	6.4 lbs.	415.89
526	Pro Video	Fluid	35 lbs.	Tele	QR	+75/-70	360°	7.9 lbs.	1249.89



190CXPR04

MANFROTTO CARBON FIBER TRIPODS These 2-, 3-, or 4-section, center column tripods are made of carbon fiber with magnesium castings and are extremely lightweight and rigid. Its design allows for horizontal-vertical movements and greater range of positions.

ITEM	SECTIONS	CLOSED	MIN. HEIGHT	MAX. HEIGHT	HEIGHT COLUMN (IN)	LOAD CAP.	WEIGHT	PRICE
190CXPR03	3	22.8"	3.15"	48"	57.5"	11 lbs.	2.8 lbs.	299.89
190CXPR04	4	19.7"	3.15"	48"	57.5"	11 lbs.	2.95 lbs.	359.89
055CX3	3	24.2"	2.56"	53.5"	69.7"	17.6 lbs.	3.92 lbs.	389.89
055CXPR03	3	25.6"	4.53"	55.12"	68.9"	17.6 lbs.	3.64 lbs.	399.89
055CXPR04	4	21.46"	4.53"	53.35"	66.9"	17.6 lbs.	3.75 lbs.	469.89
535	3	28.9"	10.63"	67.3"	NA	44 lbs.	5.1 lbs.	569.89
536	4	28.0"	10.24"	79.92"	NA	55.1 lbs.	7.16 lbs.	729.89



190XDB

MANFROTTO SINGLE NON-BRACED LEG, CENTER COLUMN RAPID TYPE

ITEM	COLOR	EXT. HEIGHT	CENTER POST	FOLDED LENGTH	LOAD CAP.	WEIGHT	PRICE
190XDB	Silver	45.7"	11.4"	20.9"	11.1 lbs.	3.9 lbs.	139.89
055XDB	Silver	54.0"	17.3"	24.1"	13.3 lbs.	4.9 lbs.	159.89
055XB	Black	70.1"	16.0"	24.0"	15.4 lbs.	5.1 lbs.	179.89



545GB

MANFROTTO BRACED LEG, GEARED CENTER COLUMN TRIPODS

ITEM	COLOR	EXT. HEIGHT	CENTER POST	FOLDED LENGTH	LOAD CAP.	WEIGHT	PRICE
475B	Black	74.0"	10.2"	31.5"	26.5 lbs.	9.5 lbs.	339.89
028B	Black	89.4"	18.9"	32.3"	26.5 lbs.	9.2 lbs.	329.89
058B	Black	75.2"	10.3"	37.0"	26.5 lbs.	13.6 lbs.	449.89

MANFROTTO BRACED LEG, NO COLUMN

ITEM	COLOR	EXT. HEIGHT	BOWL SIZE	FOLDED LENGTH	LOAD CAP.	WEIGHT	PRICE
545B	Black	60.3"	100 mm	27.2"	55 lbs.	7.7 lbs.	519.89
545GB	Black	62.4"	100 mm	27.2"	55 lbs.	7.7 lbs.	519.89
546B	Black	60.6"	75mm	27"	44lbs.	7.7lbs.	469.89

Model below has claw ball leveler:

528XB	Black	58.3"	100 mm	40.0"	66.0 lbs.	16.3 lbs.	674.89
-------	-------	-------	--------	-------	-----------	-----------	--------



269HDB-3U

MANFROTTO CAMERA STAND A 5-section aluminum stand with camera mounting plate and adjustable leveling bubble. The stand rises to a max height of 24' with twist locks. Features triple leveling legs, double spider casting, and double bracing. Supports a max payload of 15.4lbs.

ITEM	DESCRIPTION	PRICE
269HDB-3U	5-section camera stand 24' w/plate	767.90



Follow us!

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. Call today or visit us online!

CONNECT YOUR IMAGINATION



509HD, 545BK



504HD, 546BK



509HD, 536K



755CX3-M8Q5

509HD,545BK Tripod System

Includes the 509HD super smooth and responsive pro video head that incorporates Manfrotto's 'Bridging Technology'. The 509HD incorporates Manfrotto's ABR, Advanced Balancing Recorder.

System also includes:

- 545B Aluminium Tripod
- 537SPRB Midlevel Spreader
- 565 Spiked Foot Shoe
- MBAG100PNDH Tripod Bag

504HD,546BK Tripod System

Includes the 504HD super smooth and responsive pro video head that incorporates Manfrotto's 'Bridging Technology'.

System also includes:

- 546B Aluminium Tripod
- 537SPRB Midlevel Spreader
- 565 Spiked Foot Shoe
- MBAG100PN Tripod Bag

509HD,536K Tripod System

Includes Manfrotto's 536 Carbon Fiber Tripod that gives the system a max height of over 7 feet and sets up as low as 16 inches.

System also includes:

- 509HD Pro Fluid Head
- MBAG100PNDH Tripod Bag
- 100mm to 75mm bowl adapter

755CX3-M8Q5

Introducing Manfrotto's new MH005M8-Q5 Hybrid Movie Head for DSLR or small camcorder.

System also includes:

- 755CX3 Carbon Fiber Tripod
- MBAG80N



Manfrotto
Imagine More



Adapter G-SFOCS - For Video use
Adapter G-SFOCDSL - For DSLR

GL GVCSMK

GL GE-MK/1

GENUS



Superior Follow Focus

The Genus Superior Follow Focus System is a flexible follow focus system which allows you to change pitch gears easily depending on your camera / camcorder.

Clamp-on quick bar release mechanism which allows you to detach the follow focus without taking everything else off your rig.



Genus Video Shoulder Mount Kit

A specifically designed product for the new video cameras. Come c/w the hot plate and the heavy duty pad. A modular system to be configured to suit your needs.



Genus Elite Matte Box System

The Elite Matte Box is a versatile production matte box. The GE-M features two filter stages. The front filter tray is fixed and the rear filter tray rotates 360 degrees, making it suitable for polarizing and graduated filters. The rotating filter tray can be locked to a set position.

- AUDIO
- VIDEO
- COMPUTER AV
- LIGHTS
- MUSIC
- ACCESSORIES



MANFROTTO 526 PRO FLUID HEAD KITS The 526 is ideal for the high-end ENG and EPP video market and features large rubber padded knobs for better grip and all controls (tilt and pan lock, tilt drag) are easily found on the left side. It has 3-step settings for drag levels, plus a no-drag setting for snap-pan/tilts. It has a built-in 4" half-ball that adapts to a number of tripods w/a 4" receiver. It has an illuminated leveling bubble, one pan arm, and a B57PLV plate. It has a 3/8" screw attachment thread on the bottom, -70°/+75° tilt range, and 360° panoramic rotation.



TECH SPECS	526,545GBK	526,545BK	526,536K
LOAD CAPACITY	35.27lbs	35.27lbs	35.27lbs
MAX HEIGHT	68.11"	66.54"	85.83"
MIN HEIGHT	18.7"	17.72"	16.93"
WEIGHT	15.65lbs	15.65lbs	15.10lbs
STAGES/MATERIAL	2-stage, aluminum	2-stage, aluminum	3-stage, carbon fiber
CARRYING CASE	MBAG100PN	MBAG100PN	MBAG100PN

ITEM	DESCRIPTION	PRICE
526,545GBK	526 head, 545GB tripod w/ floor level spreader, bag	1974.89
526,545BK	526 head, 545B tripod w/mid-level spreader, bag	1974.89
526,536K	526 head, 536 carbon fiber tripod, bag	1974.89
519LV	Additional pan bar for 526	30.48

MANFROTTO 701HDV KITS The 701HDV was developed specifically for the latest prosumer & professional light, compact HD camcorders. It has improved ergonomics with locks and knobs that allow for a more solid grip, control, and fluidity thanks to internal fluid cartridges, a double pan-bar rosette, and bigger sliding plate. It has a 3/8" female thread attachment on the bottom, a bubble spirit level, 501PL type camera plate, -60°/+90° tilt range, and 360° panoramic rotation.



TECH SPECS	701HDV,055XBK	701HDV,547BK	701HDV,755XBK
LOAD CAPACITY	8.82lbs	8.82lbs	11.9lbs
MAX HEIGHT	73.82"	59.65"	69.5"
MIN HEIGHT	6.5"	35.04"	20.9"
WEIGHT	7.5lbs	6.9lbs	9lbs
STAGES/MATERIAL	3 section, aluminum	1-stage, aluminum	2-stage, aluminum
CARRYING CASE	MBAG80N	MBAG100PN	MBAG80PN

ITEM	DESCRIPTION	PRICE
701HDV,055XBK	701HDV head, 055XBK tripod, bag	364.89
701HDV,547BK	701HDV head, 547B tripod, bag	309.89
701HDV,755XBK	701HDV head, 755XB tripod, bag	449.89



ITEM	DESCRIPTION	FOOTPRINT	WEIGHT	WHEELS	PRICE
530SPRB	Squid mid-level w/fine adjuster, 8" to 15"				232.85
127	Portable folding video dolly	43" diameter	5.3 lbs	3"	159.89
127VS	Variable leg spread folding dolly	N/A	7.5 lbs		194.89
181	Folding auto dolly	50" diameter	10 lbs	3"	309.89
114MV	HD Tripod dolly w/spikes	44.1" diameter	13.7 lbs	5"	349.89
114	Deluxe video dolly	44.1" diameter	17.7 lbs	5"	349.89
165MV	Spiked foot tripod spreader 31.5" to 51.2"				70.44
165	Lightweight spreader 31" to 51"				52.50

ITEM	DESCRIPTION	LENGTH	WIDTH	HEIGHT	PRICE
MBAG70N	Unpadded black bag	27.6"	5.9"	5.1"	38.10
MBAG80PN	Padded black bag	31.5"	5.51"	N/A	82.88
MBAG90PN	Padded black bag	35.4"	9"	7.8"	103.83
MBAG120PN	Padded black bag	47.2"	9"	7.8"	140.98



TECH SPECS	1637	1640	1643	1831
LOAD CAPACITY	5.5lbs	11lbs	22lbs	19.8lbs
MAX HEIGHT	69.4"	69.4"	69.4"	70.6"
MIN HEIGHT	14.6"	14.6"	14.6"	15.8"
WEIGHT	11.4lbs	11.6lbs	11.7lbs	16.1lbs
STAGES/MATERIAL	2-stage/aluminum	2-stage/aluminum	2-stage/aluminum	2-stage/aluminum
MOUNTING STANDARD	75mm ball leveling	75mm ball leveling	75mm ball leveling	75mm ball leveling

INCLUDES	DS5 fluid head, 1518 softcase, 680 pan handle, 1630 tripod	DS10 fluid head, 1518 softcase, 680 pan handle, 1630 tripod	DS20 fluid head, 1518 softcase, 680 pan handle, 1630 tripod	Compass15 fluid head, 876 softcase, 1520 strap, 679 pan handle, 1630 tripod
----------	--	---	---	---

ITEM	DESCRIPTION	PRICE
1637	Solo DV Aluminum Tripod kit, DS5 head	1077.13
1640	Solo DV Aluminum Tripod kit, DS10 head	1265.25
1643	Solo DV Aluminum Tripod kit, DS20 head	1547.00
1831	Solo DV Aluminum Tripod kit, Compass 15 head	2182.25
394	Solo DV Dolly option, 36" diameter open, 21.7" folded length	469.00
1590	Solo DV leg covers, neoprene sharkskin base, (3 per set)	40.25



TECH SPECS	1511	1514	1833	1846
LOAD CAPACITY	11lbs	22lbs	19.8lbs	26.5lbs
MAX HEIGHT	68.9"	68.9"	70.2"	70.6"
MIN HEIGHT	14.6"	14.6"	15.8"	16.3"
WEIGHT	10.7lbs	10.8lbs	15.2lbs	26.5lbs
STAGES/MATERIAL	2-stage/carbon fiber	2-stage/carbon fiber	2-stage/carbon fiber	2-stage/carbon fiber
MOUNTING STANDARD	75mm ball leveling	75mm ball leveling	75mm ball leveling	75mm ball leveling

INCLUDES	DS1 fluid head, 1518 softcase, 1520 strap, 680 pan handle, 1501 CF tripod	DS20 fluid head, 1518 softcase, 1520 strap, 680 pan handle, 1501 CF tripod	Compass15 fluid head, 876 softcase, 1520 strap, 679 pan handle, 1501 CF tripod	Compass20 fluid head, 876 softcase, 1520 strap, 679 pan handle, 1501 CF tripod
----------	---	--	--	--

ITEM	DESCRIPTION	PRICE
1511	Solo DV CF Tripod kit, DS1 fluid head	1500.63
1514	Solo DV CF Tripod kit, DS20 fluid head	1782.38
1833	Solo DV CF Tripod kit, Compass15 fluid head	2386.13
1846	Solo DV CF Tripod kit, Compass20 fluid head	2867.38
394	Solo DV Dolly option, 36" diameter open, 21.7" folded length	469.00
1590	Solo DV leg covers, neoprene sharkskin base, (3 per set)	40.25



SACHTLER CINE DSLR PRO FLUID HEAD AND TRIPOD SYSTEMS

Let your ideas in motion! **NEW!** The CINE-DSLR fluid head has a payload range up to 11 lbs and is ideal for digital single-lens reflex cameras with HD video function. It has a 10-step counterbalance and 3 vertical horizontal grades of drag (+0). A robust metal housing protects it from exterior influences and comes with a special camera plate with an anti-twist retainer for HD DSLR cameras. Special lubricated oil damping allows filming in extreme temperature ranges. This head operates with reliable switching between settings so camera setups can be quickly balanced.



TECH SPECS	SYSTEM-CINE-DSLR-2D	SYSTEM-CINE-DSLR-2MD
LOAD CAPACITY	11lbs	11lbs
MAX HEIGHT	65"	63.4"
MIN HEIGHT	20.5"	30.7"
WEIGHT	11.7 lbs	11.5 lbs
STAGES/MATERIAL	2-stage, aluminum	2-stage, aluminum
MOUNTING STANDARD	75mm	75mm

INCLUDES	CINE-DSLR head, ENG 75/2 D tripod, SP 75 ground spreader, DV 75 S padded bag	CINE-DSLR head, ENG 75/2 D tripod, Set mid-level spreader 75 DV 75 S padded bag
----------	--	---

ITEM	DESCRIPTION	PRICE
CINE-DSLR	Professional fluid head, for 75mm bowl	1012.50
SYSTEM-CINE-DSLR-2D	DSLR tripod w/CINE-DSLR head, ground spreader, bag	1230.00
SYSTEM-CINE-DSLR-2MD	DSLR tripod w/CINE-DSLR head, mid-level spreader, bag	1230.00



Follow us!

Tenemos ventas y servicio en Español. Expertos que hablan Español disponibles en x1178 y x1164.



SACHTLER FSB4 TRIPOD KITS

The FSB4 fluid head is ideal for users of small & lightweight HDV cameras. Features a robust aluminum housing, and Sachtler's Speedbalance technology for swift balancing. It has 3 horizontal, and 3 vertical grades of damping, 5-step counterbalance, and integrated flat base fitting. Also compatible with components of the SOOM modular systems, and optional FSB-CELL power solutions. It uses Sachtler's Sideload S camera plate.



TECH SPECS	SYSTEM-FSB4-MD	SYSTEM-FSB4-2MD	SYSTEM-FSB4-SLMCF
LOAD CAPACITY	8.8lbs	8.8lbs	8.8lbs
MAX HEIGHT	62.2"	62.2"	63"
MIN HEIGHT	37.4"	37.4"	30.3"
WEIGHT	10.6lbs	10.6lbs	10.8lbs
STAGES/MATERIAL	1-stage/alum	2-stage/alum	2-stage/carbon fiber
MOUNTING STANDARD	75mm	75mm	75mm

INCLUDES	SYSTEM-FSB4-MD	SYSTEM-FSB4-2MD	SYSTEM-FSB4-SLMCF
	FSB4 fluid head, DA/7SL tripod, SP/75 spreader, padded bag, DV/75 pan bar	FSB4 fluid head, ENG/75/2 tripod, SP/75 Spreader, padded bag, DV/75 pan bar	FSB4 fluid head, SpeedLock 75CF tripod, SP/75 spreader, padded bag, DV/75 pan bar

ITEM	DESCRIPTION	PRICE
SYSTEM-FSB4-MD	Aluminum tripod kit	836.40
SYSTEM-FSB4-2MD	Aluminum tripod kit	984.00
SYSTEM-FSB4-SLMCF	Carbon fiber tripod kit	1176.70

SACHTLER FSB6 SERIES TRIPOD KITS The FSB6 features Snap & Go sideload mechanism which has a sliding range of 4.7", and 10-step counterbalance. It has a Touch & Go camera plate, 3 horizontal, and 3 vertical grades of damping, a self-illuminating leveling bubble, and +90°/-70° tilt range. Also compatible with components of the SOOM modular systems, and optional FSB-CELL power solutions.

TECH SPECS	SYSTEM-FSB6MD	SYSTEM-FSB6-2MD	SYSTEM-FSB6-SLMCF
LOAD CAPACITY	13.2lbs	13.2lbs	13.2lbs
MAX HEIGHT	62.2"	63"	63"
MIN HEIGHT	37.4"	30.3"	30.3"
WEIGHT	11lbs	11.5lbs	11.2lbs
STAGES/MATERIAL	1-stage/alum	2-stage/alum	2-stage/carbon fiber
MOUNTING STANDARD	75mm	75mm	75mm

INCLUDES	SYSTEM-FSB6MD	SYSTEM-FSB6-2MD	SYSTEM-FSB6-SLMCF
	FSB6 fluid head, DA/7SL tripod, mid-level spreader, padded bag, DV/75 pan bar	FSB6 fluid head, ENG/75/2D tripod, mid-level spreader, padded bag, DV/75 pan bar	FSB6 fluid head, SpeedLock 75CF tripod, SP/75 spreader, padded bag, DV/75 pan bar

ITEM	DESCRIPTION	PRICE
SYSTEM-FSB6-MD	Aluminum tripod kit	1418.60
SYSTEM-FSB6-2MD	Aluminum tripod kit	1553.90
SYSTEM-FSB6-SLMCF	Carbon fiber tripod kit	1738.40



SACHTLER FSB CELL SERIES – POWER SOLUTIONS FOR FSB2/4/6 SERIES KITS

Powering solution for MiniDV/HDV camcorders. Compatible with FSB2/4/6 heads, it is a 7.2volt lithium-ion battery that loads directly under the camera. Shaped like a camera plate, the battery underside fastens directly to the fluid head. The battery weight (1.4lbs) is positioned directly over the fluid head, optimizing camera control. Specific camera adapter cables (required) shown below.

ITEM	DESCRIPTION	PRICE
FSB-CELL-BATTERY	Battery, 7.2V/10.5Ah (requires adapter cable, FSB compatible head)	217.30
FSB-CELL-SONY-I	FSB cable –Sony PD100/150/170, VX2100, HDRFX7	81.18
FSB-CELL-SONY-II	FSB cable –Sony HVRZ1U, HVRV1U, HDRFX1, FX1000, HVRZ5U	83.64
FSB-CELL-CANON	FSB cable-Canon XHA1/G1, XLH1, XL1/2, XM2	81.18
FSB-CELL-PANASONIC	FSB cable-Panasonic AGHPX170, HVX200, DVC30/80	81.18



VINTEN VISION BLUE CAMERA SUPPORT SYSTEMS

The new Vision blue head is designed to provide professional support to match the high performance of today's lightweight camcorders and DSLRs. It balances payloads between 4.6 - 11 lbs with a low center of gravity of around 2.2". It also features an infinitely adjustable Perfect Balance, infinitely adjustable LF drag system and a standard long slot Vision AS camera plate with 1/4" screw and pin assembly. It is available in 2 system combinations, combining a 2-stage aluminum Pozi-Loc tripod and case with either a floor or lightweight mid-level spreader. Both systems include the 3819-3 tripod which has a height range of 21.7" – 66.7", transport length of 32.9" and weighs 17.3lbs.



ITEM	DESCRIPTION	PRICE
VB-AP2F	Vision blue head w/2-stage aluminum Pozi-Loc tripod, floor spreader, soft case	1145.38
VB-AP2M	Vision blue head w/2-stage aluminum Pozi-Loc tripod, lightweight mid-level spreader, soft case	1145.38

CAMERA ACCESSORIES & LENS CONTROL



ANTON BAUER EGRIPIZ HANDHELD CAMERA SUPPORT

EgripZ handles are a flexible polymer to make the camera easier to hold securely and comfortably - on the hottest day or in the trickiest of positions. Weighs just 12.2oz and mounts easily to the camera's 1/4-20 tripod mounting. It can flex into virtually any position around the camera without getting into the way of normal camera operation. One hand operation is more comfortable with EgripZ as a forearm support - preventing the camera from "rolling" on the operator's wrist. Low shots and high perspectives are much easier and steadier with two hands to stabilize the camera. EgripZ attaches easily a monopod or other support for additional stability via the 1/4-20 base mount.



ITEM	DESCRIPTION	PRICE
EGRIPIZ	Handheld camera support	87.47

ANTON BAUER STASIS FLEX POWER SUPPORT SYSTEM

Not simply a shoulder mount, Stasis redirects the geometry of a handheld camera to make use of the most stable platform in the world-the human body. By redirecting the weight of the camera into the torso and over the shoulder, the weight of the camera is redistributed- off the operators hand, relieving fatigue and stabilizing shooting. With its revolutionary, patent pending infinitely adjustable mechanism which allows the operator to position the camera in virtually any shooting position- forward/back, in/out, up/down- the camera can be repositioned instantly and locked in place at the touch of a lever. Stasis Flex can be used as a standalone body support, with hard points on the rear pad to mount peripherals-like wireless receivers, hard drives or transmitters. Gold Mount series batteries can be used to extend runtime.



ITEM	DESCRIPTION	PRICE
STASIS-FLEX	Stasis Flex shoulder mount – 1/4-20 mounting platform accepts any camera or standard quick release mounting plate, requires adapter cable	264.77
FGM-S	Gold mount with DC-DC converter, with cable and camera connector for Sony cameras	167.53
FGM-P	As FGM-S, but with connections for Panasonic cameras	167.53
FGM-EX1	Gold mount with cable and camera connector for Sony PMWEX1. Supplies native 14V to camera and to power tap	167.53

