



DATAVIDEO MP-1000 NETWORK MEDIA PLAYER

The MP-1000 is an affordable, compact media player and an ideal solution for setting up kiosks, electronic bulletin boards, and more. It stores files on an included 2GB Compact Flash card (supports up to 16GB media), where media files and settings are remotely updateable via its Ethernet port. Content can be scheduled either by connecting the MP-1000 to a central server or by using the included software. Hundreds of units can be controlled and maintained remotely using one server. It supports the most popular media formats, including MP3, MPEG 1, 2 & 4, AVI, DIVX, RSS, and WAV. Outputs include S-Video, component, VGA and unbalanced stereo RCA. Ships with one 2GB CF card, 3 BNC cables, 1 S-Video cable, 2 RCA audio cables, and 1 Ethernet cable.



ITEM	DESCRIPTION	PRICE
MP1000	Multi-use media player	336.00

DENON

DENON DNV755 NETWORK AV PLAYER

Digital AV network player ideal for digital signage applications. The DN-V755 has a 40GB hard drive which is expandable up to 137GB. It can store up to 8 hours of DVD quality video and is capable of playing 720 x 480 MPEG-2 at 10 Mbps or below, I-Pictures and JPEGs (720 x 480), and Wav or MPEG-1 (layer II) audio at 44.1kHz or 48kHz. It operates realtime clock scripted automatic playback of AV files with a simple Windows application for easy set-up and file transfer with FTP Site Command Server for audio, video, picture and scripting/automation uploads via the Ethernet LAN/RH-45 network connection. Parallel and Serial RS-232C remote controllable, with S-Video and Composite (RCA) video outputs, and unbalanced (RCA) stereo audio outputs.



ITEM	DESCRIPTION	PRICE
DNV755	With 40GB internal hard drive	1399.00



EBEAM ENGAGE INTERACTIVE WHITEBOARD

Engage adds several interactive multimedia features to eBeam's interactive whiteboard systems including real time sound and video recording. The Engage System has JBL speakers, a built-in microphone, scroll knob, one-touch recording, and line level audio inputs and outputs. Requires no special tools to install. Includes Engage System, installation template, security key, interactive stylus, pack spare nibs, (2) mounting brackets w/spare adhesive, wireless (RF) magnetic mini keyboard with charging cable, keyboard mounting plate, USB cable, power cable, power adapter, AAA battery, and USB storage device with Education software (Mac OS X and Windows compatible.)



ITEM	DESCRIPTION	PRICE
ENGAGE	Interactive whiteboard package	1169.00



KRAMER RC-8IR UNIVERSAL ROOM CONTROLLER

The RC-8IR is an 8-button controller for multimedia rooms. It controls AV components as well as lights or screens. Each button has 15 commands for up to 120 total commands in one gang wall plate. It features an Ethernet port for easy setup with included RC configuration software and unit control via internet connection. The Ethernet port also has 5 addressable IP addresses so you can control up to 5 networked AV devices. Other features include 4 IR emitters (2 IR ports w/ 2 branches each), IR learning function. 2 relay contact closure ports, 2 bi-directional RS232 and RS485 ports, and a lockout feature.



ITEM	DESCRIPTION	PRICE
RC-8IR	8x15 universal room controller	476.00



KRAMER VP-23RC PRESENTATION SWITCHER /

UNIVERSAL ROOM CONTROLLER

This unit is a 4x1 composite video, S-Video, and computer graphics video switcher, each with balanced stereo audio. It incorporates Presentation switcher and Media/Room controller sections, with independent or integrated operation of each. It is ideal for classrooms, conference rooms, and training centers. Its computer graphics video section has a 15-pin HD output and a CAT5 output. Audio features include built-in 5W/ch amplifiers, volume and mic input control and a Talk-Over feature. The unit can be controlled via IR remote, RS232 or RS485 serial control or through the Ethernet port. Other features include gain controls for each output, a front panel lockout, and HDTV compatibility.



ITEM	DESCRIPTION	PRICE
VP23RC	4x1 Presentation Switcher & Universal Room Controller	1400.00

Marshall Electronics

MARSHALL ELECTRONICS VS-101-HDSDI H.264 VIDEO SERVER

Allows real-time transmission of HD/SD-SDI, HDMI or composite video signals, along with bi-directional AAC encoded hi-def stereo audio over IP networks and internet. Incorporates H.264 & JPEG compression technology for 50% more compression capacity over an existing IP network while offering optimal video transmission quality. Two units can be configured as a Point-to-Point monitoring system with one encoding & compressing data and another restoring the data. Computers on same the network as VS-101-HDSDI can monitor the transmitted data.



ITEM	DESCRIPTION	PRICE
VS-101-HDSDI	H.264 video server/encoder	1608.85



MICROBOARDS EZCASTER ENCODER & WEBCASTERS

The EZCaster encoders and smart online management software make streaming live video to the web simple with the touch of a button. The encoders feature 7" LCD touch screens, 7kbps-8Mbps video compression, an Intel Core 2.66 GHz processor, Windows XP embedded, 1GB of DDR2 memory, ethernet, USB and PS-2 keyboard/mouse connections, and built-in B-G Wi-Fi. Audio input connectors include RCA line (L/R), 1/8" stereo, 1/8" mic, and 1/8" speaker output. Purchase includes free streaming service for 60 days, or 10-hours of on-demand video from TechWerks. Further use is subject to subscription plans from TechWerks. More information available here: http://www.tech-werks.net/time_calc.php



MODEL NUMBER	ENCODES	VIDEO INPUTS	OTHER FEATURES
EZWMV	WMV Files	Analog - Composite RCA	
EZWMV-R	WMV Files	Analog - Composite RCA	Rackmount
EZWMV-BX	WMV Files	Analog - Composite Dongle, XLR / BNC	
EZWMV-BX-R	WMV Files	Analog - Composite Dongle, XLR / BNC	Rackmount
EZ264-BX	MP4 Files, Flash Video	SD, HD-SDI, Component HD, Analog - Composite RCA / Dongle	Rackmount, DVD Recorder
EZ264-BX-R	MP4 Files, Flash Video	SD, HD-SDI, Component HD, Analog - Composite RCA / Dongle	Rackmount, DVD Recorder

ITEM	DESCRIPTION	PRICE
EZWMV	Analog encoder	1999.00
EZWMV-R	Analog encoder, rackmountable	1999.00
EZWMV-BX	Analog encoder	2149.00
EZWMV-BX-R	Analog encoder, rackmountable	2149.00
EZ264-BX	Digital encoder w/ DVD recorder	2649.00
EZ264-BX-R	Digital encoder w/ DVD recorder, rackmountable	2649.00





NewTek

NEWTEK 3PLAY MULTI-CHANNEL HD/SD SLOW-MOTION INSTANT REPLAY

This portable unit can connect to most switchers and replace up to 3 HD video decks, making it a versatile tool in a wide variety of live production situations. 3PLAY can provide slo-mo instant replay as soon as recording starts, without interrupting video capture. It can also continuously and synchronously record and display up to 3 video streams, record 3 isolated camera feeds at once, organize replays into color-coded lists, play back video at variable speeds from multiple camera angles, and export highlight reels of video segments. Replays video in 1080i or 720p, component, Y/C, and composite SD in 4:3 or 16:9. Control surface features jog wheel, speed control bar, speed presets, and other keys found on similar compact video record/playback surfaces.



ITEM	DESCRIPTION	PRICE
3PLAY	HD/SD slo-mo replay unit w/control surface	CALL

Roland

ROLAND P-10 VISUAL PRESENTER

Sleek and compact for portable visual performance applications, the P-10 employs SD [HC] cards for direct capture and playback of video and stills. Fire-up visuals with a reliable dedicated hardware and sampler-like interface. It supports both video (motion JPEG) and still images (JPEG), and features a built-in color display for operation without external monitor, Slide Show function to make motion video from still pictures, and analog audio/video input terminal for direct capture. It has 12 trigger pads and dedicated dials for effect controls, and is remote controllable from external products via V-LINK.



ITEM	DESCRIPTION	PRICE
P10	Visual presenter	1276.43

SONY




SONY VSP-NS7 DIGITAL SIGNAGE PLAYER The VSP-NS7 has advanced digital signage functionality with a simple drag and drop software management tool. It is HD Compliant to 1920x1080 for graphic files, and 1280 x 720 for HD video. It has Seamless Sequential Payout with no black during video switching, easy keying capability for logo insertion over video payout, and content rotation to rotate video for portrait playback. The NS7 has the ability to play back WM9HD. It has control over projectors and display devices, general scheduling, and NS7 management. Content can be sent from the Central management PC to the NS7 to update storage. It features Five Layer Playback including Bitmap, JPEG, Browser, Video, and Telop. Connectivity includes a Live IP Camera Input, two RS232 ports, four USB ports, PS/2 mouse/keyboard, Ethernet, analog RGB D-Sub 15pin, and 1/8" stereo audio output. Monitoring software is sold separately.

ITEM	DESCRIPTION	PRICE
VSPNS7	HD storage player for digital signage	1564.08
VSPAM7	Monitoring software for VSPNS7	614.66

SONY

SONY ANYCAST STATION A/V PRODUCTION SWITCHING SYSTEMS

Portable all-in-one systems for live content creation. Combines the functions of a 6-input video switcher, 6-channel audio mixer, special effects generator, source, program and preview monitoring, VISCA camera remote controller, character generator, encoder & web streaming server, and hard disc recorder, into a laptop-size package. For live event programming, staging, presentations, and conferencing. Also designed for distance learning and house of worship productions. RGB output for projector display. Choose from a variety of modules to suit your purposes.



ITEM	DESCRIPTION	PRICE
AWSG500E	Non-configured HD/SD system, no modules included	CALL
BKAW550	Dual PC RGB interface module	1723.63
BKAW560	Dual HD analog component video interface module	2794.18
BKAW570	Dual SD analog component video interface module	1627.88
BKAW580	Dual video standard interface module	2150.19
BKAW590	Dual HDSi interface module	3063.25



SONY SRP-X500 Sony SRP-X500 powered 5 X 1AV matrix mixer offers an all-in-one solution for multimedia presentations which combines the functions of a high quality audio mixer, wireless microphone receiver slots, RGB/video switcher, equalizer, active feedback reducer and power amplifier in a single, compact unit. It has 2 RGB/component video inputs and 3 composite video inputs, each with stereo audio, plus 4 microphone and 1 stereo line input. Includes a four channel power amplifier (low impedance and also 70 Volt outputs) and mounting slots for two optional UTX-M1 diversity wireless receiver modules. Ideal for conference rooms and lecture theatres as well as a wide range of other presentation applications.

ITEM	DESCRIPTION	PRICE
SRPX500P	AV mixer switcher	1446.00



SONY SRPX700P AUDIO/ VIDEO MIXER/PROCESSOR A high quality audio mixer, wireless mic receiver slots, RGB/video switcher, signal processing & power amplifier in a single, compact unit. Features include; 6 x 1 AV switcher with 2-RGB/component video inputs (with 5.1 surround audio), 1- RGB input (with stereo audio) and 3-composite/S-video inputs (with stereo audio), 6-input mixer - 4-mic, 2-mic/line & 2-line inputs. Audio signal processing includes digital equalizer and dynamics processing for each mic channel, plus on-board digital feedback reducer. Amplification features; 200W/4ohm, 150W/8ohm & 150W/70V digital power amplifier. Other I/O includes USB, RS-232C and parallel inputs, RS-232C output, control-S, & a parallel out for remote control to environment devices such as video screen up/down, window curtains open/close. System supports NTSC/PAL/SECAM and has 1280x1064 resolution. Includes PC software.

ITEM	DESCRIPTION	PRICE
SRPX700P	Audio mixer and video switcher	2379.56
WRU806B(30/32)	Receiver module	464.74



Follow us!

We offer over 700 top brands, low prices and outstanding service.



NewTek

NEWTEK TRICASTER™ SERIES PORTABLE LIVE PRODUCTION TOOLS



TRICASTER STUDIO



TRICASTER BROADCAST



TRICASTER TCXD300



TRICASTER XD850

	TRICASTER STUDIO™	TRICASTER BROADCAST™	TRICASTER™ XD300	TRICASTER™ XD850
WEIGHT	19lbs.	20lbs.	20lbs.	42lbs.
DIMENSIONS	17.5" D x 8.5" H x 10.4" W			21.5" D x 7.25" H x 19" W
VIDEO INPUTS	6 Y/C, 6 Composite (BNC), 6 Component (BNC)	6 Serial Digital, 6 Component (BNC, accepts Y/C, composite)	3 simult. inputs: any combination of HD/SD-SDI, HD/SD component, Y/C, & composite	8 simult. inputs: any combo of HD/SD-SDI, HD/SD component, Y/C, & composite
VIDEO OUTPUTS	2 Y/C, 2 Composite (BNC), 2 Component (BNC)	1 Serial Digital Program, 1 Component Program (BNC, accepts Y/C), 1 Composite Program	3 HD/SD-SDI, 3 HD/SD component	3 HD/SD-SDI, 3 HD/SD component, 3 composite, 3 Y/C, HDMI, VGA/DVI
VIRTUAL SET SUPPORT	Yes, Virtual Sets included		15 positionable, scalable HD Virtual Sets included	18 HD Virtual Sets included
INTEGRATED CHARACTER GENERATOR	Yes			
ON-SCREEN ISO PREVIEW MONITORS	3-cam ISO previews or 6-cam shared preview		"All Sources," "Preview and FX," or "Scopes with Preview" (full-time, tabbed)	
16:9 VIDEO SUPPORT	Yes			
PROJECTOR OUTPUT	Yes; 4:3 and 16:9 aspects			
PROJECTOR RESOLUTIONS	XGA, SXGA, QSXGA and higher; DVI and analog outputs		Up to WUXGA	
CAMERA AUTO-CALIBRATION	Yes		NA	
IVGA™ NETWORK IMPORT	Yes - 3 inputs		Unlimited	
IVGA™ INPUT	Shift between 3 IVGA Client Displays	1 Ethernet Network Connection		2 separate, dedicated channels
LIVE WEB CASTING	Yes; push or pull Windows Media Support with VC-1 and Flash streaming support			
16:9 STREAMING	Yes		Yes, Full HD 720p 16:9 streaming	
RECORDER	Simultaneous MPEG-2 + WMV records		Simult. full res. MPEG-2 & web stream archiving	
RECORDING CAPACITY	20 hours MPEG-2		Approx. 18 hours 1080i HD	Approx. 50 hrs. 1080i/59.94
DDR PLAYBACK	2 DDRs, with alpha channel assignable to downstream key			4 trayless SATA III removable drive bays with hot swap support
MIC INPUTS	4 balanced (XLR or phone)		2 balanced combo XLR/phone	8 balanced XLR
LINE INPUTS	4 XLR/phone (same ins as above)		2 x 4 balanced phone	
LINE OUTPUTS	2 balanced phone; 2 RCA		8 balanced XLR (4 prog, 4 aux), 4 AES/EBU (2 prog, 2 aux), 3 SDI embedded, 1 1/4" headphone out	Same as XD300, but w/out 2 aux out AES/EBU
PREVIEW OUT	No	Yes, configurable as FX row output as well	No	
VECTORSCOPE				Yes
WAVEFORM MONITOR				Yes
PHANTOM POWER				Yes
NONLINEAR EDITOR				Yes
UPSTREAM EFFECTS				Yes
FILE FORMATS	AVI, DV, MPEG-2, QuickTime, HDV, JPG, PNG, and more			Same as others, plus DNxHD, M4V, H264, & PSD
RENDER OUTPUTS	AVI, DV, MPEG-2, DVD, QuickTime, MP4 (iPod & PSP)			Same as others, minus DVD
ACCESSORY OPTIONS	LiveControl™ LC-11, TimeWarp™, LiveText™ 2			Same as others, plus TRICASTER-XD850CS

ITEM	DESCRIPTION	PRICE
TRICASTER-STUDIOLive video production system, 20hrs MPEG-2 recording CALL
TRICASTER-BROADCASTLive video production system, 20hrs MPEG-2 recording CALL
TRICASTER-XD300HD Live video production system, 18hrs MPEG-2 recording CALL
TRICASTER-XD850Rackmount HD Live video production system, 50hrs MPEG-2 recording CALL
Accessories		
TRICASTER-XD850CSAdvanced hardware control surface for XD850 CALL
TRICASTER-TIMEWARPOptional replay controller for Studio, Broadcast models only 995.00
TRICASTER-LC11Live Control Switcher 1995.00
LIVETEXT2FRemote titling software 995.00

AUDIO



COMPUTER AV



VIDEO



LIGHTS



MUSIC



ACCESSORIES

