444

° 0

 $\mathbf{00}$ 

MUSIC

COMPUTER AV





# **ETC SELADOR LED LIGHT FIXTURES**

Go beyond effects lighting and give your theater effective LED luminaires that can be trusted in every application from key, fill and side light to color washes and cyc lighting. Selador<sup>TM</sup> Series fixtures perform to your standards for warm and cool white light, soft tints, rich pastels, and intense primary colors, without sacrificing energy efficiency. All use the x7 Color System<sup>™</sup> – 7 color LEDs providing the broadest color spectrum in any LED fixture Every Selador luminaire is versatile enough to provide a broad range of color and white light, but optimized for a specific lighting task.



## **DESIRE<sup>TM</sup>**

The Desire D40 contains 40 Luxeon® Rebel LED emitters comprised of 7 different colors and features a user interface on the rear. It can also be controlled using any RDM-enabled controller. Offers 5 different DMX profiles: Calibrated RGB, Calibrated HSI, Calibrated HSIC, Direct, and Studio. D40XT fixtures share the 40 Series' features but adds waterproof and weatherproof housings.

ITEM	DESCRIPTION	PRICE
SELD40DI-0A	D40 Studio Daylight fixture with 5600K LEDs	
	for cool white output	. 1659.24
SELD40FI-0A	D40 Fire x7 color fixture with extra-high red brightness	. 1421.64
SELD40HI-0A	D40 Studio HD fixture with warm & cool white LEDs,	
	5 addtional LED colors	
SELD4011-0A	D40 Ice x7 color fixture with extra-high blue brightness	. 1421.64
SELD40LI-0A	D40 Lustr+ x7 color fixture with high-intensity white LEDs	. 1421.64
SELD40TI-0A	D40 Studio Tungsten fixture with 3000K LEDs	
	for warm white output	
	D40 Vivid high-intensity, high-saturation x7 color fixture	. 1421.64
SELD40D0-0X	D40XT Studio Daylight fixture with 5600K LEDs	
	for cool white output	
	D40XT Fire x7 color fixture with extra-high red brightness	. 1623.60
SELD40H0-0X	D40XT Studio HD fixture with warm & cool white LEDs,	
	5 addt'l. LED colors	
	D40XT Ice x7 color fixture with extra-high blue brightness	
	D40XT Lustr+ x7 color fixture with high-intensity white LEDs	. 1623.60
SELD40TO-OX	D40XT Studio Tungsten fixture with 3000K LEDs	
	for warm white output	
	D40XT Vivid high-intensity, high-saturation x7 color fixture	
SELD40FI-OA	D60 Fire x7 color fixture with extra-high red brightness	. 1421.64



# **PALETTA™**

This 2.5W color-mixing fixture is available in 4 different lengths. Uses a medium-power LED with color mix that is balanced for very bright output in the red, orange, pink, magenta, purple, blue, and indigo color families (white light has slightly less brightness). Since it is designed for colored light applications it should be used where only 4 or 5 colors will be used at the maximum level for an extended time period. Great for small and mid-size cycs and stage washes. It also fits in smaller spaces for architectural applications.

#### **LUSTR®**

This light is the white light specialist and available in 4 lengths. It uses the same medium-power LED as Paletta with a color mix that is balanced for high-brightness white and tinted colors. This LED array uses a new Phosphor-Converted Amber LED which provides high brightness and a broader spectral content than regular Amber LEDs. Use this product for key and fill lighting in studios or mid-size theatres. It can also be used with good results on a cyc or in other color applications as well.

#### VIVID-R

Vivid-R combines high-power Luxeon® Rebel LEDs and high-efficiency lenses for a strong, cutting beam of light and maximum color production. Clear lenses allow a more direct, powerful beam, resulting in longer throws. It provides higher light output than the original Vivid  $^{\rm TM}$  fixture while using less power and generating very little heat. The Vivid-R Fire models are dedicated to the warm (red, orange, yellow) spectrums and the Ice models dedicated to the cool (blue) spectrum. Vivid-R models are available in 4 lengths and the Fire/Ice models in 2.

ITEM	DESCRIPTION	PRICE
SELPA11		
SELPA21	Paletta 21" LED fixture	
SELPA42	Paletta 42" LED fixture	
	Paletta 63" LED fixture	
	Lustr 11" LED fixture	
SELLU21	Lustr 21" LED fixture	
	Lustr 42" LED fixture	
SELLU63	Lustr 63" LED fixture	CALL
	Vivid-R 11" LED fixture	
	Vivid-R 21" LED fixture	
	Vivid-R 42" LED fixture	
	Vivid-R 63" LED fixture	
SELVI11	Vivid-R Ice 11" LED fixture, blue/green	
	Vivid-R Ice 22" LED fixture, blue/green	
	Vivid-R Fire 11" LED fixture, red/yellow	
SELVF21	Vivid-R Fire 22" LED fixture, red/yellow	

## ETC SOURCE FOUR<sup>®</sup> LED

Combines the size, look, and optics of the Source Four family with the user-interface and high efficiency of the Selador Desire™ line of LED luminaires. With no burnt gels or lamps to replace, Source Four LEDs have the highest lumens per watt of any LED spotlight while retaining a 50,000-hour life. Uses the same shutter barrel, accessories, and lenses as existing Source Four fixtures (Enhanced Definition lens tubes are suggested). Features 60 Luxeon® Rebel LED emitters and comes in daylight, tungsten and lustr+ configurations. Available with the LED light engine only or the light engine w/shutter assembly.

ITEM	DESCRIPTION	PRIC
S4LEDDS-0	Daylight 5600K LED fixture,	
	body and shutter assembly, black	
S4LEDD-0	Daylight 5600K LED fixture, body only, black	
S4LEDTS-0	Tungsten 3000K LED fixture,	
	body and shutter assembly, black	
S4LEDT-0	Tungsten 3000K LED fixture, body only, black	
S4LEDLS-0	Lustr+ x7 color system LED fixture,	
	body & shutter assembly, black	
S4LEDL-0	Lustr+ x7 color system LED fixture, body only, black	
S4LED-SFD	Soft focus filter	
419EDLT	Enhanced Definition lens tube, 19 degree	
426EDLT	Enhanced Definition lens tube, 26 degree	
436EDLT	Enhanced Definition lens tube, 36 degree	
LED50LT	S4LED Specific 50 degree Lens Tube	
S4LED-SWD6	Smooth-wash diffuser for 6.25 gel frame	
S4LED-SWD7	Smooth-wash diffuser for 7.5 gel frame	
S4LED-SWD12	Smooth-wash diffuser for 10° lens tube	
S4LED-SWD14	Smooth-wash diffuser for 5° lens tube	





Follow us! Tube

Let us show you exactly what to expect with our lighting design computer modeling and pre-visualization.



AMERICAN DJ JELLYFISH

21 Green, 21 Blue and 21 White)

Master/Slave or Sound Active • Beam angle: 116 degrees

• Linkable via 3-pin XLR cable

· Includes mounting bracket

**AMERICAN DJ P64-LED PLUS** 

· LED par can with RGB color mixing

4 operation modes: Sound Active, Auto, RGB, and DMX-512 6-ch.

with rich palates of color created

by mixing Red, Green and Blue LEDs

par cans emit heat onto performers

· LED Advantages: long life bulbs, low power

· Great for performance stages where traditional

Smooth color scrolling with color strobe effect
Electronic Dimming: 0 - 100%

· Smooth projection on walls

consumption, low heat

Includes hanging bracket
Power Draw: 24W max

P64-LED-PLUS ...... LED par can.....

AMERICAN DJ PUNCH LED

A great way to brilliantly light up any stage

whether you are in a band, part of a stage performance or

252 10mm LEDs (52 Red, 116 Green, & 84 Blue)
LED Sync<sup>™</sup> - Auto sync with other American DJ products

PUNCH-LED-PRO LED wash light 199.99

just want to add color washes to a lighting installation.

Very smooth field with rich palettes of color

(fast or slow color change operation)

Linkable via 3-pin XLR cable
3-button LED display on rear panel

**PRO LED WASH LIGHT** 

· Smooth RGB color mixing

· Color strobe effect

34W power draw

LED PAR CAN

· Color strobe effect (fast to slow)

No moving parts - no duty cycles - runs cool
3 operational modes: DMX-512,

• 4-button LED DMX display on rear panel

· IEC IN/OUT on rear to daisy chain power

· LED lighting effect with

clear plastic case • 84x 5mm LEDs (21 Red



- 32 built-in Color Macros

- 6-degree beam angle
  Linkable via 3-pin XLR cables (In/Out)
- the ground
- Power Draw: 15W max
- Dimensions (LxWxH): 6.9" x 4" x 2.6"



# • 7x 1-Watt LEDs (2 Red, 2 Green, 2 Blue & 1 White LEDs)

- 1, 2, 4, 5, 7, or 8 channel modes

  - Color strobe effect

  - · 3-button LED display on rear panel
  - Dual bracket system allows fixture to be hung or set on

FLAT PAR QUAD 5 • (5) 5W QUAD LEDs (4-in-1 RGBA or RGBW) · Low-profile design

AMERICAN DJ

- 44 color macros, color strobe
- effect and smooth RGB mixing
- 40° beam angle

AMERICAN DJ

stepping

FIXTURE

33 color macros

• 13.5° beam angle

• 630° pan and 220° tilt

INNO COLOR BEAM LED

• 108W LED moving head beam

· Stepper motors with micro

Linkable via 3-pin XLR cable

effect with (36) 3W LEDs (8

red, 10 green, 10 blue, 8 white)

· In/out IEC connections to daisy chain power

NEW

- Linkable via 3-pin XLR cable
- 6 operational modes: manual color, color change, color fade, auto mode, sound active and DMX-512
- · 4-button LED DMX display on rear panel; 8 DMX channel modes

....DMX LED slim par (RGBA) .... 249.99 FLAT-PAR-QA5 FLAT-PAR-QWH5 ......DMX LED slim par (RGBW) . 249 99

NEW



MUSIC itiit COMPUTER AV





0

LIGHTS

- Locking 5-pin XLR DMX I/O · DMX master/slave mode
- · User-adjustable white balance

Large LCD display interface

Neutrik® powerCON I/O

Backlit amber 63-segment display

APOLLO DESIGN TECHNOLOGY

· Enhanced color range

mixing control

MULTIFORM HP5-70 RGBAW LED

· Advanced Hue Saturation Level color

LF-LED-570-20 .... Multiform HP5-70 with power cable and IP20 unit ...



376 12

. 527.21



- AMERICAN DJ MEGA TRIPAR PROFILE LOW PROFILE LED WASH LIGHT
- Slim par with(5) 3W TRI LEDs (RGB)
- · "Sit-flat" design: Power & DMX I/O designed so unit can be set flat on ground or inside truss
- 7 DMX channel modes
- 5 operational modes: Auto mode and sound active feature with built-in programs
- Digital DMX display with 4-button menu for easy navigation · Standalone or master/slave Configuration
- 40° beam angle
- Linkable via 3-pin XLR cable
- 0-100% electronic dimming
- Flicker free
- · Includes a scissor yoke (hanging bracket) to hang on truss, mount on a wall or set on the ground
- · Power Draw: 16W max



MEGA-BAR-50-RGB-RC ... Light bar, LED, RGB, w/remote control ... 149.99



- RGBA or RGBW)
- Low-profile design 44 color macros, color strobe
- effect and smooth RGB mixing 40° beam angle
- · In/out IEC connections to daisy chain power
- Linkable via 3-pin XLR cable
- 6 operational modes: manual color, color change, color fade, auto, sound active and DMX-512
- · 4-button LED DMX display on rear panel;
- FLAT-PAR-QA12......DMX LED slim par (RGBA)......429.99



- · Provides even color washes for uplighting walls, tents and other indoor facilities · LED push button menu & display
  - · 27 pre-programmed effects for use with/without lighting console
  - 19 pre-programmed colors for use with/without lighting console
  - Master/slave mode

APOLLO DESIGN TECHNOLOGY

LED COLOR WASH FIXTURE

**MULTIBEAM 1018** 

- Onboard microphone
- · Low-noise thermostat-controlled fan
- DMX 512 control protocol & internal DMX termination
- LF-LED-1018.......54W Multibeam 1018 LED color wash fixture.

Visit fullcompass.com today!



For expert advice - call: 800-356-5844 M-F: 9:00-5:30 Central

- AMERICAN DI PROFILE PANEL
- **RGB LED WASH LIGHT**
- LED color panel with (288) 5mm LEDs
- (96 red, 96 green, & 96 blue) Operational modes: Built-in programs, Sound mode, Master/Slave mode & DMX mode
- · Smooth RGB color mixing
- Color strobe effect
- · Runs all night no duty cycle
- 0 100% electronic dimming
- 40° beam angle
- Linkable via 3-pin XLR cable
- 3-button LED display on rear panel · Includes mounting bracket to hang on truss or mount on
- a wall
- Power Draw: 37W

• Tri color RGB LEDs provide color mixing for stage or wall

• 7 Operation modes: Manual Color, Color Change, Color



### **MEGABAR 5ORGB RC** LED LIGHT FIXTURE

washing

• 22" indoor LED lighting bar with remote control



446

0.0

MUSIC

COMPUTER AV

VIDEO

0

LIGHTS

6

ACCESSORIES

#### **BLIZZARD LIGHTING FLURRY WASH** 5 or 13-channel DMX-512

- LED moving head color wash
  - User-selectable Pan/Tilt ranges;
  - Pan 540°/360°/180°; Tilt 270°/180°/90°
  - RGB color mixing via 6 each 3-Watt Edison RGB LEDs Variable electronic strobe

  - · Vector speed channel for pan/tilt, gobo & color wheels
  - Built-in movements via DMX
  - Linkable with other Flurry<sup>™</sup> Lumieres in stand-alone
  - Built-in automated programs
  - via master/slave (fast and slow)
  - Built-in sound activated programs via master/slave
  - · User-selectable basic or advanced operating modes

### FLURRY-WASH ...... LED moving head.....





#### **BLIZZARD LIGHTING** NORTHSTAR QUANTUM™ PRO LED **MOVING HEAD WASH LIGHT**

- (36) 10W (4\*2.5w) CREE® RGBW "Quad-Color" LEDs
- 25° beam angle
- 15- or 39-channel DMX control modes
- Pan: 540%/630° Tilt: 270°
- · 6-segment RGBW color mixing with chase/graphics capabilities
- Variable 0-18FPS electronic strobe
- Variable electronic dimmer (0 100%)
- Remote fixture reset

**BLIZZARD LIGHTING** 

LED WASH LIGHT

25° beam angle

· RGBW color mixing

Variable electronic strobe

- Multiple built-in color macros
  - · Multiple built-in automated programs
  - Neutrik® POWERCON® Power Connection
  - Quarter-Turn "OMEGA" clamp bracket included

FLURRY™ Q COMPACT MOVING HEAD

• Variable electronic dimmer (0 – 100%)

· Sound Active mode in standalone or DMX

• Compact and lightweight (only 6.5lbs)

· LED display menu with invert

75W max power consumption

BLIZZARD LIGHTING TOUGHPAR™ QUADRA IP-65

• Weatherproof, IP-65-rated, cast alu-

lens & watertight internal gaskets

• 18 10W Quad-Color RGBW LEDs

· RGBW color mixing

Tube

minum enclosure w/tempered glass

• Built-in color & chase macros via DMX

• LED display with 4-button control panel

Extended (8-Ch/9-Ch) DMX Profiles

**RATED LED PAR FIXTURE** 

· Display auto on/off

· Built-in programs/color macros via master/slave or DMX control

· User-selectable basic or advanced operating modes

FLURRY-Q ..... Compact moving head wash light...

NEW

NORTHSTAR-QUANTUMPRO .... LED moving head wash light .. 2399.99



# **BLIZZARD LIGHTING**

# THE PUCK<sup>™</sup> FLAT LED PAR CAN

- RGB color mixing via 144x high-power 10mm Red/Green/Blue LEDs
- Variable electronic strobe
- 3 or 6 DMX channels
- · Full RGB color mixing standalone, master/slave & DMX
- · Easy to use LED control panel
- · Rugged all-metal case with dual mounting yokes
- · IEC power-in and daisy chain connections
- to connect additional units
- · Power and DMX connections and LED control panel are located in a way that lets you use The Puck in ANY position, including flat on the floor



# PUCK Q12 FLAT LED PAR CAN • 12 x 10W Quad-Color (RGBW or

RGBA) LEDs · Variable electronic strobe and

**BLIZZARD LIGHTING** 

**BLIZZARD LIGHTING** 

FLAT LED PAR FIXTURE

Variable electronic strobe

· Built-in chase macros via DMX

· Easy-to-use LED control panel

· All-metal case with dual mounting yokes

**TORRENT 90 LED MOVING HEAD SPOT** 

7 interchangeable, rotating slot-n-lock gobos

• 9 static gobo, rotating gobo wheel & rainbow color spin

· Variable mechanical iris with burst and linear control

15-channel DMX LED moving yoke

Variable 3-mode electronic strobe

• Variable electronic dimmer (0-100%)

external power

**BLIZZARD LIGHTING** 

Pan: 540°/630°, Tilt: 270°

at variable speeds

3-facet rotating prism

· Remote focus via DMX

..... 379.99

• Variable electronic dimmer (0-100%)

PUCK3-NX

- dimmer
- Selectable 4 or 7 DMX channels
- Full RGBW or RGBA color mixing plus 15 built-in colors in Standalone, Master/Slave, and DMX modes
- All metal case with dual mounting yokes
- · Linkable with all other Blizzard Puck par cans

... Quad-color flat par can (RGBW)..... PIICK-012W 279 99 PUCK-Q12/A 

• RGB color mixing via 9x Edison® 3W tri-color LEDs

• User-selectable 3 (RGB dimming) or 6 DMX channels

• Full RGB mixing - standalone, Master/Slave, & DMX

• wiCICLE® enabled DMX jacks power the system without

NFV





EW

- ICE 60<sup>™</sup> LED MOVING HEAD SPOT • 10/15 channel (user-selectable) DMX LED moving head spot
- Pan: 540°/360°/180°, Tilt: 270°/180°/90°
- 2 gobo wheels: 6 rotating/replaceable +1 fixed glass & 7 fixed gobos.
- 7 dichroic colors + white, split colors, rainbow effect possible
- 3-facet rotating prism
- Motorized focus via DMX variable electronic shutter/strobe
- · Full electronic dimming
- · Built-in sound-active and auto programs via master/slave





# **COLOR FORCE 12 LED FIXTURE**

- Full RGBA color palette & h92 CRI
- · Deep blues and reds from a single fixture
- Smooth, uniform wash
- 2,400 lumen output
- · Length (1') is ideal for floor, wall, or truss mounting
- 50,000 hour L70 lamp
- HSI, RGB, RGBA, and StRGBA DMX modes included
- · Built-in power supplies
- · Aluminum body



# CHROMA 0 COLOR FORCE COMPACT LED FIXTURE

- 1700 lumens
- · Ideal for uplighting, backlighting, truss toner, pipe-end shin-busting and other
- wash applications · Color compatible with the rest of the Color Force line of fixtures
- 92 CRI
- Theatrical grade dimming
- · Compatible with HSI, FxHSI, RGB, RGBA, RGBI, Look Select, Master & Slave Standalone control modes
- · Comes with accessories holder, clear glass and frosted glass lenses



Let us show you exactly what to expect with our lighting design

computer modeling and pre-visualization.

#### CHROMA-Q COLOR CHARGE PLUS BATTERY **POWERED LED FIXTURE**

- · Battery-powered LED fixture- no need for mains power
- Long battery life- up to 30 hours
- Long product life- Up to 1000 battery cycles
- · Wireless control and syncing between units, or DMX
- · Theatrical grade dimming
- 900 lumen output
- Red, Green, Blue and Amber LEDs for a wide color range

 Dual mounting brackets for positioning flexibility • Beam angle: 25°, Field angle: 30° • HSV (3-Ch), RGBW (4-Ch), RGBW + Dimmer (5-Ch) &

· Variable electronic strobe & dimmer w/32-bit dimming 

Follow us!

· Built-in automated programs via master/slave

### **ELATION OPTI TRI PAR**

- Die-Cast Aluminum Tri-Color LED Par Can • 18 x 3W LEDs
- 25° standard beam angle
- Case Color: Black
- Fan Cooled
- · Electronic power supply
- 4 Digit LED display
- Master/Slave, Stand Alone, and DMX control
- Flicker Free
- Strobe effect (1-18 flashes per second)





- 3-pin or 5-pin DMX in/out • 50,000 hr rated LED source
- Built-in EWDMX Receiver for Wireless DMX
- · Built-in color, strobe, and dimming macros
- 13 DMX channels

LED FIXTURE

• 108 x 3W Rebel LEDs

- 630° or 540° Pan x 265° Tilt
- · Fan cooled fans regulated by auto or DMX
- Rigging by single omega bracket
- · 360W power consumption at full power
- 4,950 Lux @ 3M @ Full

## 



# **ELATION DESIGN WASH LED 60** LED WASH HEAD

- $\bullet~630^\circ$  Pan /  $540^\circ$  Tilt in 16-bit mode
- · Very fast movement
- 28° beam angle (15° lens)
- Dimmer: 0-100% Strobe: 25 FPS
- 13 DMX channels in 16-bit resolution
- 3-pin and 5-pin DMX connectors · Master/slave and stand alone operation
- Flicker-free LCD display
- 1.9 Amps
- · 220W power consumption
- Dimensions 16.5"L x 12.5"W x 19"H, Weighs 16.75 lbs.

# 



## ELATION **ELED TRI PAR 56**

- · Flicker free • 14 x 3 Watt Tri LEDs
- 10° Lens Kit
- Strobe effect
- Smooth electronic dimming: 0 100%
- · 6 DMX modes / Auto / Manual / Audio Trigger

Visit fullcompass.com today!

· Power Consumption: 50W TRI

# **ELATION OPTI TRI 30**

# LED SPOTLIGHT

- 7x 3W LEDs · Tri-color LED technology for
- better colors (no multicolor shadows)
- DMX channels: 1, 2, 3, 4, 6 or 7-channel modes
- Digital DMX display
- · 4 operational modes: sound active, macro, auto & DMX • 5-pin DMX connection
- Dimming 0-100%
- · Double hanging brackets (may be set on the floor)
- 10° (optional 25°) beam angle
- Multi-voltage internal PSU
- · 25W total power draw

**ELATION PRO LIGHTING** 

ARENA PAR LED WASH

15° standard beam angle

• 7-channel mode macros

• 0-100% electronic dimming

• 4-digit LED display

On-board control

**ELATION PLATINUM** 

• Pan/Tilt: 540/630 x 265

**ELATION PRO LIGHTING** 

FIXTURE

• 11-36.5° zoom

PLATINUM WASH LED ZOOM

· High-power wash moving head

• 3 DMX modes: 14/12/15 channels DMX

300W quad color LED system

Electronic strobe/dimmer

• 30x 10W RGBW CREE LEDs

• 16° beam angle

SPOT LED LIGHT FIXTURE

Variable speed shutter/strobe

• 16 Channels of DMX (3-pin and 5-pin connections)

• 8 Dichroic colors, 14 gobos, 7 rotating/indexing

PLATINUM-SPOT-LED ... LED light fixture, DMX, 240W ...

3D rotating/indexing prisms, frost filter.

240W max power consumption / 120V-240V power supply

replaceable gobos, 7 replaceable static gobos, 3 facet

· LED lamp source with comparable output to 250 discharge

DMX-XX3-10......DMX cable, 3-pin, 10' (by CableUp) .....12.90 DMX-XX3-25......DMX cable, 3-pin, 25' (by CableUp) .....20.49

PLAT-WASH-LED-ZOOM ......... LED Zoom fixture.......CALL

For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central

Motorized Iris and Focus

• 90 x 3W LEDs



- ELATION DESIGN LED PAR ZOOM LED PAR FIXTURE WITH VARIABLE ZOOM • 36 (10 Red, 10 Blue & 16 Green) x 3W RGB LEDs • 7° to 49° motorized zoom

**ELATION OPTI QUAD PAR** 

QUAD LED PAR FIXTURE

• 18 x 5W quad RGBW LEDs

· Quad color technology

· Smooth dimming control

• 10° standard beam angle

• Strobe effect (1-18 flashes per second)

· Split yoke bracket: floor-stand or mount

• 3-pin and 5-pin XLR data input & output

OPTI-QUAD-PAR......Quad LED Par Fixture.....

Power Consumption: 140W max

• USITT DMX-512- controllable via 6 DMX modes

Universal input voltage

• Digital LCD Display

· Power con in/out

• Flicker free

· Weighs 10.6lbs

- 4-digit LED display-flip option
- Sound active mode with 8 built-in chases
- · Smooth & flicker-free color mixing
- · Die-cast aluminum w/gel frame holder
- · Split yoke up-light bracket
- DMX-512 control w/8 channels
- 3-Pin XLR in/out
- Power consumption: 60W
- Rigging: split yoke bracket w/safety cable eye
- · Weighs 15.4lbs

DESIGN-LED-PAR-ZOOM .....LED par fixture w/variable zoom .. 899.99



# **ELATION PLATINUM WASH ZFX PRO** QUAD COLOR LED MOVING HEAD

- 190W total LED Engine
- 19x 10W OSRAM HO RGBW LEDs
- 3 DMX user modes 17/24/41 ch
- · Zone chase pixel control
- · Smooth flicker-free dimming
- 9°-43° motorized zoom
- · Electronic strobe/dimmer
- · EWDMX receiver built in
- 3- & 5-pin DMX in/out
- A/C Powercon input

..... 2799.99

- Manual, master/slave, standalone
- 370W and total max power 3.6A

PLATINUM-WASH-ZFXPRO ... Quad Color LED Wash Fixture ........CALL

# LEVITON LEVITON

- **PRO COLOR CANNON** Customizable lighting fixture that
- supports broad field angles with application-specific configuration options.
- 36 x 3W LEDs
- · Control options: DMX-512, audio-trigger, internal programs • DMX operating modes: 3-Ch, RGB; 4-Ch, dimmer/strobe,
- RGB; 6-Ch, RGB, strobe, macro, and dimmer • 4 available LED packages: RGB [1], TRGB [4], WWA [6],
- TWWA [7] 3 available field angles: 15°(RGB & WWA only), 30°, 60°

COMPAS

Available in black or white

Contact your Sales Pro to configure



MUSIC

COMPUTER AV

VIDEO

110

LIGHTS

ACCESSORIES

LEVITON NEW!



1110

LIGHTS

b

ACCESSORIES



- 48 1W LEDs • DMX-512: programmable up to
- 255 steps each color.
- Operating modes: DMX 3-Ch, RGB; master/slave; stand-alone
- 3 available LED packages: RGB [1]; WWW [5]; WWA [6]
- 3 available field angles: 15° [15], 30° [30], 120° [Cw3]
- Available in black [B], white [W], or aluminum [A]



An LED moving head washlight with fast, powerful zoom and impressive zoom range. It is capable of producing a wide variety of exceptional colors from rich saturated shades to pastels through the entire zoom range.

- Fast and efficient zoom: 13° 36°
- · Excellent color mixing: vibrant saturates and subtle pastels
- · Punchy beam with great beam definition
- Smooth electronic dimming: 0 100%
- · Electronic strobe with pulse and random effects
- · Compact, quiet and lightweight
- DMX-512 control

Martin

MAC301-WASH...... LED moving head.....CALL

# PHILIPS

# PHILIPS COLOR KINETICS

# VAYA LINEAR COLOR

- · For fixed or dynamic color effects
- · Integrated power
- DMX-512 control/RDM discovery and addressing Interior/Exterior – IP65
- Auto-ranging 100V-240V, 50/60Hz output
- · Tilting surface-mount bracket
- · Aluminum finish, tempered glass lens
- 316-000002-08 ...... 13W 13" fixture, wide 50° beam .... 271.00

# PHILIPS **KINETICS**



# PHILIPS COLOR KINETICS COLORBLAST TRX

THEATRICAL WASH LIGHT Stand alone or DMX operation

- Red, Green, Blue, Amber, and White LEDs
- 4 DMX modes including 16-bit color control
- Interchangeable lenses
- · Wide variety of optional beam shaping accessories

116-000029-00 Color Blast TRX	779.00
120-000005-04 Top hat	43.00
120-000009-04 Half top hat	39.00
120-000015-04 Egg crate louvers	101.00
120-000019-04 Barndoors	105.00
120-000025-00 Horizontal spread lens 36°/50°	62.00
120-000025-01 Horizontal/vertical spread lens 40°/40°	54.00

# PHILIPS



# PHILIPS COLOR KINETICS

# VAYA COVE COLOR

- · A color-changing fixture for interior cove and accent lighting applications.
- · Red, green, and blue LEDs
- 120° beam angle
- DMX-512 control / RDM discovery and addressing
- · Low voltage, 24V DC input power

316-000004-0011.8" Vaya Cove Color	.00
316-000004-0123" Vaya Cove Color	.00
316-000004-02 45.7" Vaya Cove Color	.00

# PHILIPS



#### PHILIPS COLOR KINETICS VAYA COVE WHITE

- A white 3000K or 4000K fixture for interior cove and accent lighting applications.
- · Removable mounting clips for flush mounting
- 120° beam angle
- · DMX-512 control / RDM discovery and addressing
- · Low voltage, 24V DC input power

3, 1, 1, 1,	
350-000004-06 11.8" Vaya Cove White, 3000K	)0
350-000004-0723" Vaya Cove White, 3000K	)0
350-000004-08 45.5" Vaya Cove White, 3000K	)0
350-000004-09 11.8" Vaya Cove White, 4000K	)0
350-000004-1023" Vaya Cove White, 4000K	)0
350-000004-11 45.5" Vaya Cove White, 4000K	)0

Contact your Sales Pro to configure

### LIGHTRONICS FXLD1012C4I QUAD-COLOR LED PAR FIXTURE

- (12) 10W LEDs, 150W total
- 4-in-1 Quad-Color LEDs
- · Eliminates 75% of pixelation
- · HD video compatible
- 8-channel operation
- 25° lens
- 3-pin DMX I/O
- LCD display
- Double yoke



### MARTIN PROFESSIONAL MAC AURA™ COMPACT LED

#### **MOVING HEAD WITH ZOOMT** · Single lens wash fixture with fully

- pre-mixed color
- RGBW color mixing
- 11° to 58° zoom
- 3850 lumens
- · Built-in FX engine
- 4000 lumen output
- · Low power consumption and quiet cooling system

MAC-AURA-BLACK.. LED moving head.....CALL

FXI D154WAI 75W white/amber/white LED PAR fixture 416 25

# 

#### LIGHTRONICS FXLD154WAI WHITE/AMBER/WHITE LED PAR

- (54) 1W LEDs, 75W total
- (36) white LEDs, (18) amber LEDs
- 4-channel operation
- 3-pin DMX I/O · Double yoke

Martin

• 25° beam angle

Tube

MARTIN MAC350 ENTOUR

· 7 extremely efficient high-power LEDs for increased energy efficiency

· 6 rotating and indexable gobos

8 interchangeable dichroic colors

· Variable focus and motorized iris • Ultra-crisp shutter and fast strobe effects · Quiet for noise sensitive applications Compact, low weight design

Enhanced color rendition and spectrum

with split color effects & continuous rotation

· 8000 lm output, brighter than 300W HID fixtures • Smooth electronic dimming: 0 - 100%

MAC350-ENTOUR ... Moving head ...... 3100.00

Follow us!

**MOVING HEAD LIGHT** 





#### MARTIN PROFESSIONAL MAC-101 LED MOVING HEAD WASH LIGHT

- · Martin's fastest moving head
- · Calibrated colors
- 2200 lumen output

PHILIPS

- Variable CTC
- Smooth electronic dimming
- (0-100%, with 4 curve options)
- 13.5° one-tenth peak angle
- · Electronic strobe with pulse • Efficient & consumes little power

· Easily daisy-chainable & weighs only 8.2 lbs

· AC power in & thru via Neutrik Power Con

8/12 DMX channels via 5-pin locking XLR

**KINETICS** 

· High-brightness red, green and blue LEDs

• Auto-ranging 100V - 240V 50/60Hz input

DMX-512 control / RDM discovery and addressing

Let us show you exactly what to expect with our lighting design

computer modeling and pre-visualization.

PHILIPS COLOR KINETICS

· A color-changing fixture for interior and exterior use

· IP66-rated for wet exterior use

Available with 15° and 30° beams

**VAYA FLOOD COLOR**