CARTONI H101/H102 TRIPOD KITS Perfect for HDV and MiniDV cameras weighing from .5-10lbs. Features include tilt range +90°/-90°, bowl diameter of 75mm, pan range of 360°, infinite fluid drag and counterbalance. The H100 HiDV head in both systems includes a quick release sliding camera plate, spirit level, and orientable pan bar. The head weighs 4lbs and each total kit weights 10lbs.



	ě .	
ITEM	DESCRIPTION	PRICE
H101	HiDV head, 1-stage aluminum tripod,	mid-level spreader, & soft case 1037.87
H102	!HiDV head, 2-stage aluminum tripod,	mid-level spreader, & soft case 1186.67


CARTONI FOCUS HD KITS The FOCUS HD is a 4.4lb fluid head that is ideal support for the latest HD cameras weighing up to 26 lbs. Features include tilt range of +90°/- 90°, a bowl diameter of 100mm, pan range of 360°, infinite fluid drag and counterbalance. The Focus HD head in all systems includes a quick release sliding camera plate, illuminated spirit level, extendable pan bar and soft case. Please visit our website for more information.



our website	Tor more information.	
ITEM	DESCRIPTION	PRICE
F126	FocusHD System includes FocusHD Head, 3 tube ultra-light tripod	
	with mid-level spreader and soft case	. 1394.98
F127	FocusHD AL 2/ML includes FocusHD Head, 2-stage 3 tube ultra light	
	tripod with mid-level spreader and soft case	. 1644.86
F128	FocusHD CF System includes FocusHD Head, 3 tube CF ultra-light tripod	
	with mid-level spreader and soft case	. 1692.58
F129		. 1002.00
	with mid-level spreader and soft case	. 1729.77
F130		. 1720.77
	with mid-level spreader and soft case	.2332.41
F131		. 2002.71
	mid-level spreader and soft case	.2045.97
F132		. 2043.37
1 132	tripod, mid-level spreader and soft case	.2470.05
E122	FocusHD ENG SS 2 System includes FocusHD Head, 2-stage AL Smart	. 24/0.03
г гээ		0004.07
F104	Stop ENG tripod, mid-level spreader and soft case	. 2324.97
F134	FocusHD ENG SS 2 System includes FocusHD Head, 2 stage CF Smart	0050 77
	Stop ENG tripod, mid-level spreader and soft case	. 2659.//

CARTONI P-SERIES PEDESTALS/PEDESTAL KITS

The P20 pedestal is a compact portable model with a capacity for loads up to 55lbs. Weighing only 39lbs it takes less than 5 minutes to assemble. Includes hand pump and a 100mm base adapter. The P50 handles loads up to 120lbs. Weighing only 62lbs it takes less than 10 minutes to assemble. It also includes a hand pump and an adapter. The P90 is designed to support camera/lens combinations up to 198lbs.





MANFROTTO MVH502A KITS The MVH502A pro video head incorporates Manfrotto's patented Bridging Technology, which utilizes a larger base for more stable shooting. The head's variable fluid cartridge offers fluid pan & tilt. Additional MVH502A features include a 75mm leveling bowl, fixed counterbalance system, and a long sliding plate for better balance & stability. The aluminum tripod features a mid-level spreader and the carbon fiber kit comes with a bag.

ITEM	DESCRIPTION		PRICE
STAGES/MATERIA	L2-stage, aluminum	2-stage, aluminum	Z-stage, carbon fiber
		Mid-level	
WEIGHT	8.8 lbs	12.1 lbs	9.5 lbs
MIN HEIGHT	24.8"	17.3"	16.2"
MAX HEIGHT	62"	66.1"	72.8"
LOAD CAPACITY	8.8 lbs	8.8 lbs	8.8 lbs
TECH SPECS	MVK502AM	MVH502A,546BK	MVK502C

IIEM	DESCRIPTION	PRICE
MVK502AM	.MVH502A head with 2-stage aluminum tripod, spreader	. 449.99
MVH502A,546BK	.MVH502A head with 546BK tripod, spreader	. 549.99
MVK502C	.MVH502A head with 2-stage carbon fiber tripod & bag	. 849.99

MANFROTTO 504 HD KITS The 504 HD video head offers great fluidity and features a 4-step counterbalance system, ergonomic tilt drag and tilt locking knobs on its left side. The 546B and 546GB aluminum tripods come with mid-level and ground-level spreaders, respectively. The 546B also features spike foot shoes.

	•	1	
TECH SPECS	504HD,546BK	504HD,546GBK	504HD,535K
LOAD CAPACITY	19.8lbs	19.8lbs	19.8lbs
MAX HEIGHT	65.9"	67.3"	72.4"
MIN HEIGHT	17.3"	18.3"	15.9"
WEIGHT	13.9lbs	13.9lbs	11lbs
STAGES/MATERIAL	2-stage, aluminum	2-stage, aluminum	3-section, carbon fiber
ITEM	DESCRIPTION		PRICE
504HD,546BK	504HD head, 546B t	ripod, MBAG100PN bag	849.99
504HD,546GBK	504HD head, 546GB	tripod, MBAG100PN bag	949.99
504HD,535K	504HD head, 535 tri	pod, MBAG100PN bag	1099.99
5NGHI V	Additional nan har f	or 504HD video head	15 30

MANFROTTO 509 HD KITS The 509HD incorporates Manfrotto's patented Bridging Technology with a larger base for more stable shooting. Uses a 100mm ball and full fluid in both tilt and pan. Also includes variable counter balance and adjustable friction control to balance most video cameras. The 536 tripod has no center column and a 75/100mm bowl adapter. The 545B tripod features a 100mm bowl interface, mid-level spreader, and rubber shoes. The 545GB kit is the same tripod as the 545B, but with a ground-level spreader instead of a mid-level.

TECH SPECS	509HD,536K	509HD,546BK	509HD,545GBK
LOAD CAPACITY	28.6lbs	28.6 lbs	28.6lbs
MAX HEIGHT	85.8"	66.5"	68.3"
MIN HEIGHT	16.5"	17.7"	18.7"
WEIGHT	17.4lbs	18lbs	17.8lbs
STAGES/MATERIAL.	3-stage, carbon fiber	2-stage, aluminum	2-stage, aluminum

ITEM	DESCRIPTION	PRICE
509HD,536K	509HD head, 536 tripod w/bag	1699.00
509HD,545BK	509HD head, 545B tripod w/bag	1499.99
509HD,545GBK	509HD head, 545GB tripod w/bag	1499.99
509HLV	Additional pan bar for 509HD video head	45.39



























































M-F: 9:00-5:30 Central

















































					_				
ITEM	APPLICATION	TYPE	LOAD	ARM	PLATE	TILT	PAN	WEIGHT	PRICE
701HDV	Mini DV	Fluid	8.8lbs	. Fixed	QR	+90/-60	360°	1.8lbs	159.99
128LP	Micro Video	Fluid	8.82lbs	Fluid	Fixed	90/+90	360°	2.2lbs	82.99
128RC	Micro Video	Fluid	8.9lbs	QR	Fixed	60/+90	360°	2.3lbs	104.99
504HD	Pro Video	Fluid	16.5lbs	Tele	QR	+90/-60	360°	6.4 bs	.444.99
526	Pro Video	Fluid	35lbs	Tele	QR	+75/-70	360°	7.9lbs	1299.89
MVH502A	Pro Video	Fluid	8.82lbs	. Fixed	QR	80/+90	360°	3.97lbs	.224.99



MANFROTTO CARBON FIBER TRIPODS These 2-, 3-, or 4- stage, center column tripods are made of carbon fiber with magnesium castings and are extremely lightweight and rigid. Their designs allow for horizontal-vertical movements and greater range of positions.

and are entre			. Then decigne and	· ioi iioiiboiitai	· cr trour mo · cm cm c un	a 51 cater range	or poortiono.	
ITEM	STAGES	CLOSED	MIN. HEIGHT	MAX. HEIGHT	HEIGHT COLUMN (IN)	LOAD CAP.	WEIGHT	PRICE
190CXPR03	3	22.8"	3.15"	48"	57.5"	11 lbs	2.8 lbs	299.89
190CXPR04	4	19.7"	3.15"	48"	57.5"	11 lbs	2.95 lbs	359.89
055CX3	3	24.2"	2.56"	53.5"	69.7"	17.6 lbs	3.92 lbs	389.89
055CXPR03	3	25.6"	4.53"	55.12"	68.9"	17.6 lbs	3.64 lbs	399.89
055CXPR04	4	21.46"	4.53"	53.35"	66.9"	17.6 lbs	3.75 lbs	469.89
535	3	28.9"	10.63"	67.3"	NA	44 lbs	5.1 lbs	629.99
536	4	28.0"	10.24	79.92"	NA	55.1 lbs	7.16 lbs	799.99



ITEM	COLOR	EXT. HEIGHT	CENTER POST	FOLDED LENGTH	LOAD CAP.	WEIGHT	PRICE
190XDB	Silver Silver		11.4		11.1 IDS	4 9 lbs	159.89
055XB	Black	70.1"		24.0"	15.4 lbs	5.1 lbs	179.89

MANFROTTO BRACED LEG, GEARED CENTER COLUMN TRIPODS

ITEM	COLOR	EXT. HEIGHT	CENTER POST	FOLDED LENGTH	LOAD CAP.	WEIGHT	PRICE
475B	Black	74.0"	10.2"		26.5 lbs	9.5 lbs	339.89
028B	Black	89.4"	18.9"	32.3"	26.5 lbs	9.2 lbs	329.89
058B	Black	75.2"	10.3"	37.0"	26.5 lbs	13.6 lbs	449.89

MANFROTTO BRACED LEG, NO COLUMN

ITEM	COLOR	EXT. HEIGHT	BOWL SIZE	FOLDED LENGTH	LOAD CAP.	WEIGHT	PRICE
545B	Black	60.3"	100 mm	27.2"	55 lbs	7.7 lbs	549.99
545GB	Black	62.4"	100 mm	27.2"	55 lbs	7.7 lbs	549.99
546B	Black	60.6"	75mm	27"	44lbs	7.7lbs	499.99
	has claw ball le		100	40.00	CC 0 II	10.0 !!	710.00

MANFROTTO CAMERA STAND A5-section aluminum stand with camera mounting plate and adjustable leveling bubble. The stand rises to a max height of 24' with twist locks. Features triple leveling legs, double spider casting, and double bracing. Supports a max payload of 15.4lbs.

ITEM	DESCRIPTION	PRICE
269HDB-3U	5-section camera stand 24' w/plate	767.90



269HDB-3U





Manfrotto **Imagine More**





KT PL-PV-610 for video and HDSLR



KT PL-CC-(191-197) HDSLRS & video cameras



KT VA-801-10 for video cameras.



KT VA-801-12



















519LV...



































MANFROTTO 526 PRO FLUID HEAD KITS The 526 is ideal for the high-end ENG and EFP video market and features large rubber padded knobs for better grip and all controls (tilt and pan lock, tilt drag) are easily found on the left side. It has 3-step settings for drag levels, plus a no-drag setting for snap-pan/ tilts. It has a built-in 4" half-ball that adapts to a number of tripods w/a 4" receiver. It has an illuminated leveling bubble, one pan arm, and a 357PLV plate. It has a 3/8" screw attachment thread on the bottom, $-70^{\circ}/+75^{\circ}$ tilt range, and 360° panoramic rotation.

TECH SPECS	526,545GBK	526,545BK	526,536K
LOAD CAPACITY	35.27lbs	35.27lbs	35.27lbs
MAX HEIGHT	68.11"	66.54"	85.83"
MIN HEIGHT	18.7"	17.72"	16.93"
WEIGHT	15.65lbs	15.65lbs	15.10lbs
STAGES/MATERIAL	2-stage, aluminum	2-stage, aluminum	3-stage, carbon fiber
CARRYING CASE	MBAG100PN	MBAG100PN	MBAG100PN
ITEM	DESCRIPTION		PRICE
526,545GBK	526 head, 545GB t	ripod w/floor level spreader, b	ag2099.99
526 5/5RK	526 hoad 5/15R tri	nod w/mid_laval enraadar had	2000 00

. 526 head, 536 carbon fiber tripod, bag

MANFROTTO 701HDV KITS The 701HDV was developed specifically for the latest prosumer & professional light, compact HD camcorders. It has improved ergonomics with locks and knobs that allow for a more solid grip, control, and fluidity thanks to internal fluid cartridges, a double pan-bar rosette, and bigger sliding plate. It has a 3/8" female thread attachment on the bottom, a bubble spirit level, 501PL type camera plate, -60°/+90° tilt range, and

701HDV,755CX3K...... 701HDV head, 755CX3 tripod, bag.

. Additional pan bar for 526.

360° panoramic r	otation.		7011IDV,033XBR
TECH SPECS	701HDV,055XBK	701HDV,755XBK	701HDV,755CX3K
LOAD CAPACITY	8.82lbs	11.9lbs	8.82lbs
MAX HEIGHT	73.82"	69.5"	68.31"
MIN HEIGHT	6.5"	20.9"	22.05"
WEIGHT	7.5 lbs	9 lbs	6.08 lbs
STAGES/MATERIAL	3 section, aluminum	2-stage, aluminum	3-stage, carbon fiber
CARRYING CASE	MBAG80N	MBAG80PN	MBAG80N
ITEM	DESCRIPTION		PRICE
701HDV,055XBK	701HDV head, 055X	BK tripod, bag	384.99
701HDV 755XRK	701HDV head 755X	R tripod hag	171 99



IVIAINTRUI	IU DULLI 3/3FKEADEKS				
ITEM	DESCRIPTION	FOOTPRINT	WEIGHT	WHEELS	PRICE
530SPRB	. Squid mid-level w/fine adjuster	8" to15"			232.85
127	. Portable folding video dolly	. 43" diameter	5.3 lbs .	3"	164.99
127VS	. Variable leg spread folding dolly.	N/A	7.5 lbs .		199.99
181	. Folding auto dolly	. 50" diameter	10 lbs	3"	319.99
114MV	. HD Tripod dolly w/spikes	44.1" diameter	13.7 lbs	5"	359.99
114	. Deluxe video dolly	44.1" diameter	17.7 lbs	5"	359.99
165MV	. Spiked foot tripod spreader	.31.5" to 51.2"			76.20
165	. Lightweight spreader	31" to 51"			59.27

	O TRIPOD BAGS DESCRIPTION	LENGTH	WIDTH	HEIGHT	PRICE
MBAG70N	.Unpadded black bag	27.6"	5.9"	5.1"	38.10
MBAG80PN	.Padded black bag	31.5"	5.51"	N/A	82.88
MBAG90PN	.Padded black bag	35.4"	9"	7.8"	103.83
MBAG120PN	.Padded black bag	47.2"	9"	7.8"	140.98



CINE **DSLR SACHTLER** PRO FLUID HEAD AND TRIPOD SYSTEMS The CINE-DSLR fluid head has a payload range up to 11 lbs and is ideal for digital singlelens reflex cameras with HD video function. It has a 10-step counterbalance and 3 vertical horizontal grades of drag (+0). A robust metal housing protects it from exterior influences and comes with a special camera plate with an anti-twist retainer for HD DSLR cameras. Special lubricated oil damping allows filming in extreme temperature ranges. This head operates

can be quickly balanced.		
TECH SPECS	SYSTEM-CINE-DSLR-2D	SYSTEM-CINE-DSLR-2MD
LOAD CAPACITY	11lbs	11lbs
MAX HEIGHT	65"	63.4"
MIN HEIGHT	20.5"	30.7"
WEIGHT	11.7 lbs	11.5 lbs
STAGES/MATERIAL	2-stage, aluminum	2-stage, aluminum
MOUNTING STANDARD	75mm	75mm
INCLUDES	CINE-DSLR head ENG 75/2 D tripod SP 75 ground spreader DV 75 S padded bag	CINE-DSLR head ENG 75/2 D tripod Set mid-level spreader 75 DV 75 S padded bag

with reliable switching between settings so camera setups

ITEM	DESCRIPTION	PRICE
CINE-DSLR	Professional fluid head, for 75mm bowl	1057.80
SYSTEM-CINE-DSLR-2D	DSLR tripod w/CINE-DSLR head, ground spreader, bay	g 1230.00
SYSTEM-CINE-DSLR-2MD.	DSLR tripod w/CINE-DSLR head, mid-level spreader, ba	ag 1266.90

SACHTLER ACE FLUID HEAD 2-STAGE ALUMINUM TRIPODS Designed for use with HDSLRs and small camcorders, the Ace tripods feature a 5-step counterbalance, 3 grades of horizontal and vertical drag and a tilt range of +90°/-75°. The 1001 tripod/head system comes with a mid-level spreader, while the 1002 system features a groundlevel spreader. Both come with a carrying bag.

		7 3 - 3
TECH SPECS	1001	1002
LOAD CAPACITY	8.8 lbs	8.8 lbs
MAX HEIGHT	66.5"	68.1"
MIN HEIGHT	30.7"	22.4"
WEIGHT	9.7 lbs	10.1 lbs
STAGES/MATERIAL	2-stage/alum	2-stage/alum
MOUNTING STANDAR	D75mm	75mm
INCLUDES	Tripod & head, bag,	Tripod & head, bag,
	mid-level spreader	ground-level spreader

ITEM	DESCRIPTION	PRICE
1001	. Fluid head 2-stage tripod w/mid-level spreader	535.00
1002	. Fluid head 2-stage tripod w/ground-level spreader	535.00



The FSB4 fluid head is ideal for users of small & lightweight HDV cameras. Features a robust aluminum housing, and Sachtler's Speedbalance technology for swift balancing. It has 3 horizonal, and 3 vertical grades of damping, 5-step counterbalance, and integrated flat base fitting. Also compatible with components of the SOOM modular systems, and optional FSB-CELL power solutions. It uses Sachtler's Sideload S camera plate.

TECH SPECS	SYSTEM-FSB4-MD	SYSTEM-FSB4-2M	D SYSTEM-FSB4-SLMCF
LOAD CAPACITY	8.8lbs	8.8lbs	8.8lbs
MAX HEIGHT	62.2"	62.2"	63"
MIN HEIGHT	37.4"	37.4"	30.3"
WEIGHT	10.6lbs	10.6lbs	10.8lbs
STAGES/MATERIAL	1-stage/alum	2-stage/alum	2-stage/carbon fiber
MOUNTING STANDARI	D75mm	75mm	
INCLUDES	FSB4 fluid head, DA75L tripod, SP75 spreader, padded bag, DV75 pan bar	FSB4 fluid head, ENG75/2 tripod, SP75 Spreader, padded bag, DV75 pan bar	FSB4 fluid head, SpeedLock 75CF tripod, SP75 spreader, padded bag, DV75 pan bar


FSB4 SERIES

ITEM	DESCRIPTION	PRICE
SYSTEM-FSB4-MD	Aluminum tripod kit	861.00
		1012.70
		1209.50





Follow us!



701 UNV NEEVOK



SACHTLER FSB6 SERIES TRIPOD KITS The FSB6 features Snap & Go sideload mechanism which has a sliding range of 4.7", and 10-step counterbalance. It has a Touch & Go camera plate, 3 horizontal, and 3 vertical grades of damping, a self-illuminating leveling bubble, and +90°/-70° tilt range. Also compatible with components of the SOOM modular systems, and optional FSB-CELL power solutions.



TECH SPECS	SYSTEM-FSB6MD	S'	/STEM-FSB6-2M	D SYSTEM-FSB6-SLMCF
LOAD CAPACITY	13.2lbs		13.2lbs	13.2lbs
MAX HEIGHT	62.2"		63"	63"
MIN HEIGHT	37.4"		30.3"	30.3"
WEIGHT	11lbs		11.5lbs	11.2lbs
STAGES/MATERIAL	1-stage/alum		2-stage/alum	2-stage/carbon fiber
MOUNTING STANDARD	75mm		75mm	75mm
INCLUDES	FSB6 fluid head, DA75L tripod, mid-level spreader, padded bag, DV75 pan bar		FSB6 fluid head, ENG75/2D tripod, mid- level spreader, padded bag, DV75 pan bar	FSB6 fluid head, SpeedLock 75CF tripod, SP75 spreader, padded bag, DV75 pan bar

ITEM	DESCRIPTION	PRICE
SYSTEM-FSB6-MD	.Aluminum tripod kit	1459.60
SYSTEM-FSB6-2MD	.Aluminum tripod kit	1599.00
SYSTEM-FSB6-SLMCF	.Carbon fiber tripod kit	1787.60




SACHTLER FSB CELL SERIES - POWER SOLUTIONS FOR FSB2/4/6 SERIES KITS Powering solution for MiniDV/HDV camcorders. Compatible with FSB2/4/6 heads, it is a 7.2volt lithium-ion battery that loads directly under the camera. Shaped like a camera plate, the battery underside fastens directly to the fluid head. The battery weight (1.4lbs) is positioned directly over the fluid head, optimizing camera control. Specific camera adapter cables (required) shown below.

ITEM FSB-CELL-BATTERY	DESCRIPTION Battery, 7.2V/10.5Ah (requires adapter cable,	PRICE
	FSB compatible head)	225.50
FSB-CELL-SONY-I	FSB cable-Sony PD100/150/170, VX2100, HDRFX7	86.10
FSB-CELL-SONY-II	FSB cable —Sony HVRZ1U, HVRV1U, HDRFX1, FX1000,	
	HVRZ5U	
	FSB cable-Canon XHA1/G1, XLH1, XL1/2, XM2	
FSB-CELL-PANASONIC	FSB cable-Panasonic AGHPX170, HVX200, DVC30/80	86.10

'inten

VINTEN VISION BLUE CAMERA SUPPORT SYSTEMS

The Vision blue head is designed to provide professional support to match the high performance of today's lightweight camcorders and DSLRs. It balances payloads between 4.6 - 11 lbs with a low center of gravity of around 2.2". It also features an infinitely adjustable Perfect Balance, infinitely adjustable LF drag system and a standard long slot Vision AS camera plate with 1/4 " screw and pin assembly. It is available in



0		
ITEM	DESCRIPTION	PRICE
VB-AP2F	Vision blue head w/2-stage aluminum Pozi-Loc tripod,	
	floor spreader, soft case	1164.40
VB-AP2M	Vision blue head w/2-stage aluminum Pozi-Loc tripod,	
	lightweight mid-level spreader, soft case	1164.40



ANTON BAUER EGRIPZ HANDHELD CAMERA SUPPORT

EgripZ handles are a flexible polymer to make the camera easier to hold securely and comfortably - on

the hottest day or in the trickiest of positions. Weighs just 12.2oz and mounts easily to the camera's 1/4-20 tripod mounting. It can flex into virtually any position around the camera without getting into the way of normal camera operation. One hand operation is more comfortable with EgripZ as a forearm support - preventing the camera from "rolling" on the operator's wrist. Low shots and high perspectives are much easier and steadier with two hands to stabilize the camera. EgripZ attaches easily a monopod or other support for additional stability via the 1/4-20 base mount.

ITEM	DESCRIPTION	PRICE
EGRIPZ	Handheld camera support	87.47

ANTON BAUER STASIS FLEX POWER SUPPORT SYSTEM

Not simply a shoulder mount, Stasis redirects the geometry of a handheld camera to make use of the most stable platform in the world-the human body. By redirecting the weight of the camera into the torso and over the shoulder, the weight of the camera is redistributed off the operators hand, relieving fatigue and stabilizing shooting. With its revolutionary, patent pending infinitely adjustable

mechanism which allows the operator to position the

camera in virtually any shooting position- forward/back, in/out, up/down- the camera can be repositioned instantly and locked in place at the touch of a lever. Stasis Flex can be used as a standalone body support, with hard points on the rear pad to mount peripherals-like wireless receivers, hard drives or transmitters. Gold Mount series hatteries can be used to extend runtime

accute chicala runtimo.	
DESCRIPTION	PRICE
Stasis Flex shoulder mount – 1/4-20 mounting platform	
accepts any camera or standard quick release	
mounting plate, requires adapter cable	264.77
Gold mount with DC-DC convertor, with cable and camera	
connector for Sony cameras	170.97
As FGM-S, but with connections for Panasonic cameras	170.97
Gold mount with cable and camera connector for Sony PMW	/EX1.
Supplies native 14V to camera and to power tap	
	Stasis Flex shoulder mount — 1/4-20 mounting platform accepts any camera or standard quick release mounting plate, requires adapter cable

bebob

BEBOB ZOE SERIES ZOOM CONTROLS

DVXL is the first universal remote zoom control for DV, designed to work equally well with camcorders featuring a LANC input, such as Sony or Canon, or a Cam Remote input, like

the Panasonic HVX-200 or AG-DVX100. It features the benefits of the Zoe family of HDV/DV products. ZOE III provides optimal zoom control in a compact user-friendly remote that easily mounts to tripod handles. It automatically detects what manufacturer lens it is attached to and adjusts itself accordingly. The ZOE III offers innovative remote functionality, including variable stepless zoom speed control, record start/ stop button, return function button, and a zoom direction change button.

ITEM	DESCRIPTION	PRICE
BE-ZOE-DVXL	Remote zoom for LANC/Cam Remote DV	251.00
BE-ZOE-ENG8	Zoe III for 8-pin lenses (Angenieux, Canon, Fujinon)	545.00
BE-ZOE-ENG12	. Zoe III zoom control for Fujinon 12-pin lenses	545.00





















































