















































NEUMANN KM180 SERIES

The KM180 series condensers offer the same transformerless circuitry as the KM100s without the 10dB pad. Frequency response is 20Hz-20kHz. The KM183, KM184

and KM185 have SPL handling of 140dB, 138dB and 142dB respectively. 48V phantom power is required.

ITEM	DESCRIPTION	PRICE
KM183	.Omni condenser mic	899.95
KM184	.Cardioid condenser mic	849.95
KM185-SILVER	.Hypercardioid condenser mic	899.95
EA2124A	.Optional suspension mount	299.95
WNS100	.Replacement windscreen	24.95
WS100	.Optional 90mm windscreen	28.95
SKM183-MT	.Stereo mic pair-omni,	
	w/case, black	1699.95
SKM183-SILVER	.Stereo mic pair-omni, w/case	
SKM184-MT	.Stereo mic pair-cardioid,	
	w/case, black	1599.95
SKM184-NI	.Stereo mic pair-cardioid,	
	w/case, nickel	1599.95

NEUMANN TLM103/TLM103D **LARGE DIAPHRAGM MICS** These


are large diaphragm cardioid mics with a transformerless output stage. Designed primarily for vocals, the TLM03 also excels on piano, percussion, and stringed instruments. The TLM103D is a digital version of the mic, designed for home recording and project studios. Its A/D converter receives the output signal directly from the capsule, ensuring that the signal has no coloration and superb transparency. Both mics require 48V phantom power and come with an SG-1 swivel mount and wooden box.



ITEM	DESCRIPTION	PRICE
TLM103-BLACK.	Cardioid mic, 20Hz-20kHz,	
	Max SPL for THD 0.5% -138dB,	
	w/swivel mount & case, black	1099.95
	.As above, but with nickel finish.	
TLM103-D	.Digital version of TLM103, availa	able
	in black or nickel finish	1599.95
EA1-BLACK	.Elastic suspension mount, black	269.95
EA1-NICKEL	.Elastic suspension mount, nicke	1269.95
WS87	.Windscreen	46.95

NEUMANN TLM102 CARDIOID CONDENSER **MICROPHONE**

This mic features a large-diaphragm cardioid capsule that handles a maximum sound pressure level of 144dB, which is good for recording amps, drums, and other loud instruments. Acoustic instruments will benefit from the TLM102's fast transient response. The TLM102 also features a slight boost



ITEM	DESCRIPTION	PRICE
TLM102	Large diaphragm cardioid	
	condenser mic, black	699.95
TLM102-NICKEL.	As TLM102, nickel finish	699.95



NEUMANN U87AI 3-PAT-TERN MIC A legendary FET large diaphragm transformer-coupled studio mic with omni, cardioid and figure-8 patterns, 10dB pad and low cut filter

cut mici.		
ITEM	DESCRIPTION	PRICE
U87AI	Multi-pattern microphone,	
	no mount or case	CALL
U87AI/SET-Z	Microphone with shockmount,	
	cable and windscreen	CALL
EA87	Elastic suspension (with SET-Z).	379.95
WS87	Windscreen	46.95

RØDE NT1-A CARDIOID MIC World's quietest microphone with an incredible 5dBA self noise figure. 48V phantom

137dB max. SPL, t	ixed cardioid pattern.	
ITEM	DESCRIPTION	PRICE
NT1-A-COMPLETE	Anniversary edition, incli	ıdes:
	shockmount, pop shield,	20' cable,
	dust cover, and DVD	229.00

RØDE NT2A MULTI-PATTERN LARGE DIAPHRAGM CONDENSER MIC

power, transformerless output,

Successor to the very popular NT-2 studio condenser mic, the NT2A now has the internally shock mounted HF1 dual 1" capsule, the same as is used in the K2 microphone, and new electronics with extremely low 7dBA self-noise. It has a 3-position variable polar pattern for omni, cardioid, and figure-8 patterns, three positions of selectable attenuation (0dB, -5dB, or -10dB) and low freq. rolloff (flat, 80Hz or 40Hz). The NT-2A comes with a soft

pouch and mounting clip.

ITEM	DESCRIPTION	PRICE
NT2A	.Multi-pattern condenser	399.00

RØDE NT5 AND NT55 CARDIOID CONDENSER MICS The RØDE NT5 is

a true condenser microphone specifically designed for instrument recording. Its discrete size and design allows for effective and subtle positioning, which is crucial when close miking. NT5's are supplied as closely matched pairs in a custom carry case with two stand mounts and two windscreens. Requires 48V phantom power. Frequency response is 20Hz-20kHz, max SPL of 143dB,

dynamic range >128dB. Available in pairs, or as single mics. The new NT55 model is essentially the NT5 with a two stage hp (75Hz or 150Hz) filter and a two stage (-10dB/-20dB) pad, and includes a NT45-O omni capsule so that you have the option to operate cardioid or omni by swapping capsules.

ITEM	DESCRIPTION	PRICE
NT5	Studio condenser mic, pair	429.00
NT5-S	Single NT5 condenser mic	219.00
NT55	Mic w/ two stage hp filter, 2 sta	age pad,
	and cardioid & omni capsules.	369.00
WS5	Replacement windscreen for NT	519.99

SCHOEPS




MK41

MK8

MK5

SCHOEPS COLETTE MODULAR MIC

SETS Microphones consist of a mic capsule and amplifier. The CMC 6 microphone MK21 MK22 amplifier converts extremely high-impedance signals from the attached capsule to a very low-impedance signal suitable for



ITEM	DESCRIPTION	PRICE	
CMC621G-SET	Includes CMC 6 amplifier & MK2	1	
	wide cardinid cancule	1706 00	
CMC622G-SET	Includes CMC 6 amplifier, &		
	Includes CMC 6 amplifier, & MK22 open cardioid capsule	.1796.00	
CMC64G-SET	Includes CMC 6 amplifier & MK4		
	cordinid conculo		
CMC641G-SET.	Includes CMC 6 amplifier &		
	MK41 supercardioid capsule	.1918.00	
CMC641CG-SET	Includes CMC 6 amplifier & MK4		
	cardioid capsule, CUT 1 filter		
CMC65G-SET	Includes CMC 6 amplifier &		
	MK5 omni/cardioid capsule	.2265.00	
CMC68G-SET	Includes CMC 6 amplifier &		
	MK8 figure-8 capsule	.2132.00	
NEAR-FIELD-ON	INI-ST		
	Includes 2 CMC 6s, matched pai	r	
	of MK2 omnis		
UNIVERSAL-OM	NI-H-ST		
	Includes 2 CMC 6s, matched pai	r	
	of MK2 H omnis		
UNIVERSAL-OM	NI-S-ST		
	Includes 2 CMC 6s, matched pai	r	
	of MK2 S omnis	.3465.00	
WIDE-CARDIOII	D-ST		
	Includes 2 CMC 6s, matched pai	r	
	of MK21 wide cardioids	CALL	
OPEN-CARDIOII	D-ST		
	Includes 2 CMC 6s, matched pai	r	
	of MK22 open cardioids	CALL	
CARDIOID-ST	Includes 2 CMC 6s, matched pai	r	
	of MK4 cardioids	.3299.00	
SUPERCARDIOI			
	Includes 2 CMC 6s, matched pai		
	of MK41 supercardioids	CALL	
SWITCHABLE-PATTRN-ST			
	Includes 2 CMC 6s, matched pai	r	

ENNHEISER



of MK5 omni/cardioids.....

SENNHEISER E614 DRUM OVERHEAD CONDENSER The e614 has a supercardioid pattern, with a neutral response and moderate sensitivity. which insures optimum isolation from other instruments on stage. Unobtrusive for precise placement and powered by external phantom power (P48), the e614 tolerates extremely high SPLs, precisely capturing cymbals and hi-hats better than other mics in its price range. 10-year warranty. Frequency response is 40Hz-20KHz.

ITEM	DESCRIPTION		PRICE
E614	.Supercardioid	condenser	219.95







SENNHEISER

SENNHEISER K6 MODULAR ELECTRET

SYSTEM This rugged system has separate capsules and powering modules that can be combined to produce a wide variety of microphones. A single module and a few capsules can provide the user with flexibility that would otherwise require investing in a number of individual microphones. It converts quickly from one type of microphone to another by simply threading together various system components. All capsules use back-electret technology for uncompromised quality. Output of all powering modules is balanced, low impedance (200ohms) and terminates in a standard 3-pin XLR connector.



K6 Powering Module "Universal" powering module for the system. Powered by a single 1.5V "AA" battery with a life of 150 hours, or phantom power (12-48V). On/off switch with LED indicator, bass rolloff switch (flat, -11dB).

ITEM	DESCRIPTION	PRICE
K6	. Powering module battery/phantom	249.95
K6P	. Powering module phantom only	249.95
Capsules for K6		
ME62	. Omni capsule	159.95
ME64	. Cardioid capsule	169.95
ME65	. Handheld capsule	229.95
ME66	. 8.75" shotgun capsule	209.95
ME66/K6-COMBO	. Short electret shotgun system	499.95
ME67	. 12.5" shotgun capsule	299.95
MKE2-60-GOLD	Lapel capsule	369.95
MZSK6	. Camera adapter and shockmount	49.95
MZW66	Foam windscreen for ME66	42.00



RF condenser microphones constitute a unique, sophisticated class of condenser microphones. They fulfill the very highest demands made on sound quality and versatility, and are renowned for their high quality, highly accurate sound reproduction, ruggedness, all-weather operation, wide frequency response and extremely low inherent self-noise. RF condenser microphones use a comparatively low RF voltage, modulated by the capacitance changes produced by the capsule diaphragm. Excellent low frequency response can be achieved even with small capsules. RF condenser microphones possess a genuine fully floating, balanced output without having to use an audio frequency transformer. 48V phantom power is required.



	DESCRIPTION	
MKH20-P48	Omni-directional	1199.95
MKH30-P48	Figure-8	1249.95
MKH40-P48	Cardioid	1199.95
MKH50-P48	Supercardioid	1199.95
MKH60-P48	Short shotgun, supercardioid	1499.95
MKH70-P48	Long shotgun, lobar	1749.95
MKH800-P48	Multi-pattern side address, 50kHz response	2999.95
MKH416P48U3	Short shotgun, hypercardioid	999.95
	Stereo shotgun, M: supercardioid: S: figure-8	

SENNHEISER MK4 LARGE DIAPHRAGM MICROPHONE

A large diaphragm microphone with a cardioid pickup pattern and a nickel colored finish. It has a large 1" diaphragm precisely sputtered with 24-carat gold. It has a sturdy metal housing and the elastically mounted capsule suppresses handling noise. It has a max SPL level of 140dB and a low self-noise level of 10dB(A). It has a frequency response of 20Hz-20kHz, a sensitivity rating of 25mV/Pa and a dynamic



response of 20112-2	okriz, a sensitivity rating of 25mv/r a and a dynamic	
range of 130dB. It r	equires +48V of phantom power.	
ITEM	DESCRIPTION	PRICE
MK4	. Large diaphragm side-address microphone	299.95
MKW4	. Windscreen for MK4	24.95
MKS4	Shockmount for MK4	99 95

Looking for these brands?

Visit fullcompass.com or call 800-356-5844



SONY

StudioProjects



SHUR

SHURE PG27LC & PG42LC CONDENSER MICS

These mics feature a cardioid pickup pattern, large diaphragm capsules with switchable attenuators. The PG27LC is designed for use with instruments. It has a flat, neutral frequency response of 20Hz-20kHz as well as a high SPL rating of 124dB with pad off and 144dB with pad engaged. It ships with a stand adapter and zippered pouch. The PG42LC is designed for vocals and features a voice-



tailored frequency response of 20Hz-20kHz as well as an SPL rating of 130dB with pad off and 145dB with pad engaged. It also includes a switchable high-pass filter and ships with a shockmount and carrying case. Both models have 3-pin XLR connectors.

ITEM	DESCRIPTION	PRICE
PG27LC	Side-address cardioid condenser instrument mic, 20Hz-20kHz	149.00
PG42LC	Side-address cardioid condenser vocal mic, 20Hz-20kHz	199.00

SHIRE KSM32 SINGLE-DIAPHRAGM CONDENSER

MICROPHONE For studio recording and live sound production. The KSM32 offers an extended frequency response of 20Hz-20kHz for an open, natural sound. The Class 'A' transformerless preamp circuitry eliminates cross-over distortion for improved linearity across the full frequency range. An embossed, high-compliance, ultra-thin, gold-layered, low-mass diaphragm provides extended low frequency response and excellent transient response. Other features include a 15dB pad switch, switchable low-frequency filter, integrated 3-stage pop protection, swivel mount and an internal shock mount for reduced handling noise.



ITEM	DESCRIPTION	PRICE
KSM32/CG	Studio condenser mic, charcoal finish, carrying case	499.00
KSM32/SL	Studio condenser mic, silver finish, shockmount,	
	aluminum case	549.00
A32SM	Elastic-suspension shockmount for the KSM32	136.28
A32SC	Locking aluminum carry case for the KSM32	107.59
A32WS	Windscreen for KSM series black	11 40

SHURE KSM42 & KSM44A LARGE **CONDENSER MICROPHONES** Premium

side-address mics offering a dual-diaphragm design with an active front, ultra-thin (2.5 micron) 24-karat gold, low mass, 1" Mylar® diaphragm. The KSM42 is ideal for vocal applications with a tailored frequency response and extensive internal and external pop filtering. The single-pattern design



exhibits smooth proximity control & ultra-wide dynamic range. An internal shock mount reduces unwanted handling & stand noise. Prethos $^{\rm TM}$ Advanced Preamplifier Technology exhibits extremely low self-noise with superior dynamic range, transient response & ultra-low distortion for transparent recording. The KSM42 includes ShureLock® shock mount, Popper StopperTM magnetic pop filter, aluminum carrying case, & velveteen pouch. The KSM44A adds multiple polar pattern options (cardioid, omnidirectional, bidirectional) and a switchable 15dB pad. A 3-position switchable low-frequency filter helps reduce unwanted handling & stand noise. The KSM44A includes ShureLock® suspension shock mount, ShureLock® stand mount, carrying case, & velveteen pouch.

ITEM	DESCRIPTION	PRICE
KSM42/SG	. Large dual-diaphragm side-address	
	condenser vocal mic, cardioid	799.00
KSM44A/SL	. Multi-pattern large dual-diaphragm side-address	
	condenser mic	999.00





































































































SHURE KSM PROBE SERIES INSTRUMENT MICS These condenser microphones feature 20Hz-20kHz frequency response, a 3-position pad switch, a 3-position LF filter, and include a windscreen and carrying case. The KSM137 is a single pattern cardioid mic, while the KSM141 is a dual pattern mic (omni and cardioid). Both mics require 48V phantom power.

ITEM	DESCRIPTION	PRICE
KSM137/SL	. Cardioid condenser, windscreen, case,	
	champagne finish	.299.00
KSM137/SL-STEREO	. Stereo matched pair, 2 foam windscreens,	
	A27M stereo mic adapter, case	.665.00
KSM141/SL	. Dual-pattern condenser, windscreen, case,	
	champagne finish	399.00
KSM141/SL-STEREO.	. Stereo matched pair, 2 foam windscreens,	
	A27M stereo mic adapter case	870 00

SHURE SM94LC INSTRUMENT MICROPHONE A unidirectional electret condenser microphone tailored to the needs of professional musicians and sound engineers in both live performance and sound recording. It is equally at home in sound reinforcement systems or in sound studios and motion picture/ TV scoring stages. When used with the optional windscreen, the SM94 can be used by vocalists and speechmakers who desire a wide, flat response with minimum coloration. It runs on either an AA battery or phantom power. Other features include an internal shockmount, wide dynamic range of 119dB, a flat frequency response of 40Hz-16kHz and a uniform cardioid polar pattern.

ITEM	DESCRIPTION	PRICE
SM94LC	Cardioid condenser microphone	162.92
A3WS	Windscreen	12.83

SHURE BETA 181 SIDE-ADDRESS INSTRUMENT MICROPHONES

This ultra-compact, small-diaphragm side-address condenser microphone is designed for discrete placement and gives great control in live and studio environments. Features interchangeable capsules for superior versatility. The small diaphragm design provides superior audio with consistent, textbook polar responses and is small enough to use in the tightest conditions. The compact side-address design features an innovative locking ring to provide secure connection between capsule and preamplifier. The 20Hz-20kHz frequency response is tailored for wide dynamic range applications for use in high SPL environments. Ships with stand adapter, windscreen and carrying case which securely protects up to 4 capsules.

ITEM	DESCRIPTION	PRICE
BETA181/C	Cardioid side-address microphone	499.00
BETA181/S	Supercardioid side-address microphone	499.00
BETA181/BI	Bi-directional side-address microphone	499.00
BETA181/0	Omnidirectional side-address microphone	499.00
RPM181/PRE	Preamp for Beta181 microphones	249.00
RPM181/C	Cardioid capsule only	249.00
RPM181/S	Supercardioid capsule only	249.00
RPM181/BI	Bi-directional capsule only	249.00
RPM181/0	Omidirectional capsule only	249.00

SHURE PG81 This condenser instrument microphone is the perfect choice for instrument recording in the home studio environment. Its condenser element provides high sensitivity and low self-noise, while its extended flat frequency response keeps instruments and samples sounding accurate. The PG81 operates on an internal AA battery or phantom power. Includes padded vinyl carrying case, swivel adapter and AA battery.

ITEM	DESCRIPTION	PRICE
PG81-XLR	. Cardioid microphone	129.00
A53M	Shock stopper isolation mount	33.25

SHURE SM137 SMALL DIAPHRAGM CARDIOID CONDENSER MIC A versatile, flat-response mic for both acoustic and high-volume performance applications. Useful for acoustic guitar, acoustic bass, strings, piano, woodwinds, and orchestral applications. Steel and brass construction with dark gray matte finish and stainless steel mesh grille. Frequency response 40Hz-16kHz.

ITEM	DESCRIPTION	PRICE
SM137LC	Cardioid condenser microphone	179.00

SHURE SM81 One of the world's great studio or live mics. Ruler-flat response 20Hz-20kHz ultra low self-noise. The ultimate in precise, detailed sound reproduction. Excellent for use with acoustic instruments, choirs, overhead cymbal applications. Build in 10dB attenuator and bass cut switch. Phantom power only.

ITEM	DESCRIPTION	PRICE
SM81LC	Condenser cardioid	349.00
A81WS	Optional multilayer windscreen	31.92
A53M	"Shock Stopper" isolation mount	33.25



VIOLET DESIGN Violet Design microphones offer exceptional performance resulting from meticulous attention to electronic and acoustical design and component selection. Applications range from precision studio recording of vocals, drums, overheads, choir, and many other instruments to stage recording.

overneaus, chon, and me	any other moralinents to stage recording.	
ITEM	DESCRIPTION	PRICE
AMETHYST-STAN-COMBO	Single large diaphragm capsule, dark red, w/ shkmt	799.00
	Single large diaphragm capsule, dark red	
	Cardioid condenser mic, stereo pair	
FLAMINGO-JR-VINTAGE	Cardioid condenser mic w/matte black body	599.00
FIAMINGO-IIINIOR	Cardioid condenser mic w/polished violet body	599.00
	Uses an ear-shaped cansule providing a unique	
	and a second of the second of	3900 00
FLAMINGO-STANDARD	resonance-free, warm and full vocal soundPolished violet body w/classic wide-spectrum vintage	
TEMMINO OTTAKEMENT	tube-mic sound and extended top end	
FLAMINGO_STERFO	Stereo cardidoid condenser, w/shockmount	
	Black matte body w/sweet, vintage.	. 2430.00
I EAMINGO VINIAGE	warm vocal sound and high-frequency roll-off	3290 00
CARNET	warm vocal sound and high-frequency roll-off	. 5250.00
UARRET	9 different polar patterns	2390 00
CLORAL_DDF	9 different polar patternsPreamp unit only, requires capsule	1/19 NN
CI ORF_STANDARD	Globe mic tuned for orchestral application,	++3.00
	with OCM abandoness.	1190.00
CLODE VINTACE	Globe mic tuned for classic vocal application,	. 1130.00
GLUBE-VINTAGE	with GSM shockmount	1100.00
COLD EINCED	Matte black body with polished gold-plated hardware.	200.00
CDAND DEAD!	Large dual-diaphragm, cardioid instrument mic	400.00
	Medium single-diaphragm, cardioid instrument mic	
	Cardioid handheld vocal mic. black matte finish	
	Cardioid nandneid vocai inic, black matte inisii Cardioid condenser studio mic, wooden box	
	ight, Ig-diaphragm capsule head, similar sound to C12	
	edium bright, large-diaphragm capsule head	
	tural sounding, large-diaphragm capsule headtural	
	rge-diaphragm capsule head	
	ge-diapiliagiii capsule ilead assic sounding, large-diaphragm	590.00
VIN47Gardioid, Cia	d, similar sound to U47d	COO OO
	ional, large-diaphragm capsule head	
	rge-diaphragm capsule head, similar sound to U67	
	edium-diaphragm capsule head, similar sound to U89	649.00
Accessories		110.00
	stic shockmount for the AMETHYST-STANDARD	
	for the BLACK-KNIGHT	
	Black shockmount and pop filter for dolly microphones	
	Silver shockmount and pop filter for dolly microphones	
FKK	Reflection ring for the FINGER mic	35.00
#2M-AINTEL-RTACK	Compact, vertical studio shockmount for BLACK-KNIGH	11,
	GLOBE, FLAMINGO, FLAMINGO-JUNIOR,	125.00
CCM VIOLET CHACE	PEARL and FINGER microphones	135.00
	r the BLACK-KNIGHT	
	r the GLOBE, nickel	
PCM Chaster Tol	r the WEDGE, brown for PEARL and FINGER mics, elastic suspension type	100.00
	for WEDGE	
	f FLAMINO '	
	for FLAMINGO, spider-type, elastic	
VSMD-BKShockmount	for BLACK-KNIGHT, elastic	80.00





