



ETA SYSTEMS UL LISTED POWER CONDITIONERS The ETA-ECS6RM and ECS3 are rack-mountable multi-stage sequencing units. The ECS3 is a 15A unit that features three sequential timing sections (activated via the unit or remotely). It includes noise filtering for both EMI and RFI, and spike and surge protection. It has 9 power outlets and 24VDC control outputs. The ETA-ECS6RM is a modular system with six sequential timing sections. It can monitor up to six independent 20A AC main lines both for voltage and current readings and informs of potentially damaging voltages as well as incorporating Extreme Voltage Shutdown. The companion ETA-ECM20 and ETA-15SH/20SH power conditioner units provide voltage monitoring and spike/surge suppression.

| 11  |             |
|---|-------------|
| ITEM DESCRIPTION  | PRICE       |
| Rackmount Power Distribution AC (15A) Power Conditioner/Distribution      | on          |
| with Spike and Surge Protection, and EMI/RFI Filtration                   |             |
| ETAPD8A15A, 8 outlets, no lights  | 69.00       |
| ETAPD8LA15A, 8 outlets, retractable lights                                | 99.00       |
| ETA-S15L15A, 9 outlets, lights, 1 front panel outlet                      | 148.50      |
| ETA-C15D15A, 11 outlets, lights, voltmeter, dual front panel outlet       | 302.50      |
| Rackmount Power Distribution – Sequential Power                           |             |
| ETA-ECM20 2A, 2400W module with voltage monitoring, EMI/RFI filtering .   | 96.50       |
| ECM-RACEWY6 Power module strip, holds up to 6 ECM modules, 4 AC inlets    | 112.50      |
| ETA-15SH 5A, 1800W stand alone module, EMI/RFI filtering, mntg rails      | 160.50      |
| ETA-20SH 20A, 2400W stand alone module, EMI/RFI filtering, mntg rails     | 208.50      |
| ETA-ECS3 15A, 1800W sequenced power conditioner and distribution uni      | t           |
| with 3 control channels, 9 outlets  | 412.50      |
| ETA-ECS6RM 6 output sequencer controller with voltage and current monitor | ring 461.50 |
| AP-GNL1816" gooseneck LED lamp with XLR connection                        | 34.50       |
|   |             |



ART 4X4 POWER DISTRIBUTORS These units feature ART's 4x4 layout on the back of the unit - 4 of the 8 rear outputs are spaced 1.25" apart, allowing space for wall warts. They all offer Surge and Spike protection as well as RFI and EMI filtering, front mounted power switches and 15A circuit breakers. They are all rackmountable and use only 1RU of space. The PB4X4 is a basic model. The PS4X4 features backlit linear volt and amp meters. The PS4X4 PRO features LED volt and amp meters, pull out light pipes with auto-off and dimmer, as well as the APF (Advanced Power Filtering) which filters out digital and dimmer hash as well as any high frequency noise that is above the audio range. APF's high power discrete design allows the filter to stay effective over the full operating range.

| ITEM      | DESCRIPTION   | PRICE  |
|-----------|---|--------|
| PB4X4     | . Power distributor, 8 outlets                            | 49.00  |
| PS4X4     | . Power distributor, 8 outlets, analog meters             | 109.00 |
| PS4X4-PR0 | . Power distributor, 8 outlets, LED meters, APF filtering | 155.00 |

### **EBTECH**

**EBTECH HUM-X** Hum X<sup>™</sup> filters out unwanted voltage and current in the ground line that cause ground loop hum while simultaneously maintaining a solid, safe ground. Simply place the Hum X<sup>™</sup> on the end of the power cord of the equipment that has a ground loop and plug the Hum X<sup>TM</sup> into



the wall outlet. Ground loop is gone and audio signal remains intact. Easy to use and easy to install.

| ITEM  | DESCRIPTION             | PRICE |
|-------|-------------------------|-------|
| HUM-X | Ground hum exterminator | 75.00 |

## FURMAN



FURMAN CLASSIC SERIES POWER CONDITIONERS These are 15amp/1800W and 20amp/2400W power conditioners with Series Multi Stage Protection. This absorbs damaging transient voltages and clamps at 188VAC peak, 133 VAC RMS. Other features include 2 retractable, long-life, low-heat LED light fixtures with dimmer switch, BNC utility light connection on the rear panel, 8 rear panel outlets and 1 front panel outlet with circuit breaker and 5-year limited warranty. The PL-PLUS-C and PL-PRO-C add a front panel meter to display incoming line voltage ranging from 90-128V and the DMC versions add a large digital voltmeter/ammeter with discrete dimmer button displaying line voltage and true RMS current draw.

| ITEM        | DESCRIPTION                                     | PRICE  |
|-------------|---|--------|
| PL-8C       | 15A power conditioner                           | 189.95 |
| PL-PLUS-C   | 15A metered power conditioner                   | 229.95 |
| PL-PLUS-DMC | 15A digital readout voltmeter power conditioner | 324.95 |
| PL-PRO-C    | 20A metered power conditioner                   | 374.95 |
| PL-PRO-DMC  | 20A digital readout voltmeter power conditioner | 439.95 |

#### **FURMAN PLUGLOCK LOCKING OUTLET**

**STRIP** A solution to the "wall wart" problem. Securely lock 5 transformers or regular plugs onto a heavy-duty outlet strip.



| ITEM     | DESCRIPTION          | PRICE |
|----------|----------------------|-------|
| PLUGLOCK | Locking outlet strip | 40.92 |
|          |                      |       |



FURMAN ASD-120 A/C SEQUENCED POWER DISTRO Allows you to power up six 20amp, 120V circuits in a user-adjustable, delayed-sequenced fashion. The sequence is reversed for power down. Each circuit's 20amp rear panel duplex outlet can be switched to be part of or apart from the power up/down sequence, which can be initiated with either momentary or maintained switches, locally or remotely. The ASD-120's design incorporates four oversized busses, allowing wiring for 120V or 240V single phase, or 208V 3-phase power. Unit must have supply cable installed by qualified electrician.

| •        |                          |        |
|----------|--------------------------|--------|
| ITEM     | DESCRIPTION              | PRICE  |
| I I LIVI | DESCRIFTION              | LVIOR  |
| ASD-120  | . Sequenced power distro | 699.95 |



FURMAN AR1215 VOLTAGE REGULATOR/POWER CONDITIONER Delivers a stable stream of AC power to protect equipment from problems caused by AC line voltage irregularities such as sags, brownouts, or over-voltages. Features 8 outlets on the rear panel and one on the front.

| ITEM   | DESCRIPTION      | PRICE  |
|--------|------------------|--------|
| AR1215 | 15A, for 97-141V | 549.95 |

**FUR** powe 120.

| RMAN MP-SERIES POWER SEQUENCERS This remote<br>ver relay provides remote turn-on for use with PowerLink, ASD- |   |
|---|---|
| PS-REL, and other units. Features turn-on via 12VDC trigger.  |   |
| I DESCRIPTION   | F |

| IIEM  | DESCI | RIPTIUN           |                        | PRICE    |
|-------|-------|-------------------|------------------------|----------|
| MP20Q | Power | relay and outlet, | , quad plate (120V/20/ | A)120.00 |
|       |       |                   |                        |          |



#### FURMAN P-2400 AR 20AMP VOLTAGE REGULATOR/POWER CONDITIONER

Delivers a stable 120V of AC power to protect equipment from problems caused by AC line voltage irregularities such as sags, brownouts, or overvoltages. It accepts input voltage between 97V-137V. It is ideal for high-current equipment such as power amplifiers or powering AV racks in large installations. Additionally, it's a full-featured power conditioner that filters and purifies AC power, reducing line noise and ensuring optimum performance.

| ITEM    | DESCRIPTION                               | PRICE   |
|---------|---|---------|
| P2400AR | . 20A voltage regulator/power conditioner | 1799.95 |








































































































FURMAN POWER STATION SERIES: POWER SURGE STRIPS The Power Station series provides zero ground contamination, series mode maintenance-free surge suppression and Linear Filtering Technology for safe and quiet AC for Home Theatre and other sensitive applications. The PST-8 and PST-8D feature Furman's Series Multi Stage Protection circuit which incorporates Linear Filtering Technology (LiFT) to insure that any electronic device is fed clean, filtered AC power.

| ( )      |              |       |          |         | ,        | 1    |       |
|----------|--------------|-------|----------|---------|----------|------|-------|
| ITEM     | DESCRIF      | MULT  |          |         |          |      | PRICE |
|          |              |       |          |         |          |      |       |
| PST-6    | <br>6-outlet | surge | strip    |         |          | <br> | 67.52 |
| PST-2+6. | <br>8-outlet | surge | block ar | nd surg | e alarm. | <br> | 45.54 |
| PST-8    | <br>8-outlet | surge | strip    |         |          |      | 98.34 |
|          | 8-outlet,    |       |          |         |          |      |       |



**FURMAN CN-1800S POWER CONDITIONER** Ideal for commercial AV applications, the CN-1800S uses SmartSequencing<sup>™</sup> for bidirectional, safe sequenced power up/down operations. Power is protected via Series Multi-Stage Protection, LiFT AC filtering and voltage protection while diagnostic lights display status at a glance. Rated for 15 amps, includes RS232 ports for remote control and supports BlueBOLT® via optional RS232/Ethernet adapter (sold separately).

| ITEM     | DESCRIPTION            | PRICE  |
|----------|------------------------|--------|
| CN1800S  | Power sequencers       | 499.95 |
| BB-RS232 | RS232/Ethernet adapter | 187.50 |



FURMAN P-3600-ARG GLOBAL VOLTAGE REGULATOR A 30 amp power conditioner/True RMS voltage regulator that ensures stable 120V power delivery from any input voltage source between 100V to 127V or 208V to 240V, making it ideal for use when travelling to countries with 100V, 220V, 230V, or 240V services. It features Furman's True RMS Regulation Technology (utilizing an ultra-low-noise torroidal isolation transformer/autoformer, high-current switching TRIACs, and micro-processing control) to step-down or step-up input voltages. The unit also offers Furman's exclusive LiFT/SMP/EVS technologies for professional-level protection and linear AC noise filtration. The front panel has a status LED status light, large LED voltage and current meters and two NEMA-20 power outlets, plus eight more and a L-5 30amp outlet on the rear.

| ITEM       | DESCRIPTION             | PRICE   |
|------------|-------------------------|---------|
| P-3600-ARG | . 30A voltage regulator | 4199.95 |



#### FURMAN F1000-UPS AND F1500-UPS UNINTERUPTIBLE POWER

**SUPPLIES** These power supplies provide a comprehensive battery backup solution for electronics which need to maintain critical memory and be shut down properly in the event of a power outage. The F1000-UPS has a 1,000VA capacity with simulated sine wave output, while the F1500-UPS has a 1,500VA capacity with true sine wave output. Both models feature 8 outlets, RS232 interface and IR control to send "Off" command to components that require a shutdown procedure (component must be capable of receiving IR commands).

| ITEM    |    | DES  | CRIPTION  |                 |          |          |       | PRICE   |
|---------|----|------|-----------|-----------------|----------|----------|-------|---------|
| F1000-U | PS | Pro  | grammable | uninterruptible | power si | upply, 1 | 000VA | 749.95  |
| F1500-U | PS | Pros | rammable  | uninterruptible | power si | upply. 1 | 500VA | 1299.95 |



**FURMAN MERIT X SERIES POWER CONDITIONERS** Rackmount power conditioners offering "Noise Sniffer" compatible RFI/EMI filtration, and standard level surge and spike protection. The M-8LX also features front-panel lights, and the M-8DX features lights and a digital voltage meter.

| ITEM  | DESCRIPTION  | PRICE  |
|-------|--|--------|
| M-8X2 | . 15amp power conditioner                          | 59.40  |
| M-8LX | As M-8X, with front-panel lights                   | 85.80  |
| M-8DX | As M-8X, with front-panel lights and voltage meter | 118.80 |



FURMAN PRESTIGE SERIES POWER CONDITIONERS Power conditioners offering high levels of filtration and protection with advanced features like power factor technology to provide the headroom your equipment needs or true RMS voltage regulation. Other features include series multi-stage protection, automatic extreme voltage shutdown, 1800W rating with circuit breaker, rear BNC for optional gooseneck light, isolated outlet banks minimize inter-component interference and noise, wall wart spacing, and USB charger. Each unit has 9 total outlets, 8 in the rear and 1 in the front. The P-1800 AR adds true RMS voltage regulation and the LED voltmeter displays both incoming voltage and output current draw (LED on P-1800PFR only shows voltage in).

| ITEM     | DESCRIPTION                                    | PRICE  |
|----------|--|--------|
| P1800PFR | . 15-amp power distributor                     | 619.95 |
| P1800AR  | . 15-amp power distributor with RMS regulation | 899.95 |

# JUICE GOOSE 7



#### JUICE GOOSE XVRT-PRO SERIES UNINTERRUPTIBLE POWER SUPPLIES

Rackmountable, interactive UPSs with a "buck-boost" transformer that corrects incoming voltage to provide proper 120VAC output. Data network interfacing is possible via RS232 or external SNMP card. All models feature 320 Joules of surge protection and up to 50dB of AC line filtration.

| ITEM          | DESCRIPTION  | PRICE  |
|---------------|--|--------|
| XVRT-1000-PR0 | . UPS, 1000VA, 600W, 2 hour full load run time, 1RU  | 510.00 |
| XVRT-1500-PR0 | . UPS, 1500VA, 900W, 2 hour full load run time, 2RU  | 672.00 |
| XVRT-2200-PR0 | . UPS, 2200VA, 1320W, 3 hour full load run time, 3RU | 730.00 |
| XVRT-3000-PR0 | . UPS, 3000VA, 1800W, 2 hour full load run time, 3RU | 940.00 |



**JUICE GOOSE JG SERIES POWER CONDITIONERS** Switched outlets on the back of each unit provide power and a basic level of protection from dirty and dangerous AC voltage. The basic power conditioning can clamp voltage spikes and reduce AC line interference between line and neutral leads.

| DESCRIPTION   | PRICE          |
|---|----------------|
| 15A, 6 outlets  | 53.00          |
| 15A, 8 outlets  | 66.00          |
| JG8.0 with two sliding dimmable rack lights           | 95.00          |
| 15A, 11 outlets (1 unswitched and 9 switched on rear, |                |
| 1 unswitched on front)                                | 130.00         |
| 20A, 11 outlets (1 unswitched and 9 switched on rear, |                |
| 1 unswitched on front), requires 20A rated receptacle | 154.00         |
|   | 15A, 6 outlets |









LEX PRODUCTS CORP PAGODA POWERHOUSE Fed from either a generator or a panel, and rated for outdoor use, this box can accept up to (30) NEMA 5-20, 20A Edison cords for powering lights, effects and equipment for events. The elevated base keeps receptacles above



potentially wet surfaces while the breakers are mounted under a hinged lid for safety. The compact, heavy-duty molded rubber enclosure is fully insulated, resistant to shock, impact or corrosion and is stackable for easy storage and portability.

| ITEM           | DESCRIPTION                           | PRICE   |
|----------------|---------------------------------------|---------|
| DB100NP-ABB-S3 | . Outdoor-use pagoda distribution box | 1475.46 |

### LEX PRODUCTS CORP 20A FEED-THRU BENTO BOX

Ideal for theatrical, concert and movie/TV production - anyplace you need reliable, robust power connections. This 6-circuit box breaks an industry standard lighting cable into NEMA 5-20 20A receptacles for connection of up to 12 lights while the feed-thru option allows multiple



boxes to be daisy-chained. The heavy-duty extruded thermoplastic enclosure is electrically insulated, resistant to shock, impact and corrosion, and features end plate grips for easy handling as well as a collapsible handle.

| ITEM     | DESCRIPTION              | PRICE  |
|----------|--------------------------|--------|
| BNZJ2-Z3 | 20A, 6-circuit Bento Box | 528.77 |

#### **PRODUCTS** LEX CORP QUAD BOX

This versatile 20 Amp box enables the user to create stringers using PowerCON inputs and

situations.



place duplex receptacles exactly where they are needed. The heavy-duty molded rubber enclosure is fully insulated and resistant to shock, impact and corrosion.

| ITEM        | DESCRIPTION   | PRICE    |
|-------------|---|----------|
| DB20PC-SBPC | . 20-amp Quad Box with PowerCon input to Edisons, feed thru | . 135.66 |

PRODUCTS CORP E-STRING™ **EXTENSION CORDS** Available in 15A and 20A ratings, these heavy-duty extension cords are perfect for plugging in low-wattage devices such as laptops, display lighting, and photo equipment. Suitable for outdoor use, each outlet on these black cords includes a dust cover and a green LED power indicator for locating outlets in dim



| ITEM    | DESCRIPTION                                 | PRICE  |
|---------|---|--------|
| 50123B  | E-String, 15A, 3 receptacles, 25'           | 58.50  |
| 50116BA | Orchestra String, 20A, 6 receptacles, 23'4" |        |
| 50112BA | E-String, 20A, 6 receptacles, 50'           | 111.15 |
| 59233B  | Two circuit, 20A, 4 receptacles, 33'        | 135.14 |

### LEX PRODUCTS CORP 100AMP COMPANY SWITCH

This space-saving metal enclosure provides a safe and convenient means of supplying temporary 3-phase power access. Features such as cam-type connectors and lugs, main-breaker-interlocked doors and integrated LED worklight combine to make this one of the safest, easiest-to-use 5-wire switches available.

| ITEM          | DESCRIPTION          | PRICE   |
|---------------|----------------------|---------|
| CS-100F-C5DS1 | 100A, 3-phase indoor |         |
|               | company switch       | 4680.18 |



### LEX PRODUCTS CORP BENTO

BOX® Fed from 30A power, this compact unit provides NEMA 5-20, 20A duplex receptacles for lights, effects, audio equipment and more. Features include color-coded receptacles, flushmounted hydraulic magnetic circuit breakers to prevent thermal-induced false positives, heavy-duty stackable enclosure and collapsible handle and end plate grips.



| EM     | DESCRIPTION                                       | PRICE  |
|--------|---|--------|
| NB2-3B | 30-amp Bento Box to 3 NEMA receptacles, feed thru | 545.90 |

#### LEX PRODUCTS CORP DOGHOUSE

Ideal for situations when a large number of convenience receptacles are needed. The feed thru feature allows multiple boxes to be placed along one feed so that receptacles can be easily accessed wherever needed. Power input is via (1) NEMA L21-20 and power output is via (3) NEMA 5-20 receptacles.



| .IVI     | DESCRIPTION                                  | PRICE  |
|----------|--|--------|
| ZA2-Z2-6 | 20-amp doghouse to (3) NEMA 5-20, 20A duplex |        |
|          | receptacles, feed thru                       | 272.10 |

# Leprecon

LEPRECON WATSON MANAGEMENT Provides AC power switching, and DMX buffering, for groups of LED fixtures, color scrollers, or other lighting accessories. Via 1 DMX control



channel or through sensing DMX data, fixtures can be turned off when not in use. An additional output adds DMX capacity, as well as a firewall between fixtures and the rest of the control system. Additional features include easy reset control for fixtures needing power cycling and full sine wave power. Power lead not included.


| ITEM       | DESCRIPTION   | PRICE  |
|------------|---|--------|
| 90-40-0001 | . 9" enclosure, 15A, 1 Powercon in, 1 duplex out,   |        |
|            | 1 DMX in, 2 DMX out                                 | 602.00 |
| 90-40-0002 | . 9" enclosure, 15A, 1 Powercon in, 1 Powercon out, |        |
|            | 1 DMX in, 2 DMX out                                 | 602.00 |
| 90-40-0004 | . 19" enclosure, 15A, 1 Powercon in, 6 duplex out,  |        |
|            | 1 DMX in, 2 DMX out                                 | 761.00 |
| 90-40-0006 | . 72" raceway, 15A, 1 Powercon in, 6 duplex out,    |        |
|            | 1 DMX in, 2 DMX out                                 | 988.00 |
| DPA-A      | . Edison to Powercon lead                           | 67.50  |
| DPA-B      | . Stage Pin to Powercon lead                        | 67.50  |
| DPA-C      | . Twist-Lock to Powercon lead                       | 67.50  |
|            |   |        |





#### **LOWELL** LIGHTED RACKMOUNT **POWER PANELS**

These ETL-listed 1RU rackmount panels offer (7) 15A



power outlets ((6) on ACR-1506-LTS) and include a 9 foot cord. Soft white lights on goosenecks with XLR connectors or hooded white or red-to-white night vision lights illuminate the working area. ACR-1506-LTS includes surge suppression to protect your equipment from electrical overages and spikes.

| ITEM          | DESCRIPTION  | PRICE   |
|---------------|--|---------|
| ACR-1507-GNLT | Rackmount power panel with (2) soft white gooseneck              |         |
|               | lights, (7) outlets  | G SOON! |
| ACR-1507-HDLT | As above, with hooded red-to-white night vision light COMIN      | G SOON! |
| ACR-1506-LTS  | Rackmount power panel with hooded white light, (6) outlets COMIN | 3 SOON! |

































































































#### COMPACT **SURGE SUPPRESSORS**

Defeat surges of up to 72,000A with these surge suppressors featuring TCR (Triple Clamping



Redundancy Protection) and excellent EMI/RFI filtering. Available in 15A or 20A configurations with optional O/U (over/under voltage) protection and RPC (remote power control), as well as your choice of low-profile or standard chassis. ACSP-1502 models include a 6 foot detachable cord while ACSP-2002 models include a 6 foot fixed cord. ACSPS-1502 includes a detachable IEC cord with NEMA 5-15P plug. All models include universal mounting brackets and a 10-year warranty.

| ITEM          | DESCRIPTION  | PRICE  |
|---------------|--|--------|
| ACSP-1502-VTE | . 15A compact surge suppressor with O/U protection | 313.24 |
| ACSP-2002-VTE | As above, but 20A                                  | 342.34 |
| ACSP-1502-RPC | . 15A compact surge suppressor with RPC capability | 329.87 |
| ACSP-2002-RPC | As above, but 20A                                  | 356.20 |
| ACSPS-1502    | . 15A compact stick surge suppressor               | CALL   |
| ACS-MP        | . Rackmount panel for ACSPS-1502                   | CALL   |



#### MIDDLE ATLANTIC SERIES PROTECTION™ POWER DISTRIBUTION

With Series Protection™ technology, it provides instantaneous surge protection for AV systems. Its MOV-free design is non-sacrificial and non-degrading. Automatic recovery after an over/under voltage event minimizes system downtime, avoiding the need for a hard reset. Available in a variety of configurations, including full and half

| ruon mouoror |  |        |
|--------------|--|--------|
| ITEM         | DESCRIPTION                                | PRICE  |
| PD-915R-SP   | . 15A with 1 front and 8 rear outlets, 1RU | 448.50 |
| PD920R-SP    | . 20A with 1 front and 8 rear outlets, 1RU | 568.50 |
| PD-415R-SP   | . 15A with 4 rear outlets, 1RU half-rack   | 261.75 |
| PD-HW15-SP   | . 15A with hardwire only, no outlets       | 269.25 |



#### MIDDLE ATLANTIC PD SERIES RACKMOUNT POWER STRIPS

These cost-effective power units all feature 9 outlets in a variety of configurations. All models feature surge and spike protection, EMI filtering, and are rackmountable, requiring only 1RU of space. The PDC models can be used with existing control systems, or even a remote switch, to control power remotely. The PD-915RV-RN offers remote and local notification of surge suppression status.

| ITEM        | DESCRIPTION  | PRICE  |
|-------------|--|--------|
| PD915R      | . Power strip, 8 rear, 1 front, power switch, 9' cord  | 104.49 |
| PD915R-PL   | Power strip, 8 rear, 1 front, no power switch, 9' cord | 111.99 |
| PD-915RC-20 | . Power strip, 8 rear, 1 front, power switch, 20' cord | 110.78 |
| PD915RV-RN  | . Power strip, 8 rear, 1 front, power switch, 9' cord, |        |
|             | status notification                                    | 163.17 |
| PDC-915R-2  | . Power strip, 8 rear (2 controlled), 1 front,         |        |
|             | power switch, 9' cord, remote control ability          | 190.86 |
| PDC-915R-6  | Power strip, 8 rear (6 controlled), 1 front,           |        |
|             | power switch, 9' cord, remote control ability          | 190.86 |



Ask us about our 2- and 3-year protection plans!



MOV circuitry. It provides proven, reliable protection, stopping multiple surges of up to 6,000V, and does not produce ground contamination. The entire line meets the most stringent government purchase

**SA966** 

specifications for power line surge suppressors. Its A-1-1 rating assures you of dependable protection from destructive spikes, surges and inductive transients. All models carry a 10-year manufacturer's warranty. Models shown with COUVS® designation have Catastrophic Over/Under Voltage Shutdown feature.

| ITEM DESCRIPTION PI  | RICE |
|--|------|
| Rack Mount Models  |      |
| SEQ2RU, 14-outlet, 20A, sequential startup, LCD display,           |      |
| ICE inrush current elimination, EMI/RFI filtering, COUVS®          | 9.00 |
| <b>SX2120</b> 2RU, 15-outlet, 20A, EMI/RFI filtering               | 9.00 |
| SX1120RT1RU, 9-outlet, 20A, ICE, COUVS®, remote control capability |      |
| for AC power distribution systems, can interface with SEQ model 79 |      |
| <b>SX1115</b> 1RU, 9-outlet, 15A, EMI/RFI filtering                | 9.00 |
| SX1115RT1RU, 9-outlet, 15A, ICE, COUVS®, remote control capability |      |
| for AC power distribution systems, can interface with SEQ model 69 | 9.00 |
| Stand-Alone Models   |      |
| <b>SA966</b> 6-outlet, 8A  | 9.00 |
| <b>SA1810</b> 10-outlet, 15A, EMI/RFI filtering                    | 9.00 |
| <b>SA15</b> 2-outlet, 15A, EMI/RFI filtering                       | 9.00 |
| <b>SA20</b> 2-outlet, 20A, EMI/RFI filtering                       |      |
| SA-BMounting brackets (1 pair)                                     | 9.00 |

#### SURGEX SA82 FLATPAK™ PROTECTION FOR FLAT PANEL MONITORS AND

**PROJECTORS** The SA82 utilizes the patented Series  $\mathsf{Mode}^{\scriptscriptstyle{(\!R\!)}}$  surge protection technology, Impedance Tolerant® EMI/RFI filtering and Over-Voltage-Shutdown which automatically



restores power when line voltage returns to a safe level. Units are 8amp load capable and have 2 industrial-grade grounded AC receptacles. The unit's compact design can be easily integrated with today's flat panel monitor or projector mounting systems. The FlatPak SA82 is available in black and silver finishes, comes with detachable IEC power cord and universal mounting brackets, 10-year manufacturer's warranty.

| r - · · · · · · · · · · · · · · · · · · |   |        |
|---|---|--------|
| ITEM                                    | DESCRIPTION                                     | PRICE  |
| SA-82                                   | 2-outlet, 8A surge suppressor/power conditioner |        |
|   | for LCD panels (select color)                   | 299.00 |

PL1DI-L1420-010

## whirlwind

WHIRLWIND POWER LINK These UL® listed tactical power distributors are designed for live sound reinforcement, AV rental, or any event that requires multiple industrial-strength power drops. It is encased in 0.074" powder-coated, cold-rolled steel. Multiple Powerlink units can be linked together, creating single-circuit chains of AC distribution

| single circuit chains of the distribution. |                 |  |        |
|--|-----------------|--|--------|
|  | ITEM            | DESCRIPTION  | PRICE  |
|  | PL1DI-L1420-010 | .Splits a single L14-20 NEMA twist-lock AC connector |        |
|  |                 | to (2) 20A Powercon® outlets                         | 286.61 |
|  | PL1DI-L2120-010 | .Splits a single L21-20 NEMA twist-lock AC connector |        |
|  |                 | to (3) 20A Powercon® outlets                         | 349.83 |
|  | PL1DI-L1430-010 | .Splits a single L14-30 NEMA twist-lock AC connector |        |
|  |                 | to (2) 20A Powercon® outlets                         | 400.89 |
|  | PL1DI-L2130-010 | .Splits a single L21-30 NEMA twist-lock AC connector |        |
|  |                 | to (3) 20A Powercon® outlets                         | 418.12 |
|  |                 |  |        |

WHIRLWIND POWER DISTROS A safe and reliable UL® Listed Power Distro that features lightweight aluminum panels, premium, fast response magnetic circuit breakers, and top of the line components. These power distributor systems are built to suit your needs; Choose from multiple types of input panels, main breaker panels, combo panels, breaker panels, output panels, and power meter/accessories. Please call your Sales Pro for custom ordering information.







