

















































STUDIO CABLES XLR - XLR



The Essentials Series features soldered connections and metal shells for durability at a great value. Available in lengths from 1' to 50'.

ITEM	LENGTH	PRICE
XF3-XM3-ES-15	15'	9.26
XF3-XM3-ES-25	25'	12.68
XF3-XM3-ES-50	50'	20.70

ESSENTIALS SERIES

The Essentials Series features general purpose microphone cables with soldered XLR connectors.

ITEM	LENGTH	PRICE
MIC-10-BLACK	10'	9.55
MIC-20-BLACK	20'	10.68
MIC-30-BLACK	30'	12.28



INDUSTRIAL SERIES

Rugged, high-performance, balanced microphone cables featuring soldered XLR connectors and gold-plated contacts. Available in lengths from 1' to 100'.

ITEM MIC-XX-1	LENGTH 1'	
MIC-XX-10		
MIC-XX-25	25'	16.45
MIC-XX-50	50'	27.40
MIC-XX-75	75'	38.40
MIC-XX-100	100'	49.33



PREMIUM SERIES

The Premium line utilizes low capacitance, oxygen-free copper providing excellent audio capabilities and feature Amphenol AX series connectors suitable for touring applications. Available in lengths from 1' to 200'.

ITEM		PRICE
MIC-ANA-XX-1	1'	21.95
MIC-ANA-XX-10	10'	43.95
MIC-ANA-XX-25	25'	79.95
MIC-ANA-XX-50	50'	140.95
MIC-ANA-XX-100	100'	264.95
MIC-ANA-XX-200	200'	508.95

EANARE



MC SERIES

Lower-priced heavy-duty star quad microphone cables. 4-conductor design cancels electromagnetic noise. 3-pin XLR male to XLR Female connectors. Available in lengths from 3' to 50'.

ITEM	LENGTH P	RICE
MC15F		28.98
MC25F	25'	30.27
MC50F	50'	60.40



STAR QUAD SERIES

4-conductor cable cancels electromagnetic noise. Hand-soldered Neutrik XLR-3 connectors with black chrome shells and gold-plated pins. Available in lengths from 5' to 100' and several jacket colors.

ITEM	LENGTH	PRICE
EC015F		42.71
EC025F	25'	47.58
EC050F	50'	59.48



Silver-plated REAN connectors, 24-gauge Oxygen-Free Copper conductors for enhanced signal clarity and 90% OFC spiral shield for effective EMI and RFI rejection and flexibility. HXX models are 24-gauge and designed for studio interconnect applications while HMIC models are 20-Gauge and designed to be used as microphone cables.

ITEM	LENGTH	PRICE
HXX-005	5'	37.23
HXX-010	10'	13.08
HMIC-025	25'	28.59
HMIC-050	50'	48.99
HMIC-100	100'	90.15



GOLD STUDIO SERIES

Wired with Neglex Studio Quad for clarity and freedom from noise and RF interference. XLR connectors with gold-plated pins and black bodies. Available in lengths from 6' to 50'.

ITEM	LENGTH	PRICE
GOLD-STUDIO-15	15'	54.95
GOLD-STUDIO-25	25'	69.95
GOLD-STUDIO-50	50'	109.95





24-gauge twisted pair cables with spiral shield and molded Neutrik XLR connectors on both ends. Available in lengths from 10' to 50'

ITEM	LENGTH	PRICE
15-MIC	15'	12.48
25-MIC	25'	17.48
50-MIC	50'	27.98



MASTERMIKE SERIES

24-gauge twisted pair cables with braided shield and black Amphenol XLR connectors on both ends. Available in lengths from 1' to 200'

ITEM	LENGTH	PRICE
15-MIC-XX		32.52
25-MIC-XX	25'	38.94
50-MIC-XX	50'	56.47



AMERIQUAD SERIES

24-gauge cables with two tight-twist inner quad conductors for maximum conductivity and noise reduction. They also feature a braided shield, double jacket with Kevlar core and black Neutrik XLR connectors with gold-plated contact pins. Available in lengths from 10' to 200'.

ITEM	LENGTH	PRICE
15-MIC-XX-SQ		45.17
25-MIC-XX-SQ	25'	54.63
50-MIC-XX-SQ	50'	70.63

whirlwind



STANDARD SERIES

Extremely flexible Accusonic +2 cable with finely stranded center conductors and braided shield. Fitted with Whirlwind XLR connectors. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
	15'	
	50'	

MICROPHONE CABLES



Superior transient response for a quick, natural sound. Neutrik XLR connectors, BigFoot 1/4" TS connectors and ArmorFlex outer jackets. Available in lengths from 1' to 50'.

ITEM	LENGTH	PRICE
15-MIC-XQ	15'	21.02
25-MIC-XQ	25'	23.32
50-MIC-XQ	50'	26.77

MICROPHONE CABLES XLR - 1/8" CABLE UP

INDUSTRIAL SERIES

Available in lengths from 1' to 25', some available with right angle connectors.

ITEM	LENGTH	PRICE
XF3-M2-5	5'	5.62
XF3-M2-15	15'	8.30
XF3-M2-25	25'	10.98





Right angle 1/8" TRS mini to XLR connectors. Connect the stereo output of portable CD Players, MP3 players, etc. to a single mono XLR output. Available in lengths from 1' to 15'.

ITEM	XLR TYPE	LENGTH	PRICE
XVM115M	Male	15'	10.62
XVM115F	Female	15'	10.89



The Cable Up family is broken down into three distinct lines -

Premium, Industrial and Essentials.

Low capacitance cables excellent for live sound and broadcast applications, as well as digital and analog audio recording. Designed for long, reliable life during heavy professional use.

INDUSTRIAI

High-performance, low capacitance cables and connectors with gold-plated contacts for everyday use at a competitive price.

ESSENTIALS

This line of economy grade cables are durable, robust and priced to fit any budget.









MIC SNAKE CABLES



₩ PRO CO

STAGEMASTER ECONOMY SERIES

Rugged design with the latest in connectors and a cable that is extremely flexible for easy coiling. The reliable no-solder contact points eliminate highly resistive connections. Available in 50' and 100' lengths.

ITEM	SEND/RET	LENGTH	PRICE
SMA0804FBX-100	8x4	100'	372.65
SMA1604FBX-100	16 x 4	100'	533.28
SMA2404FBX-100	24 x 4	100'	784.91



whirlwind **MEDUSA SERIES**

Powder-coated stageboxes with Belden CM rated multipair cable. Each pair contains two twisted 24-gauge 7 x 32 polyethylene insulated conductors with 100% foil shield and 24 gauge gain wire. Available in 25', 50' and 100' lengths.

ITEM	SEND/RET	LENGTH	PRICE
MS08-4-XL-100	8x4	100'	355.14
MS12-4-XL-100	12x 4	100'	411.71
MS24-4-XL-100	24 x 4	100'	673.55

STUDIO CABLES XLR-RCA UNBALANCED



ESSENTIALS SERIES

Available in lengths from 2' to 20'.

ITEM	XLR TYPE	LENGTH	PRICE
XF3-RM-ES-20	Female	20'	10.26
XM3-RM-ES-20	Male	20'	9.96



INDUSTRIAL SERIES

Available in lengths from 3' to 15'.

ITEM	XLR TYPE	LENGTH	PRICE
XF3-RM-15-E	BLK Female	15'	10.22
XM3-RM-15	Male	15'	9.70





XR100 SERIES

These cables feature oxygen-free copper conductors, OFC spiral shield and nickel-plated connectors. Available in lengths from 2' to 20'.

ITEM	XLR TYPE	LENGTH	PRICE
XRF120	Female	20'	8.66
XRM120	Male	20'	8.66



PRO SERIES

These cables feature silver-plated REAN connectors for superior signal transfer, 24-gauge conductors for enhanced signal clarity and a 90% Oxygen-Free Copper spiral shield. Available in lengths from 1.5' to 20'.

ITEM	XLR TYPE	LENGTH	PRICE
HRX-015	Male	15'	10.22
HXRO20	Male	20'	12.20

STUDIO CABLES | XLR-1/4" TRS BALANCED



Available in lengths from 1' to 25'.

ITEM	XLR TYPE	LENGTH	PRICE
XF3-PM3-ES-25	Female	25'	12.40
XM3-PM3-ES-25	Male	25'	12.28



INDUSTRIAL SERIES

Available in lengths from 1' to 25'.

ITEM	XLR TYPE	LENGTH	PRICE
XF3-P3-25	Female	25'	26.34
XM3-P3-25-BLK	Male	25' COMIN	SOON!



CABLES BUILT FOR THE PROS

mogami



STAR-QUAD

Made with Star-Ouad cable to reduce induced noise, with gold-plated contacts on TRS and XLR connectors. Available in lengths from 6' to 20'

ITEM	XLR TYPE	LENGTH	PRICE
GOLD-TRS-XLRF-20	Female	20'	65.95
GOLD-TRS-XLRM-20	Male	20'	65.95



CUSTOM SERIES

Featuring double-molding, double-insulation and double-shielding, these cables deliver an ultra-clean signal. The patent-pending swivel XLR plug fits into tight spaces. Available only in the lengths shown below.

ITEM	XLR TYPE	LENGTH	PRICE
PW-GMMS-05	Male	5'	17.33
PW-GMMS-10	Male	10'	22.58



Featuring 224S Armorflex jacketed 2-conductor cable with spiral shield. They have a ShowSavers TRS plug on one end and a Neutrik XLR female plug on the other. Available in lengths from 5' to 20'.

ITEM	XLR TYPE	LENGTH	PRICE
BPBQXF-20	Female	20'	24.06
BPBQXM-20	Male	20'	24.06

whirlwind



1/4" TRS plug wired to XLR connectors. The tip of the TRS plug is wired to pin 2 of the XLR connector. Available in lengths from 6' to 25'.

ITEM	XLR TYPE	LENGTH	PRICE
STF25	Female	25'	34.78
STM25	Male	25'	35.54

STUDIO CABLES | XLR-1/4" TS UNBALANCED



ESSENTIALS SERIES

Available in lengths from 2' to 20'

ITEM	XLR TYPE	LENGTH	PRICE
XF3-PM2-ES-2	0 Female	20'	10.46
XM3-PM2-ES-1	5 Male	15'	8.94



INDUSTRIAL SERIES

Available in lengths from 1' to 50'.

ITEM	XLR TYPE	LENGTH	PRICE
XF3-PM2-15.	Female	15'	10.48
XM3-PM2-15	Male	15'	10.48





REAN® connectors, 24AWG OFC conductor, 90% OFC spiral shield. Available in lengths from 1.5' to 15' (HXP) and 5' to 10' (HPX).

ITEM	XLR TYPE	LENGTH	PRICE
HXP-010	Female	10'	12.60
HPX010	Male	10'	8.16

STUDIO CABLES RCA-RCA SINGLE



ESSENTIALS SERIES

Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
RM-RM-ES-15	15'	7.40
RM-RM-ES-25	25'	11.48
RM-RM-ES-50	50'	17.82

INDUSTRIAL SERIES

Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
RM-RM-15	15'	11.34
RM-RM-20	20'	13.08
RM-RM-50	50'	23.54

Hosa



PRO SERIES

Silver-plated REAN connectors, 20AWG OFC conductors, 90% OFC braided shield. Available in lengths from 1.5' to 100'.

ITEM	LENGTH	PRICE
HRR-003	3'	10.14
HRR-005	5'	11.13
HRR-010	10'	13.59



PURE PATCH SERIES

Constructed with super-flexible Neglex OFC cable and high performance polymer encapsulated terminations. These cables deliver superb noise rejection and clarity. Available only in the lengths shown below.

ITEM RRO3-PUREPATCH		PRICE 18.95
RROG-PUREPATCH	6'	21.95
RR10-PUREPATCH	10'	26.95



































































































STUDIO CABLES RCA-1/4" TS UNBALANCED



ESSENTIALS SERIES Available in lengths from 3' to 15'.

ITEM	LENGTH	PRICE
PM2-RM-ES-5	5'	6.94
PM2-RM-ES-10	10'	8.54
PM2-RM-ES-15	15'	10.14



INDUSTRIAL SERIES

Available in lengths from 3' to 15'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
RM-PM2-10	Straight 1/4"	10'	9.44
RM-PM2R-10	Right Angle 1/4"	10'	9.78



PRO SERIES

Silver-plated REAN connectors, 20AWG OFC conductors, 90% OFC braided shield. Available in lengths from 1.5' to 100'.

ITEM	LENGTH	PRICE
HPR003	3'	9.27
HPR-005	5'	10.50
HPR-010	10'	13.08

STUDIO CABLES RCA-RCA DUAL



ESSENTIALS SERIES

Available in lengths from 1' to 20'.

ITEM	LENGTH	PRICE
RMD-RMD-5	5'	7.50
RMD-RMD-10	10'	9.44
RMD-RMD-20	20'	13.44

Hosa



PRO SERIES

Silver-plated REAN connectors, 20AWG OFC conductors, 90% OFC braided shield. Available in lengths from 1.5' to 100'.

ITEM	LENGTH	PRICE
HRR-003X2	3'	18.54
HRR005X2	5'	13.44
HRR-010X2	10'	24.48
NKK-U1UAZ	10	24.40



MOLDED WITH GOLD-PLATED CONNECTORS

These cables feature oxygen-free copper conductors and oxygen-free spiral shield. Gold-plated plugs offer superior signal transfer and resistance to corrosion. Available in lengths from 3.3' to 13.2'.

0			
ITEM	TYPE	LENGTH	PRICE
CRA201AU	Molded Connectors	3.3'	6.93
CRA202AU	Molded Connectors	6.6'	8.64

STUDIO CABLES | RCA-1/4" TS DUAL UNBAL



ESSENTIALS SERIES

Only available in the lengths shown below.

ITEM	LENGTH	PRICE
PM2D-RMD-3	3'	7.06
PM2D-RMD-10	10'	9.66
PM2D-RMD-20	20'	13.44

Hosa



MOLDED

These cables feature oxygen-free copper conductors and oxygen-free spiral shield. They also feature nickel-plated plugs. Available in lengths from 3.3' to 20'.

ITEM	LENGTH	PRICE
CPR201	3.3'	6.93
CPR202	6.6'	8.52
CPR203	9.9'	10.14

R PRO CO



EXCELLINES

These cables are built from ProCo 2120SM 2-conductor wire with a spiral shield and two ShowSavers 1/4" phone plugs on one end with two ProCo HD RCA phono plugs on the other.

ITEM	LENGTH	
DKQR10 DKQR20		
DKQR25		

STUDIO CABLES 1/4" TS UNBALANCED



Available in lengths from 3' to 20'.

ITEM	LENGTH	PRICE
PM2-PM2-ES-10	10'	8.68
PM2-PM2-ES-15	15'	10.34
PM2-PM2-ES-20	20'	11.84



INDUSTRIAL SERIES

Available in lengths from 0.5' to 50', some models available with right-angle connectors.

ITEM	LENGTH	PRICE
PM2-PM2-10	10'	9.26
PM2-PM2-15	15'	11.00
PM2-PM2-20	20'	12.74

Hosa



PRO SERIES

Silver-plated REAN connectors, 20AWG OFC conductors, 90% OFC braided shield. Available in lengths from 1.5' to 20'.

LENGTH	PRICE
	8.64
5'	9.90
10'	12.48
15'	14.97
20'	17.55

STUDIO CABLES 1/4" TS DUAL UNBALANCED



ESSENTIALS SERIES

Only available in the lengths shown below.

ITEM	LENGTH	PRICE
PM2D-PM2D-3	3'	7.86
PM2D-PM2D-10	10'	10.42
PM2D-PM2D-15	15'	12.54

Hosa



MOLDED

These cables feature oxygen-free copper conductors and oxygen-free spiral shield. They also feature nickel-plated plugs. Available in lengths from 3.3' to 13.2'.

ITEM	LENGTH	PRICE
CPP201	3.3'	7.29
CPP202	6.6'	8.79
CPP203	9.9'	10.14

STUDIO CABLES 1/4" TRS DUAL BALANCED



ESSENTIALS SERIES

Only available in the lengths shown below.

ITEM	LENGTH	PRICE
PM3D-PM3D-3	3'	8.76
PM3D-PM3D-10	10'	12.40
PM3D-PM3D-20	20'	17.74

Hosa



MOLDED

These cables feature oxygen-free copper conductors and oxygen-free spiral shield. They also feature nickel-plated plugs. Available in lengths from 3.3' to 13.2'.

ITEM	LENGTH	PRICE
CSS201	3.3'	5.94
CSS202	6.6'	7.08
CSS203	9.9'	8.32



INDUSTRIAL

Ultimate Durability & Performance

High Bandwidth / Low Capacitance











ESSENTIALS SERIES

Available in lengths from 1' to 50'.

ITEM	LENGTH	PRICE
PM3-PM3-ES-10	10'	6.96
PM3-PM3-ES-15	15'	8.30
PM3-PM3-ES-25	25'	11.10



Available in lengths from 0.5' to 50'.

IILIII	LLMGIII	FRIGE
PM3-PM3-10-	BLK10'	17.12
PM3-PM3-15-	BLK15'	20.64
PM3-PM3-20-	BLK20'	24.12



Oxygen-free copper conductors and spiral shield with nickel-plated plugs. Available in lengths from 1' to 25'.

ITEM	LENGTH	PRICE
CSS110	10'	5.36
CSS115		6.52
CSS125	25'	8.66



With nickel-plated REAN plugs for efficient signal transfer, oxygen-free copper conductors for enhanced clarity and an oxygen-free copper spiral shield for effective EMI and RFI rejection and flexibility. Only available in lengths listed below.

ITEM	LENGTH	PRICE
HSS010	10'	9.64
HSS015	15'	11.80



EXCELLINES SERIES

These cables are built with ProCo's 224S Armorflex jacketed 2-conductor cable with spiral shield and ShowSavers TRS phone plugs at each end. Available in lengths from 3' to 50'.

ITEM	LENGTH	PRICE
BP10		18.29
BP15	15'	21.16
BP25	25'	26.93

whirlwind



Accusonic +2 two-conductor shielded cable with 1/4" TRS plugs at each end. Available in lengths from 1' to 50'.

ITEM	LENGTH	PRICE
ST10	10'	28.54
ST15		31.92
ST25	25'	38.66

STUDIO CABLES 1/4" Y. PARALLEL Wu CABLE UP

INDUSTRIAL SERIES

Available in lengths from 0.5' to 5'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
YP-PM2-PM2D-0.5	1/4" TS M - (2) 1/4" TS M .	0.5'	8.52
YP-PM3-PF3D-0.5-BLK	1/4" TRS M - (2) 1/4" TRS F	0.5'	9.22
YP-PM2-RMD-0.5	1/4" TRS M - (2) RCA M	0.5'	8.04

STUDIO CABLES 1/4" GUITAR/INSTRUMENT



These cables feature a combination of low capacitance cable and soldered connectors with gold-plated contacts. The dark gray braided cloth outer jacket stands up to hard usage, yet remains kink free and flexible.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
G-BG-20	Straight	20'	10.70
G-BG-20-R	(1) Right Angle	20'	11.64
G-BG-0.5-RR	(2) Right Angles	0.5'	5.16



INDUSTRIAL - HI-TEC SERIES

Instrument cables built with low capacitance, low-loss polyethylene insulation and oxygen-free copper cores. A conductive plastic PVC layer next to the copper braided shield minimizes static noise due to mechanical movement. Available in lengths from 12' to 25'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
G-HT-25	Straight	25'	17.32
G-HT-25-R	Right Ängle	25'	17.56

Hosa



Sliver-plated REAN® connectors, 20AWG OFC conductors, 90% OFC braided shield. Available with straight or right angle connectors, in lengths from .5' to 25'.

ITEM	LENGTH	CONNECTORS	PRICE
HGTR-020	20'	Straight to straight	24.24
HGTR-025	25'	Straight to straight	28.08
HGTR-020R	20'	Straight to right angle	24.48
HGTR-025R	25'	Straight to right angle	28.44
HGTR-001RR	1'	Right Angle to right angle .	9.78





ECONOMY SERIES

Built with 20-gauge 120S1 cable, which features dual shielding and a rugged, flexible jacket. Terminated with Amphenol ACPM-GN plugs. Available in lengths from 3' to 25'.

ITEM	LENGTH	PRICE
SEG10	10'	6.79
SEG15	15'	8.26
SEG25	25'	11.25



EXCELLINES

ShowSavers standard 1/4" connectors and 23rd generation Pro Co 120S1 wire are used to construct the Excellines series. Available in lengths from 1' to 50'.

U		
ITEM	LENGTH	PRICE
EG10	10'	10.17
EG15	15'	12.58
EG25	25'	15.62

whirlwind



LEADER SERIES

Patented cable grip absorbs straining. Flexible boot extension resists breakage. Only available in the lengths shown below.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
L03	Straight	3'	15.30
L10	Straight	10'	21.44
	Straight		
L10R	(1) Right Angle	10'	26.70
I 18R	(1) Right Angle	18'	32 41

STUDIO CABLES 1/4" GUITAR/INSTRUMENT

whirlwind

HARDWOOD SERIES

These 20' imported instrument cables feature gold-plated plugs with a distinctive genuine hardwood barrel. ITFM LENGTH CONNECTORS PRICE GW20H .20'

CONNECT SERIES COILED CABLE

I FADER

These imported rugged, hand-built coiled cords with a

1/4" connector on each end are practical and economical.

ITEM	LENGTH	CONNECTORS	PRICE
WOCC15	15'	Straight	9.68



Surrounded with heavy-duty striped cloth braid and capped with a special gold-plated Elite version of Whirlwind's Leader plug. All models listed below use "toaster cord" cloth braid. Also available in blue stripe, red stripe and silver stripe cloth colors.

ITEM	LENGTH	CONNECTORS	PRICE
LE10-1	10'	Straight	32.18
LE15-1	15'	Straight	43.15
LE25-1	25'	Straight	48.69
LE10R-1	10'	Straight to right angle	36.80
LE15R-1	15'	Straight to right angle	45.43
LE25R-1	25'	Straight to right angle	66.70

STUDIO CABLES | HEADPHONE EXTENSION



INDUSTRIAL SERIES

Available in lengths from 10' to 50'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
PM3-MF3-25-BLK.	1/4"M - 1/8"F	25'	11.30
PM3-PF3-25	1/4"M - 1/4"F	25'	28.46

STUDIO CABLES SEND/RETURN



INDUSTRIAL SERIES

Partial listing, call or shop fullcompass.com for more options.

ITEM	CONNECTOR TYPE	LENGTH PRICE
YS-M3-MF2D-0.5 1/8	" TRS M - (2) 1/8" TS	F8.88
YS-M3-PF2D-0.51/8	" TRS M - (2) 1/4" TS	F8.38
YS-M3-PM2D-10-BLK. 1/8	" TRS M - (2) 1/4" TS	M 10' 13.60
YS-M3-RMD-10-BLK 1/	'8" TRS M - (2) RCA N	M 10' 13.60
YS-PM3-RMD-151/	4" TRS M - (2) RCA N	1 15' 13.40



STW SFRIFS

One 1/4" TRS plug wired to two 1/4 TS plugs for use when insertion send and return signals are accessed through the same TRS jack.

ITEM	LENGTH	PRICE
STWY05	5'	38.02
STWY10	10'	44.74

























COMPUTER AV



















































































INDUSTRIAL SERIES

Available in lengths from 0.5' to 25'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
YP-M3-MF3D-0.5 1/8	" TRS M - (2) 1/8" TRS F	0.5'	9.28
YP-M3-M3D-31/8	'TRS M - (2) 1/8" TRS M	3'	9.58
YP-M3-PM3D-101/8	'TRS M - (2) 1/4" TRS M	10'	12.10

STUDIO CABLES | 1/8" TRS TO DIFFERENT



INDUSTRIAL SERIES

Available in lengths from 1' to 15'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
M3-M3-5-BLK1	/8" TRS M -1/8" TRS M	5'	14.58
M3-P2-5-BLK	1/8" TRS M - 1/4" TS M	5'	5.16
M3-P3-5-BLK 1	/8" TRS M - 1/4" TRS M	5'	13.30
M3-XF3-5	. 1/8" TRS M - XLR F	5'	12.14

STUDIO SNAKES LINE LEVEL SNAKES



Hosa **LINE LEVEL SNAKES**

Ideal for connecting mixing consoles to outboard gear and studio applications. Available in lengths from 6.6' to 23.1'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
CRA802	RCA M - (8) RCA M	6.6'	19.72
CPP802	1/4" TS M - (8) 1/4" TS M	6.6'	.22.26
CSS802	1/4" TRS M - (8) 1/4" TRS M	6.6'	31.34
XLR803	XLR M - (8) XLR F	9.9'	56.06
CPR802	RCA M - (8) 1/4" TS M	6.6'	20.60
STX802F	XLR F - (8) 1/4" TRS M	6.6'	51.53
STX802M	XLR M - (8) 1/4" TRS M	6.6'	47.42



LINE LEVEL SNAKES

Pro Co Studio and Stage Patching snakes are available in 4-, 8-, 16-, and 24-channel configurations with XLRF, XLRM and TRS connector options. Available in lengths from 10' to 250'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
MT8XFXM-10	XLR M - (8) XLR F	10'	.115.73
MT16XFXM-10	XLR M - (16) XLR F	10'	.262.68
MT8BQXM-10	XLR M - (8) 1/4" TRS M	10'	.107.18
MT16BQXM-10	XLR M - (16) 1/4" TRS M	10'	.203.52
MT8BQXF-10	XLR F - (8) 1/4" TRS M	10'	.112.88



These cables are used at the insertion points of a mixer to connect signal processors, etc. Only available in the lengths shown below.

ITEM	CONNECTOR TYPE	LENGTH PRICE
STP802 (4)	1/4" TRS M - (8) 1/4" TS	M21.10
STP803 (4)	1/4" TRS M - (8) 1/4" TS	M26.80
STP804 (4)	1/4" TRS M - (8) 1/4" TS	M 14' 32.80

STUDIO SNAKES | DB25-PIN ANALOG/DIGITAL



TASCAM COMPATIBLE

Hosa

Analog breakout snake cables with Tascam pinout. Available in lengths from 3' to 15'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
DBD310	25-Pin D-Sub - 25-Pin D-Sub	10'	27.04
DTM803	25-Pin D-Sub - XLR M	10'	30.92
DTF803	25-Pin D-Sub - XLR F	10'	33.39
DTM807	25-Pin D-Sub - XLR M	23.1'	44.58
DTP803	25-Pin D-Sub - 1/4" TRS M	10'	31.67



TASCAM, MACKIE AND PRO TOOLS COMPATIBLE

Analog D-Sub multitrack recording cable compatible with Mackie, Tascam, Pro Tools, Radar and Otari. Available in lengths from 5' to 15'.

ITEM	CONNECTOR TYPE	LENGTH	PRICE
DA88Q-10	25-Pin D-Sub - 1/4" TRS M	10'	68.38
DA88XM-10	25-Pin D-Sub - XLR M	10'	92.06
DA88XF-10	25-Pin D-Suh - XI R F	10'	97.76



DB25 MODULAR SNAKE SYSTEMS

Four interchangeable breakout connectors (1/4" TRS, XLR-F, XLR-M and 4-XLR-F/4-XLR-M) can be connected to a core cable (of 5', 10' or 25' length). Features oxygen-free conductors, 100% shielding and Amphenol gold-plated connectors.

ITEM	LENGTH	PRICE
PW-DB25MM-05	.5' M-M DB25 Core Modular Snake Cable	18.92
PW-DB25MM-10	. 10' M-M DB25 Core Modular Snake Cable	25.20
PW-DB25MM-25	.25' M-M DB25 Core Modular Snake Cable	37.82
PW-TRSB-01	DB25 - (8) 1/4" TRS Connectors	37.82
PW-XLRFB-01	. DB25 - (8) XLR F Connectors	63.00
PW-XLRMB-01	. DB25 - (8) XLR M Connectors	63.00
PW-XLRMFB-01	DB25 - (4) XLR M and (4) XLR F Connectors	63.00





INDUSTRIAL High Bandwidth / Low Capacitance



DIGITAL AUDIO



INDUSTRIAL SERIES

Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
BNC-BNC-10	10'	22.14
BNC-BNC-15	15'	26.60
BNC-BNC-20	20'	31.16

WORD CLOCK





75 ohm BNC male to BNC male coaxial cable for use with video and word clock applications. Available in lengths from 3' to 50'.

ITEM	LENGTH	PRICE
BNC59-110	10'	8.75
BNC59-115	15'	10.30
BNC59-125	25'	14.03

DIGITAL AUDIO CATEGORY 5E (CAT5)



ESSENTIALS SERIES - MOLDED

Available in lengths from 3' to 150'.

ITEM	LENGTH	PRICE
CAT5E-10-BLK	10'	5.46
CAT5E-25-BLK	25'	9.08
CAT5E-50-BLK	50'	20.70

Comprehensive



DURACAT

Designed to mate with standard RJ45 panel mount connectors, this solid core Cat5 cable made with Duracat wire has a thick protective jacket. Available in lengths from 10' to 300'.

ITEM	LENGTH	PRICE
DURACAT-10	10'	18.39
DURACAT-25	25'	23.99
DURACAT-50	50'	32.79



DURACAT - ETHERCON LOCKING

This solid core Cat5 cable is made with Duracat wire and has a thick protective jacket. It features Neutrik locking ends (will not mate with standard Cat5 jacks). Available in lengths from 10' to 300'.

ITEM	LENGTH	PRICE
DURACAT-10NN	10'	39.99
DURACAT-25NN	25'	44.79
DURACAT-50NN	50'	54.39





These enhanced Cat5 cables are rated at 305MHz. Only available in the lengths shown below.

ITEM	LENGTH	PRICE
CAT503E-BLK	3'	2.37
CAT505-BLK	5'	2.77
CAT510-BLK	10'	4.03



Hosa

DIGITAL AUDIO | FIBER OPTIC / TOSLINK



ESSENTIALS SERIES - MOLDED

The Essential line of Fiber Optic Toslink cable boasts clear signal transmission, low signal loss and secure connections. Available in lengths from 2' to 50'.

ITEM	LENGTH	PRICE
OPT-10	10'	11.88
OPT-30	30'	23.02
OPT-50	50'	33.94



Molded connector housings, 1mm polymer fiber optic core in a flexible PVC jacket. Available in lengths from 3' to 45'

ITEM	LENGTH	PRICE
ZT0S2		25.60
ZT0S6	20'	46.80
ZTOS15	50'	92.40

DIGITAL AUDIO S/PDIF - RCA-RCA Vu CABLEUP!

ESSENTIALS SERIES - MOLDED

This cable is 75Ω and can be used for video applications as well. Available in lengths from 3.3' to 19.7'.

ITEM	LENGTH	PRICE
SPDIF-RM-1M	3.3'	5.70
SPDIF-RM-2M	6.6'	6.68
SPDIF-RM-4M	13.1'	9.32



DRA-500 SERIES

The DRA-500 series features gold plated RCA connectors and spring strain-relief. 75 Ω , can also be used for video applications. Available in lengths from 3.3' to 12.2'.

ITEM	LENGTH	
DRA501	3.3'	9.03
DRA502	6.6'	11.13
DRA503	9.9'	13.35

AES/EBU - XLR-XLR DIGITAL AUDIO



EXCELLINES AES DIGITAL

For connecting AES/EBU devices; built with Pro Co 225BD wire and Neutrik NC3FX-B/NC3MX-B connectors. Available in lengths from 3' to 100'.

IIEM	LENGIH	PRICE
AES-3	3' digital cable	41.38
AES-10	10' digital cable	60.06
AES-25	25' digital cable	100.28
AES-50	50' digital cable	167.23
AES-100	100' digital cable	301.12





AFS/FRIL CARLES

Made with Belden 110Ω cable and Neutrik 3-pin XLR connectors. Available in lengths from 3' to 20'.

ITEM	LENGTH	PRICE
AES015	15'	98.22
AES020	20'	121.77

Shop fullcompass.com today!

MIDI CABLES



MIDI CABLES

These MIDI cables are wired 5-pin discrete and feature oxygen-free copper conductors, oxygen-free spiral shield and nickel-plated plugs. Available in lengths from

ITEM	LENGTH	PRICE
MID-310	10'	8.28
MID-510	10'	10.14

₩ PRO CO



MIDI CABLES

For connecting MIDI and 5-pin DIN control devices. Built with ProCo 424F wire and Neutrik NYS322 plugs. Available in lengths from 1' to 50'.

ITEM LE	NGTH	PRICE
MIDI-10	10'	18.95
MIDI-25	25'	25.07
MIDI-50	50'	35.49

SPEAKER CABLES | 1/4" PHONE - 1/4" PHONE



Available in lengths from 3' to 100'.

ITEM	WIRE SIZE	LENGTH	PRICE
SPK12/2-PP-25	12-gauge	25'	31.82
SPK16/2-PP-25	16-gauge	25'	17.86





12 AWG Oxygen-Free Copper (OFC) low-loss conductorsto reduce resistance, terminated with genuine Neutrik® connectors.

ITEM	WIRE SIZE	LENGTH	PRICE
SKJ215	12-gauge	15'	47.77
SKJ225	12-gauge	25'	60.70
SKJ250	12-gauge	50'	95.68





EXCELLINES SERIES

ProCo's low capacitance, low inductance PowerPlus wire, made of high-purity stranded copper. They feature an exclusive ArmorFlex outer jacket which is durable and highly flexible. Available in lengths from 3' to 150'.

0 1		U	
ITEM	WIRE SIZE	LENGTH	PRICE
25-SPK12-QQ	12-gauge .	25'	53.22
25-SPK14-QQ	14-gauge .	25'	37.03
25-SPK16-QQ	16-gauge .	25'	24.38

whirlwind



ECONOMY

Imported single line speaker cables with 1/4" connectors at each end. Velcro tie-wrap is included. Available in lengths from 10' to 50'.

. 0			
ITEM	WIRE SIZE	LENGTH	PRICE
SPKR1425	14-gauge	25'	30.38
SPKR1625	16-gauge	25'	27.35

SPEAKER CABLES



STANDARD SPEAKER CABLE

16 AWG Oxygen-Free Copper (OFC) conductors In black PVC jacket.

ITEM	WIRE SIZE	LENGTH	PRICE
SKJ625BN	16-gauge	25'	31.53
SKJ650BN	16-gauge	50'	45.00
SKJ6100BN	16-gauge	100'	89.32

SPEAKER CABLES SPEAKON - BANANA



EXCELLINES SPEAKER CABLE

12 AWG conductors in rugged, yet flexible ArmorFlex outer jacket, terminated with high-quality connectors.

ITEM	WIRE SIZE	LENGTH	PRICE
S12BN-25	12-gauge	25'	32.86
S12BN-50	12-gauge	50'	53.37
S12BN-100	12-gauge	100'	89.61

SPEAKER CABLES SPEAKON - SPEAKON



ESSENTIALS SERIES

"Speaker Twist" connectors are compatible with Speakon. Available in lengths from 3' to 100'.

ITEM	WIRE SIZE	LENGT	H PRICE
SPK12/2-SS-25	12-gauge	25'.	44.34
SPK16/2-SS-25	16-gauge	25'.	24.56





EDGE SPEAKER CABLE

12 AWG Oxygen-Free Copper (OFC) low-loss conductors to reduce resistance, terminated with genuine Neutrik® connectors

ITEM	WIRE SIZE	LENGTH	PRICE
SKT225	12-gauge	25'	64.32
SKT250	12-gauge	50'	99.54
SKT2100	12-gauge	100'	182.04

M PRO CO



EXCELLINES SERIES

These cables are encased in an ArmorFlex outer jacket and terminated with heavy-duty connectors for years of trouble-free use. Available in lengths from 15' to 100'.

ITEM	WIRE SIZE	LENG1	TH PRICE
25-SPK12/2-SS	12-gauge	25'	64.72
25-SPK14/2-SS	14-gauge	25'	48.53

whir|wind





MULTILINE SPEAKER CABLES

These 4 conductor cables use 12/4 SJ type wire with Speakon connectors on each end. Available in lengths from 10' to 150'.

ITEM	WIRE SIZE	LENGTH	PRICE
NL4-025	12-gauge	25'	90.90
NL4-050	12-gauge	50'	151.20
NL4-100	12-gauge	100'	203.45





















































Vu CABLEUP!

Hosa
















































ESSENTIALS SERIES

Speaker Twist connectors are compatible with Speakon. Available in lengths from 3' to 50'.

	/IRE SIZE		PRICE
SPK12/2-SP-31	2-gauge	3'	.13.88
SPK12/2-SP-251	.2-gauge	25'	.40.60
SPK12/2-SP-501			

EDGE SPEAKER CABLE

12 AWG Oxygen-Free Copper conductors in durable black PVC jacket.

ITEM	WIRE SIZE	LENGTH	PRICE
SKT225Q	12-gauge	25'	62.97
SKT250Q	12-gauge	50'	99.54
SKT2100Q	12-gauge	100'	175.35



EXCELLINES SERIES

These cables are encased in ArmorFlex outer jackets and are terminated with heavy-duty connectors for years of trouble-free use.

ITEM	WIRE SIZE	LENGTH	PRICE
25-SPK12/2-SQ	12-gauge	25'	58.97
25-SPK14/2-SQ	14-gauge	25'	42.78





SINGLE LINE SERIES

Constructed with Speakon and 1/4" oversized connectors, these cables are extremely durable. Available only in the lengths shown below.

ITEM	WIRE SIZE	LENGTH	PRICE
SK225G12	12-gauge	25'	68.22
SK250G12	12-gauge	50'	106.61
SK2100G12	12-gauge	100'	182.80

SPEAKER CABLES SPEAKER ADAPTERS



CABLE UP ESSENTIALS SERIES

ITEM	DESCRIPTION	PRICE
SPKADP12/2-PF2-S	51/4" TS F - Speaker Twist, 12 A	WG x 211.42
SPK16-PF2-BND-B	K1/4" TS F - Banana. 16 AWG x:	28.74



ITEM	DESCRIPTION	PRICE
GSK116	. 1/4" TS F - Speakon, 16 AWG	16.08
BNP116-BLACK	. Dual Banana - 1/4" TS F, 16 AWG.	12.05



ITEM	DESCRIPTION	PRICE
	. Speakon - 1/4" TS F Locking Coupler, Speakon - Speakon	

SPEAKER CABLES



RUNONE POWERED SPEAKER CABLES

Cables that combine audio and power under one durable, yet flexible jacket. Fully shielded to prevent 60Hz interference. Available in a wide variety of configurations, see our website for more options.

ITEM	DESCRIPTION	PRICE
PA0125EFIM	XLRF-XLRM, Nema 5-15 to IEC, 25'	125.51
PA0125EMIF	XLRM-XLRF, Nema 5-15 to IEC, 25'	125.51

PATCH CABLES TT-BANTAM PATCH PANEL

120sa



PATCH CABLES Balanced TT-TT cables with molded connectors, OFC

spiral shield and heavy-duty strain relief. Sold in packs of 8, individually color coded for easy identification.

ITEM	QUANTITY	LENGTH	PRICE
TTS830	8-pack	1'	39.58
TTS845	8-pack	1.5'	42.88
TTS890	8-pack	3'	49.46

AC CABLES

POWER / EXTENSION





ESSENTIALS SERIES - IECC

Compatible with most PCs, monitors, amplifiers and other devices that use the 3-pin shroud power connector. Constructed of 14-gauge cable with molded connectors. Available in lengths from 1.5' to 25'.

ITEM	LENGTH	PRICE
IEC-ED-14-3	3'	6.38
IEC-ED-14-8	8'	12.22
IEC-ED-14-15	15'	20.24



ESSENTIALS SERIES - NEMA

These extension cables feature 14-gauge cord with molded 3-pin connectors. Available in lengths from 1.5' to 50'.

LENGTH	PRICE
15'	22.82
25'	33.30
50'	66.42



MULTI-OUTLET EXTENSION CORDS

Extension cords with multiple outlets placed along the length of the cable.

ITEM	DESCRIPTION	LENGTH	PRICE
MOXB14-25	14-gauge, 3 outlet	s 25'	24.95
MOXB12-25	12-gauge, 4 outlet	s 25'	34.95
MOXB12-50	12-gauge, 6 outlet	s 50'	59.95



POWER CABLES

These cables are compatible with most amplifiers, PCs and devices that use the 3-pin shroud power connector. Constructed of 14-gauge or 18-gauge cord with molded connectors. Available in lengths from 1.5' to 50'.

ITEM	WIRE SIZE	LENGTH	PRICE
PWC403	14-gauge	3'	10.26
PWC143	18-gauge	3'	6.48

VIDEO CABLES

BNC - BNC, 75 OHM





ESSENTIALS SERIES

 75Ω cable with molded BNC connectors and strain relief. Available in lengths from 3' to 100'.

ITEM BNC-750-10	LENGTH 10'	
BNC-750-25	25'	11.42
BNC-750-50	50'	18.62



INDUSTRIAL SERIES

Premium RG59 low-capacitance 75Ω cable with a 20-gauge 7 strand inner conductor in a foam dielectric with two layers of braided tinned copper shielding and a PVC jacket. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
BNC-BNC-10	10'	22.14
BNC-BNC-15	15'	26.60
BNC-BNC-50	50'	57.64



BNC VIDEO CABLES

RG-6, 18 AWG bare copper, 75Ω super-high resolution cable pre-terminated with 75Ω BNC connectors. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
C-BM/BM-10	10'	7.20
C-BM/BM-25	25'	12.80
C-BM/BM-50	50'	27.20

VIDEO CABLES **BNC - RCA**



ESSENTIALS SERIES

 75Ω video cable with molded BNC to RCA connectors with strain relief. Only available in 6' length.

ITEM	LENGTH	PRICE
BNC-RM-V-6	6'	5.20



INDUSTRIAL SERIES

These cables feature premium RG59 low capacitance 75 Ω cable with a 20-gauge 7 strand inner conductor with two layers of braided tinned-copper shielding and a PVC jacket. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
RM-BNC-10		21.52
RM-BNC-20	20'	30.52
RM-BNC-50	50'	57.08

Philmore





High quality molded connectors with strain relief add reliability and assured contact to the low-loss, 75Ω , RG59/U coaxial cable.

ITEM	LENGTH	PRICE
CA908B	3'	3.84
CA909B	6'	4.74
CA910B	10'	6.18









INDUSTRIAL SERIES Available in lengths from 3' to 100'.

ITEM RM-RM-VP-10	LENGTH 10'	
RM-RM-VP-20	20'	29.96
RM-RM-VP-50	50'	56.60



RVM series cables are constructed of RG-59 cable with male RCA connectors. They feature a 95% braided copper shield and a PVC jacket. Available in lengths from 10' to 100'.

ITEM	LENGTH	PRICE
C-RVM/RVM-25	25'	14.40
C-RVM/RVM-50	50'	27.20

VIDEO CABLES A/V DUBBING CABLES



A/V CABLES

Connect VCRs, TVs, and video equipment. The Yellow lead is for a video signal (75 Ω) with two more for L/R audio. Available in lengths from 3.3' to 26.4'.

ITEM	LENGTH	PRICE
VRA302	6.6'	11.25
VRA303	9.9'	13.74
VRA304	13.2'	16.32



A/V CABLES

Plenum-rated video/audio cables constructed of minicoax cable terminated with 3 molded male RCA connectors at each end. Available in lengths from 3' to 50'.

ITEM	LENGTH	PRICE
C-3RVAM/3RVAM-10	10'	13.60
C-3RVAM/3RVAM-25	25'	28.00
C-3RVAM/3RVAM-50	50'	49.60



5-RCA COMPONENT CABLES

Constructed with three 75Ω RG-59 cables for video and two stranded conductors for audio. Molded, gold-plated connectors. Only available in the lengths shown below.

ITEM	LENGTH	PRICE
C-5RVAM/5RVAM-6	6'	20.00
C-5RVAM/5RVAM-12	12'	31.20
C-5RVAM/5RVAM-25	25'	53.60



CABLES BUILT FOR THE PROS

VIDEO CABLES COMPONENT



COMPONENT CABLES

Kramer 3RVM series cables are constructed of 3 RG-59 cables in a flat configuration with male RCA connectors at each end. Available in lengths from 3' to 100'.

ITEM	LENGTH	
C-3RVM/3RVM-10	10'	40.00
C-3RVM/3RVM-25	25'	60.00
C-3RVM/3RVM-50	50'	100.00



COMPONENT CABLES

3 RCA cables with gold-plated contact surfaces, colorcoded metal connector bodies, RG59 75Ω video coaxial cableOFC conductors and shields and extremely flexible soft PVC jacket.

ITEM	LENGTH	PRICE
Z250CV1	3.3'	41.00
Z250CV3	9.9'	51.00
Z250CV6	20'	65.60

VIDEO CABLES F-TYPE, 75 OHM



ESSENTIALS SERIES

Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
FC-FC-V-10	10'	5.44
FC-FC-V-15	15'	6.94
FC-FC-V-50	50'	17.23



INDUSTRIAL SERIES

These cables feature premium RG59 low capacitance 75Ω cable with a 20-gauge 7 strand inner conductor with two layers of braided tinned-copper shielding and a PVC jacket. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
FC-FC-10	10'	17.71
FC-FC-15	15'	23.94
FC-FC-50	50'	51.88

VIDEO CABLES



Available in lengths from 1' to 100'.

ITEM SV-10		PRICE 5.74
SV-25 SV-50	25'	9.98



S-VIDEO CABLES

Passes Chrominance (C) and Luminance (Y) signals over a high quality 2-conductor 26 AWG cable with gold plated pins and tube. Available in lengths from 3' to 100'.

ITEM	LENGTH	PRICE
C-SM/SM-10	10'	5.60
C-SM/SM-25	25'	9.60
C-SM/SM-50	50'	19.20

DATA/ANTENNA CABLES | BNC, 50 OHM



ESSENTIALS SERIES

Available in lengths from 1.5' to 100'.

ITEM	LENGTH	PRICE
BNC-500-10	10'	7.06
BNC-500-25	25'	11.24
BNC-500-50	50'	16.98

DMX CABLES



INDUSTRIAL SERIES

Available in lengths from 0.5' to 200'.

ITEM		LENGTH	PRICE
DMX-XX3-25	3-pin	25'	18.24
DMX-XX5-25	5-pin	25'	23.32





DMX CABLES

3-pin and 5-pin DMX lighting cables. Available in lengths from 3' to 100'.

ITEM	TYPE	LENGTH	PRICE
FGP-DMX3P-025	3-pin	25'	21.87
FGP-DMX5P-025	. 5-pin	25'	41.46

r@sco



DMX CABLES

High quality cables with 5-pin XLR gold-tipped connectors. Polyurethane jackets and heat-resistant inner liners make these cables durable and dependable. Available in lengths from 2.5' to 150'.

ITEM	LENGTH	PRICE
50425-0010	10'	42.34
50425-0025	25'	50.79
50425-0050	50'	65.02

COMPUTER/MULTIMEDIA | THUNDERBOLT

Comprehensive



THUNDERBOLT DATA CABLES

Use to connect Thunderbolt-equipped peripherals to your iMac, Mac mini, MacBook Pro, or MacBook Air.

ITEM	LENGTH	PRICE
TB-TB-6ST.	6'	44.99

TIECNEC

THUNDERBOLT DATA CABLES

Use to connect Thunderboltequipped peripherals to your iMac, Mac mini, MacBook Pro, or MacBook Air.

ITEM	LENGTH	PRICE
THUNDBOLTCAB-02	2'	47.89
THUNDBOLTCAB-03	3'	58.74
THUNDBOLTCAB-07	7'	54.97
THUNDBOLTCAB-10	10'	69.07







1110

COMPUTER AV














For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central

























































ESSENTIALS SERIES

 $4\mbox{-pin}$ to $9\mbox{-pin}$ and $6\mbox{-pin}$ to $9\mbox{-pin}$ IEEE 1394 firewire cable. Molded type hood, PVC shell and tinned copper conductions tors. Various configurations available, 3' to 15' lengths.

ITEM	TYPE	LENGTH	PRICE
FW9-FW4-6	4-pin to 9-pin	6'	13.56
FW9-FW6-6	6-pin to 9-pin	6'	13.54
FW6-FW6-6	6-pin to 6-pin	6'	8.14



FIREWIRE CARLES

Hosa

Firewire cables in various configurations, available with lengths from 3' to 15'.

ITEM	TYPE	LENGTH	PRICE
FIW-46-106	4-pin to 6-pin	6'	7.66
FIW-99-106	9-pin to 9-pin	6'	19.20

COMPUTER/MULTIMEDIA



ESSENTIALS SERIES

Handle 480Mbps and comply with the USB 2.0 serial bus interface standard. They work with USB 1.1 interfaces. Available in various configurations from 3' to 15'.

ITEM	TYPE		LENGTH	PRICE
USBA-USBB-3	Type A to Type	В	3'	3.36
USBA-USBB-5	Type A to Type	B	5'	3.80
USBA-USBB-10	Type A to Type	В	10'	4.62
USBA-USBB-15	Type A to Type	В	15'	6.04
USBA-USBMB-3	Type A to Mini	В	3'	3.40
USBA-USBMB-6	Type A to Mini	B	6'	3.90
USBA-USBA-5	Type A to Type	Α	5'	4.06
USBA-USBA-10	Type A to Type	Α	10'	4.70

Comprehensive



USB CABLES

Constructed with premium shielded twisted pair cable and molded USB-A connectors with strain relief. Available in lengths from 3' to 25'.

ITEM	LENGTH	
USB2-AA-3ST		3.43
USB2-AA-10ST	10'	6.39
USB2-AA-25ST	25'	14.39

Hosa



USB CABLES

USB cables available in various configurations with lengths from 3' to 15'.

ITEM	TYPE	LENGTH	PRICE
USB203AB	USB A - USB B	3'	5.94
USB210AB	USB A - USB B	10'	7.65
USB210AF	JSB A M-F Extension	10'	7.92



CABLES BUILT FOR THE PROS

COMPUTER/MULTIMEDIA



HDMI

INDUSTRIAL SERIES

Carry an HD signal (720p, 1080i, 1080p) with refresh rates above 60Hz. They support uncompressed 7.1 digital audio up to 192kHz and work with all standard HDMI interfaces. Available in lengths from 1.5' to 50'.

ITEM	LENGTH	
HDMI-HDMI-6	6'	17.52
HDMI-HDMI-25	25'	40.94
DVID-HDMI	DVI-D to HDMI adapter	14.84

EANARE



MC SERIES

High-Speed HDMI cables with molded Male-A to Male-A connectors

ITEM	LENGTH	PRICE
HDM009ED	3'	20.18
HDM02ED	6.6'	23.02
HDM03ED	9.8'	25.85

Hosa



HDMI CABLES

Transfer data at rates up to 10.2 Gbps with ten bit color and Ethernet channel. Available from 3'-25'

ITEM	TYPE	LENGTH	PRICE
HDMA-403	HDMI M-M	3'	4.22



Cables with molded HDMI connectors at both ends. Available in lengths from 3' to 50'.

ITEM	LENGTH	PRICE
C-HM/HM-6	6'	12.00
C-HM/HM-25	25'	28.80
C-HM/HM-50	50'	69.90

Comprehensive



HR PRO SERIES

Featuring pro-grade 26 AWG high-resolution, low-loss construction. Supports latest HDMI technology for speeds up to 10.2Gbps, Deep Color and up to 240Hz refresh rate. Supports 1080p, 2K, 4K and beyond 24 kg goldplated connectors. Available in the lengths from 3' to 50'.

•	Ü	
ITEM	LENGTH	PRICE
HD-HD-6PROBLK .	6'	23.99
HD-HD-12PROBLK	10'	39.99
HD-HD-25PROBLK	25'	71.99





STANDARD HDMI CABLES

HDMI cables featuring molded Male-A to Male-A connectors with gold-plated contacts, 30 AWG cable as well as dual-layer foil and braid shielding.

ITEM	LENGTH	
E-HDM-M-03		37.60
E-HDM-M-10	33'	91.40
E-HDM-M-25	83'	488.00



HIGH SPEED HDMI CABLES

High-Speed HDMI cables featuring molded Male-A to Male-A connectors with gold-plated contacts, 30 AWG cable as well as dual-layer foil and braid shielding.

ITEM	LENGTH	PRICE
E-HDSEM-M-01	3'	26.30
E-HDSEM-M-05	16.5'	72.40
E-HDSEM-M-10	33'	184.00

COMPUTER/MULTIMEDIA



DVI CABLES

These 28-gauge male to male DVI-D Dual Link cables provide extra bandwidth for maximum clarity and resolution. Available in lengths from 3' to 65'.

ITEM	LENGTH	PRICE
C-DM/DM-10	10'	31.20
C-DM/DM-25	25'	60.00
C-DM/DM-50	50'	87.20
Liberty	-	

DVI CABLES

Molded 19-pin connectors, 28 AWG cable, triple-shielded construction and ferrite beads for EMI compliance.

ITEM	LENGTH	PRICE
E-DVIDSL-2	6'	55.80
E-DVIDSL-6	20'	100.00
E-DVIDSL-10	33'	156.00

COMPUTER/MULTIMEDIA

VGA



INDUSTRIAL SERIES

VGA cable with DE15 connectors. Shielded cables maintain EMI/RFI rejection which allow for longer runs and clear signals. Available in lengths from 1.5' to 100'.

ITEM	LENGTH	PRICE
VGADE15-10	10'	14.02
VGADE15-25	25'	29.12
VGADE15-FB-50Ferrite Bead	50'	58.14

Comprehensive



HR SERIES VGA CABLES

Built with 3 individually shielded coaxes. Molded 15-pin connectors. Available in lengths from 3' to 200'.

ITEM	LENGTH	PRICE
VGA15P-P-10HR	10'	23.19
VGA15P-P-25HR	25'	39.99
VGA15P-P-50HR	50'	71.99



VGA CABLES

15-pin male to 15-pin male VGA cables. Available in lengths from 1' to 150'.

ITEM	TYPE	LENGTH	PRICE
C-GM/GM-25	Male - Male	25'	32.80
C-GM/GF-25	Male - Female	25'	32.80
C-GMA/GMA-25	M-F + 1/8" TRS aud	io 25'	39.20

VGA BREAKOUT CABLES

Breakout cables available in various configurations with lengths from 3' to 50'



ITEM	TYPE	LENGTH	PRICE
C-GM/3RVM-6 VGA N	1 - (3) RCA	M 6'	15.20
C-GM/5BM-6 VGA N	1 - (5) BNC	: M 6'	20.00
C-GF/5BM-6VGA F	- (5) BNC	M 6'	5.29









