




















**AUDIO – MICROPHONE CABLE, 2-CONDUCTOR SHIELDED**

ITEM	GAUGE	STRANDING	O.D.	PF/FT	SHIELD	JACKET
Belden 8412 	20	26x34	.262"	30	85% Braid	EDPM Rubber
Gepco MP1022 	24	41x40	.195"		95% Braid Synth	Rubber
Liberty 22-1P-EZ-BLK 	22	7x30	.155"		100% Alum/Poly Foil	PVC
Mogami W2549 	22	30x37	.236"	23		Super Flexible PVC
Whirlwind WMKPV 	22	26x36		35	78% BC Braid	Flexible PVC, black

**AUDIO – ANALOG MIC CABLE: 4-CONDUCTOR STAR-QUAD, LOW NOISE, FOR PORTABLE USE**



ITEM	GAUGE	STRANDING	O.D.	PF/FT	SHIELD	JACKET
Canare L4E6S 	24	40	.237"	46	95% Braid	PVC
Liberty 24-2P-STAR-BLK 	24	41x40	.24"		96%	PVC
Mogami W2534 	24	20x37		20	Spiral	Super Flexible PVC

**AUDIO – ANALOG MIC/LINE PERMANENT INSTALL, 2-CONDUCTOR, FOIL SHIELD WITH DRAIN WIRE**



ITEM	GAUGE	STRANDING	O.D.	PF/FT	SHIELD	JACKET	NEC
Belden 1503A 	22	7x30	.142"	53	100% Foil	PVC	CM
Belden 8450 	22	Solid	.118"	40	100% Foil	PVC	CM
Belden 9451 	22	7x30	.135"	34	100% Foil	PVC *	CMR
Canare L4E6AT 	20		.244"	46	100% Alum. Tape	PVC	
Gepco 61801EZ 	22	7x30	.140"	34	100% Foil	PVC	CMR
Liberty 22-1P-CMP-EZ-BLK 	22	7x30	.13"		100% Alum/Poly Foil	PVC	CMP
West Penn 291 	22	7x30	.165"		100% Foil	PVC	CL2
West Penn 292 	20	7x28	.184"		100% Foil	PVC	CL2
West Penn 293 	18	7x26	.208"		100% Foil	PVC	CL2
West Penn 25291B 	22	7x30	.165"		100% Foil	PVC	CMP
West Penn 25292B 	20	7x28	.143"		100% Foil	PVC	CMP

\* Features self-stripping foil and BananaPeel- no jacket, just pull and peel.

**AUDIO – DIGITAL MIC CABLE: AES/EBU 2-CONDUCTOR SHIELDED, 110 OHMS, LOW CAPACITANCE**

ITEM	GAUGE	STRANDING	O.D.	PF/FT	SHIELD	JACKET
Cable Up AES7-500 	24	7x30	.198"	14.5	95% Braid	Non-plen PVC
Canare DA206 	20		.287"	14.6	95% Braid	Non-plen PVC, blue

**AUDIO – ANALOG MIC/LINE MULTIPAIR (SNAKE), FOIL SHIELD, COMMON JACKET**

ITEM	GAUGE	PAIRS	O.D.	PF/FT	SHIELD	JACKET	NEC
Gepco 6604HS 	22	4	.285"	52	100% Foil/mylar side out	Plenum PVC	CMP
Gepco 6608HS 	22	8	.385"	52	100% Foil/mylar side out	Plenum PVC	CMP

*Bulk wire is available in standard spool lengths, and some can be cut to your requirements. Please call for specifics.*

Shop [fullcompass.com](http://fullcompass.com) today!




For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central


















**AUDIO – GUITAR / KEYBOARD / INSTRUMENT CABLE**

ITEM			GAUGE	COND.	O.D.	PF/FT	SHIELD	JACKET
<b>Cable Up</b> - Guitar cable, low noise, low capacitance.								
Cable Up	<b>M54C-500</b>		20	1	.236"	37.2	PVC	Conductive PVC Layer
<b>Canare</b> - For electronic instruments, test probes, audio patch, and amp to cabinet leads.								
Canare	<b>GS6</b>		18	1	.228"	49	OFC >92% Braid	Carbon Sleeve
<b>Gepco</b> - Data-grade, foam dielectric (drastically reduces capacitance), abrasion resistant PVC.								
Gepco	<b>XB20UB</b>		20	1	.228"	22.3	Double 95% TC Braid	PVC





**AUDIO – UNSHIELDED CABLE: FOR SPEAKER AND CONTROL APPLICATIONS**

ITEM			GAUGE	COND.	O.D.	STRANDING	JACKET	NEC
Belden	<b>8471</b>		16	2	.274"	19 x 29	PVC	CMG
Belden	<b>8477</b>		22	2	.386"	65 x 30	PVC	CL3R
Coleman	<b>23288</b>		12	2	.41"	65 x 30	T*Prene	
Gepco	<b>GSC134</b>		13	4		52 x 30	PVC	
Liberty	<b>22-2P-SHEX-YEL</b>		22	2	.186"	16 x 34	PVC	CL3
Pro Co	<b>14-2</b>		14	2	.325"	41 x 30	PVC	
Pro Co	<b>12-2</b>		12	2	.365"	65 x 30	PVC	
West Penn	<b>224</b>		18	2	.186"	7 x 26	PVC	CL2, CMR
West Penn	<b>226</b>		14	2	.24"	19 x 27	PVC	CL2, CMR
West Penn	<b>227</b>		12	2	.278"	19 x 25	PVC	CL2, CMR
West Penn	<b>25224B</b>		18	2	.138"	7 x 26	Plenum	CMP

**AUDIO – S/PDIF DIGITAL AUDIO CABLE – 75 OHM**

ITEM			GAUGE	STRANDING	O.D.	PF/FT	JACKET	NEC
Belden	<b>1505F</b>		22	7x29	.242"	17	PVC Black	CM
Gepco	<b>VDM230</b>		Mini23	Solid	.164"	16.5	PVC, Multiple Colors	CMR
Gepco	<b>VHD1100</b>		RG11/14	Solid	.405"	16.2	PVC, Multiple Colors	CMR
Gepco	<b>VHD2000M</b>		21	19x34	.242"	17	Flexible PVC	
Gepco	<b>VSD2001</b>		RG6/18	Solid	.272"	16.3	PVC, Multiple Colors	CMR
Gepco	<b>VPM2000</b>		RG59/20	Solid	.272"	16.3	PVC, Multiple Colors	CMR

**AC – POWER CABLE FOR PORTABLE USE**

ITEM			GAUGE	COND.	JACKET
Coleman	<b>22327</b>		14	3	TPE Seoprene
Coleman	<b>22328</b>		12	3	TPE Seoprene
Coleman	<b>22329</b>		10	3	TPE Seoprene
Coleman	<b>23388</b>		12	3	T*Prene SJEW

*Bulk wire is available in standard spool lengths, and some can be cut to your requirements. Please call for specifics.*

Shop [fullcompass.com](http://fullcompass.com) today!

For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central



AUDIO



MUSIC



COMPUTER AV



VIDEO







LIGHTS










ACCESSORIES







## LIGHTING – DMX CABLE – BULK

ITEM	GAUGE	COND.	STRANDING	O.D.	SHIELD	JACKET	NEC
Belden 9729 	24	4	7x32	.024"	100% Foil	PVC	CM
Belden 9841 	24	4	7x32	.232"	100% Foil + 90% TC Braid	PVC	CM
Belden 9842 	24	4	7x32	.34"	100% Foil + 90% TC Braid	PVC	CM
Geeco DLC224 	24	4	7x32	.27"	100% Foil + 90% TC Braid	PVC	






## DATA – CAT5E AND CAT6 BULK CABLE

ITEM	TYPE	GAUGE	COND.	PAIRS	O.D.	PF/FT	STRANDING	JACKET	NEC
Belden 1583A-1000 	CAT5e	24	8	4	.214"	15	Solid	PVC	CMR
Belden 1585A-1000 	CAT5e	24	8	4	.2"	15	Solid	Plenum	CMP
Belden 106X12 	CAT6	23	8	4	.295"	17	Solid	PO	CMR
Belden 106X13 	CAT6	23	8	4	.295"	17	Solid	Plenum	CMP
Geeco CT504HD 	CAT5e	24		4	.26"	17	41 x 40	TPE, black	
Liberty 24-4P-L5SH-EN-BLU 	Shielded CAT5	24	8	4	.237"	17.0	Solid	FR-PVC	CMR
Liberty 24-4P-L6SH-BLK 	Shielded CAT6	24	8	4	.270"	17.0	Solid	FR-PVC	CMR



## DIGITAL/ANALOG VIDEO – 75 OHM SDI/HDSI COAXIAL CABLE – RG6

ITEM	GAUGE	STRAND	O.D.	PF/FT	VEL-PROP	SHIELD	JACKET	NEC
Belden WV-1694D 	2 x 18	Solid	.334"x.618"	16.2	82%	100% Duofoil + 95% TC Braid	Non-plenum	CMR
Belden 1694A 	RG6/18	Solid	.275"	16.2	82%	100% DuoFoil + 95% TC Braid	Non-plen PVC	CMR
Belden 1695A 	RG6/18	Solid	.234"	16.2	82%	100% DuoFoil + 95% TC Braid	Plenum	CMP
Liberty 18-CMR-SD-BLK 	18	Solid	.27"	16.2	82%	100% Alum/Poly + 95% TC Braid	PVC	CMP

## DIGITAL/ANALOG VIDEO – 75 OHM SDI/HDSI COAXIAL CABLE – RG59

ITEM	GAUGE	STRAND	O.D.	PF/FT	VEL-PROP	SHIELD	JACKET	NEC
Belden 1505A 	RG59/20	Solid	.233"	16.3	83%	100% DuoFoil + 95% TC Braid	Non-plen PVC	CMR
Cable Up RG59ST-500 	RG59/22	7x29	.242"	17	80%	Double TC Braid 95%	Non-plen PVC	CM
Geeco VPM2000 	RG59/20	Solid	.242"	16.3	83%	100% Foil/95% TC Braid	Non-plen PVC	CMR
Geeco VPM2000TS 	RG59/20	Solid	.2"	16	84%	100% Foil/95% TC Braid	Plen PVC	CMP
Liberty 20-CMR-VIDEO-BLK 	20	Solid	.24"			100% Alum/Poly + 95% TC Braid	PVC	CMR

## VIDEO – RG-59/8281F TYPE (STANDARD &amp; PLENUM) SINGLE CHANNEL

ITEM	GAUGE	STRANDING	O.D.	PF/FT	VEL-PROP	SHIELD	JACKET	NEC
Belden 8241 	RG59/23	Solid	.242"	21	66%	95% Braid	PVC	CM
<b>Canare</b> - Highly flexible, copper braid shield polyethylene dielectric								
Canare LV61S 	RG59/24	7/7.88	.24"	21	66%	95% Braid	Poly	

*Bulk wire is available in standard spool lengths, and some can be cut to your requirements. Please call for specifics.*

## BULK WIRE NEC RATINGS

CMR – Rated for all in-wall, plenum and riser applications. • CMR, CL3R, CL2R – Rated for all in-wall and riser applications, not permitted in plenums.  
CM, CMG, CL2 – In-wall rated; permitted in 1-2 family residential riser applications, or in riser with raceway/fireproof shaft; not permitted in plenums.