








**POWERCON AC POWER CONNECTORS**

ITEM	DESCRIPTION	SEX	
<b>NEUTRIK</b>			
NAC3FCA	Cable power inlet	F	
NAC3MPA-1	Chassis power inlet	M	
NAC3MPB-1	Chassis power outlet	M	
NAC3MM-1	Cable coupler (joins NAC3FCA to NAC3FCB)		
NAC3FC-HC	32-amp, cable conn	F	
<b>NEUTRIK - True 1 Connectors</b>			
NAC3FPX	True1 chassis power outlet	F	
NAC3MPX	True1 chassis power inlet	M	
NAC3PX	True1 chassis power in/out	M/F	
NAC3MX	True1 cable power connector	M	
NAC3FX	True1 cable power connector	F	

**BANANA PLUGS**

ITEM	TYPE	
<b>HOSA</b>		
BNA-100	2 dual - black/red	
BNA260-BLACK	Pro dual	
BNA260-RED	Pro dual	
<b>PROCO</b>		
MDP-BLACK	Dual banana plug	
MDP-RED	Dual banana plug	

**AMPHENOL AC SERIES XLR CONNECTORS - CABLE TYPE**

ITEM	CONTACTS	SEX	DESCRIPTION	
<b>Solder bucket connections, "Jaws" cable retention system, RoHS compliant</b>				
AC3FCP	3	F	Plastic	
AC3FR	3	F	90°, nickel	
AC3F	3	F	Nickel	
AC3M	3	M	Nickel	
AC3MCP	3	M	Plastic, black	
AC3MM	3	M	Machined, nickel	
AC3MMCP	3	M	Machined, plastic	
AC3MMR	3	M	Machined, nickel	

**AMPHENOL SOLDERLESS XLR CONNECTORS - CABLE TYPE**

ITEM	CONTACTS	SEX	DESCRIPTION	
<b>Solder bucket connections, "Jaws" cable retention system, RoHS compliant</b>				
AC3FI	3	F	IDC, nickel	
AC3MI	3	M	IDC, nickel	


**AMPHENOL AX SERIES XLR CONNECTORS - CABLE TYPE**

ITEM	CONTACTS	SEX	DESCRIPTION	
<b>Oversized latch lever, compact solder buckets, overmolded boot, RoHS compliant</b>				
AX3F	3	F	Nickel	
AX3M	3	M	Nickel	

**CABLE UP XLR CONNECTORS - CABLE TYPE**

ITEM	CONTACTS	SEX	DESCRIPTION
XLRM-C	3	M	Black with gold contacts
XLRF-C	3	F	Black with gold contacts




**NEUTRIK XLR OR QG TYPE CONNECTORS - CABLE TYPE**

ITEM	CONTACTS	SEX	DESCRIPTION	
<b>X SERIES - Chuck-type strain relief, No screw assembly, 3- to 7-pin versions</b>				
NC3FX	3	F	Nickel with silver contacts	
NC3FRX	3	F	Right angle, nickel with silver contacts	
NC4FX	4	F	Nickel with silver contacts	
NC5FX	5	F	Nickel with silver contacts	
NC6FX	6	F	Nickel with silver contacts	
NC7FX	7	F	Nickel with silver contacts	
NC3FX-BAG	3	F	Black with silver contacts	
NC4FX-BAG	4	F	Black with silver contacts	
NC5FX-BAG	5	F	Black with silver contacts	
NC6FX-BAG	6	F	Black with silver contacts	
NC7FX-BAG	7	F	Black with silver contacts	
NC3FX-B	3	F	Black with gold contacts	
NC3FRX-B	3	F	Right angle, black with gold contacts	
NC4FX-B	4	F	Black with gold contacts	
NC5FX-B	5	F	Black with gold contacts	
NC6FX-B	6	F	Black with gold contacts	
NC3MX	3	M	Nickel with silver contacts	
NC3MRX	3	M	Right angle, nickel with silver contacts	


**NEUTRIK XLR OR QG TYPE CONNECTORS - CABLE TYPE (CONT.)**

ITEM	CONTACTS	SEX	DESCRIPTION	
<b>X SERIES (CONT) - Chuck-type strain relief, No screw assembly, 3- to 7-pin versions</b>				
NC4MX	4	M	Nickel with silver contacts	
NC5MX	5	M	Nickel with silver contacts	
NC6MX	6	M	Nickel with silver contacts	
NC7MX	7	M	Nickel with silver contacts	
NC3MX-BAG	3	M	Black with silver contacts	
NC4MX-BAG	4	M	Black with silver contacts	
NC5MX-BAG	5	M	Black with silver contacts	
NC3MX-B	3	M	Black with gold contacts	
NC3MRX-B	3	M	Right angle, black with gold contacts	
NC4MX-B	4	M	Black with gold contacts	
NC5MX-B	5	M	Black with gold contacts	
NC6MX-B	6	M	Black with gold contacts	

**XLR OR QG-TYPE CONNECTORS - CABLE TYPE**

ITEM	CONTACTS	SEX	DESCRIPTION		
<b>AMPHENOL - Metal cable clamp, precision machined pin contacts, positive latchlock, RoHS compliant</b>					
AG3F	3	F	Nickel		
AG3M	3	M	Nickel		
<b>NEUTRIK - Solderless EasyCon Series - IDC contacts, 22-26AWG wire, self-adjusting cam lock strain relief</b>					
NC3FXX-HA	3	F	Nickel with gold contacts		
NC3FX-B	3	F	Black with gold contacts		
NC3MXX-HA	3	M	Nickel with gold contacts		
NC3MXX-B	3	M	Black with gold contacts		
<b>NEUTRIK - Digital Audio RF-Shielded - Coaxial ground spring coax hex crimp</b>					
NC3FX-CC	3	F	Nickel with silver contacts		
NC3MX-CC	3	M	Nickel with silver contacts		
<b>NEUTRIK - Heavy-Duty Waterproofed - O-ring enabled to prevent water in shell</b>					
NC3FX-HD	3	F	Nickel with silver contacts		
NC4FX-HD	4	F	Nickel with silver contacts		
NC5FX-HD	5	F	Nickel with silver contacts		
NC3MX-HD	3	M	Nickel with silver contacts		
NC4MX-HD	4	M	Nickel with silver contacts		
NC5MX-HD	5	M	Nickel with silver contacts		
<b>SWITCHCRAFT Standard Series - Rotated solder terminals, all metal shells for extreme durability. Available in 3- to 7-pin versions, partial listing of SKUs shown below. Substitute # pins desired after A prefix.</b>					
A3F	3	F	Nickel with silver contacts		
A4F	4	F	Nickel with silver contacts		
A5F	5	F	Nickel with silver contacts		
A6F	6	F	Nickel with silver contacts		
A7F	7	F	Nickel with silver contacts		
A3FBX	3	F	Black with silver contacts		
A3FBXAU	3	F	Black with gold contacts		
A3M	3	M	Nickel with silver contacts		
A4M	4	M	Nickel with silver contacts		
A5M	5	M	Nickel with silver contacts		
A6M	6	M	Nickel with silver contacts		
A7M	7	M	Nickel with silver contacts		
A3MB	3	M	Black with silver contacts		
A3MBAU	3	M	Black with gold contacts		
<b>SWITCHCRAFT Tiny QG Connectors</b>					
TA3FX	3	F	Nickel, Tini-QG		

**NEUTRIK XX SERIES - CHUCK TYPE STRAIN RELIEF WITH IMPROVED LATCH, REDUCED WEAR ON CONTACTS**

ITEM	CONTACTS	SEX	DESCRIPTION	
<b>Available in 3- to 7-pin versions, partial listing of SKUs shown below. Substitute # pins desired after NC prefix.</b>				
NC3FXX	3	F	Nickel with silver contacts	
NC3FXX-BAG	3	F	Black with silver contacts	
NC3FXX-B	3	F	Black with gold contacts	
NC3MXX	3	M	Nickel with silver contacts	
NC3MXX-BAG	3	M	Black with silver contacts	
NC3MXX-B	3	M	Black with gold contacts	
NC3FXX-EMC	3	F	Nickel with silver contacts, RF rejection	
NC3MXX-EMC	3	M	Nickel with silver contacts, RF rejection	
NC3FXX-14-D	3	M	As NC3FXX, for larger cable up to 9.6mm	
NC3MXX-14-D	3	F	As NC3MXX series, for larger cable up to 9.6mm	

**PRICES FLUCTUATE, CALL OR SHOP FULLCOMPASS.COM FOR PRICING**



Follow Us!

**PRICES SUBJECT TO CHANGE WITHOUT NOTICE. Call today or shop online!**

## COLORED BOOTS FOR X SERIES

ITEM	DESCRIPTION	ITEM	DESCRIPTION
BSX-BL	Blue XLR boot	BSX-BLACK	Black XLR boot
BSX-BR	Brown XLR boot	BSX-GN	Green XLR boot
BSX-O	Orange XLR boot	BSX-R	Red XLR boot
BSX-V	Violet XLR boot	BSX-W	White XLR boot
BSX-Y	Yellow XLR boot		

## COLORED BOOTS FOR XX SERIES

ITEM	DESCRIPTION	ITEM	DESCRIPTION
BXX-BL	Blue XLR boot	BXX-BLK	Black XLR boot
BXX-BR	Brown XLR boot	BXX-GN	Green XLR boot
BXX-O	Orange XLR boot	BXX-R	Red XLR boot
BXX-V	Violet XLR boot	BXX-WT	White XLR boot
BXX-Y	Yellow XLR boot		

## COLORED ID RINGS FOR X SERIES

ITEM	DESCRIPTION	ITEM	DESCRIPTION
XCR-BL	Blue ID ring	XCR-BLK	Black ID ring
XCR-BR	Brown ID ring	XCR-GN	Green ID ring
XCR-GR	Grey ID ring	XCR-O	Orange ID ring
XCR-R	Red ID ring	XCR-V	Violet ID ring
XCR-WT	White ID ring	XCR-Y	Yellow ID ring

## XLR OR QG-TYPE CONNECTORS - PANEL TYPE

ITEM	CONTACTS	SEX	DESCRIPTION
------	----------	-----	-------------

**NEUTRIK DL Series - Cups for wire soldering, compatible with Switchcraft E Series (except 6 pin). Available in 3- to 7-pin versions.**

**Partial listing of SKUs shown below. Substitute # pins desired after NC prefix.**

NC3FDL-1	3	F	Nickel with silver contacts, square panel with latch
NC3FDL-B-1	3	F	Black with gold contacts, square panel with latch
NC3FDL-BAG-1	3	F	Black with silver contacts, square panel with latch
NC3MDL-1	3	M	Nickel with silver contacts
NC3MDL-B-1	3	M	Black with gold contacts
NC3MDL-BAG-1	3	M	Black with silver contacts

**NEUTRIK P Series - Rectangular-shaped, front-mounted, compatible with Switchcraft D series (except 6 pin). Available in 3- to 7-pin versions, partial listing of SKUs shown below. Substitute # of pins desired after NC prefix.**

NC3FP-1	3	F	Nickel with silver contacts, rectangular panel with latch
NC3FP-B-1	3	F	Black with gold contacts, rectangular panel with latch
NC3FP-BAG-1	3	F	Black with silver contacts, rectangular panel with latch
NC3MP	3	M	Nickel with silver contacts, rectangular panel
NC3MP-B	3	M	Black with gold contacts, rectangular panel
NC3MP-BAG	3	M	Black with silver contacts, rectangular panel

**SWITCHCRAFT D Series - Rectangular panel mounts, compatible with Neutrik P-series. Available in 3- to 7-pin versions, partial listing of SKUs shown below. Substitute # of pins desired after D prefix.**

D3F	3	F	Nickel with silver contacts, rectangular panel with latch
D3M	3	M	Nickel with silver contacts, rectangular panel
D3MB	3	M	Black with silver contacts, rectangular panel



## XLR AND 1/4" COMBO CONNECTORS

ITEM	DESCRIPTION
------	-------------

**NEUTRIK - 3-pole XLR with a 1/4" TRS jack. Several versions available.**

NCJ5FI-S	3-pole XLR-F with 1/4" TS jack with out normaling, solder cups
NCJ6FI-S	3-pole XLR-F with 1/4" TRS jack with out normaling, solder cups
NCJ9FI-S	3-pole XLR-F with 1/4" TRS jack with normaling, solder cups
NCJ10FI-S	3-pole XLR-F with 1/4" switching ground and stereo jack, solder cups

## MALE 1/4" PHONE PLUGS - ALL CONNECTORS ARE SOLDER TYPE UNLESS NOTED

ITEM	CONTACTS	COLOR	NOTES
------	----------	-------	-------

**AMPHENOL - AC Series - Robust diecast shell, precision machined contacts, flexible grommet cable protection, RoHS compliant.**

ACPM-GB	2	Black/Nickel	
ACPM-GB-AU	2	Black/Gold	
ACPM-GN	2	Satin/Nickel	
ACPM-GN-AU	2	Satin/Gold	
ACPS-GN	3	Satin/Nickel	
ACPS-GN-AU	3	Satin/Gold	

**AMPHENOL - T Series - Unique 360° sliding ring contact design to quietly switch signal circuit to ground, preventing noise when changing instruments.**

TM1P-AU	2	Satin/Gold	
TM1PB-AU	2	Black/Gold	
TM1RJ-AU	2	Satin/Gold	Right-angle

## MALE 1/4" PHONE PLUGS (CONT.) - ALL CONNECTORS ARE SOLDER TYPE UNLESS NOTED

ITEM	CONTACTS	COLOR	NOTES
------	----------	-------	-------

**AMPHENOL - T Series - Ergonomic grip, precision machined contacts, "Jaws" cable retention system, RoHS compliant.**

TM2P	2	Satin, nickel contacts	
TM2P-AU	2	Satin, gold contacts	
TM2PB	2	Black, nickel contacts	
TM2PB-AU	2	Black, gold contacts	
TM2PJ	2	Satin, large	TM2PJ
TM2PN	2	Satin, nickel contacts	
TM2PNJ	2	Satin, nickel contacts, large	
TM2RBJ	2	Satin, nickel contacts, large, right-angle	
TS3P	3	Satin, nickel contacts	
TS3PN	3	Satin, nickel contacts, metal backshell	
TS3PN-AU	3	Satin, gold contacts, metal backshell	

## CABLE UP

YS224RA	2	Gold Tip	Right-angle
YS224S	2	Gold Tip	
14TSM-C	2	Gold Tip	
14TRSM-C	3	Gold Tip	

## CANARE

F15	2	Brass/Nickel	F15
F16	3	Brass/Nickel	

## NEUTRIK

NP2C	2	Nickel/Silver	
NP2C-BAG	2	Black/Silver	
NP2C-B	2	Black/Gold	NP2C
NP2RX	2	Nickel/Silver	Right-angle
NP2RX-AU-SILENT	2	Red/Gold	Right-angle with silent switch
NP2RX-B	2	Black/Gold	Right-angle
NP2RX-BAG	2	Black/Silver	Right-angle
NP2X	2	Nickel/Silver	
NP2X-AU-SILENT	2	Red/Gold	Silent switch
NP2X-B	2	Black/Gold	

NP3C	3	Nickel/Silver	
NP3C-BAG	3	Black/Silver	
NP3RX	3	Nickel/Silver	Right-angle
NP3RX-B	3	Black/Gold	Right-angle
NP3RX-BAG	3	Black/Silver	Right-angle
NP3X	3	Nickel/Silver	
NP3X-B	3	Black/Gold	
NP3X-BAG	3	Black/Silver	
NP3TB-B	3	Black/Mil Gauge	All metal
NP3TB-R	3	Red/Mil Gauge	All metal
NYS201	2	Silver	Crimp, short, 24awg
NYS202	3	Silver	Crimp, short, 24awg
NYS224	2	Silver	Crimp, long, 24awg
NYS224L	2	Silver	Crimp, long, 12awg
NYS225L	2	Silver	Crimp, long, 12awg
NYS228	3	Silver	Crimp, long, 24awg

## SWITCHCRAFT

184	2	Nickel/Nickel	Large
184L	2	Nickel/Nickel	For large cable
188	2	Nickel/Nickel	Heavy-duty
226	2	Nickel/Nickel	Right angle
228	2	Nickel/Nickel	Right-angle
250	2	Nickel/Nickel	Plastic
280	2	Nickel/Nickel	
297	3	Nickel/Nickel	

## MALE MINI-1/8" PHONE PLUGS - CABLE TYPE

ITEM	CONTACTS	COLOR	TYPE
------	----------	-------	------

## CABLE UP

18TSM-C	2	Gold Tip	Metal
18TRSM-C	3	Gold Tip	Metal

## CANARE

F11	2	Silver	Metal
F12	3	Silver	Metal

## NEUTRIK

NYS231	3	Nickel/Silver	Metal
NYS231B	3	Black/Gold	Metal
NTP3RC	3	Black/Silver	Plastic, right-angle
NTP3RC-B	3	Black/Gold	Plastic, right-angle

## SWITCHCRAFT

35HDNN	3	Silver	Solder
--------	---	--------	--------

## FEMALE MINI-1/8" PHONE JACKS

ITEM	CONTACTS	TYPE
------	----------	------

PHILMORE		
504KB	3	Panel
502VB	3	Cable jack





## powerCON TRUE1

Lockable mains voltage connector

16 A / 250 V  
Protection class IP65



See Listing  
On Page 532!



Mains connector according to IEC 60320 | VDE and UL certified | Single-phase system for 16 A / 250 V (VDE) / 20 A / 250 V (UL) | Integrated twist-lock | Complete system including inlet and outlet cable connector and chassis | Protection class IP65

IP65

BREAKING  
CAPACITY

DAISY  
CHAINING

16 A / 250 V / VDE  
20 A / 250 V / UL



800-356-5844  
fullcompass.com

# Multimedia Connectors

etherCON | HDMI | USB | Firewire - lockable connector system

See Listing  
On Page 537!



The etherCON system for harsh and demanding environment | "A," "B," and "D" size receptacles available in feedthrough, vertical and horizontal PCB, or IDC terminations | CAT6 - data rate up to 10 GBit/s | Push-Pull mating design provides secure locking system | USB / HDMI ready-made cable assemblies with removable rugged diecast cable carrier | Firewire IEEE1394a | Push-Pull locking system | Patch Cable dust and water resistant sealing in combination with Neutrik Receptacle | Universally accepted standard D-shape housing | DB15 for RGB video and DB9 for serial data | Anything else! For example: Professional solutions designed for AV

setting standards

**NEUTRIK®**

AUDIO



FEMALE 1/4" PHONE JACKS - PANEL TYPE


ITEM	CONTACTS	TYPE
<b>NEUTRIK</b>		
NYS229	2	Open-frame
NYS230	3	Open-frame
<b>SWITCHCRAFT</b>		
11	2	Open-frame
12B	3	Open-frame
N111X	2	Nylon bushing
N112BX	3	Plastic bushing
Z15J	2	High current
E111L	2	Mono-locking
E112BL	3	Stereo-locking



NYS229

FEMALE 1/4" PHONE JACKS - CABLE TYPE

ITEM	CONTACTS	COLOR	TYPE
<b>NEUTRIK</b>			
NJ3FC6-BAG	3	Black	Solder-locking
NJ3FC6	3	Silver	Solder-locking
<b>SWITCHCRAFT</b>			
121	2	Silver	Solder
131	3	Silver	Solder



NJ3FC6

FEMALE 1/4" PHONE JACKS - PANEL TYPE

ITEM	CONTACTS	COLOR	TYPE
<b>NEUTRIK</b>			
NJ3FP6C	3	Silver	Square-locking
NJ3FP6C-BAG	3	Black	Square-locking
NYS212	3	Silver	Panel
NYS322	5	Silver	Cable/DIN
NYS2202	2		Thick panel
NYS221	3		Thick panel



NJ3FP6C

MALE RCA PHONO PLUGS - CABLE TYPE

ITEM	TYPE
<b>AMPHENOL</b>	
ACPR-BLK	RCA Plug, gold plated, black
ACPR-RED	RCA Plug, gold plated, red
<b>CABLE UP</b>	
RCA-G	Metal solder, gold tip, video use
RCAM-C	Metal solder, gold tip
<b>CANARE</b>	
F09	Slim metal solder
F10	Metal solder
RCAP-C3A	Crimp, for A2V1/2, V3C, L3C2VS
RCAP-C4A	Crimp, for LV61S, 8241, RG59B/U
RCAP-C4F	Crimp, for L4CFB, 1505A, 8241F
RCAP-C5A	Crimp, for V5C
RCAP-C53	Crimp, for 1694A, RG6
RCAP-C77	Crimp, for LV77S, 8281F



ACPR-BLK



RCAM-C



NYS352



3502AAU

RCA TO BNC CONNECTORS

ITEM	TYPE
<b>SWITCHCRAFT</b>	
EHRCABNC	RCA to BNC - nickel
EHRCABNCB	RCA to BNC - black
<b>FEMALE RCA PHONO JACKS</b>	
ITEM	TYPE
<b>CABLE UP</b>	
RCAF-C	Metal solder, cable type, gold tip
<b>CANARE</b>	
RJ-RU	Flush rectangular panel
RJ-R	Circular panel
<b>NEUTRIK</b>	
NF2D-WT	Recessed D panel-mount - white
NF2D-Y	Recessed D panel-mount - yellow
<b>PHILMORE</b>	
MS9B	Cable metal



RCAF-C



NF2D-WT



3503X

FEMALE RCA PHONO JACKS

ITEM	TYPE
<b>CABLE UP</b>	
RCAF-C	Metal solder, cable type, gold tip
<b>CANARE</b>	
RJ-RU	Flush rectangular panel
RJ-R	Circular panel
<b>NEUTRIK</b>	
NF2D-WT	Recessed D panel-mount - white
NF2D-Y	Recessed D panel-mount - yellow
<b>PHILMORE</b>	
MS9B	Cable metal
<b>SWITCHCRAFT</b>	
3501FPX	Front panel-mount
3501FRX	Rear panel-mount
3503X	Cable metal
EHRC2X	Circular recessed panel - nickel
EHRC2BX	Circular recessed panel - black

NEUTRIK SPEAKON SPEAKER CONNECTORS

ITEM	POLES	TYPE
NL2FC	2	Cable
NL2MP	2	Panel
NL4FC	4	Cable
NL4FC-B	4	Cable - gold
NL4MMX	4	Coupler
NL4MP	4	Panel, square flange
NL4MPR	4	Panel, round flange
NL4MP-ST	4	Panel, screw terminal
NL4MP-UC	4	Panel, 40 amp
NL8MM	8	Coupler
NL8FC	8	Cable
NL8MPR	8	Panel, nickel
NL8MPR-BAG	8	Panel, black
NLJ2MD-V	Combo	Speakon 1/4"
NLT4FX	4	Cable, nickel
NLT4MX	4	Cable
NL4FX	4	Cable, brass
NL4FRX	4	Cable, right angle
NL4MD-H-I	4	Chassis, PCB mount
NLT8FX	8	Cable, extra strain relief
NL4MD-V-R	4	Chassis, red
NLT4MP-BAG	4	Chassis, weather resistant
NL2MD-V	Combo	Chassis, horiz. PCB mount



NL4MP



NL8MPR



NL4FX

FEMALE BNC - PANEL TYPE

ITEM	TYPE
<b>AMPHENOL</b>	
AC-BNC-JJ-75	Bulkhead adapter, nickel
AC-BNC-JJ-75B	Bulkhead adapter, black
<b>CANARE</b>	
BCJ-R/I	Circular solder
BCJ-RU	Rectangular flush
BCJ-JR	Circular double-ended
BCJ-JRU	Rectangular double-ended flush
<b>NEUTRIK</b>	
NBB75DFG	D-style, feedthrough, grounded - nickel
NBB75DFI	D-style, feedthrough, isolated - nickel
NBB75SI	D-style, solder, isolated - nickel
NBB75FG	Bulkhead feed through - grounded
NBB75FI	Bulkhead feed through - isolated
<b>SWITCHCRAFT</b>	
EHBNC2	Circular solder feed through - nickel
EHBNC2B	Circular solder feed through - black




AC-BNC-JJ-75B



NBB75DFI

MALE BNC CONNECTORS

ITEM	TYPE	CABLE COMPATIBILITY
<b>AMPHENOL</b>		
112119	Crimp	
112508	Crimp	RG-6/U 75Ω
112951	Crimp	734A Cable, 75Ω
112952	Crimp	Belden 8241
112955	Crimp	75 Ω
112957	Crimp	RG6 Plenum
<b>CABLE UP</b>		
BNC-G	Solder	1505A, 8421, other RG59 types
<b>CANARE - Call for complete cable compatibility</b>		
BCP-A32	Crimp	Belden 1506A
BCP-A3	2-piece crimp	Canare A2V1, A2V2L
BCP-B4F	BNC crimp	Belden 1505A, 8241F,
BCP-A4	2-piece crimp	Belden 8241, 8279
BCP-B5F	BNC crimp	Belden 1198A - Canare L5CFB
BCP-C51	Crimp	Belden 8281, 88281
BCP-B53	Crimp	Belden 1694A, 9066
BCP-A55	Crimp	Belden 1695A, 9066
BCP-A77	2-piece crimp	Belden 8281F - Canare LV77S
BCP-TA	BNC termination plug	
<b>PHILMORE</b>		
961NPB	Screw clamp, RG59	
973B	2-piece crimp, built-in pin, RG59/RG62	
974B	2-piece crimp, separate pin, RG58	
975B	Screw clamp RGG	
979B	2-piece crimp, built-in pin, RG58	
980B	2-piece crimp, built-in pin, RG59/62	
989B	3-piece crimp, built-in pin, RG6	



112508



BNC-G



BCP-C3B


**PRICES FLUCTUATE, CALL OR SHOP FULLCOMPASS.COM FOR PRICING**



Follow Us!

We offer over 700 brands, low prices and outstanding service.

MALE F CONNECTORS - CABLE TYPE

ITEM	TYPE	
<b>CABLE UP - Call for cable compatibility</b>		
FC-G	Solder	RG58 / RG59 types
<b>CANARE</b>		
FPC53A	RG6 crimp	
FPC55A	RG6 crimp	
FPC5F	RG6 crimp	
FPC4	RG59 crimp	
FPC4F	F-type, crimp	

CRIMP TOOLS FOR BNC AND F CONNECTORS

ITEM	TYPE	
<b>CANARE</b>		
TC-1	Hand Crimp Tool	TC-1
TCD-3C	Die Set - BNC, F, RCA	L-2.5CFB, L-3C2V, L-3CFB, V-3C, V-3CFB
TCD-5CF	Die Set - BNC, F, RCA	L-5CFB, LV-77S, V-5CFB

SWITCHCRAFT SVHS CONNECTORS

ITEM	TYPE	
EHSVHS2X	SVHS connector - nickel	EHSVHS2X
EHSVHS2BX	SVHS connector - black	

PLATINUM TOOLS

ITEM	TYPE	
100004C	EZ - RJ45 Crimp Tool	
16220C	Sealsmart II compression tool, F, BNC, RCA	

PALADIN TOOLS

ITEM	TYPE	
1555	Sealstite Pro Crimper, F, BNC, RCA and more	

NEUTRIK ETHERCON - RJ45 TYPE

ITEM	TYPE	
NE8FDV-Y110	Nickel panel, vertical PCB mount, accepts NE8MC, punch down terminals	
NE8FDP	Nickel panel, D-shape, feedthrough receptacle, latch lock, accepts NE8MC	
NE8FDP-B	As NE8FDP, with black D-series metal flange	
NE8MC	RJ45 carrier for RJ45 plugs - shell, fixing disk, chuck, bush and boot	
NE8MC-B	As NE8MC, with black chromium shell	
NE8MC-B-1	NE8MC-B version with X series Neutrik black shell	
NE8FF	Feedthrough RJ45 coupler for cable extensions	
BSE-XX	Boot accessory for Ethercon series - XX - specify color	

CRIMP-ON MODULAR RJ45

ITEM	TYPE	
<b>BTX</b>		
CD-CAT6M	CAT6 plug	
<b>PLATINUM TOOLS</b>		
100003B	EZ-RJ45 plug for CAT5e (bag of 100)	
100026C	EZ-RJ11/12 plug (bag of 50)	
100020	EZ-RJ45 shielded CAT5e connector (bag of 50)	
100035	EZ-RJ45 CAT5e snagless boot (bag of 50)	
100036	EZ-RJ45 CAT6 snagless boot (bag of 50)	
100030	CAT6 strain relief (50 count)	
100004C	EZ-RJ45 crimp tool	
10004BL	Extra blades for crimp tool	
15015C	CAT5/5e cable jacket stripper	

FIREWIRE/USB ADAPTERS

ITEM	TYPE	
<b>NEUTRIK</b>		
NAUSB-W	USB A - USB B (reversible) - nickel	
NAUSB-W-B	USB A - USB B (reversible) - black	
NA1394-6-W	6-pole FireWire - nickel	

STAGE PIN CONNECTORS

ITEM	TYPE	
<b>ROSCO</b>		
12120	Male stage pin connector	
70005	Male stage pin to female Edison adapter	12120
<b>UNION</b>		
2P&GFC	Female stage pin connector	
2P&GMC	Male stage pin connector	

**PRICES FLUCTUATE, CALL OR SHOP  
FULLCOMPASS.COM FOR PRICING**

Shop [fullcompass.com](http://fullcompass.com) today!

For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central



AUDIO



MUSIC



COMPUTER AV



VIDEO



ACCESSORIES

