COMPUTER AV

ACCESSORIES

HEIL SOUND PL2T BROADCAST MICROPHONE BOOM The PL2T

"Topless" mount is a unique and versatile boom that utilizes a system of perfectly balanced internal springs to provide perfect balance and silent, effortless adjustment of its position. The PL2T easily handles microphones weighing up to 3.5lbs and accepts industry standard 5/8" 27-threaded mic clips

or shockmounts. It features a hollow channel to feed the microphone cable through, providing perfect cable maintenance. The PL2T is shipped with a standard "C" clamp mount that will accept a 1.5" thick table.

ITEM DESCRIPTION PL2T Microphone broadcast boom 120.00



MXL-BCD-STAND Broadcast boom arm, black ...




fessionally secure your microphone with 2 mounting options, a desk-mount clamp or desk insert. Holds up to 4.4lbs, is spring-loaded and features a 2-axis swivel mount for accurate mic positioning.

ITEM DESCRIPTION Desk-mounting microphone arm





99.00





stands, with a model to meet every need for recording, live performance, broadcast, educational or house or worship applications. All models feature steel construction and terminate in the industry standard 5/8" thread.

ITEM	DESCRIPTION	PRICE
MSI100-10B	Mic stand with 10" round iron base, 32.8"-60.9", 8 lbs	29.99
MSI200-10B	Mic stand with 10" round low-profile iron base, 32.8"-60.5", 8 lbs	44.99
MSS300-10B	Stackable mic stand with 10" iron base, 32.5"-59.5", 5 lbs	34.99
MST100-10B	Tripod mic stand with boom arm, 19"-29" height,	
	boom arm length 21"-33.5"	39.99
MST100-30B	Tripod mic stand with boom arm, 37.75"-65.5" height,	
	boom arm length 21"-33.5"	49.99

Triad Orbit TRIAD'S ARTICULATING LEGS HAVE 5 LOCKING STOP THREADING ORBIT 2 DUAL BALL POSITIONS W/ 659 IN A FLASH WIVEL DEFERS RANGE OF MOTION VIRTUALLY UNLIMITED POSITIONING TRIAD-ORBIT ADVANCED MIC **STAND SYSTEM** The proprietary articulating base provides the weight and stability of a large-diameter cast NEED A DIFFERENT iron base with a ratcheted, fully adjust-BOOM? NO WAITING, SPINNING, OR able footprint. All stands incorporate UNTHREADING Quick Change IO Couplers for quick and secure mic changes. The Orbit Booms feature the Micro Mic Adjuster, with ball-socket clutch for a wide range of motion (360°x220°). The O1 is a single boom arm, the O2 has a dual-arm design, INCLUDED ideal for dual-miking situations.

	3	•
ITEM	DESCRIPTION	PRICE
Triad Stands		
TRIAD-T1	Weighted articulating stand, 22.5"-42"	139.00
TRIAD-T2	Weighted articulating stand, 34.25"-61.5"	179.00
TRIAD-T3	Weighted articulating stand, dual air-loaded clutch, 30.5"-70".	219.00
T-ES	Elevator shaft 3ft extension with IO quick-change couplers	49.00
Orbit Booms		
ORBIT-01	Orbital boom arm, 360°-220°, 37.75"	109.00
ORBIT-02	Dual orbital boom arm, 360°-220°, 24"	199.00
IORBIT-1	Single-arm orbital Boom	99.00
IORBIT-2	Dual-arm orbital Boom	79.00
Micro Adapte	ers	
MICRO-M1	Micro with long stem, on ball joint, with IO	39.00
MICRO-M1-R	As above, with 5/8"-27 threads	39.00
	Micro with short stem, on ball joint, with 10	
MICRO-M2-R	As above, with 5/8"-27 threads	39.00
10 Couplers		
ORBIT-10-R	Retrofit quick-change coupler	39.00
	Retrofit quick-change coupler, 6-pack	
	Quick-change coupler mounting head	
ORBIT-10-H/6	Quick-change coupler mounting head, 6-pack	89.00






















































STAND/BOOM COMBINATIONS



ITEM	DESCRIPTION	STAND HEIGHT	BOOM LENGTH	PRICE
Atlas				
SB36W	.Air suspension w/casters.	50"-74"	62"	323.50
K&M				
210/2-BLACK	.201 A/2 Stand, 211 Boom	35"-63"	33"	79.99
	.Folding base			
210/8-BLACK	.Extendable boom	38"-65"	16.73"-28.54".	74.99
210/9-BLACK	.Compact	35"-65"	18"-30"	84.99
259	.Low level stand	20"-28"	18"-30"	84.99
27105B	Lightweight, foldable bas	e 35"-63"	32"	59.99
Latch Lake				
MICKING-2200-BLACK	.14" base, black	49"-7'	45.5"-7'3"	465.00
MICKING-2200-CHROME	.14" base, chrome	49"-7'	45.5"-7'3"	450.00
MICKING-3300-BLACK	.16" base, black	50.5"-10'	47"-10.45'	770.00
MICKING-3300-CHROME	.16" base, chrome	50.5"-10'	47"-10.45'	750.00
On-Stage				
MS7701B		36"-63"	30"	24.95
MS7701TB		36"-63"	19"-33"	29.95
MS7311B	.Kick drum/amp stand	14"-22"	17.5"	29.95
MS7411B	.Kick/amp stand, fold. bas	e17"-27"	19"	29.95
MS7920B	.Kick/amp stand, "U" base	e8"-14"	16"	26.95
Ultimate				
MC40	. 3-way boom adjust., tripod ba	ise36"-63"	32"	39.99
MC125	.Studio stand, wheeled ba	se47"-80"	29"-55"	199.99
Vu				
MST100-10B	.Tripod mic stand w/boom	19"-29"	21"-33.50"	39.99
MST100-30B	.Tripod mic stand w/boom	37.75"-65.5"	21"-33.5"	49.99
	•			





AKG		
KM231/1	Collapsible tripod table stand	15.00
Atlas		
DS2	Vibration isolation 4x5" base, 4" high	35.70
DS5	Desk stand 6" round iron base, 5" high	18.20
DS5E	As above, in black	16.84
DS7	6" round iron base, 8"-13" high	27.64
DS7E	As above, in black	26.28
	Wishbone base, 3" high	
Audio-Technic	ra Company	
AT8615	XLR mount	48.09
	XLR mount with switch	
K&M		
23105	Sturdy plastic base, folding legs, 5/8" thread	16.99
231/1	Small and lightweight, plastic case, folding legs, 5/8" t	hread 12.99
On-Stage	0 0 71 7 0 0 7	
DS7100B	4" height, 6" base diameter	8.95
	9"-13" height, 6" base diameter	
	Posi-Lok Boom desk stand, 6" base diameter	17.95
Ultimate IS_DMS50	Jam Stand, weighted round base, 9.1"-14.2" height, bla	ok 1/100





AKG KM235/1

MICROPHONE AND MIC STAND ACCESSORIES

AKG KM240/1

DESCRIPTION

ITEM







WHIRLWIND

PRICE






































AUDIX

AUDIX CABGRABBER MIC MOUNTING SYSTEMS

An innovative mic mounting solution for guitar amps and cabinets, the CabGrabber allows for precise microphone positioning. It requires no tools, and its adjust-

able, tension held mic arm hand tightens firmly into position. It will hold microphones up to 1lb. It works on cabinets with a flat surface or a recessed edge that are 8"-14" deep. The CabGrabber-XL fits 14"-20" cabinets and amps.


ITEM	DESCRIPTION	PRICE
CAB-GRAB1	Mic clamp for amps and cabinets, 8"-14"	49.95
CAB-GRAB-XL	Mic clamp for amps and cabinets, 14"-20"	59.95





THE KELLY SHU KICK DRUM MOUNTING SYSTEM

Unique mounting design saves valuable stage floor space, stops unwanted noise signals and saves time at set-up and tear-down. It's suspended on rubber anti-shock cords, totally isolating the bass drum mic from vibrations of the kick drum and sounds stage booth. It can be mounted inside the shell or to the front of the kick. The composite version uses high-





AKG		
	5/8" female to 3/8" male adapter	00
	Adjustable stereo microphone bar	
	Clamp for table edges	
	Boom arm for middle of mic stand	
Atlas		
ADAR	3/8" long male thread adapter	73
AD4D	5/8" female to 5/8" female adapter	73
	7/8" female to 5/8" female coupler	
	3" tube 5/8" thread	
	6" tube 5/8" thread	
	5/8" female flange-mount round	
	5/8" female flange, black	
	5/8" male flange-mount, round	
	5/8" male flange, black	
AD12D-L	Right-angle pipe with M and F 5/8" thread	52
	Feed-through 5/8" F to 5/8" M	
	45° pipe with M and F 5/8" thread	
	6" gooseneck, chrome	
	As above, in black	
	13" gooseneck chrome	
	As above, in black	
	19" gooseneck chrome	
	As above, in black	
LO2B	Lock-On accessory, between stand and mic clip, sliver	12
	As above, in black	
	Twin mic mount for 2 or 3 mics, silver	
	As above, in black	
Audio-Technica	,	
AT8469	Hot-shoe to 5/8" male adapter	54
AT8469	Hot-shoe to 5/8" male adapter	54 51
AT8469 AT8410A	Hot-shoe to 5/8" male adapter	54 51
AT8469 AT8410A	Universal shockmount	51
AT8469 AT8410A <i>Hosa</i> MHR122	Hot-shoe to 5/8" male adapter	51
AT8469 AT8410A Hosa MHR122	Universal shockmount	51
AT8469 AT8410A Hosa MHR122	Universal shockmount	51 34
AT8469	Universal shockmount	51 34
AT8469	Universal shockmount	51 34 99
AT8469	Universal shockmount	51 34 99
AT8469	Universal shockmount	51 34 99 99
AT8469	Universal shockmount	51 34 99 99 99
AT8469	Universal shockmount	51 34 99 99 99
AT8469	Universal shockmount	51 34 99 99 99 99
AT8469	Universal shockmount	51 34 99 99 99 99 99
AT8469	Universal shockmount	51 34 99 99 99 99 99 99
AT8469AT8410A	Universal shockmount	51 34 99 99 99 99 99 99
AT8469	Universal shockmount	51 34 99 99 99 99 99 99 99
AT8469	Universal shockmount	51 34 99 99 99 99 99 99 99 99
AT8469 AT8410A Hosa MHR122 K&M 19780 216 218 223-BLACK 223-NICKEL 224-NICKEL 225-BLACK 225-NICKEL 2350 238-BLACK 238-BLACK 240/5	Universal shockmount	51 34 99 99 99 99 99 99 99 99
AT8469	Universal shockmount	51 34 99 99 99 99 99 99 99 99 99
AT8469	Universal shockmount	51 34 99 99 99 99 99 99 99 99 99
AT8469	Universal shockmount	51 34 99 99 99 99 99 99 99 99 99
AT8469 AT8410A Hosa MHR122 K&M 19780 216 218 223-BLACK 223-NICKEL 224-NICKEL 225-BLACK 225-NICKEL 2350 238-BLACK 240/5 Ultimate JS-GN6 JS-GN6 JS-MC9 Whirlwind	Universal shockmount	51 34 99 99 99 99 99 99 99 99 99
AT8469 AT8410A Hosa MHR122 K&M 19780 216 218 223-BLACK 223-NICKEL 224-NICKEL 225-NICKEL 23550 236 238-BLACK 240/5 Ultimate JS-GN6 JS-MC9 Whirlwind MIC-CLIP	Universal shockmount	51 34 99 99 99 99 99 99 99 99 99 99
AT8469	Universal shockmount	51 34 99 99 99 99 99 99 99 99 99 99 99 99
AT8469	Universal shockmount	51 34 99 99 99 99 99 99 99 99 99 99 99 99

....... 5/8"-27 to 1/4"-20 thread adapter ..

M12

