

ALTMAN Q-LITE OPEN FACE FIXTURE

These open-face luminaires are compact, lightweight, multipurpose flood/fill lights ideal for stage, studio and location lighting applications. Designed to operate high color-temperature tungsten halogen lamps, they are well suited for use in tight or



confined spaces where maximum light output and beam spread are required for fill or flood lighting. The Q-Lite is rated for up to 1000W lamps, and the Q-Lite Jr. is rated for up to 650W. 36" Power lead. Lamps not included.

ITEM	DESCRIPTION	PRICE
Q-LITE	. 1000W open face fixture	176.25
Q-LITE-JR	. 650W open face fixture	157.50
QL-BD4	. Barn door for Q-LITE	33.00
QL-JR-BD4	. Barn door for Q-LITE-JR	27.75
FCM-EIKO	. 1000W, 3200K lamp	6.29



ELATION LIGHTING TVL3000 II LED TV/BROADCAST LIGHT

This fixture features (24) 3W white LEDs, flicker-free dimming, convection cooling, an included beam angle lens kit (10°, 25°, 40°, 60°), manual and 1-channel DMX operation modes, adjustable barn doors, Powercon in/out, and a max. power consumption of 70W. Works great as a replacement for keylights and headlights.



Please contact your Sales Pro to discuss available mounting bracket accessories.

ITEM	DESCRIPTION	PRICE
TVL-3000-II/CW	. 5000K Cool White LED broadcast light	1199.99
TVL-3000-II/DW	. 3200-5600K Variable/Dynamic White version	1199.99
TVL-3000-II/WW	. 3200K Warm White version	1199.99
TVL3BAT	. Rechargeable battery back for 2x TVL3000 II	899.99



BOWENS

BOWENS GEMINI 750PRO (X2) KIT

This two-head studio lighting kit is great for beginning photographers or those looking for a versatile kit with plenty of accessories. Includes (2) Gemini 750Pro lights, a Pulsar Radio Trigger and Receiver Card, a 60x80 cm softbox, 90cm umbrella, a 120° wide angle reflector, (2) stands, (2) flash tubes, (2) power cords, (2) lamps, a sync lead, and a rolling case.



ITEM	DESCRIPTION	PRICE
BW-8710TXUS	Two-head Gemini 750Pro Lighting Kit	. 2099.00

ìkan

IKAN SL120 STUDIO LED LIGHT The SL120 is outfitted with 120 high-intensity "Cree"-style emitters which provide a high color rendering index of 91, making it a great choice for studio use. Features of particular note include barn doors with Intensifiers, DMX 512 control of onboard dimmer and an aluminum heat sink to cool the unit. A yoke mount is included.



MUSIC

التنيين

COMPUTER AV

TEM	DESCRIPTION	PRICE
SL120	Studio LED Light Fixture	2159.00

BOWENS GEMINI 400RX KIT

This two-light kit is great for photographers at every level of expertise and works well in studios and on location. Includes (2) Gemini 400Rx flash heads with built-in Pulsar Radio Receivers, a Pulsar Tx Radio Trigger, (2) 90cm umbrellas, (2) wide angle reflectors, (2) stands, a carry case, 250W modelling lamps, cables, and a sync cord. Features include fast 1.2s recycling, 1/1000s quick flash duration (both onboard features), and a full 5-stop flash power range that also controls the proportional modelling lamp.




ITEM	DESCRIPTION	PRICE
BW-4765TXUS	Two-light Gemini 400Rx Kit	849.00

Litepanels

LITEPANELS INCA™ LED FRESNELS

These DMX-controllable tungsten-balanced fixtures are for use in applications where LED lighting needs to match existing incandescent (or other equally warm) lights. The Inca's controllability and light-shaping properties are similar to those of the average Fresnel, but they



your Sales Pro.		
ITEM	DESCRIPTION	PRICE
906-4003	. Inca 4, 4" tungsten LED Fresnel	999.00
906-2003	. Inca 6, 6" tungsten LED Fresnel	1796.00



TEM	DESCRIPTION	PRICE
06-4003	. Inca 4, 4" tungsten LED Fresnel	. 999.00
06-2003	. Inca 6, 6" tungsten LED Fresnel	1796.00

LITEPANELS MICRO ON-CAMERA LED LIGHTS

A compact lighting tool for small DV camcorders, the Micro™ uses LED technology in an ultra-lightweight package. Operators will enjoy luminous, soft, directional lighting with the same warmth and great color characteristics that make Litepanels an integral part of television, broadcast news and feature production. The top-mounted dimming knob is ideal for DV and DSLR cameras. Micro™ runs off 4 standard AA batteries, MicroPro™ doubles the light output, uses 6 standard AA batteries and includes a carrying bag.

ITEM	DESCRIPTION	PRICE
905-1002	.25W on-camera LED light, ball head shoe mount, gels	. 198.00
905-2022	50W on-camera LED light, ball head shoe mount, gels, carrying bag	. 315.00











PORTRAIT REFLECTOR KIT

Designed specifically for portrait lighting applications, this kit includes a 60x80cm softbox, a 60° grid reflector, an 81 cm gold/silver reflector disc, (3) sizes of honeycomb grid, a back light reflector, 12 colored gels and filters, and a telescopic



ITEM	DESCRIPTION	PRICE
BW-6655	Portrait lighting accessory kit	595.00
















































LITEPANELS ASTRA 1X1 BI-COLOR

This one-square foot, tunable daylight-totungsten panel uses high-performance LEDs with custom-paired optics to offer enhanced color reproduction and output that is up to four times brighter than traditional LED

fixtures. Illuminates a wider area and provides a longer throw. Features also include ultra-smooth dimming with no noticeable color shift from 0-100%, flicker-free output at any frame rate or shutter angle, and dual user-selectable (active/passive) cooling modes. Optional control module offers DMX functionality.

ITEM	DESCRIPTION	PRICE
935-1003	ASTRA 1x1 Bi-Color	1350.00
900-3501	ASTRA 1x1 DMX control module	270 00



KUPO™ PROFESSIONAL LIGHTING SUPPORT AND GRIP EQUIPMENT

ITFM	DESCRIPTION	PRICE
• • • • • • • • • • • • • • • • • • • •	. 40" C Stand, Turtle Base, Kit, Chrome	
	. 20" C Stand, Turtle Base, Chrome	
	. 20" C Stand, Turtle Base, Black	
	. 20" C Stand, Turtle Base, Kit, Chrome	
	. 20" C Stand, Turtle Base, Kit, Black	
	. Low Mighty Stand	
	. Master Cine Stand	
KS500412	. Master High Cine Stand	240.00
KG600112	. High Overhead Roller Stand	370.00
	. High Roller Stand	
	. Junior Roller Stand	
	. 3 Section Crank Up Stand	
	. 2.5" Grip Head - Chrome	
	. 2.5" Grip Head - Black	
	. 20" Grip Arm - Chrome	
	. 20" Grip Arm - Black	
	. 40" Grip Arm - Chrome	
	. 40" Grip Arm - Black	
	. Articulated Arm	
	. Baby Drop Ceiling Adapter - 5/8" Stud	
	. Adapter 1-1/8" stud to 5/8" Stud	
	. 5/8" Receiver w/ 3/8" -16 Thread	
	. TVMP Adapter	
	. 25 lbs Velcro Sandbag - Empty	
KGU83311	. 35 Ibs Velcro Sandbag - Empty	32./5

Follow Us!

LOWEL PRO™ POWER LED 2 + 3 LIGHT KITS

For "run and gun" location lighting, Lowel's PRO Power LED Series Lighting Kits offer wide focus range Fresnel lenses and powerful output; allowing you to light from greater distances in order to get more of your location into your shot. The



ITEM	DESCRIPTION	PRICE
G5-92DA	2-Light LED Daylight AC Kit with hard case	1513.34
G5-92DALB	As above, with soft case	1425.36
G5-92TU	2-Light LED Tungsten AC Kit with hard case	1513.34
G5-92TULB	As above, with soft case	1425.36
G5-93DA	3-Light LED Daylight AC Kit	2252.43
G5-93TU	3-Light LED Tungsten AC Kit	2252.43

LOWEL PRIME LOCATION™ LEDS

Lowel's most rugged LED system yet, the Prime LocationTM LED light fixtures are sturdy, highly weather resistant, and feature high output. Manually dimmable with no color shift, with quiet fanless operation that comes in these color options: Tungsten, Daylight, and BiColor (Tungsten/ Daylight). Included standard with the light fixtures is a gel frame, battery



mount plate (V-Lock or Gold Mount options), safety cable, female stand fitting, and 16' AC switched AC cable (PC1-810). Prime Location 1 or 2 light kits are also available.

ITEM	DESCRIPTION	PRICE
PL-01ADA	LED Daylight Fixture, with Gold Mount battery plate	. 1510.64
PL-01ATU	LED Tungsten Fixture, as above	. 1510.64
PL-01VDA	LED Daylight Fixture, with V-Lock battery plate	. 1510.64
	LED Tungsten Fixture, as above	
PL-01ABC	LED BiColor Fixture, with Gold Mount battery plate	. 1618.93
PL-01VBC	As above, with V-Lock battery plate	. 1618.93
PL-91ADA	LED Daylight 1-Light Kit, with Gold Mount battery plate	. 1759.71
PL-91ATU	LED Tungsten 1-Light Kit, as above	. 1759.71
PL-91VDA	LED Daylight 1-Light Kit, with V-Lock battery plate	. 1759.71
	LED Tungsten 1-Light Kit, as above	
	LED BiColor 1-Light Kit, with Gold Mount battery plate	
PL-91VBC	As above, with V-Lock battery plate	. 1864.76
PL-92ADA	LED Daylight 2-Light Kit, with Gold Mount battery plate	. 3439.85
PL-92ATU	LED Tungsten 2-Light Kit, as above	. 3439.85
	LED Daylight 2-Light Kit, with V-Lock battery plate	
PL-92VTU	LED Tungsten 2-Light Kit, as above	. 3439.85
PL-92ABC	LED BiColor 2-Light Kit, with Gold Mount battery plate	. 3384.06
PL-92VBC	As above, with V-Lock battery plate	. 3384.06
	Prime Location Barndoor Softening Set	
PL-132	Prime Location 20° Honeycomb grid	151.61
PL-133	Prime Location 30° Honeycomb grid	136.44

LOWEL TOTA-LIGHT BROAD SOURCE

Exceptionally wide-angle halogen source. Gull-wing reflector produces smooth, efficient light pattern. Watts: 750, 650, 500 and 300 at 120V; 800 at 220/240V. Light controls: umbrella, gel frame, flags, etc. Mounting system: stand, wall/door mount, clamps. Protective front screen. Closes compactly for storage and travel

compactly for our	-9
ITEM	DESCRIPTION
T1-10	Tota-light with 16' AC cable



LOWEL PRO-LIGHT. I-LIGHT

Portable lights for both AC and battery power. Features interchangeable reflectors, focus capability, inexpensive halogen lamps and a wide variety of accessories, including swing-away accessory holders. #2 (IP-17) re-flector and Prismatic glass (IP-52) is included.



ITEM DE	SCRIPTION	PRICE
	o-light, 120V AC 50-250W, 4' cable, 12' extension cable, stand link	133.42
I-01l-l	ight 12-14V, with 55W and 100W lamp, 4' cable with cigarette lighter.	
pl	ug, Low link, Cam-link, VIP Stand link and focus knob extension	174.34
I-02i-l	Light with 4-pin XLR connector	174.34
I-045I-I	_ight with Anton-Bauer tap	174.34
ID-01ID	-Light like i-Light with dimmer	284.27
ID-02ID	-Light with 4-pin XLR connector	284.27
ID-045ID	-Light with Anton Bauer tap	284.27




LOWEL RIFA-LITE For beautiful soft key or fill lighting. Compact, lightweight and self-contained. Woven glass front diffuser with exceptional heat resistance.

ITEM		PRICE
LC-44EX	Rifa-Lite 250W 16"x16"	356.27
LC-44EC/50	Egg crate for LC-44	151.02
LC-55EX	Rifa-Lite 500W 21"x21"	515.47
LC-55EC/40	Egg crate for LC-55	199.99
LC-66EX	Rifa-Lite 750W 25"x25"	598.84
LC-66D	Baffle for LC-66	144.48
LC-66EC/40	Egg Crate for LC-66	236.74
LC-88EX	Rifa-Lite 1000W 32"x32"	686.01
LC-88D	Baffle for LC-88	167.34
LC-88EC/40	Egg Crate for LC-88	285.71



MANFROTTO SPECTRA 1X1 FAMILY

Daylight balanced LED panels with full spectrum output; these units give flattering soft light with excellent color rendition and high fidelity color reproduction. These sturdy panels offer extreme portability with their slim, lightweight design, and dual-power (AC or professional battery) ability. Wide and narrow beam angle versions are available, all with adjustable light intensity. Careful



ITEM	DESCRIPTION	PRICE
MLS1X1F	Spectra 1x1 F-LED-1400lux, 5600K, Flood, Dimmable	999.99
MLS1X1FT	. Spectra Bi-Color-LED-1400lux, as above	1789.99
MLS1X1S	Spectra 1x1 S-LED-1700lux, 5600K, Spot. Dimmable	999.99

SEKONIC®

SEKONIC L-758CINE DIGITALMASTER

Offering the most extensive range of fps (frames-per-second), cine shutter speeds, and shutter angle settings, the Sekonic L-758Cine DigitalMaster meets the demands of professionals. Sekonic has automated the process of understanding the dynamic range of your camera and calibrating your meter to work with it. This process requires recording images of one of Sekonic's Exposure Profile Targets or one of X-Rite's ColorChecker series targets, available as a separate purchase. Once recorded, the processed TIFF or JPEG image files are imported into Sekonic's DTS software for processing and mapping. Measured data from industry-standard targets can also be entered manually.



After processing, a USB cable is used to transfer the data to one of the Sekonic L-758 meters. Up to 3 camera profiles can be stored in the meter. Any number of profiles can be stored with the software. Once loaded, the Sekonic L-758Cine makes incident and reflected-light spot readings that are precisely tuned to the dynamic range of the profiled camera.

ITEM	DESCRIPTION	PRICE
401-760	L-758Cine DigitalMaster light meter	. 822.00



SEKONIC L-478D LITEMASTER PRO The world's first touch-screen-operated light meter, the L-478D LiteMaster Pro has unique features for both still and motion story tellers. It's compact in size yet comfortable to use. The large 2.7" LCD displays ambient, flash, cine and a host of other information in a clear and understandable way. Settings are made by simply touching or sliding a finger over the screen. The L-478D can be quickly calibrated to your camera using Sekonic's Data Transfer software and either Sekonic or X-Rite Brand targets or by manually inputting

data to the DTS program or on the meter itself.

ITEM	DESCRIPTION	PRICE
401-478	. L-478D LiteMaster Pro light meter	339.00



SMITH VICTOR DIGILIGHT FLUORESCENT LIGHT KIT

This 1050W 3-light kit includes (3) DigiLight FL3 fluorescent lights, (9) 26W spiral fluorescent lamps, an MB110 mini boom arm, (3) Raven RS8 8 ft black aluminum light stands, and a lighting guide. The fixtures' reflectors are chemically etched for maximum light dispersion.

	· \	
ITEM	DESCRIPTION	P
KFL-33	3-light fluorescent lighting kit w/lamps, stands, etc	39







































































































SMITH VICTOR K78 PROFESSIONAL PORTRAIT LIGHTING KIT

This kit consists of (2) 765UM 600W quartz lights, (1) 750SG 1,000W quartz Broad Light, (2) Raven RS8 8' black aluminum light stand, (1) Raven RS13 13' air-cushioned black aluminum light stand, (1) MB150 boom arm, (1) 45" black-backed white umbrella,

on DYH 600W quartz lamp, (1) FHM 1,000W quartz lamp, (1) EYH 250W quartz lamp, (1) SBC1236 12"x36" strip soft box with mounting bracket, (1) wheeled soft case and (1) Imaging with Light lighting guide.

	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
ITEM	DESCRIPTION	PRICE
K78	Professional portrait kit	849.00



SMITH VICTOR KSB-1250 ECONOMY SOFTBOX LIGHT KIT

This softbox kit includes (2) SBL-2432 economy softbox lights, (1) SBL-1236 economy softbox light, (2) 500W ECT 3200K photoflood lamps, (1) 250W ECA 3200K photoflood lamp, (3) Raven RS8 8 ft black aluminum light stands, (1) MB110 mini boom arm, and a lighting guide. The softboxes feature a silver metallic lining inside for maximum brightness as well as a diffusion panel.

DESCRIPTION . 3-light softbox light kit ..

SMITH VICTOR KT900 PHOTOFLOOD KIT

KSB-1250.

This 1250W 3-light kit is great in a variety of applications and features (2) 12" reflectors with punch-out holes, (1) 5" reflector, (3) socket and cord sets with 5/8" stand mounts, (2) umbrella mounts, (2) 32" umbrellas, (2) 500W ECT photoflood lamps, (1) 250W ECA photoflood lamp, (3) Raven RS8 8 ft aluminum light stands, (1) MB110 mini boom arm, (1) wheeled soft case and a lighting guide.

ITEM DESCRIPTION		IPTION		
	KT900	3-light	photoflood	kit



≰westcott, **WESTCOTT ILLUSIONS**

PHOTO GREEN SCREEN SOFTWARE BUNDLE (LITE) This kit includes a 5'x7' wrin-

kle-resistant X-Drop green screen, PhotoKey Lite Software, (200) digital backdrops, (20) overlay graphics, and (2) wall hooks. Great for every level of expertise of photographer/ photo editor.

ITEM	DESCRIPTION	PRICE
417N	. Green screen with digital backgrounds and software	49.90

Follow Us!


westcott

BACKDROP KIT Designed for quick set-up and teardown, this 5'x7' green screen backdrop has telescoping legs and arms and is machine washable. Grommets along the top and bottom make hanging the backdrop easy and ensure that it remains taut. Includes a carry case that allows you to transport

three additional backdrops.



ITEM	DESCRIPTION	PRICE
579K	.5'x7' green screen backdrop with mounting stand and case	119.90



WESTCOTT TWO-SIDED BACKDROPS

Two-sided collapsible background gives the user two color choices in one bag. Includes two straps along the top edge for easy hanging and round, clear PVC carry case. All backgrounds are 6'x7'.

ITEM	DESCRIPTION	PRICE
6771	Rich Mocha/Heavenly Blue	219.90
	Smokey Gray/Midnight Blue	
6770	Bracken Brown/April Showers	219.90
6768	Autumn Red/Pearl	213.63
6772	Black/White	219.90



WESTCOTT BACKGROUND SUPPORT SYSTEM The Background Support System uses two 10' H air-cushioned stands with a three-section cross bar that extends up to 10.5". The system also allows for mounting a second crossbar and background. Includes carry case.

ITEM DESCRIPTION PRICE Background support system..





