



FENDER EXPO PORTABLE LINE ARRAY

Perfect for DJs, houses of worship, educators or anyone who needs to reach an audience of up to 300 people. This 2-channel powered speaker array generates crystal-clear audio, courtesy of its integrated subwoofer with isolation stabilizers and Class 'D' power amp. The MHF array consists of 8 custom-designed 3" neodymium drivers which are then matched to (2) 6.5" ferrite subwoofers and a 1" neodymium tweeter for precise sound and clarity. I/O consists of (2) line-level stereo XLR-1/4" combo jacks and one stereo RCA line input. Its small-footprint design ensures placement almost anywhere in space-challenged venues such as coffeehouses, while the EXPO's™ detachable vertical MHF array makes it easy to transport. Multiple systems can be daisy-chained to cover even larger audiences.



ITEM	DESCRIPTION	PRICE
EXPO	Portable line array	999.99
Accessories		
EXPO-CASE	Transport case for EXPO	27.77
EXPO-COVER	Dust cover for EXPO	19.84

FENDER PASSPORT PORTABLE PA SYSTEMS

Available with integrated 5-, 7- or 10-channel mixers, these easy-to-operate portable PA systems provide crystal-clear sound and are ideal for sporting events, conferences and small to medium venues. All models offer per-channel pad, volume and tone controls as well as 1/4" and XLR mic/line inputs, stereo 1/8" input for media devices, 1/8" stereo output for headphone monitoring, Fender Special Design speakers and include (2) speaker cables and a detachable power cable. CONFERENCE and EVENT include a microphone kit containing a handheld dynamic microphone, clip, XLR cable and zippered pouch. EVENT and VENUE are equipped with a Sub output with high-pass filter for use with a powered subwoofer and Mono output for use with powered monitors. EVENT is equipped with Bluetooth, allowing for wireless audio streaming from a mobile device; VENUE offers onboard reverb and USB recording/playback of WAV and MP3 files allowing you to add background music or record performances easily.



PASSPORT-CONFERENCE

ITEM	DESCRIPTION	PRICE
PASSPORT-CONFERENCE	5-channel 175W portable PA system	399.99
PASSPORT-EVENT	7-channel 375W portable PA system with Bluetooth	699.99
PASSPORT-VENUE	10-channel 600W portable PA system with USB record/playback	999.99

SAMSON

SAMSON XP1000 PORTABLE PA WITH BLUETOOTH®

This all-in-one sound system is Bluetooth-enabled, so it can be paired with a smartphone, laptop or tablet to play your music without any need for cables. A removable 10-channel mixer with 16 presets of 24-bit digital effects powers the XP1000 with a 1,000W (2x500W) lightweight Class D amplifier. The mixer features four Mic/Line channels with XLR and 1/4" inputs and three stereo channels (2 with 1/4" inputs, one with RCA inputs). It also features a USB input for use with Samson's USB Digital Wireless system (sold separately). The XP1000's 2-way vented speakers have 10" LF drivers and custom 1" HF drivers with 60°x90° coverage. Other features include 2-band EQ on each channel, phantom power, 2 1/4" monitor outputs, 2 RCA outputs for external recorders, 6-segment level meter and an integrated 1-3/8" pole mount socket.



ITEM	DESCRIPTION	PRICE
XP1000	Portable PA, 10ch mixer, 2x500W	799.99
XPD1	USB wireless microphone system	79.99

SAMSON EXPEDITION EXPRESS PORTABLE PA WITH BLUETOOTH

This all-in-one portable PA is perfect for parties, presentations and classrooms and features Bluetooth wireless connectivity for smartphones, tablets or laptops. The full-range 2-way speaker design (6" woofer/1" tweeter) is combined with a 3-channel mixer offering a combo XLR/1/4" input for mic- or line-level signals, 1/4" input for guitars and line-level devices, 1/8" input for MP3 devices and tone controls for shaping your sound. This system weighs only 10lbs, has an integrated ergonomic top carry handle, a 1-3/8" speaker stand mount and includes an internal rechargeable battery good for over 10 hours of continuous use.



ITEM	DESCRIPTION	PRICE
EXPEDITION-EXPRESS	Portable PA system with Bluetooth	199.99

SAMSON XP106 & XP106W PORTABLE PA SYSTEMS WITH BLUETOOTH®

These portable PAs are packed with features, including Bluetooth connectivity and built-in mixers. Each model comes complete with a dynamic handheld microphone (wired for the XP106, wireless for the XP106W). Both models feature a 6" LF driver and a 1" HF driver, a lightweight 100W Class D amplifier and a rechargeable battery which offers up to eight hours of continuous use. Inputs are provided via an XLR-1/4" combo jack, 1/4" instrument jack and a 1/8" input jack. A link output allows multiple XP106 units to be cascaded together. Both models feature a USB wireless port for integrating Samson's XPD1 USB Digital Wireless System (standard with the XP106W, sold separately from the XP106).



ITEM	DESCRIPTION	PRICE
XP106	Portable PA, 100W, wired microphone	249.99
XP106W	Portable PA, 100W, wireless microphone	299.99
XPD1	USB Wireless microphone system	79.99

SAMSON XP40I PORTABLE PA SYSTEM

The Expedition 40i employs a 6" woofer and a 1" high frequency driver. The unit features a 40W Class 'D' amplifier that is matched to the driver for high efficiency and low current draw. An iPod dock lets you incorporate songs or other MP3s into your performance. Bass and treble controls allow you to tweak your sound to match your specific setting and audience. A rechargeable battery provides the XP40i with enhanced mobility. In addition, a 1/4" link in/out jack allows 2 systems to link together to create a stereo setup. This lightweight (16.75lbs), stand-mountable PA system also features a top handle for easy transport. The XP40iw adds a built-in VHF wireless microphone system that's ideal for any number of vocal applications.



ORDERING INFO: (XP40IW ONLY)	OPERATES AT THIS FIXED FREQUENCY:
CH6, TVCH 10	192.6 MHz
CH7, TVCH 10	195.6 MHz
CH8, TVCH10	196.6 MHz
CH11, TVCH 12	208.2 MHz

ITEM	DESCRIPTION	PRICE
XP40I	40W portable PA system with iPod dock	199.99
XP40IW	As above, with built-in wireless receiver (select frequency)	239.99





ANCHOR AUDIO EXPLORER PRO SOUND SYSTEM

Perfect for sound projection in indoor or outdoor settings and playing music during school activities for crowds up to 800 people. Rapid charger circuitry replenishes drained battery in as little as 60 minutes, and there is an LED display for battery level and charge state. Controls include volume, bass and treble and speech projection switch. It also has a "voiceover" music-ducking feature. It has (2) XLR/1/4" combo input jacks, (with 12V phantom power), (2) 1/4" line outputs, and a 4-pole Speakon output. Has true AC/DC, a 110/220 power supply and improved battery life. All units carry a 6-year manufacturer's warranty. Call for information on deluxe package configurations that include speaker stands, wireless receivers, and other accessories (models begin with EBP7500-xxx or EDP7500-xxx).

ORDERING INFO: (For models with UHF receivers built-in only) Default band, TVCH 49-51	OPERATES IN THIS RANGE: 682.000-698.000MHz
----------------------------------------------------------------------------------------------------	------------------------------------------------------

ITEM	DESCRIPTION	PRICE
EXP7500	Basic Explorer system - 6.5" 2-way speaker, active, 75W, AC/DC, 80Hz-16kHz, 110dB max SPL @ 1 meter, 23lbs	825.00
EXP7500U1	As EXP7500, with 1 built-in UHF wireless receiver (no mic)	955.00
EXP7500U2	As EXP7500, with 2 built-in UHF wireless receivers (no mics)	1115.00
EXP7501	Unpowered companion speaker for above models	280.00
SS550	Speaker stand	120.00
NL-EXP	Nylon slip cover for the Explorer	40.00



ANCHOR AUDIO AN1000X+ POWERED MINI SPEAKER

Reach crowds of up to 400 people with this AC powered mini speaker. It is magnetically shielded and has XLR mic/line, RCA and 1/4" line inputs, RCA line out for recording or daisy chaining, 1/4" external speaker output (on AN1001X+ only), bass and treble controls. All models carry a 6-year manufacturer's warranty.



ITEM	DESCRIPTION	PRICE
AN1000X+	4.5" 2-way 50W active speaker, 65Hz-20kHz, 103dB max SPL	317.00
AN1001X+	Unpowered extension speaker	120.00
SS250	Speaker stand	96.00
CC100XL	Large carry bag	48.00
RM1	Rackmount, single, 3RU	27.00
RM12	Rackmount, double, 3RU	80.00

ANCHOR AUDIO AN130+ POWERED MINI SPEAKER

Can reach crowds of up to 100 people, has 30W of amplification, and weighs just 9 lbs. It has a magnetically-shielded carbon fiber speaker, 1/4" mic in, 1/4" line in, RCA stereo line input jacks, 1/4" line output jack, bass and treble controls. Comes in black or white.



ORDERING INFO: (For models with UHF receivers built-in only) Default band, TVCH 49-51	OPERATES IN THIS RANGE: 682.000-698.000MHz
----------------------------------------------------------------------------------------------------	------------------------------------------------------

ITEM	DESCRIPTION	PRICE
AN130+	4.5" 2-way speaker, active, 30W, 65Hz-18kHz, 106dB max SPL, white	199.00
AN130BK+	As above, in black	199.00
AN130U1+	As AN130+, with built-in 16-channel UHF wireless receiver, no mic	359.00
AN130U1BK+	As above, in black	359.00
AN130RC+	As AN130U1+, with remote control	231.00
AN130RCBK+	As above, in black	231.00
REMOTE-130	Optional infrared remote control (included with RC models)	24.00
SS250	Speaker stand	96.00
CC100XL	Carrying bag, large	48.00

ANCHOR AUDIO WIRELESS TRANSMITTERS/ MICS FOR AN130+, BEACON, LIBERTY AND EXPLORER SYSTEMS

ITEM	DESCRIPTION	PRICE
WH6000	Wireless handheld mic/transmitter	320.00
WB6000	Wireless bodypack transmitter with hands-free microphone	240.00
EM-TA4F	UltraLite over the ear mic (tan) with TA4F for WB6000	80.00
CM60	Collar mic with TA4F for WB6000	80.00
LM60	Lapel mic with TA4F for WB6000	80.00
HBM-TA4F	Headband mic with TA4F for WB6000	80.00
MIC90	Cardioid pattern handheld wired mic	104.00



ANCHOR AUDIO LIBERTY PORTABLE SOUND SYSTEMS

Ideal for reaching crowds of up to 2,000+, Anchor's Liberty Series feature true AC/DC operation, a 110/220 power supply, heavy-duty lead-acid batteries with built-in charger, and a durable injection-molded case. Controls include volume, bass and treble and speech projection switch. It has (2) XLR/1/4" combo input jacks, 1/4" line input and Bluetooth receiver. Outputs include a 1/4" line output, and (2) 1/4" speaker outputs. All units carry a 6-year manufacturer's warranty. Call for information on deluxe package configurations that include speaker stands, wireless receivers with mic transmitters and other accessories (models begin with LBP7500-xxx, or LDP7500-xxx).



ORDERING INFO: (For models with UHF receivers built-in only) Default band, TVCH 49-51	OPERATES IN THIS RANGE: 682.000-698.000MHz
----------------------------------------------------------------------------------------------------	------------------------------------------------------

ITEM	DESCRIPTION	PRICE
LIB7500	Basic Liberty system - 10" 2-way speaker, active, 125W AC/100W DC, 60Hz-15kHz, 110dB max SPL (projection on), 38lbs	1690.00
LIB7500M	As LIB7500, with built-in MP3 Player	1491.00
LIB7500U1	As LIB7500, with built-in UHF wireless receiver (no mic)	1527.00
LIB7500MU1	As LIB7500, with built-in MP3 player and UHF wireless recvr (no mic)	1767.00
LIB7500U2	As LIB7500, with built-in UHF wireless receivers (no mics)	1781.00
LIB7500MU2	As LIB7500, with built-in MP3 player and 2 UHF wireless recvrs (no mics)	1903.00
LIB7501	Unpowered companion speaker	280.00
NL7500	Nylon storage cover	44.00

ANCHOR AUDIO BEACON 7500 PORTABLE LINE ARRAY SOUND SYSTEM

This system combines the clarity and smooth coverage of a line array system with an enclosure that eliminates the need for a stand. It includes three 8" woofers and an array of eight 4" mid-range speakers that deploy up to a height of 6'. An integrated Bluetooth receiver is standard to all models. Provides a 120° pattern for 500' of coverage - allowing you to cover the area of a football field with just one system. Includes two 12V rechargeable, 9.0AH batteries (7hrs to fully recharge). Units carry a 6-year manufacturer's warranty.



ORDERING INFO: (For models with UHF receivers built-in only) Default band, TVCH 49-51	OPERATES IN THIS RANGE: 682.000-698.000MHz
----------------------------------------------------------------------------------------------------	------------------------------------------------------

ITEM	DESCRIPTION	PRICE
BEA7500	AC/DC powered portable line array system, 150W AC, 125W DC	2695.00
BEA7500M	As BEA7500, with built-in MP3 player	2215.00
BEA7500U1	As BEA7500, with 1 built-in wireless receiver, no mic	2215.00
BEA7500U2	As BEA7500, with 2 built-in wireless receivers, no mic	2375.00
BEA7500MU1	BEA7500 with built-in MP3 player and 1 built-in wireless receiver, no mic	2375.00
BEA7500MU2	As BEA7500MU1, with 2 built-in wireless receivers, no mic	2535.00



- AUDIO
- COMPUTER AV
- MUSIC
- VIDEO
- LIGHTS
- ACCESSORIES



Follow Us!

We offer over 700 brands, low prices and outstanding service.

ANCHOR AUDIO INC.

Portable Sound Systems

WIRELESS INTERCOM

ProLink 500

- ❖ Full duplex Communication
- ❖ Transmits up to 500' Line of Sight
- ❖ A/B Channel Selection
- ❖ "Push to Talk" or "Always On" Modes



SPEAKER MONITOR

AN-130+

- ❖ AC Powered
- ❖ Optional Built-in Wireless Receiver
- ❖ 30W Amplifier
- ❖ Lightweight Only 8.5 lbs
- ❖ RCA Line Input, 1/4" Line Input & 1/4" Mic-In
- ❖ Bass & Treble Controls



SOUND SYSTEMS

Beacon

- ❖ True AC/DC Power Supply
- ❖ 150W AC Mode / 125W DC Mode
- ❖ Reaches Crowds of 2500+
- ❖ Comes Standard with Bluetooth
- ❖ Up to Two Built-in Wireless Receivers
- ❖ Optional Built-in CD/MP3 Combo Player

BLUETOOTH

Go Getter

- ❖ True AC/DC Power Supply
- ❖ 75W AC Mode / 50W DC Mode
- ❖ Reaches Crowds of 500+
- ❖ Comes Standard with Bluetooth
- ❖ Up to Two Built-in Wireless Receivers
- ❖ Optional CD/MP3 Combo Player
- ❖ Lightweight - Only 23 lbs.



800-356-5844
fullcompass.com

- AUDIO
- VIDEO
- COMPUTER AV
- LIGHTS
- ACCESSORIES



**ANCHOR AUDIO
GO GETTER
LIGHTWEIGHT PORTABLE
SOUND SYSTEM**

A full-featured, lightweight, battery-powered sound system perfect for schools, houses of worship, rentals and more. It offers full-range sound, portability and has options for wireless and CD/MP3 players. It offers 110dB of crystal clear sound and runs up to 8 hours on a single charge. Its two-way system is comprised of a 6.5" LF driver and a high-output horn tweeter and is ideal for both voice and music reproduction. On the back panel, I/O consists of two XLR-1/4" combo jacks, an integrated Bluetooth receiver and an external speaker output. For more information regarding options and configurations shop www.fullcompass.com or call a Sales Pro today.



ITEM	DESCRIPTION	PRICE
GBP/WB6000	Go Getter Wireless package, with wireless receiver, body pack and choice of microphone	995.00
GBP/WH6000	Go Getter wireless package, with wireless receiver and handheld transmitter	995.00



**ANCHOR
AUDIO AN-MINI
WIRELESS DELUXE PACKAGE**

This compact, portable speaker delivers up to 109dB of sound to crowds of 50+ people, and weighs only 2.5 lbs. The 4.5" neodymium woofer is matched with a 30W amp and 16-channel UHF diversity wireless receiver to create a system that's ideal for indoor or outdoor assemblies. The line-in jack allows iPod, CD player or MP3 player connections. The speaker is powered by 10 AA batteries for up to 12 hours of operation. Package includes RC-30 battery recharge kit, choice of wireless handheld (WH-6000) or bodypack (WB-6000) transmitter and choice of CM-50 collar, EM-TA4F UltraLite, HBM-TA4F Headband or LM-60 lapel microphones (mic choice is available only when WB-6000 is selected).

ITEM	DESCRIPTION	PRICE
AN-MINIDP	Wireless portable speaker deluxe package	735.00



**BEHRINGER B205D ACTIVE
PA/MONITOR SPEAKER**

This multi-purpose 150W active speaker features a lightweight Class 'D' amplifier, 5.25" full-range neodymium driver, 3-channel mixer with 3-band EQ, 2 mic preamps with phantom power, 1 instrument input (no DI required), and an XLR "through" connector with mic/line switch for linking more B205Ds. It can be mounted on a mic stand and is housed in an impact-resistant enclosure with integrated handle.



ITEM	DESCRIPTION	PRICE
B205D-EUROLIVE	5.25" speaker, 150W	199.99



**LUCASNANO300
SHOWING STOWED SATELLITES**



HK AUDIO LUCAS NANO 300 SYSTEM

This extremely small, lightweight portable PA system consists of a compact subwoofer and 2 small satellites which together produce a sound rivaling that of much larger systems. The entire system is capable of SPL levels up to 118dB. The sub houses a Class 'D' power amp with 1x160W for the sub and 2x35W or 1x70W for the satellites. It also includes a 3-channel mixer with ports for microphones, instruments and line signals. The satellites stow away in the subwoofer for easy transport, and the entire package weighs less than 22 lbs.

ITEM	DESCRIPTION	PRICE
LUCASNANO300	Portable PA system - (1) sub, (2) satellites	699.99
LUCASPOLES	Add-on package with (1) tripod, (2) mounting poles, (2) speaker cables	129.99
LUCASMOUNTS	Add-on package with (2) table-top/wall-mounts, (2) speaker cables	99.99
LUCASROLLER	Rolling bag for LUCASNANO300 system	129.99

MACKIE

MACKIE SRM150 COMPACT ACTIVE PA SYSTEM

This extremely portable system features a 3-channel mixer with 3-band active EQ, 2 mic/line preamps with 48V phantom power, instrument ready input, dedicated stereo channel for keyboards, CD, MP3, and iPods, and a XLR thru for linking multiple SRM150's or a direct send to the main PA. It has a 5.35" neodymium driver, system protection with built-in limiter, built-in top carry handle, mic stand integration system, and a tough impact-resistant polypropylene enclosure.



ITEM	DESCRIPTION	PRICE
SRM150	5" active PA system, 150W, 100Hz-17.5kHz	249.99



**SENNHEISER LSP-500-PRO
BATTERY-POWERED PORTABLE PA SYSTEM**

The LSP-500-PRO boasts up to 3 wireless microphone links, Bluetooth® music streaming and a built-in USB player/recorder for optimum audio connectivity. It uses a 2-way acoustic design with 8" woofer and 3/4" compression driver. Wireless microphone integration is made possible via ew500 series microphones and receivers. The 55W Class 'D' amplifier provides up to 6 hours of operation (3 hours per battery) and its dual batteries are hot-swappable. Remote control via iPad is possible with the free LSP-500-PRO app and a WiFi router (sold separately). Other features include a 3-band semi-parametric EQ and a pole mount socket.



**SHOWN WITH WIRELESS
MODULES - SOLD SEPARATELY**

ITEM	DESCRIPTION	PRICE
LSP-500-PRO	Portable PA, battery powered, 55W	2699.95



Follow Us!

Our Sales Pros will provide you with the solutions you need.

SAVES TIME. YOURS.

LSP 500 PRO



Introducing LSP 500 PRO, Sennheiser's fully integrated solution for wireless PA applications. LSP 500 PRO offers a wide range of audio inputs and connectivity, as well as full iPad control to create a range of systems from a single speaker to a large venue with up to 20 operating as a complete system.

HOT SWAPPABLE AND UNSTOPPABLE

LSP 500 PRO features slots for two rechargeable lithium-ion batteries. Batteries can be hot-swapped during operation, with absolutely no interruption to your event's audio. LSP 500 PRO operates for up to six hours, uninterrupted, on two fully-charged battery packs. As one battery depletes, LSP 500 PRO seamlessly switches to the second. Hot-swapping batteries allows you to keep the event running indefinitely. Each battery includes a five position charge indicator, allowing you to verify status before deploying. During operation, battery strength can be continuously monitored by an integrated iPad app, which keeps you fully informed. Between events, the LSP 500 PRO can plug into AC power, which fully recharges any inserted batteries.

COMPLETELY WIRELESS

LSP 500 PRO features three slots for integrating wireless systems

from Sennheiser's highly-acclaimed evolution Wireless G3 series. Load the system as needed for your events – LSP 500 PRO can support up to three independent handheld or bodypack transmitters. The third slot can also be used for a transmitter, which can be used to send all audio from your "master" unit to a series of "satellite" speakers. Internally, a color-coded cabling harness provides all the required connections for audio, power and data.

In addition to the three wireless receiver slots, audio can also be integrated via Bluetooth streaming. LSP 500 allows you to pair your mobile device and stream audio remotely. Audio can also be streamed from a USB device, such as a thumb drive. The USB connection can also be used to record the event. Additional inputs are also provided for a wide range of hard-wired connections. An XLR input with +48V phantom power allows any wired mic to be incorporated. A pair of RCA connectors also allows you to connect any computer, media card, or DVD player as needed.

ALWAYS UNDER YOUR CONTROL

LSP 500 PRO keeps control at your fingertips with an innovative, fully integrated iPad App. The App allows

you to monitor and adjust volumes for all audio sources, from wireless slots to hard-wired connections. For larger systems, the App provides complete control over as many as 20 units. Units can be grouped together for broader control, or adjusted individually as needed. Delay times between speakers can be set quickly and easily – either by distance (in feet) or by time (in milliseconds), providing complete flexibility. The App also includes an integrated equalizer and compressor for every input, allowing complete control over the event.

FAST SETUP. GREAT RESULTS

LSP 500 PRO is a breeze to transport, fast to set up, and simple to operate. An integrated pole mount with tilt function allows you to set up the LSP 500 PRO on any available speaker stand, and quickly adjust for the proper angle for your audience. When you need to move fast, LSP 500 PRO is ready to go. No wires necessary.

LEARN MORE ABOUT LSP 500 PRO:

bit.ly/_LSP500



800-356-5844
fullcompass.com



TC HELICON
VOCAL TECHNOLOGIES

TC HELICON VOICESOLO FX150 PERSONAL PA & VOCAL PROCESSOR

The FX150 is an all-in-one personal PA, vocal monitor, instrument amplifier and vocal reverb unit. It features a 3-channel digital mixer with TC voice processing, Reverb, intelligent EQ and Compression. Its 150W amplifier drives a 6.5" 2-way coaxial Tannoy speaker with clarity and power. The mixer section has XLR-1/4" combo inputs, XLR through and output jacks and 3-band EQ on each channel.

ITEM	DESCRIPTION	PRICE
FX150	150W, 6.5" portable PA & vocal monitor	299.99



BOSE L1® COMPACT LINE ARRAY SYSTEM

Portable line array systems designed to provide wide, uniform sound coverage. Spatial Dispersion™ technology combines proprietary Bose® technologies to deliver clear, powerful sound throughout the entire listening area. The L1 Compact system is intended for audiences of up to 100 features a built-in two-channel mixer, the L1® compact powerstand base unit, L1 compact extensions and carrying cases. The L1-SINGLE-B2-T1 system is intended for audiences of up to 300 and features a 4-channel ToneMatch® audio engine with studio class effects, a B2 bass module, L1® model 1S powerstand, L1 model 1S top array with bottom extension and carrying cases.

ITEM	DESCRIPTION	PRICE
L1-COMPACT	Compact line array system, for audiences up to 100 people	999.00
L1-SINGLE-B2-T1	Compact line array system, for audiences up to 300 people	2498.00



CALIFONE PA-BT30 PORTABLE BLUETOOTH® SPEAKER

Address up to 300 people or fill a 50ft x 50ft room with this 30W portable speaker with 2.4G wireless Bluetooth® capability (up to 30ft). Simple to operate, with one-touch sync and a "successful sync" indicator, this speaker is perfect for classrooms and presentations. This iOS- and Android-compatible device also provides an auxiliary 1/8" line-in jack, headphone jack and USB charge port.

ITEM	DESCRIPTION	PRICE
PA-BT30	Portable Bluetooth® active speaker	159.18



PEAVEY ELECTRONICS ESCORT® PORTABLE PA SYSTEMS

The 3000 model has a 7-channel mixer, 2x150W amplifiers and 6 combination XLR 1/4" combo inputs. The 5000 model has an 8-channel mixer, 2x250W amplifiers and 7 combination XLR 1/4" combo inputs, monitor send and subwoofer out. The 6000 model has a 9-channel mixer, 2x300W amplifiers, 7 combination XLR 1/4" inputs, monitor send, subwoofer out and Bluetooth wireless audio playback. All models includes 2 speakers with 10" low frequency drivers, 2 folding speaker stands, digital multi-effects, MP3 playback via USB, 7-band graphic equalizer, FLS® (Feedback Locating System®), (2) 15" speaker cables and Peavey's exclusive Mid-Morph™ EQ. Each mixer features luggage-style wheels and a storage compartment for other accessories. An optional mixer stand is also available.

ITEM	DESCRIPTION	PRICE
ESCORT-3000	Portable PA, 7-channel mixer, 2x150W amplifiers	699.99
ESCORT-5000	Portable PA, 8-channel mixer, 2x250W amplifiers	799.99
ESCORT-6000	Portable PA, 9-channel mixer, 2x300W amplifiers, Bluetooth playback	899.99
ESCORT-STAND	Stand for Escort systems	44.99

PEAVEY ELECTRONICS TRIFLEX-II PORTABLE PA SYSTEM

A complete sound system providing 1200W of power through a 3 speaker setup consisting of one 15" subwoofer and two 10" 2-way satellite speakers. All of system's controls are housed in the subwoofer, offering easy access to the 2-channel preamp, electronic crossover and subsonic filter as well as its 3 power amps (1x600W for the subwoofer and 2x300W for the satellite speakers). Each amp features onboard DDT compression. The satellite speakers nest on top of the subwoofer, which features heavy-duty casters for ease of transport. Other features include twist-lock connectors, cover with pockets for cables, dual XLR inputs and all required cables are included. Speaker stands are not included, please order separately.

ITEM	DESCRIPTION	PRICE
TRIFLEX-II	Portable PA system, 1200W	699.99
SSA100-10B	Aluminum speaker stand	799.99



Follow Us!

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. Call today or shop online!



PUT YOUR PA BEHIND YOU.


BOSE® LI® MODEL IS SYSTEM

Our LI Model IS is the latest addition to the LI family, combining PA and monitors into a **single portable system**. With as few as two systems behind the band, you'll fill the room with clear, even sound and control the mix on stage and in the audience area. And, the proprietary I2-speaker Bose articulated line array provides **180 degrees of clear, even sound**, allowing you to hear what the audience hears. Plus, with no speaker stands and fewer connections, you'll spend **less time setting up** and tearing down — and more time playing a great show.

BOSE



800-356-5844
fullcompass.com



LI Model IS
with BI bass





MIPRO



MIPRO MODULAR PA SYSTEMS These PA systems range in power output from 50W RMS to 180W RMS and can be supplemented with an optional CD/USB player or up to two (four on the 808 model) wireless mic receivers (with 16 scannable UHF frequencies). The MA-705 features an 8" full-range speaker and the MA-708 has a 1" titanium compression driver and 8" woofer. All models feature master controls, built-in rechargeable batteries, XLR and 1/4" microphone inputs, line in and out (RCA on 705 and 708) and AC and battery power sources (plus DC input on the 708). The MA-708 also features voice-over priority, active limiter, echo control and the ability to transmit audio from one model to others via the MTM90 transmitter. Audio option modules listed below.

ORDERING INFO:	OPERATES IN THIS RANGE:
(Note: only on wireless receivers/transmitters)	
Band 6A, TVCH 39-42	620.000-644.000MHz
Band 6B, TVCH 43-46	644.000-668.000MHz
Band 6C, TVCH 47-50	668.000-692.000MHz

ITEM	DESCRIPTION	PRICE
MA705PAD1-HHCBS	Portable PA kit, with CD player, wireless receiver, handheld transmitter, storage bag and tripod.....	1013.16
MA705EXP	Passive extension speaker for MA705	229.00
MA708PA	190W Peak Class 'D' PA with voice priority feature, 1" driver, 8" woofer.....	899.00
MA708EXP	Passive extension speaker for MA708	599.00
MTM90	Transmitter for receivers in MA708	299.00
8CD0034	CD/USB player for MA705.....	303.00
8CD0024	CD player module	319.00
7AE018	Cassette player module	132.00
ACT30H	Handheld wireless transmitter	145.00
ACT30T	Bodypack wireless transmitter	132.00
MU55L	Omnidirectional lavalier microphone (for ACT30T).....	55.00
MU53HN	Cardioid lavalier microphone (for ACT30T).....	65.00

MIPRO

MIPRO MA-101A PORTABLE 30W WIRELESS PA SYSTEM

Ideal for speech applications with groups of up to 200, this 30W wireless PA features a 5" full-range speaker, a transmission range of up to 330ft, and can be carried by hand, shoulder strap or mounted to a mic stand. Powered by rechargeable battery (8hrs per charge, 4hrs to recharge) or AC power supply. Features 1/8" mini-jack input for use with CD or MP3 players, 1/4" mic input, and 1/8" mini-jack out. Up to 2 mics can be used simultaneously. Features built-in storage compartments for spare battery mic and 16 built-in auto-scan UHF frequencies with ACT functions.



ORDERING INFO:	OPERATES IN THIS RANGE:
Band 6A, TVCH 39-42	620.000-644.000MHz
Band 6B, TVCH 43-46	644.000-668.000MHz
Band 6C, TVCH 47-50	668.000-692.000MHz

ITEM	DESCRIPTION	PRICE
MA101A	30W portable wireless PA system (specify frequency range), no mic included.....	339.00
ACT30H	Wireless condenser handheld transmitter	145.00
ACT30T	Wireless beltpack transmitter	132.00
MU55L	Omnidirectional lavalier (for ACT707TE).....	55.00
MU53HN	Cardioid lavalier (for ACT707TE).....	65.00
MU40G	Guitar instrument cable (for ACT707TE).....	19.00

Roland

ROLAND BA-330 PORTABLE STEREO DIGITAL PA SYSTEM

All-in-one for small music venues, conferences, and more. A digital stereo amp drives four 6.5" stereo speakers and 2 tweeters, positioned for wide stereo projection. It offers built-in effects such as EQ, reverb, delay, and wide (on/off per channel) and Advanced Anti-Feedback technology eliminates feedback. It has 2 channels for mics/instruments, plus 2 channels for stereo inputs and the stereo aux input has a dedicated volume-control knob. A stereo link jack lets you cascade 2 units together and a built-in tilt-back stand allows optimal monitoring angle. Powered by AC power or 8 AA batteries. It also has a speaker stand adapter for mounting.



ITEM	DESCRIPTION	PRICE
BA330	Portable stereo system, four 6.5" speakers, 2 tweeters, battery powered, 30lbs 7oz.....	599.00

YAMAHA

YAMAHA STAGEPAS SERIES

All the power and sound needed to fill a small space in a lightweight package. The Stagepas 400i has an 8-channel mixer with 400W total power. The Stagepas 600i has a 10-channel mixer with 600W total power. Both models feature iOS device USB connections, on-board reverb and built-in feedback suppressors.



ITEM	DESCRIPTION	PRICE
STAGEPAS-400I	400W, 8-channel portable PA	699.99
STAGEPAS-600I	600W, 10-channel portable PA	899.99
YBSP400I	Rolling case for 400i (2 cases required to house the entire system).....	110.20
YBSP600I	Rolling case for 600i (2 cases required to house the entire system).....	112.53



Follow Us!

Shop anytime. Buy online. Go to fullcompass.com