

AUDIO



CARTONI

PROFESSIONAL CAMERA SUPPORTS

CARTONI H101/H102 TRIPOD KITS

Perfect for HDV and MiniDV cameras weighing from 0.5-10 lbs. Features include +/-90° tilt range, 75mm bowl diameter, 360° pan range, infinite fluid drag and counterbalance. The H101 HiDV head in both systems includes a quick release sliding camera plate, spirit level, and orientable pan bar. The head weighs 4lbs and each total kit weights 10lbs.



ITEM	DESCRIPTION	PRICE
H101	HiDV head, 1-stage aluminum tripod, mid-level spreader, soft case.....	1187.39
H102	HiDV head, 2-stage aluminum tripod, mid-level spreader, soft case.....	1357.63

CARTONI FOCUS HD KITS

The FOCUS HD is a 4.4 lb fluid head that is ideal support for the latest HD cameras weighing up to 26 lbs. Features include +/- 90° tilt range, 100mm bowl diameter, 360° pan range, infinite fluid drag and counterbalance. The Focus HD head in all systems includes a quick release sliding camera plate, illuminated spirit level, extendable pan bar and soft case. Shop fullcompass.com for more information.



ITEM	DESCRIPTION	PRICE
F126	FocusHD System includes FocusHD Head, 3 tube ultra-light tripod with mid-level spreader and soft case.....	1800.00
F127	FocusHD AL 2/ML includes FocusHD Head, 2-stage 3 tube ultra light tripod with mid-level spreader and soft case.....	1812.14
F128	FocusHD CF System includes FocusHD Head, 3 tube CF ultra-light tripod with mid-level spreader and soft case.....	1864.71
F129	FocusHD ENG AL System includes FocusHD Head, 1-stage AL ENG tripod with mid-level spreader and soft case.....	1905.68
F130	FocusHD ENG CF System includes FocusHD Head, 1-stage, CF eng tripod with mid-level spreader and soft case.....	2569.61
F131	FocusHD ENG 2 System includes FocusHD Head, 2-stage AL eng tripod with mid-level spreader and soft case.....	2254.03
F132	FocusHD ENG CF 2 System includes FocusHD Head, 2-stage CF ENG tripod with mid-level spreader and soft case.....	2721.24
F133	FocusHD ENG SS 2 System includes FocusHD Head, 2-stage AL Smart Stop ENG tripod with mid-level spreader and soft case.....	2659.92
F134	FocusHD ENG SS 2 System includes FocusHD Head, 2 stage CF Smart Stop ENG tripod with mid-level spreader and soft case.....	3042.95

CARTONI P-SERIES PEDESTALS/PEDESTAL KITS

The P20 pedestal is a compact portable model with a capacity for loads up to 55 lbs. Weighing only 39 lbs, it takes less than 5 minutes to assemble. Includes hand pump and a 100mm base adapter. The P50 handles loads up to 120 lbs. Weighing only 62 lbs, it takes less than 10 minutes to assemble. It also includes a hand pump and an adapter. The P90 is designed to support camera/lens combinations up to 198 lbs.



ITEM	DESCRIPTION	PRICE
P200	P20 pedestal with 100mm ball base adapter.....	5783.74
P2101	Includes P20 pedestal with Laser head, 2 pan bars.....	8124.46
P2601	Includes P20 pedestal with Gamma head, 2 pan bars.....	9358.67
P500	P50 pedestal with 1 adapter (specify from adapter list below).....	10116.20
P500-PW	Includes P50 pedestal with pneumatic wheels, 1 adapter (specify from adapter list below).....	10490.73
P5001	Includes P50 pedestal with Delta head, 2 pan bars.....	17687.42
P5MA1	Includes P50 pedestal with Master head, 2 pan bars.....	17687.42
P900	P90 pedestal with flat base adapter.....	21168.72
P90MA1	P90 pedestal with Master head, 2 pan bars.....	28739.92
Adapters (required for ordering certain models above)		
P863	100mm ball base adapter.....	293.65
P856	Flat base adapter.....	319.19
P150	150mm ball base adapter.....	319.19

Manfrotto

proven professional

MANFROTTO MVH500 KITS The lightweight, compact MVH500AH has a wider platform for HD SLRs and is designed to work with loads up to 11 lbs. Precise, controlled movements are a result of pro fluid cartridges on both pan and tilt axes. The side lock system let the camera and sliding QR plate click into the head from above, rather than being slid in from back to front. Also features 5.3 lbs pre-set counterbalance and 3/8" connector for external monitor or accessory.



TECH SPECS	MVH500AH,755XBK	MVH500AH,755CX3	MVM500A
LOAD CAPACITY	11 lbs	11 lbs	11 lbs
MAX HEIGHT	68.5"	68.11"	78.94"
MIN HEIGHT	20.08"	22.05"	30.31"
WEIGHT	7.39 lbs	6.53 lbs	4.65 lbs
STAGES/MATERIAL	3-stage, aluminum	3-stage, carbon fiber	4-stage, aluminum

ITEM	DESCRIPTION	PRICE
MVH500AH,755XBK	MVH500AH head with 3-stage aluminum tripod and bag.....	449.99
MVH500AH,755CX3	MVH500AH head with 3-stage carbon fiber tripod and bag.....	679.99
MVM500A	500 video head with 4-stage aluminum monopod.....	279.99

MANFROTTO MVH502A KITS

The MVH502A pro video head incorporates Manfrotto's patented Bridging Technology, which utilizes a larger base for more stable shooting. The head's variable fluid cartridge offers fluid pan and tilt. Additional MVH502A features include a 75mm leveling bowl, fixed counterbalance system, and a long sliding plate for better balance and stability. The aluminum tripod features a mid-level spreader and the carbon fiber kit comes with a bag.



TECH SPECS	MVK502AM	MVH502A,546BK	MVK502C
LOAD CAPACITY	8.8 lbs	8.8 lbs	8.8 lbs
MAX HEIGHT	62"	66.1"	72.8"
MIN HEIGHT	24.8"	17.3"	16.2"
WEIGHT	8.8 lbs	12.1 lbs	9.5 lbs
SPREADER	Mid-level	Mid-level	None
STAGES/MATERIAL	2-stage, aluminum	2-stage, aluminum	2-stage, carbon fiber

ITEM	DESCRIPTION	PRICE
MVK502AM-1	MVH502A head with 2-stage aluminum tripod, spreader.....	489.99
MVH502A,546BK-1	MVH502A head with 546BK tripod, spreader.....	579.99
MVK502C-1	MVH502A head with 2-stage carbon fiber tripod and bag.....	849.99



MANFROTTO 504 HD KITS

The 504 HD video head offers great fluidity and features a 4-step counterbalance system, ergonomic tilt drag and tilt locking knobs on its left side. The 546B and 546GB aluminum tripods come with mid-level and ground-level spreaders, respectively. The 546B also features spike foot shoes.

TECH SPECS	504HD,546BK	504HD,546GBK	504HD,535K
LOAD CAPACITY	19.8 lbs	19.8 lbs	19.8 lbs
MAX HEIGHT	65.9"	67.3"	72.4"
MIN HEIGHT	17.3"	18.3"	15.9"
WEIGHT	13.9 lbs	13.9 lbs	11 lbs
STAGES/MATERIAL	2-stage, aluminum	2-stage, aluminum	3-section, carbon fiber

ITEM	DESCRIPTION	PRICE
504HD,546BK	504HD head, 546B tripod, MBAG100PN bag.....	889.99
504HD,546GBK	504HD head, 546GB tripod, MBAG100PN bag.....	949.99
504HD,535K	504HD head, 535 tripod, MBAG100PN bag.....	1149.99
509HLV	Additional pan bar for 504HD video head.....	45.73



Follow Us!

We Stock Thousands of Common and Hard-to-Find Parts!
Search for Parts on our website: fullcompass.com/parts

BRIDGING TECHNOLOGY™

Manfrotto's Bridging Technology Pro Video Heads are designed for use with the latest HDSLR's, interchangeable lens video cameras, standard video cameras and for use on sliders and jibs.

The professional fluid cartridges and inner ball-bearings insure that all Bridging Technology™ heads provide the smooth and precise movement required for today's pro video cameras. The longer sliding plate and wider platform make each head more adaptable to different balance requirements and different camera configurations. The 4 Bridging Technology™ Pro Video Heads each have a different maximum payload and are also available in combination with Manfrotto aluminum and carbon fiber tripods and bags.

MANFROTTO TRIPODS

- Professional ball bearing, fluid drag system for precise smooth movements
- Lightweight modern materials for optimum balance of strength and size
- Up to a 5 year warranty



MVM500A
Supports up to 11 lbs counterbalance.



504HD,535K
Supports up to 16.5lbs counterbalance.



MVK500AM
Supports up to 11 lbs counterbalance.



MVK502AQ
Supports up to 8.8 lbs counterbalance.



504HD,546BK
Supports up to 16.5 lbs counterbalance.



MVT535AQ
Supports up to 44 lbs counterbalance.

SPECTRA LED LIGHT

Manfrotto Spectra is a professional series of LED lights or the independent videographer and photographer.



MLS500S



MLS900F



MVR901ECPL
Zoom control for Canon, Sony LANC and Panasonic.



MVR901EPLA
Full function remote control for Canon and Sony LANC.



MVR901ECLA
Full function remote control for Canon and Sony LANC.

PRO LIGHT VIDEO BAGS



MB PL-PV-410
Video Backpack



MB PL-CC-193
Video Case



MB PL-CC-195
Video Case



MB PL-RC-10
Video Raincover



MB PL-CRC-15
Video Raincover

PRO LIGHT ACCESSORIES

FULL COMPASS
PRO AUDIO VIDEO LIGHTING
MUSICAL INSTRUMENTS

800-356-5844
fullcompass.com



Manfrotto
Imagine More



MANFROTTO TRIPOD HEADS

ITEM	APPLICATION	TYPE	LOAD	ARM	PLATE	TILT	PAN	WEIGHT	PRICE
128LP	Micro Video	Fluid	8.82 lbs	Fluid	Fixed	-90/+90	360°	2.2 lbs	82.99
128RC	Micro Video	Fluid	8.9 lbs	QR	Fixed	-60/+90	360°	2.3 lbs	104.99
504HD	Pro Video	Fluid	16.5 lbs	Tele	QR	-60/+90	360°	6.4 lbs	449.99
526	Pro Video	Fluid	35 lbs	Tele	QR	-70/+75	360°	7.9 lbs	1459.99
MVH502A	Pro Video	Fluid	8.82 lbs	Fixed	QR	-80/+90	360°	3.97 lbs	229.99
MVH502AH	Pro Video	Fluid	8.82 lbs	Fluid	QR	-80/+90	360°	3.53 lbs	199.99
MVH500A	HDSLR	Fluid	11 lbs	Fluid	QR	-70/+90	360°	2.47 lbs	179.99
MVH500AH	HDSLR	Fluid	11 lbs	Fluid	QR	-70/+90	360°	2.05 lbs	169.99



MANFROTTO CARBON FIBER TRIPODS

These 2-, 3-, or 4- stage center column tripods are made of carbon fiber with magnesium castings and are extremely lightweight and rigid. Their designs allow for horizontal-vertical movements and greater range of positions.

ITEM	STAGES	CLOSED	MIN. HEIGHT	MAX. HEIGHT	HEIGHT COLUMN	LOAD CAP.	WEIGHT	PRICE
MT190CXPR03	3	24.02"	3.54"	53.15"	62.99"	15.43 lbs	3.53 lbs	409.99
MT190CXPR04	4	20.67"	3.15"	53.15"	62.99"	15.43 lbs	3.64 lbs	429.99
055CXPR03	3	25.6"	4.53"	55.12"	68.9"	17.6 lbs	3.64 lbs	399.99
055CXPR04	4	21.46"	4.53"	53.35"	66.9"	17.6 lbs	3.75 lbs	469.99
535	3	28.9"	10.63"	67.3"	n/a	44 lbs	5.1 lbs	649.99
536	4	28.0"	10.24"	79.92"	n/a	55.1 lbs	7.16 lbs	799.99
MT057C3	3	24.41"	8.66"	51.97"	61.81"	39.68 lbs	6.17 lbs	759.99
MT057C4	4	26.18"	9.06"	70.87"	80.71"	39.68 lbs	7.72 lbs	859.99
755CX3	3	25"	18.31"	54.72"	64.57"	15.43 lbs	4.25 lbs	559.99



MANFROTTO SINGLE NON-BRACED LEG, CENTER COLUMN RAPID TYPE

ITEM	CLOSED	MIN. HEIGHT	MAX. HEIGHT	HEIGHT COLUMN	LOAD CAP.	WEIGHT	PRICE
458B	25.2"	3.94"	51.57"	61.42"	17.64 lbs	5.29 lbs	469.99
MT190XPR03	23.23"	3.54"	53.15"	62.99"	15.43 lbs	4.41 lbs	219.99
MT190XPR04	19.29"	3.15"	53.15"	62.99"	15.43 lbs	4.63 lbs	239.99



MANFROTTO BRACED LEG, GEARED CENTER COLUMN TRIPODS

ITEM	CLOSED	MIN. HEIGHT	MAX HEIGHT	HEIGHT COLUMN	LOAD CAP.	WEIGHT	PRICE
475B	31.5"	16.93"	63.78"	74.02"	26.46 lbs	9.48 lbs	349.99
028B	32.3"	30.31"	70.47"	89.37"	26.46 lbs	9.15 lbs	329.99
058B	37.0"	17.32"	75.2"	85.43"	26.46 lbs	13.56 lbs	449.99

MANFROTTO BRACED LEG, NO COLUMN

ITEM	CLOSED	MIN. HEIGHT	MAX. HEIGHT	BOWL SIZE	LOAD CAP.	WEIGHT	PRICE
545B	27.2"	11.81"	60.63"	100mm	55.12 lbs	7.72 lbs	579.99
545GB	27.2"	12.8"	62.4"	100mm	55.12 lbs	7.72 lbs	579.99
546B	27.2"	11.81"	60.63"	75mm	44 lbs	7.72 lbs	579.99
MVT502AM	24.21"	24.21"	22.44"	75mm	33.07 lbs	4.2 lbs	279.99

Model below has claw ball leveler:

528XB	40.0"	28.74"	58.27"	100mm	110.23 lbs	16.31 lbs	749.99
-------	-------	--------	--------	-------	------------	-----------	--------



MANFROTTO CAMERA STAND

A 5-section aluminum stand with camera mounting plate and adjustable leveling bubble. The stand rises to a max height of 24' with twist locks. Features triple leveling legs, double spider casting, and double bracing. Supports a max payload of 15.4 lbs.

ITEM	DESCRIPTION	PRICE
269HDB-3U	5-section camera stand 24' with plate	733.82



-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-



Follow Us!

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. Call today or shop online!



MANFROTTO 509 HD KITS The 509HD incorporates Manfrotto's patented Bridging Technology with a larger base for more stable shooting. Uses a 100mm ball and full fluid in both tilt and pan. Also includes variable counter balance and adjustable friction control to balance most video cameras. The 536 tripod has no center column and a 75/100mm bowl adapter. The 545B tripod features a 100mm bowl interface, mid-level spreader, and rubber shoes. The 545GB kit is the same tripod as the 545B, but with a ground-level spreader instead of a mid-level.



TECH SPECS	509HD,536K	509HD,546BK	509HD,545GBK
LOAD CAPACITY	28.6 lbs	28.6 lbs	28.6 lbs
MAX HEIGHT	85.8"	66.5"	68.3"
MIN HEIGHT	16.5"	17.7"	18.7"
WEIGHT	17.4 lbs	18 lbs	17.8 lbs
STAGES/MATERIAL	3-stage, carbon fiber	2-stage, aluminum	2-stage, aluminum

ITEM	DESCRIPTION	PRICE
509HD,536K	509HD head, 536 tripod with bag	1799.99
509HD,545BK	509HD head, 545B tripod with bag	1499.99
509HD,545GBK	509HD head, 545GB tripod with bag	1599.99
509HLV	Additional pan bar for 509HD video head	45.73



MANFROTTO DOLLIES/SPREADERS

ITEM	DESCRIPTION	FOOTPRINT	WEIGHT	WHEELS	PRICE
127	Portable folding video dolly	43" diameter	5.3 lbs	3"	164.99
127VS	Variable leg spread folding dolly	N/A	7.5 lbs		199.99
181	Folding auto dolly	50" diameter	10 lbs	3"	319.99
114MV	HD Tripod dolly with spikes	44.1" diameter	13.7 lbs	5"	359.99
114	Deluxe video dolly	44.1" diameter	17.7 lbs	5"	359.99
165MV	Spiked foot tripod spreader	31.5" to 51.2"			85.73
165	Lightweight spreader	31" to 51"			66.68

MANFROTTO TRIPOD BAGS

ITEM	DESCRIPTION	LENGTH	WIDTH	HEIGHT	PRICE
MBAG70N	Unpadded black bag	27.6"	5.9"	5.1"	35.99
MBAG80PN	Padded black bag	31.5"	5.51"	N/A	78.29
MBAG90PN	Padded black bag	35.4"	9"	7.8"	98.09
MBAG120PN	Padded black bag	47.2"	9"	7.8"	133.19



SACHTLER ACE FLUID HEAD 2-STAGE ALUMINUM TRIPODS Designed for use with HD/SLRs and small camcorders, the Ace tripods feature a 5-step counterbalance, 3 grades of horizontal and vertical drag and a tilt range of +90°/75°. The 1001 tripod/head system comes with a mid-level spreader, while the 1002 system features a ground-level spreader. Both come with a carrying bag.

TECH SPECS	1001	1002
LOAD CAPACITY	8.8 lbs	8.8 lbs
MAX HEIGHT	66.5"	68.1"
MIN HEIGHT	30.7"	22.4"
WEIGHT	9.7 lbs	10.1 lbs
STAGES/MATERIAL	2-stage/alum	2-stage/alum
MOUNTING STANDARD	75mm	75mm
INCLUDES	Tripod and head, bag, mid-level spreader	Tripod and head, bag, ground-level spreader

ITEM	DESCRIPTION	PRICE
1001	Fluid head 2-stage tripod with mid-level spreader	590.00
1002	Fluid head 2-stage tripod with ground-level spreader	590.00



SACHTLER ACE L SYSTEM CARBON FIBER TRIPODS The lightweight Ace L system has a larger payload range than the Ace M System and is designed for use with DSLRs, HDV camcorders or heavier rigs with camera accessories (up to 13.2 lbs max.). Head features include 7-step counterbalance, an illuminated bubble level, and 3-step vertical and horizontal drag.

TECH SPECS	1011	1013
LOAD CAPACITY	13.2 lbs	13.2 lbs
MAX HEIGHT	66.9"	73.2"
MIN HEIGHT	31.1"	16.9"
WEIGHT	8.6 lbs	9 lbs
STAGES/MATERIAL	2-stage/CF	2-stage/CF
MOUNTING STANDARD	75mm	75mm
INCLUDES	Tripod and head, bag, mid-level spreader	Tripod and head, bag

ITEM	DESCRIPTION	PRICE
1011	MS CF 2-stage tripod with mid-level spreader, spike feet	1035.00
1013	TT 75/2 CF 3-section telescopic tripod with footpads/retractable spikes	1332.00



SACHTLER FSB4 TRIPOD KITS

The FSB4 fluid head is ideal for users of small and lightweight HDV cameras. Features a robust aluminum housing, and Sachtler's Speedbalance technology for swift balancing. It has 3 horizontal, and 3 vertical grades of damping, 5-step counterbalance, and integrated flat base fitting. Also compatible with components of the SOOM modular systems, and optional FSB-CELL power solutions. It uses Sachtler's Sideload S camera plate.

TECH SPECS	SYSTEM-FSB4-MD	SYSTEM-FSB4-2MD	SYSTEM-FSB4-SLMCF
LOAD CAPACITY	8.8 lbs	8.8 lbs	8.8 lbs
MAX HEIGHT	62.2"	62.2"	63"
MIN HEIGHT	37.4"	37.4"	30.3"
WEIGHT	10.6 lbs	10.6 lbs	10.8 lbs
STAGES/MATERIAL	1-stage/alum	2-stage/alum	2-stage/carbon fiber
MOUNTING STANDARD	75mm	75mm	75mm
INCLUDES	FSB4 fluid head, DA75L tripod, SP75 spreader, padded bag, DV75 pan bar	FSB4 fluid head, ENG75/2 tripod, SP75 Spreader, padded bag, DV75 pan bar	FSB4 fluid head, SpeedLock 75CF tripod, SP75 spreader, padded bag, DV75 pan bar

ITEM	DESCRIPTION	PRICE
SYSTEM-FSB4-MD	Aluminum tripod kit	1110.00
SYSTEM-FSB4-2MD	Aluminum tripod kit	1188.00
SYSTEM-FSB4-SLMCF	Carbon fiber tripod kit	1413.00

SACHTLER FSB6 SERIES TRIPOD KITS

The FSB6 features Snap and Go sideload mechanism which has a sliding range of 4.7" and 10-step counterbalance. It has a Touch and Go camera plate, 3 horizontal, and 3 vertical grades of damping, a self-illuminating leveling bubble, and +90°/70° tilt range. Also compatible with components of the SOOM modular systems, and optional FSB-CELL power solutions.

TECH SPECS	SYSTEM-FSB6MD	SYSTEM-FSB6-2MD	SYSTEM-FSB6-SLMCF
LOAD CAPACITY	13.2 lbs	13.2 lbs	13.2 lbs
MAX HEIGHT	62.2"	63"	63"
MIN HEIGHT	37.4"	30.3"	30.3"
WEIGHT	11 lbs	11.5 lbs	11.2 lbs
STAGES/MATERIAL	1-stage/alum	2-stage/alum	2-stage/carbon fiber
MOUNTING STANDARD	75mm	75mm	75mm
INCLUDES	FSB6 fluid head, DA75L tripod, mid-level spreader, padded bag, DV75 pan bar	FSB6 fluid head, ENG75/2D tripod, mid-level spreader, padded bag, DV75 pan bar	FSB6 fluid head, SpeedLock 75CF tripod, SP75 spreader, padded bag, DV75 pan bar

ITEM	DESCRIPTION	PRICE
SYSTEM-FSB6-MD	Aluminum tripod kit	1661.00
SYSTEM-FSB6-2MD	Aluminum tripod kit	1827.00
SYSTEM-FSB6-SLMCF	Carbon fiber tripod kit	2025.00



Shop fullcompass.com today!

For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central



- AUDIO
- MUSIC
- COMPUTER AV
- VIDEO
- ACCESSORIES

sachtler

SACHTLER ACE ACCESSORIES SET

From DSLR to HDV, give your projects true versatility with this upgrade to your 75mm tripod system. This set includes the Ace Matte Box, Ace Follow Focus, and Ace Base Plate. All



support a host of professional digital cameras and rod assemblies. The Matte Box helps minimize lens flare and offers filtering options; the Follow Focus provides exact lens focusing control with backlash-free operation, and comes with (2) easily-removed/replaced marking disks; the Base Plate gives sturdy support for a range of cameras plus (2) 15-mm rod clamps for flexibility, and can be readily used with your shoulder rig. Components also available individually.

ITEM	DESCRIPTION	PRICE
1021.....	Ace accessories set	1350.00
S2152-0001	Ace matte box	495.00
S2153-0001	Ace follow focus.....	662.00
S2154-0001	Ace base plate.....	293.00

Vinten

VINTEN VISION BLUE CAMERA SUPPORT SYSTEMS

The Vision blue head is designed to provide professional support to match the high performance of today's lightweight camcorders and DSLRs. It balances payloads between 4.6-11 lbs with a low center of gravity of around 2.2". It also features an infinitely adjustable Perfect Balance, infinitely adjustable LF drag system and a standard long slot Vision AS camera plate with 1/4" screw and pin assembly. It is available in 2 system combinations, combining a 2-stage aluminum Pozi-Loc tripod and case with either a floor or lightweight mid-level spreader. Both systems include the 3819-3 tripod which has a height range of 21.7" - 66.7", transport length of 32.9" and weighs 17.3 lbs.



ITEM	DESCRIPTION	PRICE
VB-AP2F.....	Vision blue head with 2-stage aluminum Pozi-Loc tripod, floor spreader, soft case	1359.00
VB-AP2M.....	Vision blue head with 2-stage aluminum Pozi-Loc tripod, lightweight mid-level spreader, soft case.....	1359.00



VINTEN VISION BLUE3 CAMERA SUPPORT SYSTEMS Great for DSLRs and camcorders alike, these tripod/head combos have a wide payload capacity, great balance, smooth pan and tilt, and adjustable drag. Also features +/-90° tilt, 75 mm ball base, (1) fixed pan bar and an LED-illuminated leveling bubble.

ITEM	DESCRIPTION	PRICE
VB3-AP2F.....	Vision blue3 head with Pozi-Loc tripod, floor spreader, soft case.....	2214.00
VB3-AP2M.....	Vision blue3 head with Pozi-Loc tripod, mid-level spreader, soft case..	2214.00
3219-113.....	Telescopic pan bar and clamp	270.00
V4043-1901.....	Camera mounting plate	113.00



Follow Us!

Commercial Lease-To-Own financing for businesses available!
Contact your Sales Pro for details.