





















































DENON DBT-1713UDP BLU-RAY™ DISC PLAYER This 3D-capable universal Blu-ray disc player supports Blu-ray discs, DVDs, CDs, SACDs and DVD-A discs. Also enjoy media files attached through the front USB connector, network (DLNA 1.5) or from streaming services such as Netflix, Hulu, VUDU and YouTube. It offers 1080p output via HDMI and is controllable with the included remote control or a smartphone app. Its fanless 4-block construction allows for quiet operation and the fully shielded drive mechanism ensures steady playback.

ITEM	DESCRIPTION	PRICE
DBT-1713UDP	. Universal Blu-ray player	. 579.00



DENON DBT-3313UDCI BLU-RAY™ DISC PLAYER This full-featured Blu-ray player supports 3D Blu-ray, DVD, DVD-A, CD and SACD playback. Media file playback is supported over network (DLNA 1.5), via the front USB connector or from streaming services like Netflix, Hulu, VUDU and YouTube. Its AV Pure Direct offers separated output of audio and video from its (2) HDMI output ports. Denon Link HD provides dynamic 3D surround sound with ultra high-quality audio. Disc loading and playback is 20% faster than previous models and 5-block construction protects it from electric, magnetic and vibrational interference. It has quiet, fanless, operation and is controllable via remote control or a smartphone app.

ITEM	DESCRIPTION	PRICE
DBT-3313UDCIP	Universal Blu-ray player, dual HDMI output for surround sound	999.00

JVC



JVC BLU-RAYTM DISC & HDD RECORDER Make professionally authored Blu-ray or DVD discs from videos created with an HD camcorder - without a PC. You can also create Blu-ray or DVDs directly from a live video input or from video files stored on its hard disk drive. Down-convert HD video to SD for burning on DVD discs. High definition H.264 recording is supported in the AF (~12.9Mbps), AN (~8.6Mbps), AL (~5.7Mbps) and AE (~4.3Mbps) modes. Capable of converting HD video to standard def. 4-pin for DV and HDV inputs. The SR-HD1700 adds support for .MOV files and .MXF files up 35Mbps, and includes RS232C D-sub 9-pin terminal for control via PC.

ITEM	DESCRIPTION		PRICE
SRHD1350US	Blu-ray recorder,	320GB	. 1654.84
SRHD1700US	Blu-ray recorder,	500GB	. 2923.83



JVC SR-HD2500 BLU-RAY™ AND HDD RECORDER This combo deck allows users to create standard Blu-Ray high-definition discs or standard DVDs without the need of a PC. The unit records to its built-in 500GB hard drive or directly to Blu-ray disc. A built-in SD/HD-SDI interface ensures compatibility with most HD cameras, recorders and production switchers and cameras providing USB 2.0, iLink, SDHC memory files, composite and S-Video can also be used. Output is via HD/SD-SDI, HDMI and component and control is provided by RS-232C terminal.

ITEM	DESCRIPTION		PRICE
SRHD2500US	Blu-ray recorder, 500	IGB, with HD/SD-SDI	3416.49



SAMSUNG BD-H5100 SMART BLU-RAYTM PLAYER This Blu-ray player features HD Upconversion (BD WiseTM), USB 2.0, Anynet + (HDMI CEC) and an apps platform that includes streaming which allows you to discover more entertainment and enjoy streaming services from built-in content partners. Some apps may require additional fees or subscriptions and Internet access is required.

	-	•	
ITEM	DESCRIPTION		PRICE
BD-H5100	Blu-ray player with USB 2.0		79 43

SONY



SONY DVP-SR210P DVD PLAYER Share your favorite movies, photos and music on your TV. Supports multi-format CD and DVD playback plus WMA, AAC, LPCM, MPEG1 and JPED files. Fast and slow playback with sound lets you advance through scenes quickly without missing a word. Includes multi-brand TV remote control.

ITEM	DESCRIPTION	PRICE
DVPSR210P/B	DVD/CD player, black	34.99

SONY DUAL CORE BLU-RAY DISC **PLAYER 4K UPSCALING Enjoy**

3D Blu-ray DiscTM movies in Full HD 1080p and upscale the visual quality of DVDs to near HD quality. The 2D to 3D conversion feature allows your DVDs or Blu-ray Disc movies to be automatically converted into 3D for playback on your 3D TV. Access over 200 streaming services including movies, TV shows, music and more from Netflix®, YouTube™, Hulu Plus™, Pandora®, Amazon Instant Video™, and more. Use the My Sports & Fitness app, designed for your health and optimized for your TV. Sony's top performing Blu-ray player incorporates a built-in dual core processor that delivers a powerhouse performance minus the lag. Experience lightning-quick delivery speeds as

ates a heightened	sense of depth and incredibly true, natural shades of o	colors.
ITEM	DESCRIPTION	PRICE
BDPS6200	Blue-ray player, 3D, super WiFi	179.99

web pages load quicker, movies and media stream faster and playback appears

noticeably smoother. Unique to Sony, TRILUMINOSTM Display technology cre-



SONY 3D STREAMING BLU-RAY DISC™ PLAYERS Watch Blu-ray movies in full HD 1080p and upscale DVDs to near HD quality. 2D to 3D conversion allows your DVDs or Blu-ray Disc movies to be automatically converted into 3D for playback on your 3DTV. Connect to the internet and access over 200 streaming services including movies, TV shows, music and more. Other features include $\check{TRILUMINOUS^{TM}}$ $\check{Display}$ technology, mobile device interaction with TV SideView™, and built-in WiFi. I/O includes Ethernet, USB, coaxial audio outputs and HDMI for video. The BDPS1200 is a wired streaming Blu-ray Disc player that offers the streaming services.

- 11	EM	DESCRIPTION	PRICE
В	DPS5200	.Blu-ray player with 3D, super WiFi, remote app	136.90
В	DPS1200	Blu-ray player, Ethernet only	89.99
TI	OGPJ1	3D glasses	121.93
		ŭ .	





TASCAM



TASCAM DV-D01U RACKMOUNTABLE SINGLE DISC DVD PLAYER

The DV-D01U is a rackmountable single-disc player with a powered loading tray. The player reads DVD video, DVD audio (2-channel only), video CD, CD-DA, MP3, WMA, .WAV, JPEG, ASF, MPEG-2/MPEG-1, and DivX. It is capable of playing back properly finalized DVD +R/+RW discs. Outputs consist of HDMI audio/video out and composite, S-Video, and component video outputs. Rear panel stereo outputs are unbalanced (RCA) and digital outputs are optical. Digital outputs can pass Dolby Digital and DTS surround streams for later decoding. The DV-D01U provides extensive bi-directional RS232 serial control and an I/R remote control is included.

ITEM	DESCRIPTION	PRICE
DVD01U	. Rackmountable DVD player, 1RU	369.99



TASCAM BD-R2000 HD/BLU-RAY/DVD RECORDER Captures standard or high-definition video to hard drive, SD card, DVD or Blu-ray™ media – with authoring and editing. It can store video on the hard drive and burn to standard DVD-Video or Blu-ray format. It supports video input from DV/HDV cameras and S-Video, or files on USB 2.0 or SD/SDHC cards. Disc playback is seamless, without pauses between scenes. Scenes can be trimmed, separated and arranged on a menu. One-touch dubbing allows an entire disc, drive or card to be stored on the hard drive, then burned to Blu-ray disc at up to 32x speed. I/O includes HDMI out, composite, component and S-Video out, optical digital out, S-Video and composite input and RS232C serial control port.

ITEM	DESCRIPTION	PRICE
BDR2000	. HD/Blu-ray/DVD recorder	2299.99
	. Single layer BD-R discs, 25GB, 25-pack (by TDK)	
TS32GSDHC4	. SDHC card, 32GB, class 4 (by Transcend)	17.56

SYAMAHA



YAMAHA 3D BLU-RAY DISC PLAYER Compatible with Miracast™, this versatile Blu-ray 3D™ player can mirror videos and photos from any Miracastenabled smartphone/tablet. Features include on-board WiFi, giving easy access to files stored on your local area network, along with entry to VUDU, Dropbox, YouTube LeanbackTM and Picasa Web AlbumsTM. With 1080p/24 Hz-compatible HDMI® video output and high resolution 192 kHz/24-bit audio playback, this unit handles all your disk needs.

IIEM	DESCRIPTION	PRICE
BD-S677BL	.3D Blu-ray disc player, black	316.93



YAMAHA AVENTAGE WIFI BLU-RAY DISC PLAYER Comes with best-inclass audio/video performance designed to complement AVENTAGE AV receivers. Features include support for Blu-ray 3DTM playback, network streaming services, MiracastTM compatibility, along with Wi-Fi and Bluetooth® advanced connectivity and more. RS-232C port, IR in/out terminal and detachable power cord make this player suitable for custom installation projects.

ITEM	DESCRIPTION	PRICE
BD-A1040	WiFi Blu-ray disc player	399.95

ATOMOS





ATOMOS ATOMOS NINJA STAR POCKET-SIZE APPLE PRORES RECORDER AND

DECK Designed for action cameras, drones and mirrorless DSLR's, this pocket-size Apple

ProRes recorder delivers better quality (no MPEG compression) and huge workflow timesavings. Ultra-long battery life with tiny size and weight make this unit ideal for situations requiring portability, reliability and long power draws. Captures video in select HD/SD recording formats via HDMI, with 2-channel audio from camera and/or analog input. Edit-ready media files are recorded directly to CFast 1.0 memory card. Standard mounting plate included.

ITEM	DESCRIPTION	PRICE
ATO-NINJA-STAR	Pocket-Size ProRes Recorder & Deck	295.00
ATO-MCFT064	64GB CFast Memory Card	159.00
ATO-MCFT128	128GB CFast Memory Card	239.00

ATOMOS HD FIELD RECORDERS. MONITORS. PLAYBACK AND PLAYOUT DEVICES Record,

monitor and playback 10-bit uncompressed video straight from a DSLR or camcorder directly to Apple ProRes or Avid DNxHD. These units boast HDMI I/O, and support recording from any HDMI



or HD-SDI source. Operations are quickly accessible through 4.3° touchscreen display. Samurai replaces HDMI with HD-SDI I/O. Record video to affordable 2.5" HDD/SSD drives. Multiple units can be controlled via serial control from a deck, PC, Mac or iPad/iPhone. Samurai Blade takes any uncompressed HD or SD source and encodes it in real-time to 10-bit, 4:2:2 Apple ProRes or Avid DNxHD at up to 220Mbps and offers full waveform and vectorscope functionality, plus focus peaking, zebra, false color and blue-only monitoring tools. Ninja Blade has HDMI in and takes any uncompressed HD or SD source and encodes it in real-time to 10-bit, 4:2:2 Apple ProRes or Avid DNxHD at up to 220Mbps.

ITEM	DESCRIPTION	PRICE
ATO-NINJA2-DSLR	HDMI 10-bit field recorder	695.00
ATO-SAMURAI	HD-SDI 10-bit field recorder	995.00
ATO-SAM-BLADE	As above, with waveform functionality	1295.00
ATO-NINJA-BLADE	HDD/SSD 10-bit field recorder/monitor	995.00
OWCSSD7P6G240	240GB Mercury EXTREME SSD (by OWC)	219.50
OWCSSD7P6G480	480GB Mercury EXTREME SSD (by OWC)	387.50

ATOMOS RONIN PRODUCTION RECORDER

This modular, rackmountable recorder uses a 5" touchscreen display for easy use with AtomOS 3.0. It functions as a recorder, player and monitor for 10-bit uncompressed video over HDMI or HD-SDI. It records to Apple ProRes and Avid



 \mbox{DNxHD} on a 2.5" HDD/SSD drive. Its modular half-rack size allows it to operate on location with battery or DC power as well as being rackmounted with AC power. Multiple units are controllable via serial control from a deck, PC, Mac, or iPad/ iPhone. Ronin Duo includes AtomOS 4.0 and (2) Ronin units mounted side by side for full-rack size.

ITEM	DESCRIPTION	PRICE
ATO-RONIN	. Modular half-rack production recorder/monitor/player	1295.00
ATO-RONIN-DUO	.Dual production recorder/monitor/player, full-rack size	1995.00

ATOMOS SHOGUN 4K HDMI APPLE 12G-SDI MONITOR-**RECORDER** Record 4K direct from your 4K mirrorless and DSLR camera's sensor to Apple ProRes 4K or Cinema DNG Raw over HDMI and 12G-SDI. The Shogun's



7-inch Full HD 1920x1200 screen is also ideal as a director's monitor with full color calibration. Also features waveform monitoring function and focal assist. You can also record up to 120 frames per second in Full HD and create FCPX XML projects instantly for immediate editing. On-screen audio monitoring, genlock, timecode, and trigger protocols also featured.

ITEM		PRICE
	4K Apple ProRes/RAW Monitor-Recorder	
NPF970	6600mAh L Series rechargeable battery	142.83
ATO-BATT2600	2600mAh rechargeable battery	49.99
OWCSSD7P6G120	120GB 6G/s SSD drive by OWC	121.27
OWCSSD7P6G240	240GB 6G/s SSD drive by OWC	219.50
OWCSSD7P6G480	480GB 6G/s SSD drive by OWC	387.50



































































































AJA KI PRO MINI COMPACT FIELD RECORDER Packing most features of the Ki Pro into a smaller package, the hard drive is eliminated as media is recorded onto CompactFlash cards. Streamline post production by unifying source material to a single file format. Features digital I/O using either HDMI or HD/SD-SDI. Record frame accurate video by connecting to the LTC port and audio via 2 XLR inputs with 48V phantom power. Use a web browser via Ethernet to control operations from a laptop or desktop computer. Also available is a desk stand kit with right-angle 4-pin XLR power cable or a mini mount plate that connects to the Ki Pro Mini and allows a myriad of mount options. Kit includes Ki Pro Mini and AC power adapter with 4-pin XLR adapter.

- F	•	
ITEM	DESCRIPTION	PRICE
KI-PRO-MINI	Compact Field Video Recorder	1995.00
KI-MINISTAND-RO	Desk Stand Includes Right-Angle 4-Pin XLR Cable	75.00
KI-MINIPLATE-RO	Universal Mounting Plate	75.00
RAW-32GB-1000	32GB CF Card, 1000x (by Hoodman)	189.99
RAW-64GB-1000	64GB CF Card, 1000x (by Hoodman)	349.99
SDCFXPS064GA46	64GB Extreme Pro CF Card, 160Mb/s (by Sandisk)	379.06
SDCFXPS128GA46	128GB Extreme Pro CF Card, 160Mb/s (by Sandisk)	649.99



Ki Pro produces Apple ProRes 422 QuickTime files that are ready for immediate use within Final Cut Studio. Simply connect the media to a host computer and begin editing. Unify SD, 720 and 1080 cameras and formats with one superior 10-bit full-raster codec-Apple ProRes 422. Ki Pro features cross-conversion so you can have a 720p camera produce a 1080i recording to match your other camera or vice versa. Ki Pro can even help extend SD cameras usage since it also up-converts SD camera signals to HD recordings. It records ProRes 422 media to a removable storage module or to 34MM Expresscard flash and simultaneously record to host camera and Ki Pro. It features extensive analog and digital I/O including HDMI, SD/HD-SDI, component, LTC, balance XLR audio, and unbalance RCA audio I/O, FireWire 800 and 400, RJ45, RS-232, lens tap, LANC loop, and composite out. Use a web browser via ethernet or WiFi to control operations from a laptop or iPhone. Base unit includes Ki Drive 250 (250GB 7200 rpm Storage Module), FW800 cable Ki AC Adapter (AC to 4-pin XLR).

ITEM	DESCRIPTION	PRICE
KI-PRO-250GB	. Portable Digital File Recorder, with Apple ProRes 422	3995.00
KI-EXO-RO	. Exoskeleton for Ki PRO with sliding base plate, mount hardware	595.00
KI-STOR-DOCK	. Dock for KiStor modules	395.00
KI-IOX-ACADPT-RO	. 120/240 AC to 12v DC 4-pin XLR power adapter	95.00
KI-SSD120-R0	. 120GB solid state storage module, FW800 cable	695.00
KI-SSD300-R0	. 300GB solid state storage module, FW800 cable	1395.00
KI-STOR250-RO	. 250GB 7200RPM storage module, FW800 cable	265.00
KI-STOR500-R0	. 500GB 7200RPM storage module, FW800 cable	385.00
C-KP1	. Carrying case for Ki-Pro (by PortaBrace)	164.05



AJA KI PRO RACKMOUNT DIGITAL FILE RECORDER The power of Ki Pro in a 1RU format and the perfect fit for broadcasters transitioning away from tape. Records ready-to-edit 10-bit Apple ProRes and Avid DNxHD files directly to dual media bays using removable hard disk or SSD storage modules. RS422 control enables easy integration with editing systems, controllers and tape decks while fulfilling all functions of a traditional VTR. Rear connections include SDI, HDMI, analog component, balanced audio, LTC input/output, RS422 and LAN. Capable of Ethernet file transfer, up/down/cross conversion and remote configuration/ control. Media storage drives sold separately.

ITEM	DESCRIPTION	PRICE
KI-PRO-RACK	Digital media recorder	3995.00
KI-SSD300-R0	300GB SSD media drive	1395.00
KI-STOR500-R0	500GB HDD storage module, 7200RPM	385.00
KI-STOR-DOCK	. Dock for KiStor modules	395.00



AJA KI PRO QUAD 4K SOLID STATE RECORDER This

4K/Quad HD/2K/HD solid state video recorder supports 10-bit 4:4:4 and 4:2:2 as well as RAW data. Debayer and ProRes encodes edit-friendly 4K, 2K, or HD files to onboard/removable SSD. Thunderbolt™ allows for realtime pass-through of RAW data. Features uncompressed and debayered 4K monitoring output via SDI and dedicated HD monitoring via SDI and HDMI. Accepts and outputs 4K RAW

.. 4K HD/SD-SDI recorder.



Blackmagicdesign =

KI-PRO-QUAD ...

BLACKMAGIC DESIGN HYPERDECK SSD RECORDERS Record onto 2.5" SATA SSD

drives for ultimate performance when recording 10-bit SD/HD QuickTime files. The HyperDeck Shuttle 2 is a single drive desktop model, with onboard battery and USB control interface. The HyperDeck Studio 2 is a dual drive rackmount with onboard LCD screen for monitoring video, audio and timecode. It also includes VTR-style design with function control, a jog/shuttle knob and external RS422 control. Both have 1x 3G/HD/SD-SDI input and output (2x inputs on Studio) and 1x HDMI input and output. Both models support up to 16 channels of embedded audio in SDI and 8 in HDMI. The HyperDeck Shuttle Pro 2 offers 3 SDI I/O, 4k HDMI, analog component & XLR audio connections.

ITEM	DESCRIPTION	PRICE
HYPERDECK-SHUTTLE-2	.Portable uncompressed HD SSD recorder, single drive	327.75
HYPERDECK-SHUTTLE-MP	. Mounting plate for HyperDeck Shuttle 2	94.05
HYPERDECK-STUDIO-2	. Rackmount HD SSD recorder, 1 SDI, dual drive	945.25
HYPERDECK-STUDIO-PR2	Rackmount HD SSD recorder, 3 SDL dual drive	. 1895.25

VIDEO SDEVICES

VIDEO DEVICES PIX2401 PORTABLE

PRODUCTION RECORDER Simplifies any production and post-production environment, bringing edit-ready Apple ProRes (4444 and 422) or Avid DNxHD recording to HD/SD-SDI or HDMI-equipped video cameras. The PIX records Quicktime files to



.3995.00

CompactFlash cards or removable 2.5" solid-state hard drives. Its IPS-based 5" LCD display offers accurate color rendition and consistent off-axis viewing. Designed with a molded carbon fiber chassis for field use, it includes HDMI I/O with (2) channels of embedded audio, (2) hi-res mic/line XLR I/O with 48V phantom power, and up/down/cross conversion from 480i-1080p. Also offers 4:4:4, 12-bit recording, 3G-SDI, HD/SD, and SDI I/O with 8 channels of embedded audio, timecode generator with genlock and world clock output, and AES3 digital audio inputs via XLR. Powered by an included XL-WPH3 10-18VDC adapter or by dual Sony L-mount batteries (not included). Additional power adapters available - please call your sales representative for more information.

ITEM PIX2401	DESCRIPTION Portable production recorder with HDMI, HD-SDI.	PRICE
	IPS-based LCD display	3295.00
OWCSSD7P6G120	120GB 6GB/s SSD drive (by OWC)	
	240GB 6GB/s SSD drive (by OWC)	
	64GB 1000x CF Card (by Transcend)	

VIDEO DEVICES PIX2501/ **PIX270I PRODUCTION VIDEO RECORDERS / PLAYERS** These scal-

able and networkable decks offer high quality Apple ProRes (including Apple



ProRes 4444) and Avid DNxHD file-based recording for live broadcast, event, and multi-camera productions. 3G-SDI and HDMI I/O. Rack-mountable with multi-drive recording for redundancy and immediate backup. The PIX250i is two drive-capable with 16 total audio tracks and PowerSafeTM. The PIX270i is more robust with frame sync record & play, four drive capability, 64 Channel MADI/Dante audio I/O, PowerSafe and dual power connection.

ITEM	DESCRIPTION	PRICE
PIX2501	Network connected video deck	3995.00
PIX2701	As above, with Multi-Unit Frame Sync, MADI & Dante	5625.00
PIX-CADDY-2	SSD drive adapter for PIX recorders	149.00
OWCSSD7P6G240	240GB 6GB/s OWC SSD drive	219.50
OWCSSD7P6G480	480GB 6GB/s OWC SSD drive	387.50







MISSION-CRITICAL VIDEO RECORDING

PIX 270i | Live Events | Corporate | OB Production





FOUR-DRIVE simultaneous recording for instant backups and sequential recording for capture of long-form events ProRes* | DNxHD*

DELIVER edit-ready Apple ProRes or Avid DNxHD files on removable drives or transfer over Ethernet



MULTI-CAM 3G-SDI/HDMI recording or multi-screen presentation by linking multiple PIX 270i



64-TRACK audio recording and playback via Dante, MADI, AES, Analog, SDI and HDMI I/O



970 (Audio Only)

PIX 270i

PIX 250i



MISSION CRITICAL VIDEO PRODUCTS BY SOUND DEVICES



Contact your Full Compass Sales Pro for more details (800) 356-5844 • www.FullCompass.com

VIDEO PLAYERS / RECORDERS



















































DATAVIDEO DV/HDV 320GB HARD DRIVE RECORDER/

PLAYERS These DV/HDV/CV recorders have (1) 320GB HDD in a removable enclosure and (1) additional empty enclosure. They record files in either HDV (M2T) or DV (DV) format over FireWire 400. They also support NTSC - DV, PAL-DV, HDV 1080i/50 and HDV 1080i/60 all at 25Mbps. Models include balanced stereo XLR audio input and output as well as unbalanced RCA audio input and output. It also has RS232/422 and GPI control. The removable hard drive enclosure has a built-in USB 2.0 connector for easy file transfer to a MAC or PC NLE System. The DN-700 fits all of these features into a slim 1RU chassis.

ITEM	DESCRIPTION	PRICE
DN-600	Standalone DV/HDV 320GB removable hard drive record	er/player1650.00
DN-700	As above, 1RU version	1650.00
HDD2.5-SATA-320	320GB SATA HDD	150.00



DATAVIDEO SD-SDI VIDEO RECORDERS The HDR-60 is

a tabletop hard drive-based video recorder with removable hard drive enclosure, designed for studio desktop applications, that records from both HD and SD video equipment via HD/SD-SDI onto a 320GB HDD, and is compatible with SSD drives. With GPI, RS-232 control, timecode, genlock, timelapse recording, ref-in/ loop-thru, black burst and tri-level signal, this unit supports 1080p, 1080i, 720p, 576i and 480i formats. The HDR-70 version has these same features in a 1RU rack mountable layout.

ITEM	DESCRIPTION	PRICE
HDR-60	HD/SD-SDI recorder with 320GB removable HDD	1950.00
HDR-70	As above, 1RU rack-mountable version	1950.00

Panasonic

PANASONIC AG-HPD24 SOLID STATE P2 RECORDER This portable P2 solid-state AVC-Intra recorder features native 1080/24p recording with variable frame rates. It has a fast USB 3.0 inter-



face, and 24-bit, 4-channel audio recording in AVC-Intra 100/50. With (2) P2 card slots and battery operation, the HPD24's rugged, half-rack design holds up to the demands of field production, yet it is small and light (4.41lbs with no battery). The deck allows users to playback and review P2 cards on its 3.5", 16:9 LCD screen. Manages clip files and metadata, records full resolution, 10-bit 4:2:2 master-quality video via its HD-SDI input, and can up/down/cross convert video as well as backup data onto hard disk drives. Includes 3D sync function for 3D recording and playback.

ITEM	DESCRIPTION	PRICE
AGHPD24PJ	Portable solid-state P2 recorder with AVC-Intra recording	4395.00

PANASONIC AJ-PCD2 SINGLE-

SLOT P2 CARD DRIVE This drive allows you to offload content to a computer via USB 2.0 that has been recorded on a P2 card. The AJ-PCD2 comes with 2 USB cables: one for file transfer and one for powering



the unit. Compatible with Windows 7, XP and Vista, as well as Mac OS X. Works with all sizes of P2 cards and supports all P2 formats and HD and SD frame rates.

	11	
ITEM	DESCRIPTION	PRICE
AJPCD2	Single-slot P2 card drive with 2 USB cables	348.00



Ask us about our 2- and 3-year extended warranties!

VIDEO MONITORS AND DISPLAYS (LCD, PLASMA, AND CRT)

Blackmagicdesign

SMARTVIEW-DUO

BLACKMAGIC DESIGN SMARTVIEW LCD MONITORS Smartview Monitors include 3-color integrated tally borders,

international power supply, Ethernet connection, USB 2.0 update port, SDI inputs with loop out, switchable between SD-, HD- and 3G-SDI. Duo features (2) 8" LCD screens in a compact 3RU design while HD features (1) 17" 1080p LCD screen in a sleek 6RU design. Both are only 1" thick and perfect for any rackmount setup.

	~		•		-	•	-
ITEM		DESCRIPTION					PRICE
SMARTVIEW-DUO		Dual 8" LCD 3	RU rac	kmount	monitor	 	470.25
SMARTVIEW-HD		17" HD LCD 61	RU racl	kmount	monitor	 	850.25

datavideo



DATAVIDEO TLM-702 DUAL 7" TFT LCD MONITORS The TLM-702 includes two 7" TFT LCD monitors (1440x234) in a standard 19" rackmount, 3RU high. It can tilt up to +/- 30° and lock in any position. Controls include flip, 4:3 aspect, 16:9 aspect, mirror image, source select, contrast, brightness, color, and tint.

ITEM	DESCRIPTION	PRICE
TLM702	. (2) 7" TFT LCD monitor, 3RU	850.00
TLM702MH	TLM-702 monitor with holder to attach to SE-500 switcher	1050.00



DATAVIDEO TLM433 THREE 4.5" LCD MONITOR UNIT This rackmountable unit has adjustments for contrast, brightness, color and tint and an LED tally light indicator above each screen. Includes 3 composite video BNC outs for loop-through.

ITEM	DESCRIPTION	PRICE
TLM433	Rackmount (3) 4.5" LCD broadcast monitors, 2RU	. 1000.00

DATAVIDEO TLM-170 SERIES LCD MONITORS The TLM-170 series are a line of 17.3", HD-SDI desktop monitors. They features a 1600 x 900 resolution and a backlit LED screen (desktop only). They also has built in stereo speakers and an audio level indicator. Connections include two CV inputs, one





ITEM	DESCRIPTION	PRICE
TLM-170G	Desktop monitor with backlit LED	1500.00
TLM-170HM	1U rack-mounted LCD monitor	1850.00
TLM-170HR	7U rack-mounted LCD monitor	1500.00

DATAVIDEO TLM-700HDPD 7' **HD/SD-SDI FIELD MONITOR Suited**

for use in the field or studio, this unit can be powered with 12V DC or AC and automatically switches between PAL and NTSC. It features a standard V-mount that allows you to use universal batteries. A sunshade is included for in-the-field applications. It can be calibrated with an internal color bar,



color temperature, color select and the "blue-only" mode. Inputs include HD/ SD-SDI, HDMI, YUV component and composite and a 15-pin D-sub connector for tally control. Includes 12V DC power supply, battery not included.

ITEM	DESCRIPTION	PRICE
TLM-700HDPD	7" TFT LCD field monitor with HD/SD-SDI input	805.00
MO-TLM700	Case for TLM700HD (by Porta-Brace)	181.41
E7S	IDX Li-Ion V-Mount battery 71Wh/4.8Ah, 14.8V	259.00











FHD651-P

CHRISTIE LARGE-FORMAT LCD DISPLAYS These commercial-grade HD LCD displays feature edge-lit LED technology and are great for presentation/collaboration uses. Both FHD651-P and -T models offer Christie ® Brio multi-site presentation/ collaboration compatibility, landscape/portrait orientation, and more. FHD651-T adds 4-point simultaneous IR touch technology and a protective screen cover. The FHQ841-T features a QuadHD (3840x2160) LCD screen with landscape orientation optimization for whiteboard and meeting room usage, and advanced 10-point IR touch technology that utilizes anti-glare tempered glass.

ITEM	DESCRIPTION	PRICE
FHD651-P	.65" HD professional LCD display	CALL
FHD651-T	.As above, with IR 4-pt. multi-touch screen, screen cover	CALL
FHQ841-T	.84" QuadHD, IR 10-pt. multi-touch screen	CALL

IKAN D-SERIES LCD MONITORS


These small and lightweight camera field monitors have a HD resolution of 1280x800 pixels and are equipped with 3G-SDI (input/output) and a HDMI input. Features false color, peaking, DSLR scaling and customizable function buttons on the back. Units come in 5" or 7" IPS and are available as waveform monitors



with waveform, vectorscope, and RGB parade options.

with waveform, vectorotope, and red parade options.	
ITEM DESCRIPTION	PRICE
D5-C	629.00
D5-P As above, with Panasonic 'D54' DV battery plate	629.00
D5-S As above, with Sony 'L' Series DV battery plate	629.00
D5W-C5.6" 3G-SDI LCD monitor with waveform and	
Canon '900 Series' DV battery plate	899.00
D5W-P As above, with Panasonic 'D54' DV battery plate	899.00
D5W-S As above, with Sony 'L' Series DV battery plate	899.00
D7-C 7" 3G-SDI LCD monitor, Canon '900 Series' DV battery plate	899.00
D7-P As above, with Panasonic 'D54' DV battery plate	899.00
D7-S As above, with Sony 'L' Series DV battery Plate	899.00
D7W-C7" 3G-SDI LCD monitor with waveform and	
Canon '900 Series' DV battery plate	1169.00
D7W-P As above, with Panasonic 'D54' DV battery plate	1169.00
D7W-S As above, with Sony 'L' Series DV battery plate	1169.00

IKAN VK5 AND VH8 HDMI MONITORS The ikan 5" VK5 and 8" VH8 are perfect solutions for DLSR monitoring with their lightweight, low profile designs. Both monitors feature HDMI inputs, red peaking, DSLR scaling, false color and clip guides. The VH8 has addi-



tional features including a HD IPS display panel, looping HDMI, composite input and 4 touch-sensitive buttons. Powering these monitors in the field is easy with snap-on/ screw-on battery plates that are compatible with a variety of Pro, DV style, and LP-E6 style batteries. Deluxe kits are available which also include a battery, battery charger and soft case - contact your Sales Pro for more information.

ITEM DESCRIPTION	PRICE
VK7I-C7" HDMI IPS field monitor with Canon battery adapter plate	449.00
VK7I-PAs above, with Panasonic battery adapter plate	449.00
VK7I-SAs above, with Sony "L" Series battery adapter plate	449.00
VK7I-SUAs above, with Sony "BPU" Series battery adapter plate	449.00
VH8-CVH8 Monitor with Canon "900" Series battery adapter plate	359.00
VH8-PAs above, with Panasonic "D54" Series battery adapter plate	359.00
VH8-SAs above, with Sony "L" Series battery adapter plate	359.00

JVC BROADCAST LCD MONITORS

Full 1080p image displays that offer a wide color range and wider viewing angle. Includes digital closed captioning, superior scaling, de-interlacing and 10-bit 4:4:4 1080p processing. Models also have 12-channel audio level meter with peak hold. Inputs include DVI-D, component and composite video as well as RCA audio-in. DT-E models feature a TN Panel with LED backlight-



ing that provides improved contrast and black level, as well as 20-30% less power consumption. DT-V models have a superior IPS display, built-in waveform/vectorscope and a 3G/dual-link HD-SDI input that enables monitoring of 1080/60p signals. The DT-3D24G1U uses passive 3D technology to display flicker-free images and is compatible with side-by-side and line-by-line 3D formats.

ITEM		PRICE
DTE17L4GU	. 17" HD LED LCD monitor with HD/SD-SDI	2587.35
DTE21L4U	. 21" HD LED LCD monitor with HD/SD-SDI	2880.19
DTV17G1Z	. 17" HD IPS LCD monitor with 3G/dual-link HD-SDI	2923.83
DTV24G1Z	. 24" HD IPS LCD monitor with 3G/dual-link HD-SDI	4095.19
DT3D24G1U	. 24" HD 3D LCD monitor with (2) 3G/dual-link HD-SDI	1947.69
RAK17LCDGS	. Rackmount kit for DTV17G1Z	147.00
RAK2024LCD	. Rackmount kit for DTV 20" to 24" LCDs	220.49



LG PROFESSIONAL DIRECT LIT IPS LED DISPLAYS In-Plane-Switching

(IPS) technology provides these displays with a clear image at virtually any angle. It even reduces image distortion when touch pressure is applied to the screen. Built-in temperature control adjusts to light and heat eliminating dark or blackened areas. Smart energy



saving reduces consumption by 30% and USB multi-media playback ensures easy and fast content delivery. Features Full HD 1080p, 400 nits brightness and a 1000:1 contrast ratio. Inputs include HDMI, DVI-D, RGB, RS232C, RJ45, IR, USB and stereo mini jack; outputs include DVI-D, IR, stereo audio and RS232C.

ITEM	DESCRIPTION	PRICE
47WL10MS-B	47" 1080p direct lit IPS LED display with tuner	. 1015.54
42WL10MS-B	As above, 42" version	835.66

Marshall Electronics



MARSHALL ELECTRONICS ORCHID® SERIES RACKMOUNT BROADCAST LCD MONITORS This series of rackmount monitors not only integrates interchangeable components or DVI input modules, but is also packed with additional features such as re-clocked outputs, auto-sensing HDSDI inputs, real-time waveform monitors and color vectorscopes, tri-color tally indicators, adjustable color temperature, timecode, precision gamma settings, adjustable clipping indicators, and more. All models are capable of de-embedding and displaying up to 16 channels of audio, any 2 channels of which can be monitored at one time. Each unit comes with at least one HDSDI input, one HDSDI output, and one input slot per screen, and stereo audio 1/8" (mini-plug) outputs.

ITEM	DESCRIPTION	PRICE
OR-434	Four 4.3" monitors, 2RU, 5 assignable function keys and	
	1 joystick menu system, 800x480	4426.35
OR-503	. Three 5" monitors, 3RU, 6 assignable buttons/screen,	
	4 assignable rotary encoders, 5-button menu system, 800x480	3908.85
OR-701A	. Single 7" monitor, 3RU, dual HD/SD-SDI inputs, stereo speakers,	
	11 assignable function keys, 4 assignable rotary encoders,	
	5-button menu system, 800x480	2413.85
OR-702	. Two 7" monitors, 3RU, 11 assignable function keys,	
	4 rotary encoders, 5-button menu system, 800x480	3310.85
OR-841-HDSDI	. Single 8.4" portable field monitor, 4RU, 1024x768,	
	9 assignable buttons	2758.85
OR-901-XDI	. 9" monitor, rack/camera mountable, 4RU, HD-SDI/HDMI, 3D ready	3276.35
OR-YPR	. Optional component input module	228.85
OR-DVI	. Optional DVI-I input module	182.85



















































































V-LCD651STX-HDA





















Marshall Electronics

DVI, component HD/SD and composite video inputs.





MARSHALL ELECTRONICS PROFESSIONAL LCD RACKMOUNT MONITORS These come in a wide variety of size and mounting arrangements. Displays are lightweight, have a shallow depth, run cool and tilt for optimum viewing. Many models feature TFT MegaPixel™ displays for better images and pixel density compared to other monitors. Configurations are also available with HDSDI, SDI,

,		
ITEM	DESCRIPTION	PRICE
V-R43P	Triple 4" in 2RU, composite ins on each	1006.25
V-R44P	Four 4" in 2RU, composite ins on each	1263.85
V-R573P	Triple 5.7" in 3RU, 2 composite ins on each	1378.85
V-R653P-HDSDI	Triple 6.5" HD in 3RU, HD/SD-SDI inputs,	
	composite and component ins	3103.85
V-R70P-HDSDI	Standalone 7" HD widescreen 1.2 TFT-Megapixel,	
	video assist monitor, HD/SD-SDI ins	1608.85
V-R70-1M	Rackmount adapter for V-R70P units	59.80
V-R72DP-2C	Dual 7" widescreen in 3RU, 2 composite ins on each	1608.85
V-R82SB-AFHD	Dual 8.4" backlit/for outdoor use in 4RU, 800x600, with HD/SD-SD	l,
	component, composite, S-Video, DVI, SXGA ins on each	1081.35
V-R902-DLW	Dual 9" in 4RU, 1280x768, with In-Monitor-Display and	
	waveform functions, with HD/SD-SDI, DVI, HDMI,	
	component and composite ins on each	1437.85

V-LCD15SB-AFHD-DT



MARSHALL ELECTRONICS PORTABLE FIELD MONITORS These models are designed for outdoor and high ambient light situations. The LCD70XP and LCD651STX models have expanded hi-definition input options (HDMI/3GSDI), false color exposure assist, and peaking filter focus assist. The LCD651STX and LCD70XP models are also available with Canon, JVC, Panasonic and Sony battery mounts.

ITEM Sunbright Models	DESCRIPTION	PRICE
	6.5" hi-res Sunbright monitor, RGB, 640x480	1/193 85
	8.4" hi-def Sunbright monitor, RGB, 800x600.	1400.00
	also has SDI/HDSDI, VGA, DVI and S-Video inputs	1608.85
V-LCD15SB-AFHD-DT	15" hi-def Sunbright monitor, 1024x768, SDI/HDSDI,	
	VGA, DVI and S-Video inputs, includes desktop stand	2528.85
5" Model		
	. 5" HDMI camera-top monitor, 800x480, uses AA batteries	. 516.35
6.5" Models		
	. 6.5" hi-res camera-top monitor, 1024x768	
	. As above, with Anton Bauer battery adapter	
	As above, with V-Mount battery adapters	
	. 6.5" hi-res camera-top monitor with HDMI in, 1024x768 . As above, with Anton Bauer battery adapter	
	. As above, with V-Mount battery adapters	
	. 6.5" hi-res camera-top monitor w/ 3G/HD/SD in, 1024x768	
	As above, with Anton Bauer battery adapter	
	. As above, with V-Mount battery adapter	
7" Models	, , , , , , , , , , , , , , , , , , , ,	
V-LCD70XHB-3GSDI	. 7" high brightness camera top monitor w/3G-SDI in, 800x480	1068.35
	. As above, with Canon BP battery adapter	
V-LCD70XHB-3GSDI-SB.	. As above, with Sony B series battery adapter	1091.35
	. 7" high brightness camera top monitor w/HDMI in, 800x480	
	. As above, with Canon BP battery adapter	
V-LCD70XHB-HDIPT-SB.	. As above, with Sony B series battery adapter	1010.85



MARSHALL ELECTRONICS MD SERIES LCD RACK DISPLAYS WITH MODULAR INPUTS The MD series of rack monitors feature interchangeable input modules. V-MD434 and V-MD503 units feature advanced front panel menu and feature control. V-MD702, V-MD171X, and V-MD201 feature composite and component inputs. All models feature false color filter, markers, freeze function, status display, color temp presets, RGB gain/bias adjust, blue gun, pixel-to-pixel and hard tally. V-MD171X and V-MD201 monitors can be used on desktops with purchase of optional stand. Monitors can be purchased with 3GSDI input modules already installed.

ai staila. Mollito	n's can be purchased with 505D1 input modules aiready instance	1.
ITEM		ICE
V-MD434	2RU (4) 4.3" 800x480 widescreen rack monitor unit, with	
	front-panel menu/feature control, without input modules	1.85
V-MD503	2RU (3) 5" 800x480 rack monitor unit, with front-panel	
	menu/feature control, without input modules	1.35
V-MD563	3RU (3) 5.6" LED-backlit 1280x800 rack monitor unit	
	with composite/component inputs	3.85
V-MN72	3RU (2) 7" LED-backlit 800x480 rack monitor unit,	
* 111572	without input modules	8 8 5
V-MD702	As V-MD72, with composite/component inputs	
	6RU 17" 1900x1200 rack monitor with composite/component inputs 1896	
	7RU 20" 1600x900 rack monitor with composite/component inputs 1830	
		0.00
	for V-MD434, V-MD503	
	3G/HD/SDI input module with loop-through320	
MD-HDSDIX2-B	2-channel HDSDI input module with switched output412	2.85
MD-HDIX2-B	2-channel HDMI input module	3.75
MD-DVII-B	DVI-I input module	3.75
Innut Modules t	for All Other Models	
	3G/HD/SDI input module with loop-through320	1 85
	2-channel HDSDI input module with switched output	
	2-channel HDMI input module	
	DVI-I input module	
	·)./3
Desktop Stands		
	Desktop stand for V-MD171X rack monitor	
V-ST20	Desktop stand for V-MD201 rack monitor	5.94

V-R231-IMD-HDSDI









MARSHALL ELECTRONICS IN-MONITOR DISPLAY-CAPABLE LCD

MONITORS Allows UMD (Under-Monitor Display) information and tallies to be displayed directly within the monitor. Available features include on-screen video time code, 3-color "Soft" Tallies, audio presence indicator and easy menu navigation. Integrates easily with existing Tally systems and controllers, while supporting Image Video, NVISION, TSL, and MEI protocols. All except the Quad Viewer monitors include HDSDI/SDI inputs and can be used as standalone displays with HDSDI loop-through. Quad Viewer models offer full-screen mode for video and DVI and quad-split mode (via built-in HD quad splitter) which is scaled to fit onscreen in the highest resolution. The Quad Viewer models have (4) independent HDSDI inputs, (1) DVI input, field-upgradeable firmware, and an RS422/485 port with pass-through. Dual Link/Waveform models feature 10-bit video path with 3G capable monitors and can display live video, audio bars, waveform and vectorscope in quad-view mode. They also have (2) 3G/HD/SDI inputs, Dual Link, a DVI input, RS485 firmware updating, and closed captioning (CEA-608-B, CEA-708-B). The NCB-1005 allows connected IMD monitors to be controlled by PC via Ethernet.

	•	
ITEM	DESCRIPTION	PRICE
V-R653P	-IMD-TE (3) 6.5" HD/SD monitors in 2RU rack unit, 1024xRGBx768	4483.85
V-R653S	B-IMD As above, outdoor version	4943.85
V-R1041-	-IMD-TE4U 10.4" HD/SD rackmount monitor, 4RU, 1024xRGBx768	2068.85
V-R1042-	-IMD-TE4U (2) 10.4" HD/SD monitors in 4RU rack unit, 1024xRGBx768	3444.25
V-R171X-	IMD-HDSDI 17" HD/SD rackmount monitor, 6RU	2413.85
V-R201-I	MD-TE 20" HD/SD rackmount monitor, 6RU, 1680xRGBx1050	1930.85
VP-LCD1	71H-ST-01 VESA mount stand with pivot and tilt for 20", 23" monitors	267.00
NCB-201	O Network control box for -IMD monitors	2988.85
V-R171X-	IMD-HDSDI 17" rackmount monitor, 6RU, 1920xRGBx1200	2413.85
V-R185-E	DLW 18.5" dual link/waveform desktop monitor, 1366x768	1953.85
V-R185-I	MD-3GTE 18.5" desktop monitor, 3G/HD/SDI, 1366x768	1148.85
V-ST15	Desktop stand for Quad Viewer monitors	34.44
V-R261-I	DLW26" Dual link/waveform monitor, 1920x1200	4196.35





Marshall Electronics

MARSHALL ELECTRONICS LYNXTI SERIES LCD MONITORS Displays are lightweight, shallow in depth, run cool and tilt for viewing. Many models feature TFT MegaPixel™ displays offering the highest pixel density for improved images compared to similar CRT and standard LCD products. Available in 10" to 19" displays. Significant improvements have been made to brightness, contrast ratio, and viewing angles. Various input configurations available. MegaPixel models feature screens



calibrated to SMPTE/IBU standards for color gamut and color temperature.

ITEM DESCRIPTION PRICE
M-LYNX-1010" 4:3 LCD monitor, 800x600 with composite,
S-video, VGA and stereo inputs313.95
M-LYNX-10W10" TFT 16:9 LCD monitor with rear speakers, remote control,
1024x600, composite, S-video, DVI, VGA and stereo audio inputs378.35
M-LYNX-1515" 4:3 LCD monitor with speakers, 1024x768, (2) composite,
component, S-video, VGA, DVI and (2) audio inputs424.35
M-LYNX-1717" 5:4 LCD monitor with speakers,1280x1024, (2) composite,
component, S-video, VGA, DVI and (2) audio inputs458.85
M-LYNX-17SDI17" 4:3 LCD monitor with SD-SDI BNC loop-thru
M-LYNX-1919" 5:4 LCD monitor with speakers, 1280x1024, (2) composite,
component, S-video, VGA, DVI inputs and (2) audio inputs562.35
M-LYNX-19SDI19" 5:4 LCD monitor with SD-SDI BNC loop-thru



Panasonic BTLH1760 PANASONIC BROADCAST LCD MONITORS

Designed for critical broadcast and production applications as reference grade HD and SD monitors

applications as i	eference grade fib and 5b monitors.	
ITEM	DESCRIPTION	PRICE
BTLH910GJ	9" HD/SD LCD 15:9 EVF monitor, 1280x768, HD/SD-SDI,	
	HDMI, BNC, and D-Sub inputs, 3.7 lbs	995.00
BTLH1760PJ	17" LCD monitor (16:9), 1280x768, Vectorscope/WFM,	
	DVI-D and (2) HD-SDI/SDI inputs, embedded audio,	
	time code/CC capable, with desk stand, 13.7 lbs4	220.00
BTLH2170PJ	21.5" HD Studio Monitor (16:9), 1920x1080,	
	10-bit processing, 3D-LUT, 3G/HD/SD-SDI, HDMI, and DVI inputs,	
	waveform/vectorscope display, with stand, 15.43 lbs	3250.00
Accessories		
BT-MOUNT	Camera monitor mount for BTLH910GJ	151.20
BT-YUC1700	Thermodyne case for BTLH1760	361.20
BT-YUC2550	Travel case for BTLH2550	616.80
MO-LH910B	Flat screen monitor case for the BTLH910G, black (by Porta-Brace)	181.41



PANASONIC HOSPITALITY LED HDTVS Hallmarks of this series include, built-in digital tuner with Pro:Idiom compatibility for PPV and

Call for more accessories.

Free-To-Guest HD content, VIERA LinkTM, HDAVI ControlTM for Blu-Ray player integration and compatibility, USB support, energy savings, easy installation, and more. The slim-bezel space-saving design offers more relative screen size, and the C.A.T.S. (Contrast Automatic Tracking System) ambient light sensor optimizes image quality while reducing energy usage. The -65LRU60 features video inputs on the side as well as the rear.

ITEM	DESCRIPTION	PRICE
TH32LRU70	32" 720p HD hospitality LED TV	404.04
TH42LRU70	42" 1080p HD hospitality LED TV	622.99
TH50LRU70	. As above, 50" version	984.14
TH65LRU60U	. As above, 65" version	3542.29

Panasonic

PANASONIC BT-4LH310 4K LCD MONITOR For

broadcast and cinema applications, this 31" 4K 10-bit IPS panel monitor supports 2K/ HD and meets DCI (P3) color gamut standards. Its Look-Up Table function allows highprecision color management



for digital cinema workflows. Display functions include waveform monitoring, vectorscope, zoom, focus-in-red, Y-map, frame grab, error indication, zebra, RGB color, and markers and grid. Additional features include 1450:1 contrast ratio, a 178° viewing angle, an audio level meter, fanless operation, and time code/closed caption (2K/HD) display. SDI, HDMI, and DisplayPort inputs. Remote control via RS-485, RS-232C, and GPI remote.

ITEM	DESCRIPTION	PRICE
BT-4LH310	. 31" 4K IPS panel broadcast/cinema monitor	CALL

PANASONIC TH-70LF50U PROFESSIONAL LED DISPLAY

These 3.5" thin LED displays offer excellent picture quality and visibility in applications from digital signage to boardroom display. Features include landscape and portrait modes, a ceiling suspension option, 24/7 operation, RS-232C control, Slot 2.0 expand-



ability, and LAN control compatibility. TH70LF50U. . 70" LED display.

PANASONIC PROFESSIONAL LCD DISPLAYS Built with an IPS (In-Plane-Switching) panel, these pro LCD displays have an incredibly wide viewing angle and sharp 1080p resolution. The LF6 Series feature 450-cd/m2 brightness and 12-ms response for excellent performance. A slim bezel makes for a stylish display for digital signage and



in multi-screen video wall solutions. They are capable of stable 24/7 operation and includes an Eco Mode that detects surrounding light conditions and adjusts screen brightness accordingly for optimum viewing and energy savings.

ITEM	DESCRIPTION	PRICE
TH42LF6U	. 42" 1920x1080 IPS LCD display	. 1032.00
TH47LF6U	. 47" 1920x1080 IPS LCD display	. 1362.00

SAMSUNG

SAMSUNG PROFESSIONAL **EDGE LIT LED DISPLAYS**

These ultra-slim displays have an extremely narrow bezel that makes them perfect for video wall and digital signage applications. Full HD 1080p, 450 nits brightness



and a 5000:1 contrast ratio combine for sharp, detail-rich images and easily legible type. Offers USB cloning, auto source switching and recovery, video wall functionality (10x10), image rotation and a built-in media player. Series includes VGA, DVI-D, (2) HDMI, DisplayPort 1.2, component, USB, RJ45, RS232C, stereo mini jack and TV inputs with RS232C, DisplayPort 1.2 (Loop-out) and stereo mini outputs.

ITEM	DESCRIPTION	PRICE
ME75C	. 75" 1080p edge lit LED display with tuner	6296.65
ME55C	As above, 55" version	1921.84
ME46C	As above, 46" version	1221.61
ME40C	As above, 40" version	847.04
ME32C	As above, 32" version	706.53





For expert advice - call: 800-356-5844





















































418

















































SONY

SONY 4K ULTRA HIGH DEFINITION (UHD) MONITORS These UHD monitors offer sharper images in stunning detail with four times the clarity of HD. Existing HD content will look better when upscaled via the 4K X-RealityTM PRO picture engine,



and Sony's exclusive TRILUMINOS display technology produces the truest, most natural colors yet. Optimized to support current and even future UHD codecs from various providers. The "One-Flick" remote control allows easy navigation of your favorite content—TV, networked photos, online videos, etc.—from an instantly-available shortcut menu. Other features include Wi-Fi support, Social viewing capability for simultaneous TV/tweet/SkypeTM viewing, and much more.

3 -1	3,	
ITEM	DESCRIPTION	PRICE
XBR55X850B	. 54.6" (diag.) 4K UHD monitor	. 2870.18
XBR65X850B	. 64.5" (diag.) 4K UHD monitor	. 3826.87
XBR70X850B	. 69.5" (diag.) 4K UHD monitor	. 5191.37

SONY FWD SERIES HD LCD PUBLIC **DISPLAYS** These professional 42", 46" and 55" (diagonal) LCD panels come with LED backlight, have full HD (1920x1080) resolution and high brightness for use in bright light conditions and offer portrait or landscape orientation options. They support audio in/out (pin jack), HDMI in, HD15 in/out with audio in, composite in/out (BNC x 2) with audio in, component video in



with audio in (pin jack x 3) and L/R speaker out. Also equipped with a network port for remote control/monitoring. An option slot accepts a host of adapters for versatility. Wellsuited for retail shops, shopping malls, hospitals or schools. FWD46B2 and FWD55B2 are low power consumption (110W/130W) models with DVI-D and HDMI inputs.

	1	
ITEM	DESCRIPTION	PRICE
FWDS42H2	42" slim HD LCD display	. 1811.04
FWDS46H2	46" slim HD LCD display	. 2028.37
FWD46B2	46" slim HD LCD display, low power consumption model	. 1593.72
FWD55B2	55" slim HD LCD display, low power consumption model	. 2535.46
BKMFW16	HDSDI input adapter for FWDS42H2 and FWDS46H2	879.89

IMD2110W

SONY PROFESSIONAL LCD COLOR MONITORS This line-up of SD/HD professional LCD moni-

tors features fast video response, extremely high brightness, contrast, color depth and wide viewing angle. All are ideal for HDV production.



ITEM	DESCRIPTION	PRICE
LMD1510W	. 15'6", 1366x768, HDMI/Composite, SD (BKM341HS adapter
	required), Component, Y/C, SDI	759.36
LMDA170	. 17", 1920x1080, HDMI/HD-SDI/SDI/Com	posite,
	SD, HD, Digital RGB and Y/C	2646.00
LMD2110W	. 21.5", 1920x1080, HDMI/SDI/Composite	
	(BKM341HS adapter required), Compone	ent, Y/C and RGB959.40
LMDA220	. 22", 1920x1080, 3G/HD-SDI/HDMI/SDI/C	
	Digital RGB and Y/C	3175.20
LMDA240		
	Digital RGB and Y/C	3528.00
Accessories		
	. 19" Rackmount kit for LMDA170	
	. HD/SD-SDI input adapter for LMD1510W	
SU561	. Monitor Stand for LMDA170/LMDA220/LI	MDA240 186.47

SONY PVM SERIES OLED PROFESSIONAL VIDEO MONITOR The PVM series uses an OLED (Organic Light Emitting Diode) panel, which creates true blacks and higher contrast than LCDs. Picture quality is excellent both indoors and outdoors, plus the new panels allows for off-axis viewing without color shift. Supports broadcast



standards SMPTE-C, EBU and ITU-R BT.709, with resolutions from NTSC/PAL to 1080p60. The PVM Series monitors come standard with two 3G/HD/SD-SDI inputs, an HDMI input, composite input, internal waveform monitor and AC power adapter. The PVM-741 includes 1/4" and 3/8" holes for camera mounting.

ITEM	DESCRIPTION	PRICE
PVM741/A	7.4" 960x540 OLED professional field monitor	2058.00
PVMA170	. 17" 1920x1080 OLED professional monitor	3919.99
PVMA250	. 25" 1920x1080 OLED professional monitor	CALL
SU561	Monitor stand for PVM1741 or PVM2541	186.47

SHARP.

SHARP PROFESSIONAL LED LCD

DISPLAYS Sharp's PN-E Series features uniform brightness, enhanced reliability and greater legibility of text. Engineered for 24/7 commercial use, these displays excel in digital signage applications and includes stereo



speakers, eliminating the need for an external audio system. Standard I/O includes HDMI, VGA and stereo audio inputs, stereo audio line-output and RS-232C I/O. The optional PN-ZB01 expansion board adds DVI-D, 5-BNC RGB, component, S-Video, composite, stereo audio, RJ45 LAN and stereo speaker output connections.

ITEM	DESCRIPTION	PRICE
PN-E802	80" 1080p LED display with 7W speakers	CALL
PN-E702	As above, 70" version	4696.31
PNE602	As above, 60" version	3259.00
PN-E471R	As above, 47" version	1291.06
PNZB01	PN-E expansion board	284.70



VISIUIV _®	5	
TOTE VISION LC	MONITORS	LCD400X4
ITEM	DESCRIPTION	PRICE
4" to 5.6" Monitors		
	ight for better color saturation and longer life.	
LCD400X4	Four 4" LCD units in 19" rackmount kit,	1010.00
100444	tilts 90°, NTSC/PAL, 2RU	1010.00
LUU411	As LCD410, adds BNC I/O	214.00
LED430X4-3GSDI	Four 4.3" LCD monitors in rackmount kit, tilting,	0007.00
LEDEONYO OOODI	HD-SDI, HDMI & RGB	2837.00
TED200X3-3@2DI	Three 5" LCD monitors in rackmount kit, tilting,	0400.00
LODECOVO	HD-SDI, HDMI & RGB	2466.00
TPD900X3	(3) 5.6" LCD units in rackmount kit, tilts 90°,	042.00
7" - 8" Monitors	NTSC/PAL, 3RU	942.00
	HD 7", 16:9, DVI, component I/O, S-Video in/out, BN	IC I/O 1090p 620 00
	LCD-703HD with rechargeable battery pack, tote ba	
	1 LCD-703HD with rechargeable battery pack, tole bo	
	2 LCD-703HD in rackmount kit, 3RU	
	LCD-703HD with Anton Bauer QRC-Gold mount	
	LCD-703HD with 'V' lock mount for IDX batteries	
	HD 8.4", 4:3 with 16:10 capability, composirt, component,	
	S-Video, VGA, HDMI	
LCD842HD2	Two 8" LCD in rackmount kit, no audio, 4RU	1660.00
10" MONITORS	, , , , , , , , , , , , , , , , , , , ,	
	Dual 9.7" LCD monitors in rackmount kit, 5RU	850.00
15.4" MONITORS	Dual 5.7 LOD monitoro in radiandant int, divo	
	15.4", 16:9, audio, composite, component, S-Video	analog RCR
LOD 300 D	HDMI, RS232, supports 1080p/i, 720p and 480p/i	
LCD1560HDR	LCD-1560HD in rackmount kit, 6RU	
LOD TOUGHDIN	EOD 100011D III IU0IIII10UIII NII, UNU	

vaddio

VADDIO PREVIEW RACK MOUNT MONITORS Excellent rackmount monitors

for a variety of applications that require high resolution monitoring of SD cameras. Each includes 2 or more monitors in a 3RU enclosure with tilt mechanism (PREVIEW-QUAD-4 is 2RU). Color, contrast, brightness, and On/Off controls per LCD (except PREVIEW-QUAD-4). The SD monitors offer active matrix LCD screens and inputs with active looping outputs on BNC connectors.

ITEM	DESCRIPTION	PRICE
PREVIEW-DUAL-6.4	Dual 6.4" LCD rack mount monitor, 3RU	1345.00
PREVIEW-TRIPLE-5.6	Triple 5.6" LCD rack mount monitor, 3RU	1255.00
PREVIEW-QUAD-4	Quad 4" LCD rack mount monitor, 2RU	1165.00

VariZoom

VARIZOOM VZ-TFT7 16:9 7" ON-CAMERA MONITOR An external video display allowing more free movement away from camera with a generous $30^{\circ}\!/\!60^{\circ}$ viewing angle. Can use for most aspect ratios and has RCA video and 2.1mm 12V DC input. 10W max power

consumption. Includes AC adapter and 4' RCA cable.



IIEM DESCRIPTION PRIG	Е.
VZ-TFT-7 7" 16:9 on-camera monitor with video cable and universal power supply 195.5	7
VZ-TFT-7U7" 16:9 on-camera monitor with case, 702M battery kit, shoe and sunhood 323.49	9



PANELS These interactive touchscreens are compatible with a variety of interactive software. Features (2) 12W speakers, ≥ 6-point touch recognition (2-point touch on the IL650),



LED backlighting, anti-sunlight and anti-image retention measures, multiple display administrator features, and are optimized for portrait mode.

ITEM	DESCRIPTION	PRICE
IL420	. 42" LED interactive flat panel	1999.00
IL460	As above, 46" version	2499.00
IL650	As above, 65" version	CALL



Gefen	
GEFEN DIGITAL SIGNAGE PLAYER WITH WI-FI An easy-to-operate media player with Wi-Fi	A
and software for a clean, seamless digital signage	
solution. Includes 4GB of built-in flash memory, a flash card	
slot and (2) USB 2.0 ports. Also features HDMI and VGA out connec-	
tions. An auto-play function starts playing scheduled contents automatically.	

EXT-HD-DSWFPN.... .. Digital signage playback with Wi-Fi Plus (live video input)......

JVC FULL HD 24/7 MONITOR This

55" professional industrial grade 16:9 HD LCD/LED monitor was created for 24/7 continuous operation for digital signage, information display, security and broadcast applications. Can be used in landscape or portrait mode, has 3G/



HD/SD-SDI interface with loop out, HDMI, DVI, RGB (with loop out), S-Video (with loop out) and composite video. Includes an FHD non-glare panel, LED backlighting, and custom screen-saving modes - all contained within an all-metal cabinet. Other features include multi-display options, ultra-high contrast, and RS232C I/O.

ITEM	DESCRIPTION		PRICE
GM-552DU	. 55" HD LCD/LED	monitor	.6500.00

Panasonic

PANASONIC TH-47LFT30 TOUCH ENABLED OUTDOOR LCD DISPLAY

Designed for outdoor interactive sign applications with its touch panel function and IP53 outdoor rating. The trans-reflective LCD panel features 1,500cd/m² of brightness and a forced air cooling system for use under direct



sunlight. The IPS panel is angled for easy viewing with large groups of people. The display is dustproof and water-resistant. Can be mounted vertically or horizontally.

ITEM	DESCRIPTION	PRICE
TH47LFT30W	. 47" HD 1080p touch/outdoor capable display	CALL

PANASONIC SUPER NARROW BEZEL LED DISPLAY This LFV series display allows for creation of indoor video wall sizes to match location. The ultra-narrow bezel creates a joint that's only $0.14\ensuremath{^{"}}$ wide for clearer imaging. The IPS panel's wide viewing angle ensures visual clarity from numerous viewpoints. Calibration functions, optional installation frame mount, and built-in cooling fan provide easy video wall configuration and maintenance.



DIGITAL LINK output combines video, audio, and control signals that can be transmitted by single cable for daisy chain applications. It's built for 24-hour operation, portrait installation, and equipped with Failover and Failback functions for use in mission critical rooms and surveillance centers.

ITEM	DESCRIPTION		PRICE
TH55LFV70U	55" LCD IPS Panel/D-LED display	. COMING	S00N!
ET-MWP100G	Optional multi-window processor	. COMING	S00N!
TY-VK55LV1	Optional Installation Mount	. COMING	S00N!

Premier MOUNTS LTD

PREMIER MOUNTS LMV VIDEO WALL FRAMING

SYSTEM This customizable video wall mounting system features multi-monitor stacking, open design, custom spacers and scissor mount extension. Fits



most 37"-63" flat panels with VESA 200x200mm to 600x400mm mounting patterns and supports up to 160 lbs. Spring-loaded locking mechanism allows quick release from locked position. Model-specific spacers (sold separately) are available and significantly cut installation time. Contact your Full Compass salesperson for info. Extends 12" from wall for maintenance. Adjustable mounting brackets ensure alignment of displays. "Click-It" locking feature confirms display is secure through an audible noise.

ITEM	DESCRIPTION	PRICE
LMV	Video Wall Framing System, for up to 160 lbs., black	402.53

SONY

SONY DIGITAL SIGNAGE BUNDLES These easy-to-use digital signage packages allow you to use effective and simple signage easily. Each bundle includes a high-performance FWD display plus a Hyper Media Player (HMP) containing user-friendly templates, management software, and the required connecting cable. Screens



can have multiple zones, each containing a variety of content, such as a clock, realtime weather, traffic, or other news feed via RSS, pictures and/or video from files or streaming video content, freeform text, or bulleted lists. With the browser-based interface, signs can be updated from a wireless tablet or smartphone or from a remote location. This eco-friendly signage solution uses LED backlighting and the player uses only 3-6Wof power. S-Series allows for HDSDI/SDI input via HDSDI adapter.

ITEM	DESCRIPTION	PRICE
FWD42B2/DS	42" LED screen, B-series digital signage bundle	2752.78
FWD46B2/DS	46" LED screen, B-series digital signage bundle	3042.55
FWD55B2/DS	55" LED screen, B-series digital signage bundle	3766.96
FWDS42H2/DS	42" LED screen, S-series digital signage bundle	3187.43
FWDS46H2/DS	46" LED screen, S-series digital signage bundle	3404.76
FWDS55H2/DS	55" LED screen, S-series digital signage bundle	5659.50







SPINETIX HMP130/200 DIGITAL SIGNAGE MEDIA PLAYERS A unique alternative to proprietary, PC-based solutions for digital signage. The HMP130 and HMP200 offer simple ways to schedule, update, stream and display content. Their fanless design and no moving parts make these boxes durable and their small design means they can be hidden nearly anywhere. Both players feature internal flash memory, flash drive and HDD support via USB, HDMI and VGA outs, 1/8" TRS audio out, real time event communication, horizontal and vertical display capability, animation capabilities, and support for touchscreen, keyboard, joystick, gamepad or mouse interaction. The HMP200 adds full HD 1080p video, and has 8GB of internal memory. SpinetiX Fusion software is included. The Elementi-X software allows control of unlimited HMP devices, while Elementi-S can control a max of 10.

ITEM	DESCRIPTION	PRICE
HMP-130	Hyper Media Player with Fusion software, 4GB, 720p	. 1332.50
HMP-200	Hyper Media Player with Fusion software, 8GB, 1080p	. 1883.70
ELEMENTI-S	Standard Digital Signage Software, Windows 7	418.60
ELEMENTI-X	Expert Digital Signage Software, Windows 7	. 1688.70



TECH GLOBAL MULTI-TOUCH CIT-IR TOUCH

SCREENS These NEC Multi-Touch LED Touch Screens use Cell Imaging Technology Infrared (CIT-IR) in an under-bezel touch integration system.



Ultra-smooth glass produces input flexibility for a finger, gloved hand or 6mm stylus via 2 touch points. Touch operation is unaffected by surface contaminants, options for additional touch points are available. Has wireless display and wireless touch capability along with an OPS expansion slot. Useful for interactive digital signage, education. board rooms, interactive white boards, hospitality and kiosk information systems.

For a full list of screen specifications, please shop www.fullcompass.com.

ITEM	DESCRIPTION	PRICE
FC22-SINGLE	. 22" NEC LED touch screen, 1-point touch	999.00
FC32-2PT	. 32" NEC LED touch screen, 2-point touch	1811.00
FC42-2PT	As above, 42" version	3161.00
FC46-2PT	As above, 46" version	3536.00
FC55-2PT	As above, 55" version	5161.00
FC65-6PT	. 65" NEC LED touch screen, 6-point touch	8874.00
FC2X2VW-12PT	92" NEC 2x2 (46" each) LED video wall, 12-point touch	47249.00

















































man

COMPUTER AV

10

LIGHTS

VIDEO DISPLAY MOUNTS AND ACCESSORIES

tightrope media systems ★



TIGHTROPE MEDIA SYSTEMS CAROUSEL SOLO DIGITAL SIGNAGE These stand-alone digital signage systems offer the complete package of hardware and software license. Comes with web-based interface, multi-zone display and dozens of pre-defined signage templates. Display RSS feeds, web cams, video, Adobe Flash®-even integrate with emergency messaging systems. DisplayPort output allows for secure HD connections. Units play back Windows Media, QuickTime and MPEG-2. The Carousel Solo 320 has TV Input that displays live video signals (up to 1080i) in a zone or full screen. Each unit includes 1-year warranty, but an assurance contract can extend your warranty and technical support.

ITEM	DESCRIPTION	PRICE
CAR-SOL0250	Carousel Solo 250, DisplayPort,	
	DVI (adapter) and VGA (adapter) outputs	3562.50
CAR-SOL0320-BND	Carousel Solo 320, Dual Link DVI-I,	
	DisplayPort & VGA (adapter) outputs	4187.50
CAR-SOLO250-SILVER	Silver Assurance Contract for Solo 250	195.00
CAR-SOLO250-GOLD	Gold Assurance Contract for Solo 250	539.50
CAR-SOLO320-SILVER	Silver Assurance Contract for Solo 320	390.00
CAR-SOLO320-GOLD	Gold Assurance Contract for Solo 320	565.50

BrightSign*



DIGITAL SIGNAGE MEDIA PLAYERS The advanced video engine in these solid-state digital signage players offers superior scaling technology delivering 1080p/60fps video, 3D content support, and even 1080p-to-4K upscaling. They can decode (2) 1080p/60fps videos or several lower-resolution videos simultaneously, and support $\operatorname{HTML5}$ so content creators can use familiar tools like touch-screen and swipe capabilities that bring familiar, intuitive interactivity to your digital signage for engaging content, plus UDP control for mobile interaction with signage. The XD230 is an affordable solid-state digital signage player with PC-class performance. The XD1030 offers all the capabilities of the XD230 and adds pure digital S/PDIF audio, while GPIO, serial and USB ports let you build displays with virtually any type of interactivity you can think of. Multiple video inputs to play live HDTV alongside your messaging headlines the XD1230. The ATSC/ Clear QAM tuner lets you play cable TV or closed-circuit broadcasts, and the HDMI input plays any broadcast content—even protected HDCP content. Bundles are also available teaming each player unit with a Full HD commercial grade display (42" or 47") that can be mounted in landscape or portrait mode.

ITEM	DESCRIPTION	PRICE
XD230	Networked Player	438.75
XD1030	Networked Interactive Player	585.00
XD1230	Networked Interactive Player with Live HDTV	682.50
BS142-230	. 42" Display Bundle with attached XD230 player	1550.25
	47" Display Bundle with attached XD1030 player	

BRIGHTSIGN HD SERIES DIGITAL SIGNAGE MEDIA PLAYERS These HD units have a powerful media handling platform, smaller form factor

BRIGHTSIGN XD SERIES



and lower cost to operate, making them ideal for your digital signage install. Ease of use and integration allow for simple plug and play content or robust interactive capabilities. BrightAuthor software is included for easy creation of signage and kiosk presentations. The HD120 is a basic model for simple looping video playback or basic interactive presentations with full HD and solid-state reliability. The HD220 offers networked looping, allowing content updates and live data feeds along with video playback. The top-of-the-line HD1020 is a networked interactive version that engages your audience with a host of options, making it useful for stand-alone looping displays, interactive kiosks, synchronized video walls and networked content delivery, plus its networking capability lets you easily keep content fresh and relevant without ever leaving the office. Bundles are available teaming each player unit with a Full HD commercial grade display (42" or 47") that can be mounted in landscape or portrait mode.

ITEM	DESCRIPTION	PRICE
HD120-BRIGHTSIGN.	. Basic Interactive Player	243.75
HD220	. Networked Looping Model	341.25
HD1020	. Networked Interactive Player	487.50
BSI42-120	42" Display Bundle with attached HD120 player	1360.13
BSI47-1020	47" Display Bundle with attached HD1020 player	1901.25



WE CARRY THE COMPLETE LINE OF CHIEF MOUNTS. SHOP FULLCOMPASS.COM FOR SPECIFIC MODELS AND PRICING.

FLAT PANEL CARTS/STANDS

PF SERIES For 42-71" displays. Lightweight, collapsible, 4'-7' height adjustment. Black or Silver. Weight capacity 200 lbs. Shelf accessory sold separately (PAC170).

PFC MODELS - MOBILE CART With casters. 4'-6' height.

PF1 MODELS - FLOOR STAND Low profile, no casters.

PF2 MODELS - DUAL DISPLAY FLOOR STAND Weight capacity 400 lbs.

MF SERIES For 30-55" displays. Lightweight,

collapsible, 4'-7'. Black or Silver. Weight capacity 125 lbs. Shelf accessory sold separately (PAC710)

ALEGO MODELO MADRIE CARTIVELLA CA

MFC MODELS - MOBILE CART With casters. 4'-6' height.

 $\ensuremath{\mathsf{MF1}}$ $\ensuremath{\mathsf{MODELS}}$ - $\ensuremath{\mathsf{FLOOR}}$ STAND Low profile, no casters.

 $\textbf{MF2 MODELS - DUAL DISPLAY FLOOR STAND} \ Weight \ capacity \ 250 \ lbs$

PPC MODELS - PRESENTERS CART For up to 61" displays.

Designed for presentations, 45-59" in 2" increment height adjustments. Black only. Weight capacity 200 lbs. Shelf accessory sold separately (PAS100).

FLAT PANEL CEILING MOUNTS

PCM MODELS - SINGLE CEILING MOUNT/ANGLED COLUMN

For 42-71" displays. +5°/-25° Tilt, 3° Roll. Black. Weight capacity 200lbs. Requires ceiling plate/extension column. Call for specifics.

PDC MODELS - **DUAL CEILING MOUNT** For up to 63" displays. +5°/-25° Tilt, 3° Roll, 360° Yaw. Black. Weight capacity 350 lbs. Requires ceiling plate/extension column. Call for specifics.



FLAT PANEL WALL MOUNTS

MTMU FUSION MODELS – TILTING For 26-47" displays. Low profile. 0-12° pitch control. Black.

Weight capacity 75 lbs./single stud, 125 lbs./dual stud.

LTMU FUSION MODELS – TILTING For 37-63" displays.

Low profile. 0-12° pitch control. Black. Weight capacity 200 lbs. Dual stud only.

XTMU FUSION MODELS - TILTING For 55-82" displays

Low profile. 0-12° pitch control. Black. Weight capacity 250 lbs. Dual stud only.

MSMU FUSION MODELS - FIXED For 26-47" displays.

Low profile. 14.5" lateral shift. Black.

Weight capacity 75 lbs./single stud, 125 lbs./dual stud.

LSMU FUSION MODELS – FIXED For 37-63" displays.

Low profile. 17.5" lateral shift. Black. Weight capacity 200 lbs

XSMU FUSION MODELS – **FIXED** For 55-82" displays. Low profile. 23.5" lateral shift. Black.

Weight capacity 250 lbs. Dual stud only.

FUSION PORTRAIT FLAT PANEL MOUNT

MTMPU FUSION MODELS - TILTING For 32-47" displays.

Low profile. +3/-10 ° pitch control. Black. Weight capacity 125 lbs. Single or dual stud.

LTMPU FUSION MODELS – TILTING For 37-63" displays.

Low profile. +0/-11 ° pitch control. Black. Weight capacity 200 lbs. Dual stud only.

















TAKE CONTROLOF YOUR INSTALL

Inspired by installers, Chief's Fusion* fixed and tilt wall mounts are designed to solve your toughest installation challenges.

Industry-first features speed up installation times and allow for customization, adjustments and self-leveling after the mount is installed.

Combine with Chief's new in-wall storage solutions for a zero-depth installation.

Contact your Full Compass sales pro for more information.





G-TOURLCDV2-3743



























DMNI MOUN



















GATOR CASES G-TOUR PLASMA/LCD CASES These plasma/LCD cases feature plywood construction with PVC

exterior, Red Penn Elcom recessed MOL twist latches and spring-loaded rubber-gripped handles, heavy-duty Penn Elcom zinc-plated hardware, reinforced stackable ball corners and polyethylene wedges to ensure proper fit for various sizes.

ITEM	DESCRIPTION	PRICE
G-TOUR-LCDV2-2632.	.Fits most 26"-32" LCD and plasma screens, lined with foam	579.99
G-TOUR-LCDV2-3743	Fits 37"-43" LCD and plasma screens, attached casterboard with	
	4 wheels (2 locking), carpet-lined with polyurethane foam corners	679.99
G-TOUR-LCDV2-5055	Fits 50" LCD and plasma screens, attached casterboard with	
	A whools (2 looking) cornet lined with polygrathans from corners 1	020 00

4 wheels (2 locking), carpet-lined with polyurethane foam corners 1029.99 G-TOUR-LCDV2-6065. Fits 60" LCD and plasma screens, attached casterboard with 4 wheels (2 locking), carpet-lined with polyurethane foam corner.. 1129.99

GATOR CASES ROTO MOLDED LCD FLATSCREEN CASES These cases are made of a near-indestructible LLDPE polyethylene plastic and feature molded-in handles at the base, aluminum handles for lid removal, four 3" casters with rubber wheels (2 swiveling/braking, 2 stationary), and foam inserts. Also comes with 1.5" nylon web straps with buckles, molded end supports with foam lining for shock protection and up arrows on the case to aid in proper flatscreen transport.



	-	_
ITEM	DESCRIPTION	PRICE
G-LCD-4042	Case for most 40"-42" LCD flatscreens, max width 41"	548.99
G-LCD-4647	Case for most 46"-47" LCD flatscreens, max width 45.5"	574.99
G-LCD-5055	Case for most 50"-55" LCD flatscreens, black	730.99

GATOR CASES G-TOUR ELIFT CASES These ATA Wood Flight cases come with a 4-position hydraulic LCD Lift that raises loads up to 125 lbs, 1/2" plywood construction with PVC-laminate exterior, carpet-covered interior, presentation drape, built-in retractable UL-approved electrical cord, universal mounting bracket, recessed twist latches

and four extra-heavy-d	luty industrial casters (2 locking).	
ITEM	DESCRIPTION	PRICE
G-TOUR-LCDLIFT-55	Fits 55" LCD and plasma screens	2099.99
G_TOUR_LCDLIFT_65	Fits 65" LCD and plasma screens	2399 99



2399.99

include low profile to keep TV close to the wall			
while giving sufficient room for connections/ cooling, and more.			
ITEM DESCRIPTION	PRICE		
OC150FFlat mount, 150 lbs. max., 1.3" mounting profile,			
Universal and VESA: 200x200 to 600 x 400	79.95		
OC150T Tilt mount, 150 lbs. max., 1.9" mounting profile,	70.05		
Universal and VESA: 200x200 to 600 x 400	/9.35		
0C175T Tilt mount, 175 lbs. max., 2.7" mounting profile,	100.05		
Universal and VESA: 100x100 to 600 x 400	129.95		

	ess-AV*	
peeri	ess-/aw	

OMNIMOUNT PLASMA/LCD

(VESA and non-VESA) TVs, with locking bar for

securing TV to mount, minor left/right position-

ing via sliding vertical rails on wall plate and Lift

n' LockTM for easy, 3-step installation. Features

PEERLESS SMARTMOUNT™ UNIVERSAL ARTICULATING ARM LCD FLAT PANEL MOUNTS The SA752PU and SA761PU are also available in silver just add _S to the

Follow Us!

avallable III	silver, just add –3 to the model number.	
ITEM	DESCRIPTION	PRICE
SA752PU	Articulating arm wall mount for 32"-52" screens, black	274.99
SA761PU	Articulating arm wall mount for 37"-63" screens, black	337.99
SA771PU	Dual-arm wall mount for 37"-71" screens, black	448.99



SMARTMOUNT™ UNIVERSAL FLAT/TILTING WALL

MOUNTS Universal wall mounts for plasma displays 32"-71". Includes theft-resistent hardware to attach screen to mount. Flat wall mount keeps screen close to wall for discrete installation. Tilting wall mount offers 15° forward and backward tilt. All models also available in silver, just add -S to the model number.

	DESCRIPTION For 32"-60" screens, holds up to 200 lbs., black	PRICE 81 99
SF670ST660	For 42"-71" screens, holds up to 250 lbs, black	111.99 112.99

PREMIES ID MOUNTS LTD PREMIER

PREMIER MOUNTS MODULAR VIDEO WALL MOUNTS This mount can be mounted in multiples side by side in rows or in columns, on dual-pole carts or stands, suspended, and in portrait or landscape orientatio dis

displays on the mount.	e duttons make it easier to install	
	DESCRIPTION Mount for 46" screens Mount for 55" screens	

PREMIER MOUNTS TILTING FLAT PANEL MOUNTS

All models offer 12° of continuous tilt, Premier Mounts Griplate™ system for secure placement, PANELOCK™ theft-resistance system, built-in lateral shift, and can be mounted to walls, floor stands, carts, and ceiling adapters. The CTM-MS1, CTM-MS3, and CTM-VESA have weight capacities of 160 lbs. The CTM-MS2 can hold up to 175 lbs. and the CTM-MS4 can hold up to 300 lbs.



SF660

ITEM	DESCRIPTION	PF	RICE
CTM-MS1	.Tilting mount for 24"-36" flatscreens, 400x200	mm mounting pattern 113	2.90
CTM-MS2	.Tilting mount for 37"-63" flatscreens, 200x200	mm – 800x505mm	
	mounting pattern, with hardware, cable/power	box access14	1.12
CTM-MS3	.Tilting mount for 55"-68" flatscreens, 200x200	mm – 900x735mm	
	mounting pattern, with hardware, cable/power	box access268	8.13
CTM-VESA	.VESA tilting portrait/landscape mount for 26"-52" fla	tscreens, 75x75mm,	
	100x100mm, 200x100mm, 200x200mm mounting p	atterns, with cable routing 11	7.60

PREMIER MOUNTS LMV VIDEO WALL FRAMING SYSTEM This customizable video wall mounting system features multi-monitor stacking, open design, custom spacers and scissor mount extension. Fits most 37"-63" flat panels with VESA 200x200mm to 600x400mm mounting patterns and supports up to 160 lbs. Spring-loaded locking



LCD1C

LCD1

mechanism allows quick release from locked position. Model-specific spacers (sold separately) are available and significantly cut installation time. Contact your Full Compass sales pro for info. Extends 12" from wall for maintenance. Adjustable mounting brackets ensure alignment of displays. "Click-It" locking feature confirms display is secure through an audible noise.

ITEM	DESCRIPTION	PRICE
LMV	Video Wall Framing System, for up to 160lbs, black	402.53

VMP LCD VESA STANDARD MOUNTS Universal LCD mounts which are adjustable and configurable in a variety of ways to accommodate wall, ceiling and desk mounting. They are designed to work with LCD displays from 10" up to 21", which use a 75 or 100mm VESA standard mounting.

LCD-1 is a universal wall mount which can be configured as a single arm, double arm articulating, or near flush mount with the parts provide and is available in black or silver. LCD-1C is a ceiling mount with a 17" to 27" telescoping mast, in silver. LCD-2 is a table/desk clamp-on or bolt-on mount in silver with a forward tilting arm. All mounts are designed to handle up to 25 lbs. Displays, and have adjustable tilt of 5 to 30 degrees.

ITEM	DESCRIPTION	PRICE
LCD1	. Wall mount with articulating arms, silver	43.36
LCD1B	. Wall mount with articulating arms, black	43.36
LCD1C	. Ceiling (pole) mount in silver	46.69
LCD2	. Desk mount in silver	49.88










Don't forget to use the included **GAPit[™]** tool, which measures the recommended spacing of .050" between video wall displays



The design possibilities are endless with the LMV Press & Release™ Pop Out Mount, which utilizes the industry's first Press and Release[™] design for easy service access in under five seconds. With new list pricing of \$599 each, get yours today!























































CHIEF RPM-U UNIVERSAL PROJECTOR **MOUNT** Part of the all-new RPA Elite™ Series. the RPM projector mounts include the same

great features as the RPA Series (independent roll, pitch and yaw, integrated cable management, and All-Points

Security) packaged in a new, revolutionary design. Unique features have been added to improve ease of installation, and simplify service for the end-user. Ideal for: homes, offices, schools, boardrooms, and houses of worship.

ITEM	DESCRIPTION	PRICE
RPMAU	Universal projector mount, black with keyed locking	237.00
RPMAUS	Universal projector mount, silver with keyed locking	237.00
RPMAUW	Universal projector mount, white with keyed locking	237.00





UNIVERSAL PROJECTOR CEILING MOUNTING SYSTEM Virtually any Video Data projector with threaded inserts will work on this system. It has a 1-1/2" standard threaded pipe mount on top, 3-pattern bolt plate on the top bracket that allows for projector tilt and offset, which slides into a crosshatch-vented lower plate. The projector mounts anywhere on the lower plate using supplied fender washers. The two plates slide together for easy servicing and security cable attachment.

ITEM	DESCRIPTION	IN		PRICE
PRO-PJT	Universal p	ojector mount	, up to 40 lbs.,	black 66.12



GATOR CASES LAPTOP AND PROJECTOR BAGS

These ATA travel-ready laptop and projector bags feature a rugged nylon construction, storage for file folders, adjustable shoulder strap, and an ergo-grip handle. A separate adjust-



able cable storage area also acts as an internal divider for the projector section. The bags meet airline specifications for carry-on and have a foldout design that folds flat to pass through TSA X-ray machines. The GAV-LTOFFICETSA case is constructed from polyethylene and has a removable foam-padded laptop tray.

ITEM	DESCRIPTION	PRICE
GAV-LTOFFICE	Laptop and projector padded bag	
	(16.5"Lx13.75"Wx4"H interior)	.104.99
GAV-LTOFFICE-W	Laptop and projector padded bag with wheels, tow handle	
	(16.5"Lx13.75"Wx3.5"H interior)	
GAV-LTOFFICETSA	Laptop and projector case with wheels, tow handle, TSA latches	
	(13.5"Lx11"Wx3.63"H interior)	179 99



ITEM

PRG-UNV.

peerless PEERLESS PRG - PRECISION **GEAR PROJECTOR MOUNT**

The patent-pending precision

gear design reduces installation time and makes

DESCRIPTION

the mount easier than ever to align. Achieve exact tilt and

roll image positioning with a simple turn of a knob. Once the

installer sets the precision gear to the desired position it stays

securely in place. It will not shift during projector maintenance,

under weight. Supports up to 50lbs. Available in black, silver or white.

Universal mount, includes adapter plate.

in black, silver, white (please specity color).

bulb replacement, and will not loosen or change alignment due to vibration, acciden-

tal bumping etc. Unlike traditional friction-tension settings, the gear won't budge



Projector Mount features four doublejointed support arms that allow flexible positioning to reach almost any projector mounting point. Each arm can be precisely positioned to avoid






PRICE

139.99

covering important projector ventilation and access points. Unique leveling barrels allow the PBL-UMS to adapt to any projector base, no matter how oddly shaped, to maintain a level installation. Its robust construction allows the mount to positively hold the projector fixed at nearly any angle with 360° rotation and more than +/-20° tilt and roll. Can be ceiling-mounted (including vaulted or cathedral ceilings, and single-studs or solid ceiling surfaces) or wall-mounted with an adjustable-height from 9" to 12-1/2"; or built-in low-profile option of only 2-1/2" from mounting surface cable-routing channel for a clean look. The PBL-UMS comes in a dark gray finish and is backed by Premier Mounts' noted lifetime guarantee.

ITEM	DESCRIPTION	PRICE
PBL-UMS	Universal projector mount	127.01



NIGEL B. DESIGN PROJECTOR ISOLATION MOUNTS

Using a combination of superior vibration absorbing mate-

rial and vibration-dampening ring mounts, these isolation

mounts offer better results than mounts that rely on



Shop fullcompass.com





MOUNT This yokeless variation of the PM-LP projector mount without

the telescoping mast, has a low 2.63" profile. It features a universal ceiling plate that can employ 1.5" NPT masting, cable management through the center of the mount, and fits most leading projector models up to 75 lbs with mounting holes inside 14.5" diameter. Plate and mounting screws included.

ITEM	DESCRIPTION	PRICE
PM-LPMB	Low profile projector mount in black	72.36









SH940



BENQ SH915 3D DLP PROJECTOR This projector features NVIDIA 3DTV PC connectivity, +/-30° vertical keystone correction, a 1.5x zoom ratio, and a 5W speaker.

···· • • • • • • • • • • • • • • • • •			00000
 DESCRIPTION 4000 lumens, 1080p, 11,000	:1 contrast r	atio	PRICE 1499.00



BENQ LARGE VENUE DLP PROJECTORS The SH940 and SH963 feature SD/HD up-conversion to Full HD, Crestron® RoomView® compatibility (SH940 only), a 1.5:1 zoom ratio, and +/-30° 2D vertical and horizontal keystone correction. The MX766 and MW767 are Crestron and PJ-Link compatible and allow for PC-less presentation via USB.

	···· 🔊 💿 💿 💼 ·····	
SH963		
	⋙ ∯∮•⊘⊙∰ <u>⊻</u>	
MX766 / MX767		
(, , , , , , , , , , , , , , , , , , ,	···· •• • • • • • • • • • • • • • • • •	NIZ.
()		_
ITEM	DESCRIPTION	PRICE
ITEM		PRICE
ITEM SH940	DESCRIPTION	PRICE 2499.00
ITEM SH940 SH963	DESCRIPTION 4000 lumens, 1080p, 50,000:1 contrast ratio	PRICE 2499.00 4973.75
SH940SH963	DESCRIPTION 4000 lumens, 1080p, 50,000:1 contrast ratio	PRICE 2499.00 4973.75 1249.00



BENQ BUSINESS DLP PROJECTORS The MX720 and MW721 feature DLP LinkTM supported 3D projection, multiple display options (4-1, partial projection), a 10W speaker, closed captioning, Crestron® RoomView® and PJ-Link compatibility.

MX720	
MW721	
ITEM	DESCRIPTION PRICE
MX720	. 3D projector, 3500 lumens, XGA, 13,000:1 contrast ratio 749.00
MW721	. 3D projector, 3500 lumens, WXGA, 13,000:1 contrast ratio 799.00
5J.J0614.A21	. Wireless USB dongle
	. 3D glasses



BENQ SMARTECO DLP SHORT THROW PROJECTORS With an increased lamp life of 10,000 hours/10+ years, these short throw projectors offer Blu-ray Full HD 3D support, support of additional 3D formats (frame sequential, frame packing, side by side, top bottom), +/-30° vertical keystone adjustment, and Crestron and PJ-Link compatibility.

(100000)

MW821ST

MW821ST

[]		
ITEM	DESCRIPTION	PRICE
MX819ST	. 3000 lumens, XGA, 13,000:1 contrast ratio	. 749.00
MW820ST	. 3000 lumens, WXGA, 13,000:1 contrast ratio	. 849.00



BENQ SHORT THROW INTERACTIVE CLASSROOM DLP PROJECTORS

These projectors feature a 13,000:1 contrast ratio and Crestron and PJ-Link compatibility over LAN control. The MW821ST has 3D capability (field-sequentials, frame-packing, top-and-bottom, and side-by-side) over HDMI and 4-1 or partial projection display options (among others) over LAN. The MW824ST has Blu-Ray Full HD 3D support. The MW821ST is PointDraw and QDraw compatible while the MW824ST is PointWrite-compatible and Android device-compatible via MHL Connectivity.

ITEM	DESCRIPTION	PRICE
MW821ST	3000 lumens, WXGA	799.00
MW824ST	3200 lumens, WXGA	799.00
5J.J8E26.A01	PointDraw 3.0 Kit – dongle, pen, charger, QDraw3 software	e 199.36



BENQ EDUCATION DLP PROJECTORS The MX661 features wireless display and PC-less operation via USB, a 1.97-2.17 throw ratio, a 1.1:1 zoom ratio, and +/-40° vertical keystone adjustment. The MW821ST is compatible with the PointDraw 3.0 pen and QDraw 3 software, which allows for on-screen annotating and is compatible with Mac, Linux and Windows devices. The MW821ST also features 3D format support (frame sequential, frame packing, side by side, top bottom), Crestron® and PJ-Link™ compatibility, and multiple display options (4-1, partial projection). The MW853UST features Blu-Ray Full HD 3D support, (2) 10W speakers, and is compatible with PointWrite, which allows teachers and up to 4 students to simultaneously collaborate and annotate projected images.

MW821ST
MW853UST
ITEM DESCRIPTION PRICE
MX661
MW821ST Short throw projector, 3000 lumens, WXGA, 13,000:1 contrast ratio 799.00
MW853UST 3D-ready ultra-short throw projector, 3200 lumens, WXGA,
10,000:1 contrast ratio
5J.J0614.A21 Wireless USB dongle for SH910
5J.J8E26.A01 PointDraw 3.0 Kit – dongle, pen, charger, software
5J.J8L26.20E PointWrite Pen Kit – 2 pens, sensor module, USB cable,
install CD for MW853UST



AUDIO





































































































E2465-A

ASK PROXIMA E2000 SERIES LARGE VENUE 3LCD PROJECTORS These projectors' features include wireless capabilities, motorized lens shift, PC-less image projection via USB, auto focus, manual keystone correction, and a 10W speaker. Additional lenses are available – please see the "E Series Lenses" list-

ing on this page.

		(00)
ITEM	DESCRIPTION	PRICE
E2465-A	5000 lumens, XGA, 2000:1 contrast ratio	2299.00
E2425W-A	4500 lumens, WXGA, 2000:1 contrast ratio	3195.00



ASK PROXIMA E3000 SERIES LARGE VENUE DLP PROJECTORS These 3D-ready dual-lamp projectors feature auto focus, motorized lens shift, manual vertical and corner keystone correction, and edge blending. Additional lenses are

available - please see the "E Series Lenses" listing on this page. ITEM DESCRIPTION PRICE E3815-A . 8100 lumens, XGA, 6000:1 contrast ratio COMING SOON!



ASK PROXIMA E1000 SERIES LARGE VENUE 3LCD PROJECTORS These projectors feature motorized lens shift, closed captioning, image reversal, 1.6x digital zoom, and image freezing and panning. Additional lenses are available – please see the "E Series Lenses" listing on this page.

E1655-A / E1655W-A F1655II-A

ITEM	DESCRIPTION	PRICE
E1655-A	6500 lumens, XGA, 2000:1 contrast ratio	3499.00
E1655W-A	6000 lumens, WXGA, 2000:1 contrast ratio	5499.00
E1655U-A	5000 lumens, WUXGA, 2000:1 contrast ratio	5499.00

45K Proxima

C510W



ASK PROXIMA C5 SERIES LCD PROJECTORS These projectors feature a 5000:1 contrast ratio, a 1.65x standard digital zoom lens, 2.47-1.48 throw ratio, 360° lens shift, edge blending, auto image reverse, and closed captioning. These projectors also allow you to freeze an image, zoom in and out, and pan. +/-30° auto vertical and +/-15° manual horizontal keystone correction. +/-10% horizontal and +/-40% vertical powered lens shift. Additional features include one-touch lens replacement, built-in test images, and quick power off.

ITEM	DESCRIPTION		PRICE
C520-PROXIMA	. 5500 lumens, XGA		1399.00
C510W	5000 lumons WYGA		1300 00



ASK PROXIMA C4 SERIES LCD PROJECTORS This series of projectors features a 1.2x standard digital zoom lens, 360° lens shift, edge blending, auto image reverse, 1.46-1.75 throw ratio, and closed captioning. These projectors also allow you to freeze an image, zoom in and out, and pan. +/-30° auto vertical and +/-15° manual horizontal keystone correction. Additional features include one-touch lens replacement, built-in test images, and quick power off.





ASK PROXIMA E SERIES LENSES

ITEM	DESCRIPTION	PRICE
AP-LNS-W21	. Short fixed lens, fixed zoom, 2.6:1 throw ratio	4495.00
AP-LNS-W20	. Short zoom lens, 1.3x zoom, 4.3-5.6:1 throw ratio	3595.00
AP-STD	. Standard lens, 1.6x zoom, 4.3-6.9:1 throw ratio	449.00
AP-LNS-S20	. Sanyo standard lens, 1.7x zoom, 5.6-9.2:1 throw ratio	449.00
AP-LNS-T20	. Long zoom lens, 1.6x zoom, 9.2-15.1: 1 throw ratio	4995.00
AP-LNS-T21	. Ultra-long lens, 1.6x zoom, 15.1-23.6:1 throw ratio	5295.00







































Display Component S-Video BNC 5-BNC RCA RCA Mini RJ-45 RS-232 RS-232 USB USB USB USB Screen Wired IR Port





C520

Super Bright, Highly Capable

The Proxima C520 portable projector is packed with features. With up to 6,000 hours of lamp life in economy mode, the C520 features liquid crystal display technology and built-in edge-blending software, as well as RS-232 for network control and projector monitoring, Mobility you want with flexibility you need.



C431W

Practical, User-friendly Projection

The C431W from Proxima is a rugged and durable user-friendly projection display with liquid crystal display technology for color accuracy. The lamp cover is conveniently located on the top of the projector for easy replacement. With multiple input options, built-in odge-blending and R5-232 features, the C431W is everything a projector should be.



S430W

Shrot-Throw, Big Picture

The short-throw projector S430W from Proxima. The short-throw lens can project an image up to 80" (diagonal) from a distance as little as 29", allowing the viewer to see what's on the screen without a shodow. Corner keystone correction allows the adjustment of all four angles of the image. These are ideal tools for when the projection environment is less than ideal.



Note: The Educare 5 year warranty only applies to qualified education customers.

C3327W-A

Impactful Portability

The Proxima C3327W-A portable projector is packed with features. With up to 6,000 hours of lamp life in economy mode, the C3327W-A features three-panel LCD technology and built-in edge-blending software, as well as R5-232 for network control and projector monitoring. Mobility you want with flexibility you need,



US1315W-A

Ultra-Short, Ultra-Competitive

Short on space? The ultra-short throw projector from Proxima, the U51315W-A, delivers a large image from a super-small distance. Whether mounted on the ceiling or below the screen, the U51315W-A provides a bright picture with astounding color with its three-panel LCD technology and feature-rich with a variety of inputs and color/picture management tools.

About ASK Proxima

ASK Proxima, the long-standing, venerable brand in digital video technology, manufactures a full line of high-performance projection displays. Powerful impressions, effective solutions, find it all with Proxima projectors.



800-356-5844 fullcompass.com





















































































..CALL

CHKISTIE



CHRISTIE DHD800 1-CHIP DLP PROJECTOR This dual-lamp projector features a user-changeable twin color wheel system, a dust- and dirt-repellent optical engine, edge blending, color matching, and two slots for optional input

ITEM	DESCRIPTION	PRICE	
DHD800	8000 lumens, 1080p, 7500:1 contrast ratio	CALL	
103-134109-02	DVI and RGB D-Sub module	495.00	
103-133108-02	5-BNC and S-video module	595.00	
102 122107 02	Dual CDI/HD CDI Interface Medule	2750 00	



CHRISTIE E-SERIES 1-CHIP DLP PROJECTORS These fixed installation projectors have a 5000:1 contrast ratio and Christie's Dynamic Contrast feature. Also features a high-brightness 6-segment color wheel, single/dual-lamp operation modes, wireless connectivity, color matching, and picture-in-picture/

picture by picture.	•		
ITEM		PRICE	
DHD675-E	. 6450 lumens, 1080p	CALL	
DHD775-E	. 7000 lumens, 1080p	CALL	
DWU675-E	. 6700 lumens, WUXGA	CALL	
DWU775-E	. 7200 lumens, WUXGA	CALL	
122 112100 01	Wireless dengle	100.00	



CHRISTIE Q-SERIES 1-CHIP DLP PROJECTORS These dual-lamp projectors feature Christie's eClarity advanced image processing that gives SD content the image quality of HD images. Also features built-in color wheels and High Dynamic Contrast Range, which helps your content standout in situations where ambient light is abundant.

ITEM	DESCRIPTION	PRICE
DWU951-Q	8500 Jumens. WUXGA. 2500:1 contrast ratio	CALL
DWX951-Q	8500 lumens, WXGA, 2500:1 contrast ratio	CALL



CHRISTIE GS SERIES 1-CHIP DLP LASER PHOSPHOR PROJECTORS These lamp-free projectors feature built-in color matching, an HDBaseT input, edge blending an image warping via optional module, and Crestron Connected and AMX Discovery compatibility. The DWX555-GS has a wired remote input.

Discovery companismely. The Byrnson Go has a which remote input.			
ITEM DESCRIPTION	PRICE		
DWX555-GS5400 lumens, WXGA, 1200:1 contrast ratio	CALL		
DHD555-GS 5000 lumens, 1080 HD, 1200:1 contrast ratio	CALL		
DWU555-GS 5400 lumens, WUXGA, 1200:1 contrast ratio	CALL		
140-101103-01 0.95-1.22:1 zoom lens	2055.00		
140-100102-01 1.22-1.52:1 zoom lens	975.00		
140-102104-01 1.52-2.89:1 zoom lens	1850.00		
133-111104-01 Optional blending/warping module	1326.00		























JVC D-ILA 4K 3D PROJECTORS

All models are 3D-capable and feature a 120Hz Clear Motion Drive, a 16-step lens aperture, motorized lens shift and 1.4:1-2.8:1 lens throw. 3D viewing capabilities also include the ability to project 3D Blu-Ray, side-by-side and top-and-bottom images. The

DLA-X70 and DLA-X90 models are 4K capable with a resolution 3840x2160, are THX 3D certified, and come with 2 pairs of active shutter 3D glasses and 2 IR emitters.

ITEM	DESCRIPTION	PRICE
DLAX35		3499.95
DLAX70R		CALI
DLAX90KT		CALI
PK-AG-2B	3D shutter glasses	179.95
PK-EM1	3D emitter	79.95

EPSON POWERLITE-4650 **EPSON** CLASSROOM **3LCD PROJECTORS** Features include 2x optical zoom, lens shift, split screen display capability, DICOM mode, and networking capabilities, 3D stacking, point and arc correction. Capable of wirelessly display and control from iOS and Android devices.

ITEM	DESCRIPTION	PRICE	
POWERLITE-4650	5200 lumens, XGA	2272.88	
POWERLITE-4750W	4200 lumens, WXGA	1999.00	
	Replacement lamp		

EPSON MULTIMEDIA 3LCD PROJECTORS Features include

wireless connectivity via LAN module, monitoring and control over your network, and multi-PC projection and Moderator function which allows up to 50 devices



POWERLITE-97

to be connected over a network with 4 projected simultaneously. Additional features include a 10,000:1 contrast ratio, +/-30° vertical and horizontal keystone correction, 1.48-1.77:1 throw ratio (1.3-1.56:1 on the -99W), manual zoom and focus (1-1.2 zoom ratio).

ITEM	DESCRIPTION	PRICE
POWERLITE-97	XGA, 2700 lumens	549.00
	XGA, 3000 lumens	
POWERLITE-99W	WXGA, 3000 lumens	749.00
V13H010L78	Replacement lamp	99.00
	Replacement air filter	
	Wireless LAN module	

POWERLITE-1771W	*******
EPSON POWERLITE ULTRA PORTABLE PROJECTOR This thin, lightweight projector offers a 2000:1 contrast ratio, manual focus and zoon	BPSON D

manual horizontal keystone correction, auto vertical keystone correction, PC-free presentation via USB drive, a 1W mono speaker, and built-in closed captioning. Includes wireless LAN and carrying case. The optional Quick Connect Wireless USB key allows you to use Epson's iProjection app (for iPad, iPhone, iPod Touch, available through Apple's App Store) in your presentation.

ITEM	DESCRIPTION	PRICE
POWERLITE-1771W.	3000 lumens, WXGA	999.00
V12H005M09	Quick Connect Wireless USB Key	99.00
V13H010L65	Replacement lamp	199.00

EPSON

DLAX70R

EPSON POWERLITE ULTRA-SHORT THROW 3LCD PROJECTORS These ultra-short throw projectors include a 16W speaker, a 3000:1 contrast ratio, manual focus, +/-5° manual keystone correction (horizontal and verti-

cal), and digital zoom. USB connectivity allows you to present slideshows PC-free, display and control presentations from computers, transmit audio from a computer, and present content from an Epson document camera. Wall mount is included.

(<u>'''''</u>) (1000
ITEM	DESCRIPTION	PRICE
POWERLITE-475W	2600 lumens, WXGA	1499.00
POWERLITE-485W	3100 lumens, WXGA	1599.00
V12H418P12	Optional wireless LAN module	99.00
V13H010L71	Replacement lamp	79.00



EPSON POWERLITE PRO Z SERIES 3 LCD PROJECTORS These dual-lamp models feature a 5000:1 contrast ratio, manual and auto keystone correction, remote-controllable motorized zoom, focus, and lens shift, closed captioning, and Quick Corner® independent image corner control. Includes software for remote monitor and control for networked projectors. Various lens types are availablecontact your sales representative for more information.

ITEM		PRICE
POWERLITE-Z8000WUNL.	6000 lumens, WUXGA, no lens	12999.00
POWERLITE-Z8050WNL	7000 lumens, WXGA, no lens	8999.00
V13H134A23	Replacement air filter	95.00
V13H010L53	Replacement projector lamp	449.00
V12H004M06	. Middle throw zoom lens	2899.00
V12H004S04	. Standard lens	1399.00



EPSON POWERLITE PRO G SERIES LCD PROJECTORS These projectors feature manual focus & zoom, edge blending, and keystone correction. Also features DICOM simulation mode for medical training (G6450WU and G6550WU only).

ITEM	DESCRIPTION	PRICE
POWERLITE-PRO-G6800	.7000 lumens, XGA, with standard lens	4198.84
G6450WU	.4500 lumens, WUXGA, with standard lens	3999.00
G6550WU	.5200 lumens, WUXGA, with standard lens	4999.00
V13H134A17	.Replacement air filter	39.00
V13H010L76	Replacement projector lamp for G6450 & G6550	549.00
V12H004M04	.Middle throw zoom lens	1899.00
V12H005M09	.Quick wireless connection USB key	99.00
V12H306P16	.Wireless 802.11g/b/a module	99.00





















































IN112A / IN114A / IN116A

SP-LAMP-087

SP-WIFIUSB-2

HW-LBWAND-01

HW-LBRADIO.

















































INFOCUS PORTABLE DLP PROJECTORS All models are 3D-capable and have a 15,000:1 contrast ratio and manual focus. Additional features include $\pm -40^{\circ}$ digital vertical keystone correction, closed captioning, (1) 2W speaker, and manual zoom (not on short throw STa models). The STa models are 3D-ready, Creston® RoomView® and AMX Device Discovery compatible, and allow for wireless presentation with smart devices via the wireless network adapter. The Windows/Mac/Linuxcompatible LiteBoard products allow you to control Mac and PC apps via LiteBoard Wand, which lets you write, draw, and click like a mouse.

IN124STA / IN126STA		
ITEM	DESCRIPTION	PRICE
IN112A	3000 max lumens, SVGA	289.00
IN114A	3000 max lumens, XGA	349.00
IN116A	3000 max lumens, WXGA	419.00
IN124STA	3300 max lumens, XGA, short throw	629.00
IN126STA	3300 max lumens, WXGA, short throw	779.00
SP-LAMP-086	Replacement lamp for IN112a, IN114a, IN116a	192.85

Replacement lamp for IN124STa, IN126STa.

LiteBoard Adapter Radio

..... LiteBoard Wand Kit.

Wireless network adapter for -STa projectors.



INFOCUS 3D CONFERENCE ROOM DLP PROJECTORS These 3D-capable models offer a 15,000:1 contrast ratio, closed captioning, (1) 2W speaker, +/-40° digital vertical keystone correction, manual focus and zoom. Built-in apps and the optional wireless USB adapter allow you to display files from your Apple or Android device. Crestron® RoomView® Connected and AMX Device Discovery compatible. The Windows/Mac/Linux-compatible LiteBoard products allow you to control Mac and PC apps via LiteBoard Wand, which lets you write, draw, and click like a mouse.

ITEM		PRICE
IN2124A	3500 max. lumens, XGA	649.00
IN2126A	3500 max. lumens, WXGA	739.00
IN2128HDA	3500 max. lumens, 1080p	CALL
SP-WIFIUSB-2	Wireless USB adapter	29.00
SP-LAMP-087	Replacement lamp for IN2120a series projectors	224.00
HW-LBRADIO	LiteBoard Adapter Radio	37.70
HW-LBWAND-01	LiteBoard Wand Kit	144.20



INFOCUS CONFERENCE ROOM HD DLP PROJECTORS These projectors feature a contrast ratio of 3000:1, closed captioning, (2) 10W speakers, and +/-40% vertical digital keystone correction. AMX Device Discovery and Crestron® RoomView® compatible.

		00000
ITEM	DESCRIPTION	PRICE
IN3124	3D-capable projector, 4800 lumens, XGA	1099.00
IN3126	3D-capable projector, 4000 lumens, WXGA	1299.00
SP-LAMP-078	Replacement lamp	183.27



INFOCUS INSTALLED DLP PROJECTORS These dual-lamp DLP projectors offer a 2400:1 contrast ratio, +/-30% digital keystone vertical correction, motorized focus and motorized lens shift (+/-10% horizontal, +20%/-60% vertical).

ITEM	DESCRIPTION	PRICE
IN5552L	8300 max. lumens, XGA	7999.00
IN5554L	7000 max. lumens, WXGA	7999.00
IN5555L	7000 max. lumens, WUXGA	12999.00
SP-LAMP-082	Replacement lamp for IN5552L, IN5554L, IN5555L	824.10
LENS-075	Wide fixed lens	2599.00
LENS-076	Wide zoom lens	2599.00
LENS-074	Standard throw lens	799.00
LENS-079	Semi-long throw zoom lens	2599.00
LENS-077	Long throw zoom lens	2599.00
LENS-078	Ultra-long throw zoom lens	2599.00



INFOCUS 3D CLASSROOM LCD DLP PROJECTORS These filter-less projectors feature a 3D sync port, +5%/+ 5% horizontal and -40% vertical lens shift, AMX Device Discovery compatibility, (2) 3W speakers, and +/- 40° vertical keystone correction. Additional lenses are available – please contact your sales pro for more information.

ITEM	DESCRIPTION	PRICE
IN5312A	6000 lumens, XGA, 2000:1 contrast ratio	2899.00
IN5316HDA	5000 lumens, 1080p, 2000:1 contrast ratio	4399.00
INLITESHOW3	Wireless adapter for IN5312a, IN5316HDa	276.90
SP-LAMP-090	Replacement lamp	382.72

















224.00

29.00

37.70

144.20

























InFocus



INFOCUS IN1142 PORTABLE LED DLP PROJECTOR This lampless and filterless projector's LED light source can last up to 30,000 hours, making it ideal for those in the market for a maintenance-free device. Features include $\pm 40^{\circ}$ vertical auto keystone correction, MHL 1.2 compatibility for Android devices, and a 1W speaker. Weighs 2 pounds and measures 6.7" W x 5.4" D x 1.7" H.

ITEM	DESCRIPTION	PRICE
IN1142	700 lumens, WXGA, 10,000:1 contrast ratio	399.00



INFOCUS MOBILE DLP PROJECTORS The IN1110A and IN1112A have a 2600:1 contrast ratio, 1.1:1 zoom ratio, 1W speaker and +/-30% vertical digital keystone correction.

ITEM	DESCRIPTION	PRICE
IN1110A	2100 lumens, XGA	879.00
IN1112A	2200 lumens, WXGA	999.00
SP-LAMP-043	Replacement lamp for IN1110, IN1112	369.00
	RF remote with USB receiver	



INFOCUS 3LCD LARGE VENUE PROJECTORS All models offer DICOM mode, a 3000:1 contrast ratio, motorized lens shift, zoom, and focus, split-screen capability, (2) 8W speakers, and +/-35 $^{\circ}$ horizontal and vertical digital keystone correction. These projectors also have lens shift memory, the ability to stack 2 projectors to double the brightness, compatibility with Crestron RoomView and AMX Device Discovery, and PC-less presentation via USB.

ITEM		PRICE		
IN5142	6000 lumens, XGA	5699.00		
IN5144A	5500 lumens, WXGA	5699.00		
IN5145	5000 lumens, WUXGA	6399.00		
SP-LAMP-081	Replacement lamp	590.40		
SP-DOUSB-WIRELESS	S Wireless network via USB adapter	152.60		

Panasonic

PTDZ21KU





PANASONIC 3D-READY LARGE VENUE 3DLP PROJECTORS These projectors are 50% smaller than comparable projectors for large venues and rental/ staging applications. Features include a 10,000:1 contrast ratio, a 4-lamp system (2 lamps on the PTDZ10KU & PTDZ13KU), DICOM simulation mode, and a liquid cooling system. The upgrade kit's software supports color matching and edge blending for multi-projector setups, as well as screen shape adjustment. Replacement lamps, filters, mounts, and additional lenses are sold separately - please contact your sales representative for more info.

ITEM DESCRIPTION	PRICE
PTDZ10KU 10,600 lumens, WUXGA	37999.00
PTDZ13KU12,000 lumens, WUXGA	43999.00
PTDZ21KU 20,000 lumens, WUXGA	59249.00
PTDS20KU20,000 lumens, SXGA+	46999.00
PTDW17KU17,000 lumens, WXGA, not 3D-ready	35099.00
ETUK20Geometry Management Pro upgrade kit, for all except PTDW17K	U 1835.46



PANASONIC PT-VW440 SERIES LCD PROJECTORS These low-noise conference room/classroom projectors feature Panasonic's Daylight View ambient-light compensation technology, as well as 1.6x zoom lenses, a built-in 10W speaker, +/-30° vertical keystone correction, and vertical lens shift. The PTVW431DU's Digital Link feature allows you to transmit HDMI, uncompressed HD digital video, audio, and control signals over Cat5e cable (ETYFB100G required). The PTVX505NU is compatible with Panasonic's iOS app for iPod, iPhone and iPod Touch, while the non-wireless models are compatible with PJ-Link protocol and Crestron Connected software. Replacement lamps, filters, mounts, and additional lenses are sold separately – please contact your sales representative for more info.

PTW431DU	L L

DTV/WAAOU / DTV/VE 10U

ITEM		PRICE
PTVW440U	4800 lumens, WXGA	. 1249.90
PTVW431DU	4300 lumens, WXGA	. 1443.42
PTVX510U	5500 lumens, XGA	. 1442.35
ETYFB100G	Digital interface box for PTVW431DU	. 1530.14



PANASONIC LCD INSTALLATION PROJECTORS Both models feature a 600:1 contrast ratio, a 2x manual zoom lens with horizontal/vertical lens shift, manual focus, and +/-30° vertical keystone correction.

ITEM	DESCRIPTION	PRICE	
PTFX400U	4000 lumens, XGA	1649.00	
PTFW430U	3500 lumens, WXGA	1749.00	
ETEMF100	Replacement filter unit	69.70	
ETLAF100A	Replacement lamp unit	359.69	
	Wireless module		











































































































PTRZ670

PANASONIC 1-CHIP DLP LASER PROJECTORS These filter-less projectors are optimized for long lasting, long term use and feature Panasonic's Detail Clarity Processor 3, System Daylight View 2, and Rec. 709 mode for natural clarity, enhanced color perception, and accurate colors, respectively. Other features include 10-bit signal processing, DICOM simulation mode, waveform monitor, multi-screen support, and multi-unit brightness control for superior image uniformity across multiple units. PJ Link™ compatible, plus can send HDMI, uncompressed Full HD video RS 222C and Ethernet cianale

video, No-2020, and Ethernet signals over one Cathe Cath
PTRW630
PTRZ670

ITEM	DESCRIPTION	PRICE
PTRW630U	. 6,500 lumens, WXGA, 10,000:1 contrast ratio, in white	CALL
PTRW630UK	. As above, but in black	CALL
PTRW630UL	. As above, no lens, in white	CALL
PTRW630ULK	. As above, no lens, in black	CALL
PTRZ670U	. 6,500 lumens, WUXGA, 10,000:1 contrast ratio	
	with 3G/HD/SD-SDI input, in white	CALL
PTRZ670UK	. As above, but in black	CALL
PTRZ670UL	. As above, no lens, in white	CALL
PTRZ670ULK	. As above, no lens, in black	CALL
ETYFB100G	. Digital interface box	1530.14



PANASONIC HIGH BRIGHTNESS DLP PROJECTORS These dual-lamp projectors feature powered zoom, powered focus, vertical and horizontal powered axis shift, vertical keystone correction, DICOM mode, edge blending, and side-by-side projection (PTDZ770UK and PTDW740US only). PJLink, Crestron RoomView, and AMX Device Discovery compatible. Models are available in black and silver, and with/ without lenses. Additional lenses, replacement lamps and filters are also available please contact your sales representative for more information.

ITEM	DESCRIPTION	PRICE
PTDZ770UK	.WUXGA, 7000 lumens, 2500:1 contrast ratio	9499.00
PTDW740US	.WXGA, 7000 lumens, 2000:1 contrast ratio	6299.00
PTDX810US	XGA, 8200 lumens, 2000:1 contrast ratio	6099.00



PANASONIC INSTALLED DLP PROJECTORS These dual-lamp projectors feature 10-bit image processing, DICOM simulation mode, and a liquid cooling system that directly cools the DLP chip. Additional features include a multi-screen support system (edge blending, color matching, multi-screen processor), simultaneous PC/ video projection (PTDW640 only), and PJ-Link, Crestron RoomView, AMX Device Discovery compatibility. Also available in black. Replacement lamps, filters, mounts, and lenses are sold separately - contact your sales representative for more info.

ITEM		PRICE		
PTDX610US	6500 lumens, XGA, in silver	3999.00		
PTDX610UK	As above, in black	3999.00		
PTDW640US	6000 lumens, WXGA, in silver	4449.00		
PTDW640ULS	As above, no lens	4199.00		
PTDZ680US	6000 lumens, WUXGA, in silver	8699.00		
PTDZ680ULS	As above, no lens	8449.00		



PANASONIC PT-EZ580 SERIES PROJECTORS Features include DIGITAL LINK networking capabilities, Daylight View Basic image enhancement, color adjustment, DICOM simulation mode, H/V corner keystone correction, and side-by-side and picture-in-picture display modes. Additional features include powered lens shift, zoom, and focus. Crestron ConnectedTM, PJLinkTM Class 1, and AMX compatible.

PTEZ580U / PTEW640 / PTEX610

PTEW540 / PTEX510	
	<u></u>

ITEM	DESCRIPTION	PRICE
PTEZ580U	. 5400 lumens, WUXGA, 5000:1 contrast ratio	3667.36
PTEW640U	. 5800 lumens, WXGA, 5000:1 contrast ratio	2699.00
PTEW540U	. 5000 lumens, WXGA, 2000:1 contrast ratio	2130.92
PTEX610U	. 6200 lumens, XGA, 5000:1 contrast ratio	2582.12
PTEX510U	. 5300 lumens, XGA, 2000:1 contrast ratio	2200.29



PANASONIC BUSINESS DLP PROJECTORS These dual-lamp projectors feature a 10,000:1 contrast ratio, DICOM simulation mode, waveform monitoring, 10-bit image processing, and DIGITAL LINK, which allows for digital signals (HDMI, uncompressed Full-HD video, audio, Ethernet, RS-232C) to be transmitted up to 100m over a single Cat5e cable- ETYFB100G interface box sold separately. Also features multi-screen support (edge blending, color matching, multi-screen processor) and multi-unit brightness control. The PTDZ870 features 4-corner picture adjustment and aspect ratio normalcy during curve correction.

	DESCRIPTION	PRICE
PTDZ870UK	8500 lumens, WUXGA	15099.00
PTDZ870ULK	As above, no lens	14899.00
PTDX100UK	10,000 lumens, XGA	8299.00
PTDX100ULK	As above, no lens	8099.00
ETDLE030	Fixed focus lens	6003.31
ETYFB100G	DIGITAL LINK interface box	1530.14
ETUK20	Geometry Management Pro upgrade kit for PTDZ870	1835.46



PANASONIC LARGE VENUE LCD PROJECTORS Features include horizontal/ vertical lens shift, independent yellow brightness control, a mechanical shutter with fade in/out effect, and +/-40° vertical and horizontal keystone correction. Also features a built-in Multi-Screen Support System with edge blending, color matching and multiprocessor capabilities for projecting extra-large or multiple images.

screen processor capabilities for projecting extra-large or multiple imag
PTEXTORU H
PTEX12KU (13) (13) (15) (15) (15) (15) (15) (15) (15) (15

ITEM	DESCRIPTION	PRICE
PTEX16KU	. 16000 lumens, XGA, 2500:1 contrast ratio. quad-lamp, no lens	. 16149.00
PTEX12KU	. 12000 lumens, XGA, 4000:1 contrast ratio, dual-lamp, no lens	. 13499.00
ETMD16SD1	.HD/SD-SDI input signal board	2547.27
ETLAE16	.Replacement lamp	951.39



















































Display Component S-Video BNC 5-BNC RCA RCA Mini RJ-45 RS-232 RS-232 USB USB USB USB Screen Wired IR Port

Panasonic

THE FUTURE LOOKS BRIGHT FROM ANY DISTANCE



We've raised the bar even higher on our top-level, 1-chip DLP* projectors so you can raise your level of presentation. The PT-DZ870U is already a two-time award-winner, having achieved the Most Innovative Video Display Installation Product Award from 2014 System Contractor News and Best Video Projection Product/10K Lumen or Less from Rental & Staging InfoComm New Product Awards. Combine it with our Ultra Short Throw Lens, the ET-DLE030, capable of creating a 150" image in less than 4 total feet to project vivid, large-screen images virtually anywhere.





























MI 550 / MI 750



























OPTOMA EH500 1080P DLP 3D PROJECTOR Offers fine detail and is ideal for large screen use in business and educational applications. Features include Creston RoomView compatibility, Full 3D compatibility (with 3D sync connector on rear), +/-15° vertical keystone correction, and 1.2x manual zoom and focus.

ITEM		PRICE
EH500	4700 lumens, 1080p, 10,000:1 contrast ratio	1499.00
BL-FU310B	Lamp for EH500 projector	427.52
BM-5001U	Projector mount for EH500	154.00
	Wireless VGA dongle	
BG-ZD301	DLP Link 3D glasses	65.80
	RF 3D glasses	
BG-BC100B	RF 3D emitter	44.80



OPTOMA MOBILE LED PROJECTORS These lampless projectors are rated to last over 20,000 hours and are great for traveling professionals. The ML550 and the 3D-compatible ML750 feature a 24-pin universal VGA port, a microSD card slot, and a 1W speaker. The 3D-ready ML1000P features a SD card slot, micro USB connection, (2) 3W speakers, and a touchpad controller on the top of the unit. All models feature an IR remote, 1.7x zoom, and auto vertical keystone correction $(+/-40^{\circ} \text{ on the ML500 and ML750}, +/-30^{\circ} \text{ on the ML1000P}).$

ML800 / ML1000P		
ITEM	DESCRIPTION	PRICE
ML550	. WXGA, 500 lumens, 10,000:1 contrast ratio	499.00
ML750	. WXGA, 700 lumens, 10,000:1 contrast ratio	. 599.00
ML1000P	. WXGA, 1000 lumens, 15,000:1 contrast ratio	799.00
BG-ZD301	. DLP Link 3D glasses for ML1000P	65.80



OPTOMA PROSCENE LARGE VENUE PROJECTORS The X605 and W605 feature a 3D sync input, vertical and horizontal lens shift, +/-30° vertical keystone correction, and (2) 3W speakers. The EH505 has the same features as the X605 and W605 except for its \pm -15° vertical keystone correction. The EH503 has the same features as the EH505 as well as 3-axis color matching, Crestron® RoomView® compatibility, and DICOM simulation mode. Additional interchangeable lenses are available - shop fullcompass.com or contact your Sales Pro.

	!!! :::::	
ITEM	DESCRIPTION	PRICE
X605	6000 lumens, XGA, 2000:1 contrast ratio	2999.00
EH505	5000 lumens, WUXGA, 2000:1 contrast ratio	3499.00
EH503	5200 lumens, 1080p HD, 2000:1 contrast ratio	3199.00
W505	5200 lumens, WXGA, 2000:1 contrast ratio	347.20
BI-EXTBG03	Wireless VGA dongle	122.76
ZF2300GLASSES	RF 3D glasses	89.60
BG-BC100B	RF 3D emitter	44.80
BG-ZD301	DLP® Link™ 3D glasses	65.80



OPTOMA CONFERENCE PROJECTORS These 3D-compatible projectors feature a USB slot on the back panel that is designed so that you can display your presentation via flash drive. Additional features include an IR remote, +/-40° auto vertical keystone correction, (2) 15W speakers and vertical lens shift.

		
ITEM	DESCRIPTION	PRICE
EH501	HD 1080, 5000 lumens, 15,000:1 contrast ratio	1799.00
W501		1599.00
X501	XGA, 4500 lumens, 15,000:1 contrast ratio	1499.00



OPTOMA ZW212ST LAMP-FREE SHORT-THROW PROJECTOR This lamp-free projector uses LED/laser technology to reduce both power usage and maintenance costs/time. Features include an SD card slot, a 100,000:1 contrast ratio, +/-40° vertical keystone correction, and (2) 2W speakers.

			(00000)	
ITEM	DESCRIPTION			PRICE
ZW212ST	. 2500 lumens, W	XGA		1599.00



OPTOMA PROSCENE INSTALLATION DLP PROJECTORS The dual-lamp EH7700 features a dimmable lamp system, color matching, a user-interchangeable color wheel, and edge blending. Compatible with Crestron, Extron, AMX, PJ-Link and Telnet LAN commands. The dual-lamp TH7500-NL has powered zoom, focus and lens shift, and +/-20° vertical and horizontal keystone correction. Comes with two color wheels: one optimized for data, the other for video. The single-lamp TW865-NLW features a 3D sync input, motorized zoom, focus, and lens shift, and Crestron® RoomView® and PJTM Link compatibility. All models feature a mechanical shutter. Additional interchangeable lenses for the TH7500-NL and TW865-NLW are available - shop fullcompass.com for more information. FH7700

TH7500-NL (!!!!!!!!!	
TW865-NLW	
ITEM DESCRIPTION	PRICE
EH7700 7000 lumens, WUXGA, 5000:1 contrast ratio	0000 00
En//UU	9999.00
TH7500-NL	





































RJ-45 RS-232 RS-232 Mini

THE CLEAR SELECTION FOR 1080p PROJECTION

From permanent installations to home theaters and everything in between, Optoma offers the broadest selection of 1080p projectors for every application.

















FULL 1080p FROM OPTOMA MEANS:

- · Super high resolution brings out all the details
- Over 2 million pixels 2.6x more than XGA
- · Ultra-fast 16ms response times
- . Full HD 3D with complete support for HDMI 1.4a
- BrilliantColor™ from Texas Instruments providing over 1 billion vibrant colors
- · High contrast ratios for clear images

CENTRAL

PROJECTOR "For those who want the absolute best and most pristine picture quality, 1080p is the way to go."

CNET® "1080p is the Holy Grail of HD resolution."

PC MAGAZINE* "If you're a videophile who appreciates a sharper picture, 1080p is definitely the best."

OPTOMA 1080p PROJECTORS:

LUMENS	UNIQUE FEATURES
5000	3 Interchangeable lens options
5000	Vertical lens shift
4700	10,000:1 Contrast ratio
4200	Extended lamp life
3500	15,000:1 Contrast ratio
3000	Extensive I/O capabilities
3200	Extra bright for uncontrolled ambient light settings
2800	Big screen from a short distance
1000	500,000:1 Contrast ratio, Full 3D, LED
	5000 5000 4700 4200 3500 3000 3200 2800



800-356-5844 fullcompass.com

















































SONY



SONY 3LCD LASER PROJECTORS These projectors combine a 3LCD optical system with a blue laser light source, providing you with constant, vibrant RGB color that will operate maintenance free for up to 20,000 hours. Additional features include user-selectable light output modes, auto light dimming, a 1.6x wide zoom standard lens, +60% vertical and +/-32% horizontal optical lens shift, edge blending/color matching, multiple input projection, instant picture muting, and corner and edge correction that allow you to project images on to non-flat surfaces both

ITEM	DESCRIPTION 4000 Jumpes WILVOA	PRICE
	4000 lumens, WUXGA	



SONY 3LCD LASER PROJECTORS Features include powered/manual lens throw ratio, zoom and focus, 360° installation, optional HDBaseT connectivity, edge blending, and image warping correction for projecting onto uneven surfaces. Also features control signal input and output via 3.5mm mini jack. To learn about the complete line of lenses available for these projectors, please visit our website or contact your Sales Pro.

ITEM DESCRIPTION	PRICE
VPLFHZ700L/W 7,000 lumens, WUXGA, 8,000:1 co	ontrast ratioCALL
VPLFHZ700L/B As above, in black	CALL
BKM-PJ10 Optional HDBaseT adaptor	970.79



SONY ULTRA SHORT THROW 3LCD PROJECTORS These projectors feature manual focus, vertical/horizontal manual lens shift, and (1) 16W speaker. The lens has a 1.03x manual zoom, 4x digital zoom, and a 0.27-0.29:1 throw ratio. The CM model includes (2) interactive pens and software and includes screen recording, onscreen rulers and protractors, and editable drawing objects. The optional wireless dongle allows for wireless tablet connection and image transfer.

[<u>""""</u> [""]		
ITEM	DESCRIPTION	PRICE
VPLSW630	3100 lumens, WXGA, 3000:1 contrast ratio	1344.84
VPLSW630CM	As above, with (2) pens & interactive software, wall mount	1888.07
VPLSX630M	3200 lumens, XGA, 3000:1 contrast ratio	1341.52
IFUWI M3	Ontional wireless dongle	85 04



SONY SHORT THROW 3LCD PROJECTORS These energy-efficient projectors can display an 80" picture from only 75 cm away (79 cm on the VPL-SW235) from the projection surface and feature wireless presentation capabilities with iOS and Android devices, remote control over iOS, PC-less presentation via USB, a 3000:1 contrast ratio, and a built-in 16W monaural speaker.

		0000
ITEM	DESCRIPTION	PRICE
VPLSX235	. XGA, 3200 lumens	899.00
VPLSW235	. WXGA, 3000 lumens	1039.00



SONY ADVANCED INSTALLATION 3 LCD PROJECTORS All models feature a 2000:1 contrast ratio, horizontal and vertical lens shift, a 1.6x zoom range, closed captioning, and 12-bit 3D digital gamma correction. The VPLFH31 and VPLFH36 features side-by-side image projection and DICOM GSDF simulation. The VPLFX30 also features +/-30° vertical keystone correction. Additional interchangeable lenses are available - shop fullcompass.com for more information.

changeable	iciiscs are available	onop runcompass.com	ii ioi more miormation.	
VPLFH31 / VPLF		···· 6 5 0		
VPLFX30 / VPLF	X35 / VPLFX37			
		5 •• • •		
ITEM	DESCRIPTION		PRI	CE
VPLFH31/W	4300 lumens, WI	JXGA	3999.	00
VPLFH31/B	As above, in blac	:k	3999.	00
VPLFH36/W	5200 lumens, WI	JXGA	4799.	00
VPLFH36/B	As above, in blac	:k	4799.	00
VPLFX30	4200 lumens, X0	ίΑ	2299.	00
VPLFX35	5000 lumens, XC	ίΑ	2999.	00
VPLFX37	6000 lumens, XC	ίΑ	3699.	00
			/PLFX35448.	
LMPF230	Replacement lan	np for VPLFX30	381.	25



Ask us about our 2- and 3-year extended warranties!





































XGA 1920 X 120

Laser and so much more.

Now an even brighter star joins the world's first 3LCD laser light source projector. The 7000 lumen VPL-FHZ700L delivers exquisite 3LCD pictures for an even wider range of conference rooms, lecture halls and exhibits, with no costly lamps to replace. It's time to expect more from your projector.



PRO AUDIO VIDEO LIGHTING MUSICAL INSTRUMENTS

800-356-5844 fullcompass.com

















































SONY



SONY COMPACT PROJECTORS These projectors offer closed captioning, remote control via LAN, auto lamp dimming, auto brightness adjustment, and a 16W speaker. A USB slot allows you project images through a USB drive or wirelessly connect to your network via the wireless dongle.

VPLEW246 / VPLEW276		
ALL OTHER MODELS		
ITEM	DESCRIPTION	PRICE
VPLEW225	.2600 max. lumens, WXGA, 2300:1 contrast ratio	673.16
VPLEW246	.3100 max. lumens, WXGA, 2300:1 contrast ratio	849.00
VPLEW276	.3700 max. lumens, WXGA, 2300:1 contrast ratio	1149.00
VPLEX225	.2700 max. lumens, XGA, 3000:1 contrast ratio	552.49
VPLEX246	.3200 max. lumens, XGA, 3000:1 contrast ratio	749.00
VPLEX276	.3700 max. lumens, XGA, 3000:1 contrast ratio	949.00
IFUWLM3	.Wireless USB module for all models	85.04
IMPF212	Replacement Jamp for VPLEX- models	119 44



SONY BASIC INSTALLATION 3 LCD PROJECTORS All models have a 10W speaker and vertical/horizontal keystone correction. The projectors are also capable of selecting between 2 audio sources and routing them via a variable audio out to a room amplification system. VPLCW275, VPLCX235, and VPLCX275 have a 1.5x zoom lens with manual focus and manual lens shift.

······································		
ITEM	DESCRIPTION	PRICE
VPLCW255	4500 max lumens, WXGA, 3700:1 contrast ratio	1749.00
VPLCW275	5100 max lumens, WXGA, 3000:1 contrast ratio	2099.00
VPLCX235	4100 max lumens, XGA, 3100:1 contrast ratio	1399.00
VPLCX275	5200 max lumens, XGA, 3000:1 contrast ratio	1749.00
LMPC240	Replacement lamp	381.25



SONY LARGE VENUE PROJECTORS The VPLFH500L features side-by-side image projection and DICOM medical training mode. The VPLFX500L features 3D gamma correction, closed captioning, and +/-30° vertical keystone correction. Both models have large horizontal and vertical lens shift ranges (dependent upon the lens in use) and a 2500:1 contrast ratio. Additional interchangeable lenses are available – please visit our website for more information.

		Ш
ITEM	DESCRIPTION	PRICE
VPLFH500L	7000 lumens, WUXGA	9499.00
VPLFX500L	7000 lumens, XGA	5699.00
VPLLZ4011	Short focus zoom lens	2151.68
LMPF330	Replacement lamp.	558.96



VIVITEK QUMI 3D-READY LED POCKET PROJECTORS Weighing only 1.1 lbs, the Qumi Q5 lamp-free pocket projector features a DLP® Pico chipset and BrilliantColor™ technologies from Texas Instruments. Ideal for use with smartphones, laptops, tablets and cameras. Additional features include a +/-40° vertical keystone correction, a 2W speaker (two on the Q7), and a 24-pin "Universal I/O" port for VGA/component input (Q5 only). Compatible with H.264, WMV, DivX™, MPEG-4, MP3, WAV, and various image and document files. The Q5 is available in white, black, red, blue and yellow. The Q7 comes in white or black.

QUMI-Q5		
	0000	
QUMI-Q7		
ITEM	DESCRIPTION	PRICE
QUMI-Q5	500 lumens, HD 720p, 10,000:1 contrast ratio	599.00
	800 lumens, HD 720p, 30,000:1 contrast ratio	



VIVITEK 3D-READY SHORT-THROW DLP PROJECTORS Features include a 3000:1 contrast ratio, 1.15:1 manual zoom (1.2:1 zoom on D859), manual focus, +/-15° auto vertical keystone correction. The D859 also features a 10W speaker.





VIVITEK EXTREME SHORT THROW PROJECTORS These projectors deliver an 80" to 100" image from an ultra-short distance. The D755WT features direct 3D via HDMI, a 3D sync output, and a 20W speaker. The 3D-ready D751ST features a 10W speaker and a 3D sync output.

		\overline{W}
ITEM	DESCRIPTION	PRICE
D755WT	WXGA projector, 3000 lumens, 5000:1 contrast ratio	1163.75
D751ST	As above with XGA, 10W speaker	1130.00

















































Display Component S-Video BNC 5-BNC RCA RCA Mini RJ-45 RS-232 RS-232 USB USB USB USB Screen Wired IR Port

Relevancy and vivitek* Good Stewardship









- > 8000 Lumens
- > WUXGA (1920 x 1200)
- > HD-SDI, HDMI, DVI

- > 6 Lens Options







- > WUXGA (1920 x 1200)/ WXGA (1280 x 800)
- > HDBaseT, HDMI, DVI
- > 7 Lens Options







- > 6500 Lumens
- > 1080p (1920 x 1080)
- > 2 x HDMI
- > 4 Lens Options

- > 6000/6700 Lumens
- WXGA (1280 x 800)/XGA (1024 x 768)
- > VGA, DVI
- > 7 Lens Options



















Vivitek Offers Over 20 Models of High Definition Projectors that are Backed by a

- > 5-Year Parts/Labor Warranty
- 3-Year Worry-Free Advanced Replacement
- > 1-Year Lamp Warranty







Need help selecting the right Vivitek projector? Contact your Full Compass representative for assistance.

ABOUT VIVITEK CORPORATION

Vivitek is a leading manufacturer of visual display and presentation products. The company's extensive line-up of award-winning digital projection and display devices incorporates the latest innovations and technologies to deliver superior products.

The company's goal is a commitment to delivering high-quality products to the marketplace that meet customer demand as well as provide a high-level of satisfaction and enjoyment. Vivitek's parent company is a leading OEM/ODM company headquartered in Taiwan, with more than 10 years of designing, manufacturing and engineering projectors.























































VIVITEK D5010 DLP MULTIMEDIA PROJECTOR This professional large venue projector is filter-free and features manual lens shift, \pm /-40° vertical keystone correction, a 1.6-2.0:1 throw ratio, 1.25:1 manual zoom/focus ratio, a 3D sync connection, and (2) 3W speakers.

	······································	
ITEM	DESCRIPTION	PRICE
D5010-WNL	XGA, 6000 lumens, 2000:1 contrast ratio	1599.00
5811118452-SVV	Replacement lamp for D5010	593.00
5811116223-S	1.25:1 manual standard zoom/focus lens	392.00
5811116225-S	Fixed lens with manual focus	
5811116224-S	1.5:1 manual long zoom/focus lens	900.00



VIVITEK MULTIMEDIA DLP PROJECTORS All models feature a 3000:1 contrast ratio, +/-15° auto vertical keystone correction, 1.2:1 manual zoom, manual focus, a 5W mono speaker, and VividWheel III technology for better color reproduction and automatic gain control.

ITEM	DESCRIPTION	PRICE
D950HD	3000 lumens, WUXGA	899.00
D952HD	3600 lumens. 1080p	999.00
D963HD	4500 lumens, 1080p	1661.25



VIVITEK DLP INSTALLATION PROJECTORS Features include Full HD 3D functionality via DLP Link or BluRay 3D, manual lens shift, 1.25:1 manual zoom/ focus ratio, +/-40° vertical keystone correction, (2) 3W speakers, and a 3D sync connection.

	:::::: ::: ::: ::: ::: ::: ::: ::: ::	
ITEM	DESCRIPTION	PRICE
D5110W-WNL	WXGA, 5000 lumens, 2000:1 contrast ratio	1699.00
D5190HD-WNL	1080p, 4700 lumens, 2000:1 contrast ratio	2723.50
D5380U	WUXGA, 5000 lumens, 2000:1 contrast ratio	3900.00
5811118452-SVV.	Replacement lamp	593.00
5811116223-S	1.25:1 manual standard zoom/focus lens	392.00
5811116225-S	Fixed lens with manual focus	725.00
5811116224-S	1.5:1 manual long zoom/focus lens	900.00



VIVITEK D6000 SERIES LARGE VENUE INSTALLATION PROJECTORS

Features include dual-lamp technology, 3D-ready via DLP Link, interchangeable color wheel, +/-30° vertical keystone correction, and a 1.3:1 power zoom/focus

ITEM		PRICE
DW6035	6000 lumens, WXGA, 3000:1 contrast ratio	CALL
DX6535	6700 lumens, XGA, 3000:1 contrast ratio	CALL
5811100818-S	Replacement lamp	438.00
5811116070-SVK	0.8:1 wide fixed lens	2188.00
5811100984-SVK	1.81-2.38:1 standard zoom lens	879.00
5811117908-SVK	2.33-3.86:1 long zoom lens	2188.00
5811118016-SVK	3 76-5 64-1 long zoom lens	2188 00



VIVITEK D8300 SERIES LARGE VENUE DLP PROJECTORS All models feature a 3000:1 contrast ratio, +/-20° vertical and +/-35° horizontal keystone correction, manual zoom and focus (except for D8300EXT), and +/-120% vertical and +/-30% horizontal lens shift (except for D8300EXT).

ITEM	DESCRIPTION	PRICE
D8300	6500 lumens, 1080p, with standard zoom lens, 1.3:1 zoom ratio	CALL
D8300EST	6500 lumens, 1080p, with short wide fixed lens	CALL
D8300ST	6500 lumens, 1080p, with short zoom lens, 1.19:1 zoom ratio	CALL
D8300LT	6500 lumens, 1080p, with long zoom lens, 1.67:1 zoom ratio	CALL



VIVITEK D8800 LARGE VENUE PROJECTOR This dual-lamp projector features a centered lens that is motorized for vertical and horizontal lens shifting and power zoom/focus. Also offers built-in edge blending and warping, and interchangeable color wheels. Comes with IR remote.

	DESCRIPTION	PRICE
D8800	8000 lumens, WUXGA	CALL
3797772800-SVK	Replacement lamp	799.00
	Short zoom lens, 1.31-1.87:1	
3797744200-SVK	Standard zoom lens, 1.81-2.38:1	1195.00









































Display Component S-Video BNC 5-BNC RCA RCA Mini RJ-45 RS-232 RS-232 USB USB USB USB Screen Wired IR Port Stereo Stereo

DA-LITE

DA-LITE IDEA SCREEN The Interactive Dry Erase Application (IDEA) Screen is a dual-purpose projection screen and writable marker board that is designed for interactive short-throw projectors. It offers a proprietary, superior projectionquality surface that can also be written on with dry-erase markers. Includes wall



brackets for easy installation and a convenient tray for storage of markers, erasers and interactive tools. Offers a gain of 2.5 and a 25° viewing half angle.

DESCRIPTION	PRICE
DEA Screen – HDTV (16:9) format, 73" diagonal, black frame	457.60
As above, with silver frame	457.60
DEA Screen – HDTV (16:9) format, 94" diagonal, black frame	489.60
As above, with silver frame	489.60
DEA Screen – WIDE (16:10) format, 68" diagonal, black frame	457.60
As above, with silver frame	457.60
DEA Screen – WIDE (16:10) format, 87" diagonal, black frame	473.60
As above, with silver frame	473.60
	DEA Screen – HDTV (16:9) format, 73" diagonal, black frame

DA-LITE ADVANTAGE DELUXE

ELECTROL Handsome white powder coated closure doors and case provide a clean look and allow easy installation of ceiling tiles. Designed to have the case installed during the "rough-in" stages of construction and the fabric assembly during the finish stage. Patented in-the-roller motor mounting system for quiet operation. Available with tensioning and integrated low voltage control. Sizes from



72" to 200" diagonal NTSC Video format and Sizes from 92"

to 159" diagonal 16:9 format. Square and custom sizes available also.

ITEM	DESCRIPTION	PRICE
88126	. Screen Advantage Deluxe 96"D	2644.00
88130	. Screen Advantage Deluxe 100"D	2657.60
88134	. Screen Advantage Deluxe 120"D	2670.40

DA-LITE FAST-FOLD DELUXE Da-Lite's Fast-Fold Deluxe frame and legs are constructed of sturdy 1-1/4" square aluminum tubing and feature easy release latches for simple, quick set up and tear down of the screen. Available with Da-Mat, Da-Tex (rear), Cinema Vision, Pearlescent and Dual Vision, all Fast-Fold Deluxe surfaces are interchangeable with standard Fast-Fold surfaces for easy substitution. Complete screen also includes a new rugged carrying case with wheels and is available in sizes from 54"x54" up to 10'6"x14'.



OLDOO ITOIN OT NOT	ap to 10 0 mil.			
ITEM	DESCRIPTION			PRICE
88612	. Screen Fast-Fold Delu	ixe 68"x92	" DaMat	 766.40
88617	. Screen Fast-Fold Delu	xe 86"x11	6" DaMat	 882.40
88604	. Screen Fast-Fold Delu	ixe 72"x72	"	 698.40

DA-LITE DELUXE INSTA-THEATER (IN HDTV AND

NTSC) Uniquely designed screen lifts up and out of its sleek aluminum case and is ready to use in seconds. Lightweight and self-standing so it goes anywhere. Perfect for traveling or business presentations. Features a unique pneumatic scissors mechanism for raising and lowering the screen surface. Available in 60", 80" and 100" diagonal sizes in NTSC video format and 73" and 90" diagonal sizes in HDTV format with our exclusive Wide Power screen surface with a gain of 2.2 and a generous 45° viewing angle. Wide Power fabric will be seamless in all sizes.



	DESCRIPTION	PRICE
83315	Insta-theater, deluxe SP-60	
83316	Insta-theater, deluxe SP-80	428.00
87063	Insta-theater, deluxe SP-100	517.60
93982	Insta-theater, deluxe 73"D HDTV	428.00
93983	Insta-theater, deluxe 90"D HDTV	517.60

DA-LITE

DA-LITE MANUAL WALL/CEILING SCREENS

Available in a variety of surfaces matt/beaded/video/ high-power and shapes, square, video and HDTV.

DESIGNER-MANUAL

Has real wood case in six standard veneers on custom match. Same as Model-B.

DESIGNER-MODEL-B

Fabric or veneer wrapped case with coordinating end caps.

For classroom and meeting rooms, locks at intervals, nylon bearings, wall or flush ceiling mount.

MODEL-B DELUXE

Has built-in tensioning arm for flat surface.

Heavy-Duty manual, steel ball bearings, nylon bushings and heavy duty spring assembly.

MODEL-C with CSR

With CSR (Controlled Screen Return) for a quiet controlled return of screen into case.

DRAPER ACCESS SERIES E CEILING **RECESSED ELECTRIC SC REEN Features**

ceiling trim flange, prewired junction box and moveable brackets plenum rated, extruded aluminum case – UL approved for use in environmental air space, motor-inroller assures quiet and smooth operation. Can be operated from any remote location with optional controls. Also available in 16:10 and 15:9 laptop presentation formats.



1599 56 . 16:9, 52"x92", matte white

DRAPER SILHOUETTE SERIES E

ELECTRIC SCREENS Features slender dimensions and contemporary design mountable to the wall or ceiling. Screen and dowel retract completely inside the case. A slender curved aluminum case and endcaps are finished with standard dove grey. Also available in black or white. Conduit connection is provided at back or top. Front fascia is removable without tools giving easy access to roller and motor for service.

•	1	
ITEM	DESCRIPTION	PRICE
108220	4:3, 42.5"x56.5", matte white	837.33
108222	4:3, 60"x80", matte white	905.26
108323	16:9, 52"x92", matte white	949.72

DRAPER ULTIMATE FOLDING SCREENS

Manufactured with 100% CNC (Computer Numerical Controlled) components and assembly. The surfaces and borders are CNC cut; the tubing is CNC machined; even rivet and snap holes are CNC placed. Lock & Load latch (patent pending) designed for ease of operation and maximum life. Lock & Load latches bite down when the surface is attached, making the frame extremely rigid. Latch parts are internal for better protection, and completely fill the tube for superior strength. The resilient latch retention spring is captured and

constantly flexed so that it cannot be dislodged. These advancements translate into the most user friendly and incredibly durable hinge locking mechanism available. Each UFS comes packed in Draper's wheeled, heavy-duty polyethylene carrying case.

ITEM	DESCRIPTION	PRICE
241076	. 4:3, 9'x12' foldable screen, matte white	1281.93
241034	. 4:3, 120.5"x162.5" foldable screen, matte white	1402.44
241037	. 16:9, 63.5"x114.5" heavy duty legs, foldable, matte white	973.18
241038	. 16:9, 106.5"x190.5", heavy duty legs, foldable, matte white	1341.88





















COMPUTER AV





































acrylic paint transforms any smooth paintable surface into a high performance projection screen. It is a specially formatted, highly reflective acrylic paint, designed specifically for the video projec-



SHOWN IN USE At the field museum

tion industry. Front projection users can now choose from a wide variety of different coating combinations for ultimate performance with any projector in any setting. Any rigid transparent surface can now be transformed into a high quality dual-sided projection screen. Potential uses include home theatre installations, retail point-ofpurchase displays, conference rooms, and large venue displays such as concert halls, arenas, and houses of worship. Applications are limited only by your imagination.

ITEM	DESCRIPTION	PRICE
G00-4170	CRT white basecoat 500mL	33.00
G00-4180	CRT white topcoat 500mL	85.00
G00-4187	Digital grey basecoat 16L	2220.00
G00-4590	Digital grey topcoat 2.3L	320.00
G00-4667	Roller for Screen Goo	6.00

RECORDEX RETRACT



RECORDEX THEATERNOW! PULL-UP SCREENS This super-

portable screen goes up and down in seconds with its pneumaticpowered frame. Perfect for use in libraries, annex halls and mixed use




rooms. Features a durable but lightweight aluminum housing. The DefMax™ matte white screen material is lightweight and easy to clean and provides beautiful picture quality. More sizes available.

ITEM	DESCRIPTION	PRICE
803060	36"x48" pneumatic portable screen, 4:3 aspect ratio	. 165.50
803100	59"x79" pneumatic portable screen, 4:3 aspect ratio	. 234.50
809073	36"x64" pneumatic portable screen, 16:9 aspect ratio	. 264.50

COMPUTER AV

Hecordex





a 160° viewing angle. Integrated mounting system allows easy installation for ceiling/wall applications. Mounting brackets available for away-from-wall installations. Models are RoHS Directive 2002/95/EC compliant. All have a 5 year manufacturer's warranty. Models shown have hexagonal housings.

ITEM	DESCRIPTION	PRICE
101099	. Square format, (1:1),99" nominal diagonal, 70"x70" screen	
	area, housing dims 74.8"(L), 2.48"(Diam), 15 lbs	37.50
101120	. Square format. (1:1).120" nominal diagonal. 84"x84" screen	
	area, housing dims 87.8"(L), 2.48"(Diam), 19 lbs	82.50
101135	. Square format, (1:1),135" nominal diagonal, 96"x96" screen	
	area, housing dims 100"(L), 2.48"(Diam), 24 lbs	105.50
103105	. Video format, (4:3),105" nominal diagonal, 64"x84" screen	
	area, housing dims 87.8"(L), 2.48"(Diam), 16 lbs	71.50
103120	. Video format, (4:3),120" nominal diagonal, 72"x96" screen	
	area, housing dims 100"(L), 2.48"(Diam), 21 lbs	84.50
110094	. Wide format, (16:10),94" nominal diagonal, 50"x80" screen	
	area, housing dims 83.8"(L), 2.48"(Diam), 16 lbs	82.50
110113	. Wide format. (16:10).113" nominal diagonal, 60"x96" screen	
	area, housing dims 100"(L), 2.48"(Diam), 21 lbs	86.50
609991	. 6" wall bracket for hex housing	9.00
	. 14" wall bracket for hex housing	
	. 23" wall bracket for hex housing	
	8	

gain and 160° viewing angle for beautiful color rendition, soft light and virtually no

visual fatigue even after hours of use. Screens are fire retardant, mildew resistant,

and easy to clean. Remote works from a distance up to $60\,\mathrm{ft}$, from the wall switch. The

rugged square housing has rounded corners for a clean, professional look.

69"x92" electric screen, 4:3 aspect ratio

.... 59"x104" electric screen, 16:9 aspect ratio.

RECORDEX RETRACT™ MANUAL SCREENS

Great for classrooms and any small room requiring a screen with a regulated screen return. The ReTract™ system smoothly returns screen to housing at a controlled pace extending the life of your screen. Case and bearings are made of steel for years of use. 2-year warranty. More sizes available.



ITEM	DESCRIPTION	PRICE
601100	. 71"x71" manual screen, 1:1 aspect ratio	159.00
609100	. 49"x87" manual screen, 16:9 aspect ratio	229.00























RECORDEX CLARITY ELECTRIC SCREENS These screens are made for easy installation and

require no additional wiring. Simply hang the screen, plug it in and lower the screen using the built in easy switch or the included IR remote. Recordex's exclu-

sive whisper quiet electric motors have been engi-

neered to whisper, not whine. Features advanced

Ultra3™ Matte White surface that offers up to 1.1

DESCRIPTION



158.50

176.60

ITEM	DESCRIPTION	PRICE	
903100	. 60"x80" fixed-frame wall screen, 4:3 aspect ratio	. 265.50	
909106	. 53"x94" fixed-frame wall screen, 16:9 aspect ratio	. 237.50	
909120	. 59"x105" fixed-frame wall screen, 16:9 aspect ratio	. 285.50	

RECORDEX TRIMAXX TRIPOD SCREENS Great for mobile AV systems, multi-use rooms, training rooms and more. A modern black tubular design with built-in keystone eliminator and durable but lightweight steel housing. Has a 2-year warranty

nousing. Has a 2-ye	cai wairanty.	1			
ITEM	DESCRIPTION . 60"x60" tripod screen		PRICE		
501084	60"x60" tripod screen	· /\	68.50		
501099	. 70"x70" tripod screen		73.50		
501119	. 80"x80" tripod screen		89.50		
Nylon Carrying Cases					
509991	. Case for 501084		29.95		
509992	. Case for 501099		31.95		
509993	. Case for 501119		37.95		

RECORDEX MICROLITE TABLETOP SCREENS

Portable screen with DefMax™ matte white fabric which is easy to clean and lightweight with great picture quality.

ITEM	DESCRI	PTION				
803040	24"x32"	tabletop	screen,	4:3	aspect	ratio
803050	30"x40"	tabletop	screen,	4:3	aspect	ratio



Looking for more from these brands?

Shop fullcompass.com











ITEM

703120C



