SH940

Benq



BENQ SH915 3D DLP PROJECTOR This projector features NVIDIA 3DTV PC connectivity, +/-30° vertical keystone correction, a 1.5x zoom ratio, and a 5W speaker.

···· • • • • • • • • • • • • • • • • •			00000
 DESCRIPTION 4000 lumens, 1080p, 11,000	:1 contrast r	atio	PRICE 1499.00



BENQ LARGE VENUE DLP PROJECTORS The SH940 and SH963 feature SD/HD up-conversion to Full HD, Crestron® RoomView® compatibility (SH940 only), a 1.5:1 zoom ratio, and +/-30° 2D vertical and horizontal keystone correction. The MX766 and MW767 are Crestron and PJ-Link compatible and allow for PC-less presentation via USB.

(mmm) () (c	*** 🔊 💿 🔘 🛗 🚥	
SH963		

MX766 / MX767	₩ • • • • Ø • 🛗 🖫 🚥 🚥 🖳	
ITEM	DESCRIPTION	PRICE
	DESCRIPTION F 4000 lumens, 1080p, 50,000:1 contrast ratio	
SH940		99.00
SH940SH963	4000 lumens, 1080p, 50,000:1 contrast ratio	99.00 73.75
SH940SH963MX766	4000 lumens, 1080p, 50,000:1 contrast ratio	99.00 73.75 49.00



BENQ BUSINESS DLP PROJECTORS The MX720 and MW721 feature DLP LinkTM supported 3D projection, multiple display options (4-1, partial projection), a 10W speaker, closed captioning, Crestron® RoomView® and PJ-Link compatibility.

MX720	
MW721	
ITEM	DESCRIPTION PRICE
MX720	. 3D projector, 3500 lumens, XGA, 13,000:1 contrast ratio 749.00
MW721	. 3D projector, 3500 lumens, WXGA, 13,000:1 contrast ratio 799.00
5J.J0614.A21	. Wireless USB dongle
	. 3D glasses



BENQ SMARTECO DLP SHORT THROW PROJECTORS With an increased lamp life of 10,000 hours/10+ years, these short throw projectors offer Blu-ray Full HD 3D support, support of additional 3D formats (frame sequential, frame packing, side by side, top bottom), +/-30° vertical keystone adjustment, and Crestron and PJ-Link compatibility.

ITEM	DESCRIPTION	PRICE
MX819ST	3000 lumens, XGA, 13,000:1 contrast ratio	. 749.00
MW820ST	3000 lumens, WXGA, 13,000:1 contrast ratio	. 849.00

(100000)

MW821ST

MW821ST



BENQ SHORT THROW INTERACTIVE CLASSROOM DLP PROJECTORS

These projectors feature a 13,000:1 contrast ratio and Crestron and PJ-Link compatibility over LAN control. The MW821ST has 3D capability (field-sequentials, frame-packing, top-and-bottom, and side-by-side) over HDMI and 4-1 or partial projection display options (among others) over LAN. The MW824ST has Blu-Ray Full HD 3D support. The MW821ST is PointDraw and QDraw compatible while the MW824ST is PointWrite-compatible and Android device-compatible via MHL Connectivity.

~		
ITEM	DESCRIPTION	PRICE
MW821ST	. 3000 lumens, WXGA	799.00
MW824ST	. 3200 lumens, WXGA	799.00
5J.J8E26.A01	. PointDraw 3.0 Kit — dongle, pen, charger, QDraw3 software	. 199.36



BENQ EDUCATION DLP PROJECTORS The MX661 features wireless display and PC-less operation via USB, a 1.97-2.17 throw ratio, a 1.1:1 zoom ratio, and +/-40° vertical keystone adjustment. The MW821ST is compatible with the PointDraw 3.0 pen and QDraw 3 software, which allows for on-screen annotating and is compatible with Mac, Linux and Windows devices. The MW821ST also features 3D format support (frame sequential, frame packing, side by side, top bottom), Crestron® and PJ-LinkTM compatibility, and multiple display options (4-1, partial projection). The MW853UST features Blu-Ray Full HD 3D support, (2) 10W speakers, and is compatible with PointWrite, which allows teachers and up to 4 students to simultaneously collaborate and annotate projected images.

MW821ST	
TIEM DESCRIPTION PRICE MX661 3000 lumens, KGA, 13,000:1 contrast ratio 549,00 MW821ST Short throw projector, 3000 lumens, WXGA, 13,000:1 contrast ratio 799.00 MW853UST 3D-ready ultra-short throw projector, 3200 lumens, WXGA, 10,000:1 contrast ratio 1249.00 5J.J0614.A21 Wireless USB dongle for SH910 48.54 5J.J8E26.A01 PointWrite Pen Kit 2 pens, sensor module, USB cable,	
MX661 3000 lumens, XGA, 13,000:1 contrast ratio 549.00 MW821ST Short throw projector, 3000 lumens, WXGA, 13,000:1 contrast ratio 799.00 MW853UST 3D-ready ultra-short throw projector, 3200 lumens, WXGA, 10,000:1 contrast ratio 1249.00 5J.J0614.A21 Wireless USB dongle for SH910 48.54 5J.J8E26.A01 PointDraw 3.0 Kit – dongle, pen, charger, software 199.36 5J.J8126.20E PointWrite Pen Kit – 2 pens, sensor module, USB cable,	
MW821ST Short throw projector, 3000 lumens, WXGA, 13,000:1 contrast ratio 799.00 MW853UST 3D-ready ultra-short throw projector, 3200 lumens, WXGA, 10,000:1 contrast ratio 1249.00 SJJ0614.A21 Wireless USB dongle for SH910 48.54 5JJ825.A01 PointDraw 3.0 Kit – dongle, pen, charger, software 199.36 5JJ8126.20E PointWrite Pen Kit – 2 pens, sensor module, USB cable,	ITEM DESCRIPTION PRICE
MW853UST3D-ready ultra-short throw projector, 3200 lumens, WXGA, 10,000.1 contrast ratio	MX661
10,000:1 contrast ratio	MW821ST Short throw projector, 3000 lumens, WXGA, 13,000:1 contrast ratio 799.00
10,000:1 contrast ratio	MW853UST 3D-ready ultra-short throw projector, 3200 lumens, WXGA.
5J.J0614.A21 Wireless USB dongle for SH910	
5JJ8E26.A01 PointDraw 3.0 Kit — dongle, pen, charger, software	
5J.J8L26.20E PointWrite Pen Kit – 2 pens, sensor module, USB cable,	



































































ing on this page.





































E2465-A

ASK PROXIMA E2000 SERIES LARGE VENUE 3LCD PROJECTORS These projectors' features include wireless capabilities, motorized lens shift, PC-less image projection via USB, auto focus, manual keystone correction, and a 10W speaker. Additional lenses are available – please see the "E Series Lenses" list-

	#J :::::	
ITEM	DESCRIPTION	PRICE
E2465-A	5000 lumens, XGA, 2000:1 contrast ratio	2299.00
E2425W-A	4500 lumens, WXGA, 2000:1 contrast ratio	3195.00



ASK PROXIMA E3000 SERIES LARGE VENUE DLP PROJECTORS These 3D-ready dual-lamp projectors feature auto focus, motorized lens shift, manual vertical and corner keystone correction, and edge blending. Additional lenses are available – please see the "E Series Lenses" listing on this page.

ITEM	DESCRIPTION	PRICE
E3815-A	. 8100 lumens, XGA, 6000:1 contrast ratio	. COMING SOON!
E3715W-A	. 7100 lumens, WXGA, 6000:1 contrast ratio	7999.00



ASK PROXIMA E1000 SERIES LARGE VENUE 3LCD PROJECTORS These projectors feature motorized lens shift, closed captioning, image reversal, 1.6x digital zoom, and image freezing and panning. Additional lenses are available please see the "E Series Lenses" listing on this page. E1655-A / E1655W-A

E1655U-A		
ITEM	DESCRIPTION	PRICE
E1655-A	6500 lumens, XGA, 2000:1 contrast ratio	
	6500 lumens, XGA, 2000:1 contrast ratio	3499.00

ASK Proxima

C510W



ASK PROXIMA C5 SERIES LCD PROJECTORS These projectors feature a 5000:1 contrast ratio, a 1.65x standard digital zoom lens, 2.47-1.48 throw ratio, 360° lens shift, edge blending, auto image reverse, and closed captioning. These projectors also allow you to freeze an image, zoom in and out, and pan. +/-30° auto vertical and +/-15° manual horizontal keystone correction. +/-10% horizontal and +/-40% vertical powered lens shift. Additional features include one-touch lens replacement, built-in test images, and quick power off.

		0000
ITEM	DESCRIPTION	PRICE
C520-PROXIMA	5500 lumens, XGA	1399.00
C510W	5000 lumens WXGA	1399 00



ASK PROXIMA C4 SERIES LCD PROJECTORS This series of projectors features a 1.2x standard digital zoom lens, 360° lens shift, edge blending, auto image reverse, 1.46-1.75 throw ratio, and closed captioning. These projectors also allow you to freeze an image, zoom in and out, and pan. +/-30° auto vertical and +/-15° manual horizontal keystone correction. Additional features include one-touch lens replacement, built-in test images, and quick power off.

ITEM	DESCRIPTION	PRICE		
C421	3000 lumens, XGA, 3000:1 contrast ratio	529.00		
C431	3700 lumens, XGA, 8000:1 contrast ratio	719.00		
C431W	3300 lumens, WXGA, 8000:1 contrast ratio	719.00		



ASK PROXIMA E SERIES LENSES

ITEM	DESCRIPTION	PRICE
AP-LNS-W21	. Short fixed lens, fixed zoom, 2.6:1 throw ratio	4495.00
AP-LNS-W20	. Short zoom lens, 1.3x zoom, 4.3-5.6:1 throw ratio	3595.00
AP-STD	. Standard lens, 1.6x zoom, 4.3-6.9:1 throw ratio	449.00
AP-LNS-S20	. Sanyo standard lens, 1.7x zoom, 5.6-9.2:1 throw ratio	449.00
AP-LNS-T20	. Long zoom lens, 1.6x zoom, 9.2-15.1: 1 throw ratio	4995.00
AP-LNS-T21	. Ultra-long lens, 1.6x zoom, 15.1-23.6:1 throw ratio	5295.00













































Display Component S-Video BNC 5-BNC RCA RCA Mini RJ-45 RS-232 RS-232 USB USB USB USB Screen Wired IR Port





C520

Super Bright, Highly Capable

The Proxima C520 portable projector is packed with features. With up to 6,000 hours of lamp life in economy mode, the C520 features liquid crystal display technology and built-in edge-blending software, as well as RS-232 for network control and projector monitoring, Mobility you want with flexibility you need.



C431W

Practical, User-friendly Projection

The C43TW from Proxima is a rugged and durable user-friendly projection display with liquid crystal display technology for color accuracy. The lamp cover is conveniently located on the top of the projector for easy replacement. With multiple input options, built-in odge-blending and R5-232 features, the C43TW is everything a projector should be.



S430W

Shrot-Throw, Big Picture

The short-throw projector S430W from Proxima. The short-throw lens can project an image up to 80" (diagonal) from a distance as little as 29", allowing the viewer to see what's on the screen without a shodow. Corner keystone correction allows the adjustment of all four angles of the image. These are ideal tools for when the projection environment is less than ideal.



Note: The Educare 5 year warranty only applies to qualified education customers.

C3327W-A

Impactful Portability

The Proxima C3327W-A portable projector is packed with features. With up to 6,000 hours of lamp life in economy mode, the C3327W-A features three-panel LCD technology and built-in edge-blending software, as well as R5-232 for network control and projector monitoring. Mobility you want with flexibility you need,



US1315W-A

Ultra-Short, Ultra-Competitive

Short on space? The ultra-short throw projector from Proxima, the US1315W-A, delivers a large image from a super-small distance. Whether mounted on the ceiling or below the screen, the US1315W-A provides a bright picture with astounding color with its three-panel LCD technology and feature-rich with a variety of inputs and color/picture management tools.

About ASK Proxima

ASK Proxima, the long-standing, venerable brand in digital video technology, manufactures a full line of high-performance projection displays. Powerful impressions, effective solutions, find it all with Proxima projectors.



800-356-5844 fullcompass.com



















































































CHKISTIE



CHRISTIE DHD800 1-CHIP DLP PROJECTOR This dual-lamp projector features a user-changeable twin color wheel system, a dust- and dirt-repellent optical engine, edge blending, color matching, and two slots for optional input modules.

ITEM	DESCRIPTION	PRICE	
DHD800	8000 lumens, 1080p, 7500:1 contrast ratio	CALL	
103-134109-02	DVI and RGB D-Sub module	495.00	
103-133108-02	5-BNC and S-video module	595.00	
103-132107-02	Dual SDI/HD-SDI Interface Module	3750.00	



CHRISTIE E-SERIES 1-CHIP DLP PROJECTORS These fixed installation projectors have a 5000:1 contrast ratio and Christie's Dynamic Contrast feature. Also features a high-brightness 6-segment color wheel, single/dual-lamp operation modes, wireless connectivity, color matching, and picture-in-picture/

picture by picture.	•		
ITEM		PRICE	
DHD675-E	. 6450 lumens, 1080p	CALL	
DHD775-E	. 7000 lumens, 1080p	CALL	
DWU675-E	. 6700 lumens, WUXGA	CALL	
DWU775-E	. 7200 lumens, WUXGA	CALL	
122 112100 01	Wireless dengle	100.00	



CHRISTIE Q-SERIES 1-CHIP DLP PROJECTORS These dual-lamp projectors feature Christie's eClarity advanced image processing that gives SD content the image quality of HD images. Also features built-in color wheels and High Dynamic Contrast Range, which helps your content standout in situations where ambient light is abundant

manit io ab an am			
ITEM	DESCRIPTION	PRICE	
DWU951-Q	8500 lumens, WUXGA, 2500:1 contrast ratio	CALL	
DWX951-Q	8500 lumens, WXGA, 2500:1 contrast ratio	CALL	
DXG1051-Q	10,000 lumens, XGA, 2000:1 contrast ratio	CALL	



CHRISTIE GS SERIES 1-CHIP DLP LASER PHOSPHOR PROJECTORS These lamp-free projectors feature built-in color matching, an HDBaseT input, edge blending an image warping via optional module, and Crestron Connected and AMX Discovery compatibility. The DWX555-GS has a wired remote input.

Discovery companismely. The Byrnson Go has a which remote input.			
ITEM DESCRIPTION	PRICE		
DWX555-GS5400 lumens, WXGA, 1200:1 contrast ratio	CALL		
DHD555-GS 5000 lumens, 1080 HD, 1200:1 contrast ratio	CALL		
DWU555-GS 5400 lumens, WUXGA, 1200:1 contrast ratio	CALL		
140-101103-01 0.95-1.22:1 zoom lens	2055.00		
140-100102-01 1.22-1.52:1 zoom lens	975.00		
140-102104-01 1.52-2.89:1 zoom lens	1850.00		
133-111104-01 Optional blending/warping module	1326.00		





















JVC D-ILA 4K 3D PROJECTORS

All models are 3D-capable and feature a 120Hz Clear Motion Drive, a 16-step lens aperture, motorized lens shift and 1.4:1-2.8:1 lens throw. 3D viewing capabilities also include the ability to project 3D Blu-Ray, side-by-side and top-and-bottom images. The

DLA-X70 and DLA-X90 models are 4K capable with a resolution 3840x2160, are THX 3D certified, and come with 2 pairs of active shutter 3D glasses and 2 IR emitters.

ITEM	DESCRIPTION	PRICE
DLAX35		3499.95
DLAX70R		CALL
	3D shutter glasses	
	3D emitter	

EPSON POWERLITE-4650 **EPSON** CLASSROOM **3LCD PROJECTORS** Features include 2x optical zoom, lens shift, split screen display capability, DICOM mode, and networking capabilities, 3D stacking, point and arc correction. Capable of wirelessly display and control from iOS and Android devices.

ITEM	DESCRIPTION	PRICE	
POWERLITE-4650	5200 lumens, XGA	2272.88	
POWERLITE-4750W	4200 lumens, WXGA	1999.00	
V13H010L77	Replacement lamp	499.00	

EPSON MULTIMEDIA 3LCD PROJECTORS Features include

wireless connectivity via LAN module, monitoring and control over your network, and multi-PC projection and Moderator function which allows up to 50 devices



POWERLITE-97

to be connected over a network with 4 projected simultaneously. Additional features include a 10,000:1 contrast ratio, +/-30° vertical and horizontal keystone correction, 1.48-1.77:1 throw ratio (1.3-1.56:1 on the -99W), manual zoom and focus (1-1.2 zoom ratio).

ITEM	DESCRIPTION	PRICE
POWERLITE-97	XGA, 2700 lumens	549.00
POWERLITE-98	XGA, 3000 lumens	599.99
POWERLITE-99W	WXGA, 3000 lumens	749.00
V13H010L78	Replacement lamp	99.00
	Replacement air filter	
	Wireless LAN module	

POWERLITE-1771W	-
EPSON POWERLITE ULTRA PORTABLE PROJECTOR This thin, lightweight projector offers a 2000:1 contrast ratio, manual focus and zoom	BSON BSON

manual horizontal keystone correction, auto vertical keystone correction, PC-free presentation via USB drive, a 1W mono speaker, and built-in closed captioning. Includes wireless LAN and carrying case. The optional Quick Connect Wireless USB key allows you to use Epson's iProjection app (for iPad,

iPhone, iPod Touch, available through Apple's App Store) in your presentation.

ITEM	DESCRIPTION	PRICE
POWERLITE-1771W	3000 lumens, WXGA	999.00
V12H005M09	Quick Connect Wireless USB Key	99.00
V13H010L65	Replacement lamp	199.00

EPSON

DLAX70R

EPSON POWERLITE ULTRA-SHORT THROW 3LCD PROJECTORS These ultra-short throw projectors include a 16W speaker, a 3000:1 contrast ratio, manual focus, +/-5° manual key-

stone correction (horizontal and vertical), and digital zoom. USB connectivity allows you to present slideshows PC-free, display and control presentations from computers, transmit audio from a computer, and

present content from an Epson document camera. Wall mount is included.

()		<u> </u>
ITEM		PRICE
POWERLITE-475W	2600 lumens, WXGA	1499.00
POWERLITE-485W	3100 lumens, WXGA	1599.00
V12H418P12	Optional wireless LAN module	99.00
V13H010L71	Replacement lamp	79.00



EPSON POWERLITE PRO Z SERIES 3 LCD PROJECTORS These dual-lamp models feature a 5000:1 contrast ratio, manual and auto keystone correction, remote-controllable motorized zoom, focus, and lens shift, closed captioning, and Quick Corner® independent image corner control. Includes software for remote monitor and control for networked projectors. Various lens types are availablecontact your sales representative for more information.

ITEM	DESCRIPTION	PRICE
POWERLITE-Z8000WUNL	. 6000 lumens, WUXGA, no lens	12999.00
POWERLITE-Z8050WNL	. 7000 lumens, WXGA, no lens	8999.00
V13H134A23	. Replacement air filter	95.00
V13H010L53	. Replacement projector lamp	449.00
V12H004M06	. Middle throw zoom lens	2899.00
V12H004S04	. Standard lens	1399.00



EPSON POWERLITE PRO G SERIES LCD PROJECTORS These projectors feature manual focus & zoom, edge blending, and keystone correction. Also features DICOM simulation mode for medical training (G6450WU and G6550WU

ITEM	DESCRIPTION	PRICE
POWERLITE-PRO-G6800	.7000 lumens, XGA, with standard lens	4198.84
G6450WU	.4500 lumens, WUXGA, with standard lens	3999.00
G6550WU	.5200 lumens, WUXGA, with standard lens	4999.00
V13H134A17	.Replacement air filter	39.00
V13H010L76	Replacement projector lamp for G6450 & G6550	549.00
V12H004M04	.Middle throw zoom lens	1899.00
V12H005M09	.Quick wireless connection USB key	99.00
V12H306P16	.Wireless 802.11g/b/a module	99.00











































































































IN112A / IN114A / IN116A

HW-LBWAND-01...... LiteBoard Wand Kit...



INFOCUS PORTABLE DLP PROJECTORS All models are 3D-capable and have a 15,000:1 contrast ratio and manual focus. Additional features include $\pm -40^{\circ}$ digital vertical keystone correction, closed captioning, (1) 2W speaker, and manual zoom (not on short throw STa models). The STa models are 3D-ready, Creston® RoomView® and AMX Device Discovery compatible, and allow for wireless presentation with smart devices via the wireless network adapter. The Windows/Mac/Linuxcompatible LiteBoard products allow you to control Mac and PC apps via LiteBoard Wand, which lets you write, draw, and click like a mouse.

IN124STA / IN126STA		
ITEM	DESCRIPTION	PRICE
IN112A	3000 max lumens, SVGA	289.00
IN114A	3000 max lumens, XGA	349.00
IN116A	3000 max lumens, WXGA	419.00
IN124STA	3300 max lumens, XGA, short throw	629.00
IN126STA	3300 max lumens, WXGA, short throw	779.00
SP-LAMP-086	Replacement lamp for IN112a, IN114a, IN116a	192.85
SP-LAMP-087	Replacement lamp for IN124STa, IN126STa	224.00
SP-WIFIUSB-2	Wireless network adapter for -STa projectors	29.00
HW-LBRADIO	LiteBoard Adapter Radio	37.70



INFOCUS 3D CONFERENCE ROOM DLP PROJECTORS These 3D-capable models offer a 15,000:1 contrast ratio, closed captioning, (1) 2W speaker, +/-40° digital vertical keystone correction, manual focus and zoom. Built-in apps and the optional wireless USB adapter allow you to display files from your Apple or Android device. Crestron® RoomView® Connected and AMX Device Discovery compatible. The Windows/Mac/Linux-compatible LiteBoard products allow you to control Mac and PC apps via LiteBoard Wand, which lets you write, draw, and click like a mouse.

ITEM		PRICE
IN2124A	3500 max. lumens, XGA	649.00
IN2126A	3500 max. lumens, WXGA	739.00
IN2128HDA	3500 max. lumens, 1080p	CALL
SP-WIFIUSB-2	Wireless USB adapter	29.00
SP-LAMP-087	Replacement lamp for IN2120a series projectors	224.00
HW-LBRADIO	LiteBoard Adapter Radio	37.70
HW-LBWAND-01	LiteBoard Wand Kit	144.20



INFOCUS CONFERENCE ROOM HD DLP PROJECTORS These projectors feature a contrast ratio of 3000:1, closed captioning, (2) 10W speakers, and +/-40% vertical digital keystone correction. AMX Device Discovery and Crestron® RoomView® compatible

	¥ 🕀 👀 🗪 🕶 🔀	00000
ITEM	DESCRIPTION	PRICE
IN3124	3D-capable projector, 4800 lumens, XGA	1099.00
IN3126	3D-capable projector, 4000 lumens, WXGA	1299.00
	Replacement lamp	



INFOCUS INSTALLED DLP PROJECTORS These dual-lamp DLP projectors offer a 2400:1 contrast ratio, +/-30% digital keystone vertical correction, motorized focus and motorized lens shift (+/-10% horizontal, +20%/-60% vertical).

	••• •• •• •• •• •• •• •• •• •• •• •• ••	
ITEM	DESCRIPTION	PRICE
IN5552L	8300 max. lumens, XGA	7999.00
IN5554L	7000 max. lumens, WXGA	7999.00
IN5555L	7000 max. lumens, WUXGA	12999.00
SP-LAMP-082	Replacement lamp for IN5552L, IN5554L, IN5555L	824.10
LENS-075	Wide fixed lens	2599.00
LENS-076	Wide zoom lens	2599.00
LENS-074	Standard throw lens	799.00
LENS-079	Semi-long throw zoom lens	2599.00
LENS-077	Long throw zoom lens	2599.00
LENS-078	Ultra-long throw zoom lens	2599.00
	_	



INFOCUS 3D CLASSROOM LCD DLP PROJECTORS These filter-less projectors feature a 3D sync port, +5%/+ 5% horizontal and -40% vertical lens shift, AMX Device Discovery compatibility, (2) 3W speakers, and +/- 40° vertical keystone correction. Additional lenses are available – please contact your sales pro for more information.

		
ITEM	DESCRIPTION	PRICE
IN5312A	6000 lumens, XGA, 2000:1 contrast ratio	2899.00
IN5316HDA	5000 lumens, 1080p, 2000:1 contrast ratio	4399.00
INLITESHOW3	Wireless adapter for IN5312a, IN5316HDa	276.90
SP-LAMP-090	Replacement lamp	382.72













































Display Component S-Video BNC 5-BNC RCA RCA Mini RJ-45 RS-232 RS-232 USB USB USB USB Screen Wired IR Port

InFocus®



INFOCUS IN1142 PORTABLE LED DLP PROJECTOR This lampless and filterless projector's LED light source can last up to 30,000 hours, making it ideal for those in the market for a maintenance-free device. Features include +/-40° vertical auto keystone correction, MHL 1.2 compatibility for Android devices, and a 1W speaker. Weighs 2 pounds and measures 6.7" W x 5.4" D x 1.7" H.

ITEM	DESCRIPTION	PRICE
IN1142	700 lumens, WXGA, 10,000:1 contrast ratio	399.00



<code>INFOCUS MOBILE DLP PROJECTORS</code> The IN1110A and IN1112A have a 2600:1 contrast ratio, 1.1:1 zoom ratio, 1W speaker and \pm -30% vertical digital keystone correction.

ITEM	DESCRIPTION	PRICE
IN1110A	2100 lumens, XGA	879.00
IN1112A	2200 lumens, WXGA	999.00
SP-LAMP-043	Replacement lamp for IN1110, IN1112	369.00
	RF remote with USB receiver	



INFOCUS 3LCD LARGE VENUE PROJECTORS All models offer DICOM mode, a 3000:1 contrast ratio, motorized lens shift, zoom, and focus, split-screen capability, (2) 8W speakers, and +/-35° horizontal and vertical digital keystone correction. These projectors also have lens shift memory, the ability to stack 2 projectors to double the brightness, compatibility with Crestron RoomView and AMX Device Discovery, and PC-less presentation via USB.

ITEM		PRICE
IN5142	6000 lumens, XGA	5699.00
IN5144A	5500 lumens, WXGA	5699.00
IN5145	5000 lumens, WUXGA	6399.00
SP-LAMP-081	Replacement lamp	590.40
SP-DOUSB-WIRELES	SS Wireless network via USB adapter	152.60

Shop fullcompass.com today!

Panasonic

PTDZ21KU





PANASONIC 3D-READY LARGE VENUE 3DLP PROJECTORS These projectors are 50% smaller than comparable projectors for large venues and rental/staging applications. Features include a 10,000:1 contrast ratio, a 4-lamp system (2 lamps on the PTDZ10KU & PTDZ13KU), DICOM simulation mode, and a liquid cooling system. The upgrade kit's software supports color matching and edge blending for multi-projector setups, as well as screen shape adjustment. Replacement lamps, filters, mounts, and additional lenses are sold separately — please contact your sales representative for more info.

ITEM DESCRIPTION	PRICE
PTDZ10KU 10,600 lumens, WUXGA	37999.00
PTDZ13KU 12,000 lumens, WUXGA	43999.00
PTDZ21KU20,000 lumens, WUXGA	59249.00
PTDS20KU20,000 lumens, SXGA+	46999.00
PTDW17KU17,000 lumens, WXGA, not 3D-ready	35099.00
ETUK20Geometry Management Pro upgrade kit, for all except PTDW17	7KU 1835.46



PANASONIC PT-VW440 SERIES LCD PROJECTORS These low-noise conference room/classroom projectors feature Panasonic's Daylight View ambient-light compensation technology, as well as 1.6x zoom lenses, a built-in 10W speaker, +/-30° vertical keystone correction, and vertical lens shift. The PTVW431DU's Digital Link feature allows you to transmit HDMI, uncompressed HD digital video, audio, and control signals over Cat5e cable (ETYFB100G required). The PTVX505NU is compatible with Panasonic's iOS app for iPod, iPhone and iPod Touch, while the non-wireless models are compatible with PJ-Link protocol and Crestron Connected software. Replacement lamps, filters, mounts, and additional lenses are sold separately – please contact your sales representative for more info.

PTVW431DU	

ITEM	DESCRIPTION	PRICE
PTVW440U	4800 lumens, WXGA	1249.90
PTVW431DU	4300 lumens, WXGA	1443.42
PTVX510U	5500 lumens, XGA	1442.35
ETYFB100G	Digital interface box for PTVW431DU	1530.14



PANASONIC LCD INSTALLATION PROJECTORS Both models feature a 600:1 contrast ratio, a 2x manual zoom lens with horizontal/vertical lens shift, manual focus, and +/-30° vertical keystone correction.

ITEM	DESCRIPTION	PRICE
PTFX400U	4000 lumens, XGA	1649.00
	3500 lumens, WXGA	
ETEMF100	Replacement filter unit	69.70
ETLAF100A	Replacement lamp unit	359.69
ETWM200U	Wireless module	148.50

























































Panasonic



















































































PTRZ670 PANASONIC 1-CHIP DLP LASER PROJECTORS These filter-less projectors are optimized for long lasting, long term use and feature Panasonic's Detail Clarity Processor 3, System Daylight View 2, and Rec. 709 mode for natural clarity, enhanced color perception, and accurate colors, respectively. Other features include 10-bit signal processing, DICOM simulation mode, waveform monitor, multi-screen support, and multi-unit brightness control for superior image uniformity across multiple units. PJ LinkTM compatible, plus can send HDMI, uncompressed Full HD video, RS-232C, and Ethernet signals over one Cat5e cable.

Panasonic

video, K5-252C, and Ethernet signals over one Catse can	ле.
PTRW630	
# 	
PTRZ670	
	\

ITEM	DESCRIPTION	PRICE
PTRW630U	6,500 lumens, WXGA, 10,000:1 contrast ratio, in white	CALL
PTRW630UK	As above, but in black	CALL
PTRW630UL	As above, no lens, in white	CALL
PTRW630ULK	As above, no lens, in black	CALL
PTRZ670U	6,500 lumens, WUXGA, 10,000:1 contrast ratio	
	with 3G/HD/SD-SDI input, in white	CALL
PTRZ670UK	As above, but in black	CALL
PTRZ670UL	As above, no lens, in white	CALL
PTRZ670ULK	As above, no lens, in black	CALL
ETYFB100G	Digital interface box	1530.14



PANASONIC HIGH BRIGHTNESS DLP PROJECTORS These dual-lamp projectors feature powered zoom, powered focus, vertical and horizontal powered axis shift, vertical keystone correction, DICOM mode, edge blending, and side-by-side projection (PTDZ770UK and PTDW740US only). PJLink, Crestron RoomView, and AMX Device Discovery compatible. Models are available in black and silver, and with/ without lenses. Additional lenses, replacement lamps and filters are also available please contact your sales representative for more information.

ITEM	DESCRIPTION		PRICE
PTDZ770UK	WUXGA, 7000 lui	mens, 2500:1 contrast ratio	9499.00
PTDW740US	WXGA, 7000 lum	ens, 2000:1 contrast ratio	6299.00
PTDX810US	XGA, 8200 lumei	ns. 2000:1 contrast ratio	6099.00



PANASONIC INSTALLED DLP PROJECTORS These dual-lamp projectors feature 10-bit image processing, DICOM simulation mode, and a liquid cooling system that directly cools the DLP chip. Additional features include a multi-screen support system (edge blending, color matching, multi-screen processor), simultaneous PC/ video projection (PTDW640 only), and PJ-Link, Crestron RoomView, AMX Device Discovery compatibility. Also available in black. Replacement lamps, filters, mounts, and lenses are sold separately - contact your sales representative for more info.

ITEM		PRICE	
PTDX610US	6500 lumens, XGA, in silver	3999.00	
PTDX610UK	As above, in black	3999.00	
PTDW640US	6000 lumens, WXGA, in silver	4449.00	
PTDW640ULS	As above, no lens	4199.00	
PTDZ680US	6000 lumens, WUXGA, in silver	8699.00	
PTDZ680ULS	As above, no lens	8449.00	



PANASONIC PT-EZ580 SERIES PROJECTORS Features include DIGITAL LINK networking capabilities, Daylight View Basic image enhancement, color adjustment, DICOM simulation mode, H/V corner keystone correction, and side-by-side and picture-in-picture display modes. Additional features include powered lens shift, zoom, and focus. Crestron ConnectedTM, PJLinkTM Class 1, and AMX compatible.

PTEZ580U / PTEW640 / PTEX610

PTEW540 / PTEX51	ı !!!!!!! !****************************]
ITEM	DESCRIPTION	PRICE
DTE750NII	5400 lumone WIIYCA 5000.1 contract ratio	3667 36

ITEM	DESCRIPTION	PRICE
PTEZ580U	. 5400 lumens, WUXGA, 5000:1 contrast ratio	3667.36
PTEW640U	. 5800 lumens, WXGA, 5000:1 contrast ratio	2699.00
PTEW540U	. 5000 lumens, WXGA, 2000:1 contrast ratio	2130.92
PTEX610U	. 6200 lumens, XGA, 5000:1 contrast ratio	2582.12
PTEX510U	. 5300 lumens, XGA, 2000:1 contrast ratio	2200.29



PANASONIC BUSINESS DLP PROJECTORS These dual-lamp projectors feature a 10,000:1 contrast ratio, DICOM simulation mode, waveform monitoring, 10-bit image processing, and DIGITAL LINK, which allows for digital signals (HDMI, uncompressed Full-HD video, audio, Ethernet, RS-232C) to be transmitted up to 100m over a single Cat5e cable- ETYFB100G interface box sold separately. Also features multi-screen support (edge blending, color matching, multi-screen processor) and multi-unit brightness control. The PTDZ870 features 4-corner picture adjustment and aspect ratio normalcy during curve correction.

ITEM		PRICE
PTDZ870UK	8500 lumens, WUXGA	15099.00
PTDZ870ULK	As above, no lens	14899.00
PTDX100UK	10,000 lumens, XGA	8299.00
PTDX100ULK	As above, no lens	8099.00
ETDLE030	Fixed focus lens	6003.31
ETYFB100G	DIGITAL LINK interface box	1530.14
FTUK20	Geometry Management Pro ungrade kit for PTD7870	1835.46



PANASONIC LARGE VENUE LCD PROJECTORS Features include horizontal/ vertical lens shift, independent yellow brightness control, a mechanical shutter with fade in/out effect, and +/-40° vertical and horizontal keystone correction. Also features a built-in Multi-Screen Support System with edge blending, color matching and multi-

screen processor capabilities for projecting extra-large or multiple image	2
PTEX16KU	
PTEX12KU	

ITEM	DESCRIPTION	PRICE
PTEX16KU	.16000 lumens, XGA, 2500:1 contrast ratio. quad-lamp, no lens	16149.00
PTEX12KU	.12000 lumens, XGA, 4000:1 contrast ratio, dual-lamp, no lens	13499.00
ETMD16SD1	.HD/SD-SDI input signal board	2547.27
ETLAE16	Replacement lamp	951.39

























Panasonic

THE FUTURE LOOKS BRIGHT FROM ANY DISTANCE



We've raised the bar even higher on our top-level, 1-chip DLP* projectors so you can raise your level of presentation. The PT-DZ870U is already a two-time award-winner, having achieved the Most Innovative Video Display Installation Product Award from 2014 System Contractor News and Best Video Projection Product/10K Lumen or Less from Rental & Staging InfoComm New Product Awards. Combine it with our Ultra Short Throw Lens, the ET-DLE030, capable of creating a 150" image in less than 4 total feet to project vivid, large-screen images virtually anywhere.

