



DA-LITE IDEA INTERACTIVE CART This mobile interactive cart provides a high-quality image when projected upon, and also doubles as a standard whiteboard. Works with most ultra-short throw projectors and the innovative rear-projection set-up of the cart eliminates any shadows on the screen. The projection surface offers a gain of 1.0 and a generous 60° viewing half angle.

ITEM	DESCRIPTION	PRICE
22516	IDEA interactive cart (80" diagonal for 4:3 image and 73" for 16:9 image)	2719.20

Accessories

22518	Laptop tray	225.60
22517	Power conditioner	118.40



EBeam EDGE INTERACTIVE WHITEBOARD SYSTEM A full-featured interactive whiteboard system that operates in conjunction with a computer and projector. Combine authentic and relevant text, graphics, photographs and animation on up to a 9'x5' image area. Control and navigate data from multiple sources and reach all types of learners. eBeam's Scrapbook features a meeting sharing function to export and save options for collaboration, generating ideas, planing projects, reviewing topics and processes between students and colleagues. Multiple formats, including jpg, pdf, and PowerPoint, can be used to save and distribute captured data. Content can be re-used and shared via e-mail and the web and students can self-assess their understanding of concepts with authentic and familiar visual artifacts. Parents and administrators can get a window into the classroom by viewing a virtual version of what happened on the board. Mac and PC compatible.

ITEM	DESCRIPTION	PRICE
EDGE-USB	Includes eBeam Edge Receiver, Interactive 3-button Stylus, 15' USB cable, 2 mounting plates, AAA battery, 4 replaceable nibs, eBeam Interact software CD, wrist strap, and handwriting recognition software	649.00
EDGE-USB-CAP-PAK-WHT	Includes 4 electronic marker pens (red, blue, green, black) with white sleeves, 1 electronic eraser, 10 CR-2032 batteries, 1 box dry erase markers (same colors), 1 eBeam shortcut strip, eBeam Capture software CD	899.00
EDGE-PLUG-PLAY	Includes Wireless receiver, interactive stylus, 2 mounting plates, USB power adapter, 15' USB cable, Education Suite software CD	749.00
EDGE-PLUG/PLAY-CAPT	As above, but includes eBeam Capture Pack	999.00
INSCRIBE-200E	Wireless tablet, wireless 2.4G RF connection, 30' range, rechargeable Nokia BL5C Li-ion battery	269.00

EBeam ENGAGE INTERACTIVE WHITEBOARD

Engage adds several interactive multimedia features to eBeam's interactive whiteboard systems including real-time sound and video recording. The Engage System has JBL speakers, a built-in microphone, scroll knob, one-touch recording, and line level audio inputs and outputs. Requires no special tools to install. Includes Engage System, installation template, security key, interactive stylus, pack spare nibs, (2) mounting brackets with spare adhesive, wireless (RF) magnetic mini keyboard with charging cable, keyboard mounting plate, USB cable, power cable, power adapter, AAA battery, and USB storage device with education software (Mac OS X and Windows compatible.)

ITEM	DESCRIPTION	PRICE
ENGAGE	Interactive whiteboard package	999.00



INFOCUS MONDOPAD-KIT-5520A

Present and collaborate on this giant touch PC tablet with participants in the room and around the world. The Mondopad puts everything you need to visually present, capture and share ideas at your fingertips. Using a multi-touch, high-definition 55" display, the Mondopad takes video conferencing to a new level. Other features include digital interactive whiteboard and document annotation, flexibility and expandability with built-in Windows PC, and control options from your tablet or smartphone.

ITEM	DESCRIPTION	PRICE
MONDOPAD-KIT-5520A	55" Multi-Touch Display Kit, Soundbar & Table Stand	CALL



NEW!

KRAMER VIA BYOD COLLABORATION/PRESENTATION APPLIANCES Bring your own device (BYOD)—PC, Mac, iOS or Android—to connect, collaborate, present, and engage in real time with Kramer's VIA appliances. Now "meet smarter" with no time-wasting cable hook-up hassles. The VIA Collage™ hub allows up to 12 participants to show their screens on one display, view the main display on their own device, edit and control the main display simultaneously, create-annotate-illustrate-edit-highlight the current display, capture the main screen onto their device, share media (including up to Full HD), transfer files and more. The VIA Connect™ hub wirelessly connects to mobile devices, providing quick and easy sharing of a large-screen device by four users, letting them display their images, or allowing a single presenter to choose to display their device's image only.

ITEM	DESCRIPTION	PRICE
VIA-COLLAGE	BYOD wireless collaboration hub	4796.00
VIA-CONNECT	BYOD wireless presentation hub	796.00



LIVESTREAM STUDIO HD510

This powerful, portable, and affordable all-in-one unit has a built-in touch-screen display, and boasts frame-accurate HD live switching among inputs from a range of wired/wireless cameras and devices for live broadcasts/streaming. Each of the (5) HD-SDI/HDMI inputs has a broadcast-quality format converter with automatic format detection for easy input connectivity. Offers (3) graphics tracks and (2) high-utility MJPEG media players for playback, manipulation, and even export of video clips, along with auto play-on-transition functionality. Multiple, simultaneous video recordings are also possible with or without overlays, and editing capability without stopping the recording. It offers powerful mix/effects wipe, cut, and fade capabilities (including auto and manual transitions—with on-screen T-bar—and keyboard shortcuts), layers of graphics with downstream key/overlay, picture-in-picture, audio mixer with track grouping, (optional) tally light functionality, and comes with Tom Bihn carry bag.

ITEM	DESCRIPTION	PRICE
LS-HD510	Portable Integrated HD Switcher with Touch-screen	CALL



NEW!



MATROX MONARCH HD PROFESSIONAL VIDEO STREAMER AND RECORDER

This small video streaming and recording appliance is designed for professional video producers. It provides the ability to simultaneously stream a live event and record the master quality version for post-event editing. From a HDMI input, the Monarch HD generates an H.264-encoded stream compliant with RTSP or RTMP protocols. It also simultaneously records a high-quality MP4 or MOV file to an SD card, a USB drive, or a network-mapped drive. Supports HDMI pass through with two tracks of audio. The H.264 encoder supports up 1080i at 30 Mbps (record only mode) or 20Mbps (stream only mode).

ITEM	DESCRIPTION	PRICE
MONARCH-HD	HD video streamer & recorder	995.00



Follow Us!

Our Sales Pros will provide you with the solutions you need.

Marshall Electronics

MARSHALL ELECTRONICS ENCODERS/DECODERS

The VS-102-HDI and VS-102-HDSOI are high definition IP servers that allow real-time transmission of an SD/HD-SDI, HDMI, or NTSC/PAL composite video signal along with bi-directional AAC encoded high definition stereo audio over standard IP networks and the internet. This allows 50% more compression capacity over an existing IP Network, while providing optimal video transmission quality even in networks with limited bandwidth. Both devices can be configured to operate as a Point-to-Point talent monitoring system on other computers or Marshall decoders connected to the same network can monitor both the audio and video in multiple locations throughout a venue such as dressing rooms, stage manager, or box office at the same time. The VS-11 version is an audio/video encoder/decoder that handles H.264 and H.264/MJPEG dual streaming and can do instant recording/backup (to an optional USB 2.0 port).

ITEM	DESCRIPTION	PRICE
VS-102-HDI	IP video encoder/decoder with HDMI	869.00
VS-102-HDSOI	IP video encoder/decoder with HD-SDI	1599.00
VS-11	IP H.264 encoder/decoder	299.95



VS-102-HDSOI



(MONITOR NOT INCLUDED)



3PLAY-4800



NEWTEK 3PLAY MULTICHANNEL HD/SD SLOW MOTION INSTANT REPLAY

These portable units can connect to most switchers and replace up to 8 HD video decks, making it a versatile tool in a wide variety of live production situations. 3PLAY can provide slo-mo instant replay as soon as recording starts, without interrupting video capture. The 425 unit can continuously and synchronously record and display up to 4 video sources, the 4800 version handles up to 8 sources with 4 channels of redundant capture. Organize replays into color-coded lists, play back video at variable speeds from multiple camera angles and export highlight reels of video segments. Control surface features T-bar, jog wheel, speed presets and other keys found on similar compact video record/playback surfaces. 4800 unit has integrated application for real time social media content distribution.

ITEM	DESCRIPTION	PRICE
3PLAY-425	HD/SD slo-mo replay unit, (4) in / (2) out, 2RU rack mount	CALL
3PLAY-4800	HD/SD slo-mo replay unit, (8) in / (2) out, 4RU rack mount	CALL

Roland

ROLAND P-10 VISUAL PRESENTER

For a portable visual performance applications, the P-10 employs SD/HC cards for direct capture and playback of video and stills. Fire up visuals with reliable dedicated hardware and a sampler-like interface. It supports both video (motion JPEG) and still images (JPEG), and features a built-in color display for operation without external monitor, Slide Show function to make motion video from still pictures, and analog audio/video input terminal for direct capture. It has 12 trigger pads and dedicated dials for effect controls, and is remote-controllable from external products via V-LINK.

ITEM	DESCRIPTION	PRICE
P10	Visual presenter	1373.53



SONY

SONY AWS-750 ANYCAST TOUCH LIVE CONTENT PRODUCER

With the all-in-one style featuring a double touch-screen, the Anycast Touch enables intuitive, easy operation, and eliminates the cumbersome set-up and signal adjustment process typically required when connecting various devices. Includes a video switcher, streaming encoder, video recorder, audio mixer, clip player, remote camera controller and titler that supports ten languages. The Anycast Touch allows for seamless video mixing between six video sources in a variety of formats. Record ten hours of video and audio on the internal SSD, create and add graphics elements to the image, control connected remote BRC cameras (pan, tilt and zoom), perform multiple effects and wipes to enhance the production and instantly stream the output over a WAN or the Internet. A fully functioned five-channel audio mixer is provided for a separate audio mix. Users can also store the setup information of all attached video sources, such as the camera input, title data, and transition effects.

ITEM	DESCRIPTION	PRICE
AWS750	Anycast Touch Live Content Producer	15995.00



VIVITEK NOVOCONNECT 364 WIRELESS PRESENTATION AND COLLABORATION SYSTEM

A completely interactive, wireless WiFi environment across PC/Mac/iOS/Android operating systems with HD-quality distributed display and control, all while connecting up to 64 participants (up to 8 in WiFi Hot Spot mode). Screen annotation and mark up via tablet/PC facilitates real-time discussion. Meeting host functionality includes: one-click display and control hand-over, presenter screen preview, concurrent web surfing, and secured meeting login. WiFi Hot Spot Mode allows personal mobile presentation ability with tablet. Simultaneous 4-way split-screen display of separate devices offers powerful sharing, comparing and collaborative potential. Device-free presentations possible via microSD card. Supports all Vivitek HDMI-compatible projectors.

ITEM	DESCRIPTION	PRICE
NOVOCONNECT-364	Wireless presentation/collaboration system	490.44



NEW!



QUIET SPEED BY VU® STREAMING SOLUTIONS

This all-in-one live streaming and webcasting turnkey solution is ideal for internet broadcast of sports, religious services, corporate meetings, and other live events. It features Telestream's Wirecast live streaming software and a Matrox VS4 capture card integrated into the Quiet Speed Production PC workstation for a complete multi-camera live streaming system. Wirecast supports an unlimited number of camera inputs ranging from web cameras (via USB, firewire) to DV/HDV and SDI cameras. Wirecast Studio features multiple user-definable layers, transitions, titles, chroma key, and custom canvas sizes. The Pro version adds scoreboards, 3D virtual sets, and global audio inspector with sync delay. Use the free Desktop Presenter application for transmitting a computer's desktop across the network into Wirecast. Both streaming solutions include a 3.5GHz Intel Core i7 quad-core processor, 8GB RAM, (3) 1TB hard drives and is available in tower or rack configurations.

ITEM	DESCRIPTION	PRICE
PRODPC-PRO-TOWER	Streaming production PC tower, Telestream Wirecast Pro software	4350.00
PRODPC-PRO-RACK	Streaming production PC rack, Telestream Wirecast Pro software	4379.00
PRODPC-STUDIO-TOWER	Streaming production PC tower, Telestream Wirecast Studio software	3889.00
PRODPC-STUDIO-RACK	Streaming production PC rack, Telestream Wirecast Studio software	3899.00



AUDIO



MUSIC



COMPUTER AV



VIDEO



NewTek TriCaster™

NEWTEK TRICASTER™ SERIES PORTABLE LIVE PRODUCTION TOOLS

TRICASTER 410



TRICASTER 40




TRICASTER 460



TRICASTER 860

TRICASTER 8000



	TRICASTER 8000	TRICASTER 860	TRICASTER 460	TRICASTER 410	TRICASTER 40
VIDEO FORMAT	HD/SD	HD/SD	HD/SD	HD/SD	HD/SD
SWITCHER CHANNELS	24	24	15	15	14
EXTERNAL VIDEO SOURCES	10	10	6	6	6
INTERNAL VIDEO SOURCES	6	6	5	5	4
M/E BUSES	8	8	4	4	4
PRODUCTION OUTPUTS (MAX)	14	14	11	7	5
RECORDING CHANNELS (MAX)	8	8	4	4	1
BASE RECORDING CAP. (HRS) - ALL EXPANDABLE	~200 HD	~70 HD	~70 HD	~70 HD	~20 HD
STREAMING	Flash/WMV 720p w/archive	Flash/WMV 720p w/archive	Flash/WMV 720p w/archive	Flash/WMV 720p w/archive	Flash/WMV
STILL & TITLE BUFFERS	5	10	10	15	0
LIVE VIRTUAL SETS	30+	30+	30+	30+	24
ISOCORDER™ RECORDING	Yes	Yes	Yes	Yes	No
TRANSWARP EFFECTS	Yes	Yes	Yes	Yes	Yes
APPLE AIRPLAY SUPPORT	Yes	Yes	Yes	Yes	Yes
MULTI-VIEW MONITORING	Yes	Yes	Yes	Yes	Yes
REMOVABLE STORAGE	Yes	Yes	Yes	No	No
FAIL-SAFE	Hardware & Software	Hardware & Software	Hardware & Software	Hardware & Software	Software Only
VIDEO INPUTS	(8 total) HD/SD-SDI, HD/SD comp, Y/C (BNC) or comp	(8 total) HD/SD-SDI, HD/SD comp, Y/C (BNC), CV	(4 total) HD/SD-SDI, HD/SD comp, Y/C (BNC), CV	(4 total) HD/SD-SDI	(4 total) HD/SD comp, Y/C or composite (BNC)
VIDEO OUTPUTS	(14 total) (3) HD/SD-SDI, (3) Analog, (1) HDMI, (2) VGA, more	(14 total) (3) HD/SD-SDI, (3) Analog, (1) HDMI, (2) VGA, more	(11 total) (2) HD/SD-SDI, (2) Analog, (1) HDMI, more	(7 total) (2) HD/SD-SDI, (1) HDMI, (2) VGA, more	(5 total) (2) Analog BNC comp (2) Y/C, Composite
AUDIO INPUTS	(8) SDI, (8) AES/EBU, (8)x2 combo XLR	(8) SDI, (8) AES/EBU, (8)x2 combo XLR	(4) SDI, (1)x2 combo XLR, (3)x2 1/4"	(4) SDI, (1)x2 XLR, (1) x2 1/4"	1/4" Mono, (2) stereo RCA
AUDIO OUTPUTS	(3) SDI, (2) AES/EBU, (8) XLR, (1) 1/4" phones	(3) SDI, (2) AES/EBU, (8) XLR, (1) 1/4" phones	(2) SDI, (1)x2 XLR, (1)x2 1/4", (1) 1/4" phones	(2) SDI, (1)x2 XLR, (1)x2 1/4", (1) 1/4" phones	(2) stereo RCA 1/4"
FORM FACTOR	4U rackmount	4U rackmount	2U rackmount	2U rackmount	Desktop

ITEM	DESCRIPTION	PRICE
TRICASTER-40V2	Live video production system, ~20hrs 1080i recording	4995.00
TRICASTER-410	Rackmount HD Live video production system, ~70hrs 1080i recording	CALL
TRICASTER-460	Rackmount HD Live video production system, ~70hrs 1080i recording	CALL
TRICASTER-860	Rackmount HD Live video production system, ~70hrs 1080i recording	CALL
TRICASTER-8000	Rackmount HD Live video production system, 8 channels/~220hrs 1080i	CALL

Accessories

TRICASTER-40CS	Control surface for TriCaster 40v2	1995.00
TRICASTER-460CS	Control surface for TriCaster 460	CALL
TRICASTER-860CS	Control surface for TriCaster 860	CALL
TRICASTER-8000CS	Control surface for TriCaster 8000	CALL
LIVETEXT2.5F	Remote titling software	995.00



Follow Us!

Shop anytime. Buy online. Go to fullcompass.com