E6S



COUNTRYMAN E6/E61/E6S SERIES EARSET MICS

Light and springy, Isomax Earsets clip around the ear, not around the head and never interfere with hairstyles, headphones or hats. Available in hardwired XLR or pre-wired for most wireless body pack transmitters. The standard E6 series is recommended for daily use by one person, due to its stiff, shape-holding construction. For users sharing the mic, the E6i

series is ideal. It features a soft, flexible boom and a larger silicone rubber earpiece. The E6s series models are made of durable stainless steel and resists makeup and sweat. Ideal for theatre applications, these ultra-compact mics are an alternative to taping a lavalier to the face or hiding it in the hair. The new E6 Flex series combines the slim, springy ear section of a classic E6, while retaining the flexible boom design of the E6i series. All models come standard with 1mm diameter cable. For a thicker, 2mm dia. cable, add "DURAMAX" to the part number suffix. Please call for part number verification (E6s models have their own part numbering scheme.) See "GUIDE" in this listing to help create most common Countryman E6 part numbers.

ITEM DESCRIPTION PRICE
E6 Omnidirectional Earset – ships with storage case, windscreen, (3) protective
caps (flat, bright & very bright), cable, (2) clips (black & white)
EGOP[A][B]
EGOW[A][B]-[C] E6 Earset, omni, pre-wired for wireless body packCALL
E6 Directional Earset – ships with storage case, windscreen, (2) protective
caps (hypercardiod & cardioid), cable, (2) clips (black & white)
E6DP[A][B]E6 Earset, directional, hardwiredCALL
E6DW[A][B]-[C] E6 Earset, directional, pre-wired for wireless body packCALL
E6i Omnidirectional Earset – ships with storage case, windscreen, (3) protective
caps (flat, bright & very bright), cable, 2 clips (black & white)
EGIOP[A][B]E6i Earset, omni, with flex boom, hardwiredCALL
EGIOW[A][B]-[C] EGi Earset, omni, with flex boom, pre-wired for wirelessCALL
E6i Directional Earset – ships with storage case, windscreen, (2) protective
caps (hypercardiod & cardioid), cable, (2) clips (black & white)
EGIDP[A][B]EGi Earset, directional, with flex boom, hardwiredCALL
EGIDW[A][B]-[C] EGi Earset, directional, with flex boom, pre-wired for wirelessCALL
E6s Omnidirectional Earset – ships with storage case, (3) protective caps
(flat, bright & very bright), cable, (2) clips (black & white)
E6SOP[A][B]E6s Earset, omnidirectional, hardwiredCALL
E6SOW[A][B] [CHOOSE 1 FOR 1MM CABLE OR 2 FOR 2MM][C]
E6s Earset, omni, pre-wired for wireless body packCALL
E6 Flex Omnidirectional Earset – ships with storage case, windscreen,

E6 Flex Earset, omni, pre-wired for wireless body pack CALL

COUNTRYMAN E2 EARSET The E2 is similar to the popular E6 series in that it rests over the ear, but it has a much shorter boom, with a unidirectional element. It provides a similar level of isolation as the E6 omni model at the mouth, but offers a near invisible appearance. It has an equalizing circuit built into the audio connector. Ships with a cable, carrying case, black and white cable clips, windscreen, and protective cap. (NOTE: E2 and E6 cables are not interchangeable.) This series is available for Sennheiser Evo, Lectrosonics, and Shure



PRICE ..CALL .CALL

TA4F packs.	
ITEM	DESCRIPTION
E2P[A][B][C]	. E2 earset mic, unidirectional, hardwired
E2W[A][B][C][D]	. As above, terminated for wireless body packs

How to specify which earset you need for hardwired versions: [A]=Sensitivity: 5 for normal speaking, 6 for theater [B]=Color option: L=Light Beige, T=Tan, C=Cocoa, B=Black

[C]=Cable diameter: 1 = 1mm cable, 2 = 2mm cable

How to specify pre-wired versions for wireless body pack transmitters: [A]=Sensitivity: 5 for normal speaking, 6 for theater

[B]=Color option: L=Light Beige, T=Tan, C=Cocoa, B=Black [C]=Cable diameter: 1 = 1mm cable, 2 = 2mm cable [D]=Connector suffix: SL=Shure (all with TA4F), SR=Sennheiser Evolution (3.5mm), SM=Lectrosonics SM, UMa and LMa

ITEM	DESCRIPTION	PRIC
E6 Flex Dire	ctional Model Template – ships with storage case, wir	ndscreen,
2 protective	caps (hypercardioid & cardioid), cable, 2 clips (black	k & white)
E6XDP[A][B].		CAL
E6XDW[A][B]	C] As above, pre-wired for wireless body pack	CAL
E6-EARCLIP .	Comfortable, adjustable, extremely low-profile 2-ear s	upport for all
	Countryman Earsets. Available in left or right mic pla	cement
	and tan or black color	CAL
	CHIDE	

F₆I

For Hardwired Versions: Sensitivity [A] = 5 for normal speech, 6 for theater, 7 for very loud vocals Color [B] = L for Light Beige, T for Tan, C for Cocoa, B for Black

For Pre-Wired Versions for Wireless Body Pack Transmitters: Sensitivity [A] = 5 for normal speech, 6 for theater, 7 for very loud vocals (on E6s models use HG for general speech, MG for vocals, LG for strong vocals) Color [B] = L for Light Beige, T for Tan, C for Cocoa, B for Black Connector [C] = Choose based on brand/type of connector and common brand suffixes are listed below. Call to verify which is right for your body pack. AK = AKG (TA3F), AT = Audio-Technica (Hirose 4 pin), ET = Electro-Voice (TA4F), LS = Lectrosonics (TA5F - M Series over 185), LW = Lectrosonics (MM400), SM = Lectrosonics (TA5F in Series over 103), twi = Lectrosonics (TA5F for SM/Lectrosonics (TA5F for SM Series), L4 = Lectrosonics (TA5F for SM/Lectrosonics), ST = Sabine (TA4F for SW70), SV = Samson (TA3F for CT3,VT2L, UT1L,T32), AS = Samson ST = Sability (14F the SHO), or a same that for the state of the stat UTXB1, UWP806), NC = pigtail/bare leads



IICIWI	DESCRIPTION	FRIGE
H6[A][B]	Omnidirectional headset microphone, hardwired	CALL
H6[A][B][C]	As above, terminated for wireless body packs	CALL
How to specify wh	hich headset you need for hardwired versions	

[A]=Sensitivity: W5 for general speaking, W6 for speaking and vocals, W7 for very powerful vocals [B]=Color: L = Light Beige, T = Tan, C = Cocoa, B = Black

How to specify pre-wired versions for wireless body pack transmitters [A]=Sensitivity: W5 for general speaking, W6 for speaking and vocals, W7 for very powerful vocals

- [B]=Color: L = Light Beige, T = Tan, C = Cocoa, B = Black
- [C]=Cable Connector: SL = Shure (all with TA4F),
 - SR = Sennheiser Evolution (1/8" locking plug),
 - SM = Lectrosonics (SM, UMa, LMa series)

Shop fullcompass.com for more connector options

25

Shop fullcompass.com today!

For expert advice - call: 800-356-5844 M-F: 9:00-5:30 Central





H6 HEADSET Nearly Invisible. Natural Sound.

A COUNTRYMAN



HEAD WORN MICROPHONES



VU HEAD WORN MICROPHONES The Vu® head worn mic is ideally suited for vocal and spoken word applications. Its flexible, lightweight design allows total freedom of movement and it is virtually invisible. It has an omnidirectional polar pattern and is available with a choice of 4 different connectors, allowing it to be used with most popular wireless systems. All models feature kevlar reinforced cables. Rugged and extremely comfortable, this low-profile microphone is perfect for corporate presentations, houses of worship, lectures, theater and stage performances.

ITEM	DESCRIPTION	PRICE
HM2000-HR4-BG	Omnidirectional head worn mic, Hirose connector, beige	
HM2000-LM3-BG	Omnidirectional head worn mic, 1/8" (3.5mm) connector, beige	
HM2000-TA3F-BG	Omnidirectional head worn mic, 3-pin mini XLR connector, beige	
HM2000-TA4F-BG	Omnidirectional head worn mic, TA4F connector, beige	
HMD1000-BG	Omnidirectional head worn mic, beige (cable not included)	
Cables for HMD1000		
DC-HR4-4-BG	Detachable cable, Hirose connector, beige	
DC-LM3-4-BG	Detachable cable, 1/8" (3.5mm) connector, beige	
DC-TA3F-4-BG	Detachable cable, 3-pin mini XLR connector, beige	
DC-TA4F-4-BG	Detachable cable, TA4F connector, beige	



HM2000 SERIES





DPA D:FINE™ SERIES HEAD WORN MICS A fine spring automatically adjusts the headset to each wearer, ensuring that the earpiece stays in place. By rotating the boom, the mic can be moved from left to right ear, or into an optimum position. Because the microphone isn't hard-wired, the cable can be easily replaced. They have max SPL of 144dB and include 2 windscreens. For use with wireless beltpacks, choose from the adapters listed below. Three boom lengths for the omnidirectional versions are available to accommodate different applications and head sizes: long (4.3"), medium (3.5") and short (1.6"). Two boom lengths for the directional versions are available: long (4.7"), and medium (3.9"). Shop fullcompass.com for a full listing of d:fine microphones.

or annie merephoneor		
ITEM DESCRIPTION	PRICE	
Single Ear Models		
FIDBOOd:fine cardioid headset mic wi	th long boom, black	
FIDF00d:fine cardioid headset mic wi	th long boom, beige 629.95	
FIOBOOd:fine omnidirectional headset	mic with long boom, black 579.95	
FIOFOOd:fine omnidirectional headset	mic with long boom, beige 579.95	
Dual-Ear Models		
FIOB00-2d:fine dual-ear omnidirectiona	I headset mic with long boom, black 639.95	
FIOF00-2d:fine dual-ear omnidirectiona	I headset mic with long boom, beige 639.95	
FIOC00-2d:fine dual-ear omnidirectiona	I headset mic with long boom, brown 639.95	

Follow Us!

DPA D:FINE 4066/4088 CLASSIC MODELS

Available in 3 sizes with a robust dual-ear headband, these head worn microphones can be worn on either side of the face. The 4066 models are omnidirectional while the 4088 models offer a cardioid pick up pattern and extended boom. All models have a double-vent protection system with water-resistant materials, an input sensitivity of 6mV/Pa and an SPL of 144dB. They terminate with DPA's standard MicroDot connector. For use with wireless beltpacks, choose an adapter from the list below.

DESCRIPTION	PRICE
. Omnidirectional headband mic, 20Hz-20kHz, black	
. Omnidirectional headband mic, 20Hz-20kHz, brown	
Omnidirectional headband mic, 20Hz-20kHz, beige	
. Cardioid headband mic, 100Hz-20kHz, brown	699.95
. Cardioid headband mic, 100Hz-20kHz, black	699.95
. Cardioid headband mic, 100Hz-20kHz, beige	
	Omnidirectional headband mic, 20Hz-20kHz, black Omnidirectional headband mic, 20Hz-20kHz, brown. Omnidirectional headband mic, 20Hz-20kHz, beige Cardioid headband mic, 100Hz-20kHz, brown Cardioid headband mic, 100Hz-20kHz, black

4066-F

DPA MICRODOT ADAPTERS Use these adapters to integrate your DPA mic into other brands of wireless systems.

ITEM	DESCRIPTION	PRICE
DAD6001BC		110.00
DAD6003		
DAD6008		
DAD6010		
DAD6017		
DAD6019		
DAD6020	For Telex TA4F	
DAD6021		
DAD6034	For Sennheiser Evolution	

°

00

MUSIC

COMPUTER AV

VIDEO *]*/*

0

LIGHTS

b

ACCESSORIES

Our Sales Pros will provide you with the solutions you need.





d:fine[™] headset mic

Boom Length

Choose from 40mm, 90mm 100mm, 110mm or 120mm boom lengths to accommodate the smallest to the largest head sizes.

Single or Dual

Although the single ear headset provides excellent support, the dual ear option is for those with a more energetic and vigorous performance.



Call a Full Compass Sales Pro Today



SHURE MX153 EARSET MICS

A professional subminiature earset mic ideal for applications that need high gain before feedback. Ideal for corporate presentations, houses of worship, AV conferencing, and live sound reinforcement. Delivers exceptional speech clarity with no proximity effect. Has an extremely comfortable over-the-ear design, is fully compatible with all Shure wireless systems and comes in 3 colors.

ITEM	DESCRIPTION	PRICE
MX153B/O-TQG	Microflex® omnidirectional earset mic	
	with TQG connection, black	
MX153C/O-TQG	As above, in cocoa	
MX153T/O-TQG	As above, in tan	

SHURE PGA31 HEADSET CONDENSER

MICROPHONE The PGA31 wireless microphone	
is designed for speech and vocal performance NEW!	1
applications. The lightweight wireframe head-	·
set ensures a comfortable and secure fit while	
performing. Cardioid polar pattern prevents unwanted noise from	
outside sources. Flexible gooseneck allows for precise micro-	
phone adjustments for vocal clarity. Includes	
windscreen and features a TA4F (TQG) connec-	
tor for use with Shure wireless bodypacks.	
ITEM DESCRIPTION	PRICE
PGA31-TQG Headset condenser mic with TA4F connector	39.00
SHURE SM10A-CN HEAD WORN	

MICROPHONE A low-impedance, unidirectional dynamic microphone designed for close-talk, headworn applications. It is very lightweight with superior noise rejection and a smooth, natural-sounding frequency response. An adjustable pivot on the headband allows the boom to be moved 20° in any direction. The boom also slides out so the mic can be positioned up to 3.5" from the pivot housing. Close-talk design provides excellent isolation and minimizes gain-before-feedback. It has a frequency response of 50Hz-15kHz, and sensitivity rating of -65dBV/Pa at 1kHz.

	,
ITEM	DESCRIPTION
SM10A-CN	. Head worn dynamic cardioid mic
RK184WS	Windscreen

(audio-technica.

AUDIO-TECHNICA BP892

SERIES Inconspicuous, lightweight headsets with capsule diameters of just 2.6mm, these are ideal for low profile applications. Features an ergonomic under ear hook design that may be used behind either ear, and be worn for hours without fatigue. Features a flat 20Hz-20kHz frequency response, high pass filter (power module versions only), and a Parylene protective coating to prolong its life and stand up to rigors of day-to-day use. All models below are in black; for beige, add -TH to end of part number. ITEM DESCRIPTION Wired Versions BP892 Headmic, omni condenser, with 55" cable w/locking 4-pin HRS conn. includes AT8539 power module, 2 element covers, 2 windscreens, moisture guard, cable clip, case, black.

399.00 BP892C As BP892, less power module, with 55" cable unterminated 289.00 Models for use with Wireless Bodypack Transmitters (all are w/out power modules, and have 55" cables) Black, terminated with locking 4-pin connector for AT UniPak ... 299.00 BP892CW BP892CL4 Black, terminated for Sennheiser systems utilizing Lemo connectors.. 359 00 BP892CI M3 Black, terminated for Sennheiser Evolution, 329.00 locking 3.5mm connector. **BP892CT4** Black, terminated for Shure TA4F-type connetor 329.00 **BP892CT5** Black, terminated for Lectrosonics TA5F type connector... 329.00





AUDIO-TECHNICA BP894 MICROSET® SUBMINIATURE CONDENSER MICROPHONES These microphones feature a rotating capsule housing with talk-side indicator for use on either ear and perfect polar pattern placement. Their uniform pickup pattern provides excellent rejection of outside noise, with exceptional gain-before-feedback when used with live sound systems and stage monitors. They hook securely behind the ear and can be worn for hours without fatigue. The standard model is equipped with a locking 4-pin connector and is compatible with all Audio-Technica UniPack transmitters. All models below are black; add –TH to the part number for beige models.

ITEM	DESCRIPTION	PRICE
Wired Versions		
	Omni head worn condenser mic with power module, bla	ick 449.00
BP894C	Head worn condenser mic, no power module,	
	55" unterminated cable	339.00
Wireless Body Pa	ack Transmitter Versions	
(all are without p	nower modules, and have 55" cables)	
BP894CW	With 4-pin connector, for A-T UniPack systems	
BP894CL4	With Lemo connector for Sennheiser wireless	409.00
	With locking 1/8" connector for Sennheiser wireless	
BP894CT4	With TA4F connector for Shure wireless	

MUSIC

iiiii

COMPUTER AV

VIDEO

1110

LIGHTS

ACCESSORIES

You Follow Us!

PRICE

	() audio-technica
	On Message. On Target.

ROTATING ELEMENT AND CARDIOID PATTERN PUT YOUR VOICE IN FOCUS

With its innovative rotating capsule housing, the new BP894 MicroSet® Subminiature Cardioid Condenser Headworn Microphone doesn't let anything come between your message and your audience. Unlike its counterparts that face forward, the BP894's microphone element can be aimed directly toward the user's mouth, producing an unparalleled level of intelligibility perfect for public speaking, theater performances and houses of worship. The targeted cardioid polar pattern effectively controls feedback and eliminates unwanted background noise, even when using stage monitors. The result? Your message, on target.

always listening...

AUDIO-TECHNICA PROBHEX HYPERCARDIOID DYNAMIC MIC Professional-quality vocal pickup with hands-free operation with a Hi-ENERGY® neodymium element for crisp sound reproduction. It features a low-visibility headband for stable, comfortable fit, and a pivot-mounted flexible mic boom.

ITEM	DESCRIPTION	PRICE
PRO8HEX	Dynamic mic, with XLR	. 89.58
PRO8HE-CW	Dynamic mic, for AT bodypacks	. 92.67



CROWN CM311A HEAD WORN MICS The CM311A increases gain-before-feedback

DESCRIPTION

by as much as 6-12dB, transmitting only the differential of the front and back elements, increasing rejection of distant sound sources

PRICE



ITEM CM311A

.Differoid (cardioid element with noise canceling), XLR connector419.00



GALAXY AUDIO HSE SERIES HEADSET MICS Available as

omnidirectional or unidirectional mics in single- or dual-ear hook versions. Comes with choice of one cable for use with either Galaxy, Sennheiser, Audio-Technica, Shure or AKG products. Additional cables may be purchased separately. All models have an operating voltage of 1V-10V. Models listed below are beige; please call to order mics and adapters in black or cocoa.

ITEM	DESCRIPTION	PRICE
HSE-OBG	Omnidirectional headset mic, single-ear hook, -65dB, 20Hz-20kHz	199.99
HSE-UBG	Unidirectional headset mic, single-ear hook, -67dB, 70Hz-16kHz	199.99
HSD-OBG	Omnidirectional headset mic, dual-ear hook, -65dB, 20Hz-20kHz	199.99
HSD-UBG	Unidirectional headset mic, dual-ear hook, -67dB, 70Hz-16kHz	199.99
CBLSHU	Replacement cable with TA4F connector for Shure	49.99
CBLAT	Replacement cable with HIROSE 4-pin connector for Audio-Technica	49.99
CBLSEN	Replacement cable with 3.5mm locking connector for Sennheiser	49.99
CBLAKG	Replacement cable with TA3F connector for AKG	49.99
AS-HSCLIP	Cable clip for headset mics	9.99



RØDE HS1 HEADSET CONDENSER MICROPHONE Versatile in application, this headset mic has an ergonomic design that includes 3 axes of adjustment and features a lightweight and flexible tube arm and headband. The MiCon[™] connector system allows you to connect your HS1 mic to a variety of wireless systems. Includes storage case, pop filter, furry windshield, cable, lapel-style clip, adjustment tools, and cleaning wipes.

ITEM	DESCRIPTION	PRICE
HS1-B	Black headset condenser mic, omni-directional, 60Hz-18kHz	. 299.00
HS1-P	As above, in light beige	. 299.00
MICON-1	Adapter for Sennheiser SK500, SK300G3, SK100G3,	
	SK500G2, SK300G2, SK2-Freeport	18.00
MICON-2	3.5 stereo mini jack adapter (1V minimum power supply)	18.00
MICON-3	Adapter for Shure UR1, UR1M, ULX1, SLX1, PGX1, PG1	23.00
MICON-4	Adapter for Audio Technica UniPak	
	Body-Pack Series 1800, 2000, 3000	27.00
MICON-5	48V phantom power adapter, 3-pin XLR	27.00
MICON-CABLE-1.2M	1. 1.2m MiCon cable	32.00
MICON-CABLE-3M.	3m MiCon cable	39.00



LINE 6 HS70 HEADSET MIC HS70 is an adjustable headset microphone for use with XD-series TBP06

and TBP12 belt pack transmitters and other compatible belt packs with a TA4F. Its integrated compact omnidirectional condenser microphone helps resist feedback and minimize background noise. Windscreen included. ITE



ITEM	DESCRIPTION	PRICE
HS70	. Headset Mic with TA4F connector, comes in beige	
	(shown in picture) or black	. 139.99





Que Audio

QUE AUDIO PERFORMANCE SERIES HEADMICS

Both mics feature a 2.5mm full frequency capsule with water DA12 IN USE resistant enclosure and interchangeable adapter options. The DA12 is an omni, high SPL head worn mic with adjustable earpiece/boom. It comes with zipper pouch, cable, cable clip and 2 windscreens. The DA15 is an omni head worn mic with an in-ear monitor piece suitable for news, sports, theater, music on stage or a communication headset. It includes 2 detachable cables, 2 windscreens, tie clip and leatherette zip pouch. Both available in black or beige. Cable adapter required unless stated otherwise - see listing below for possible terminations

listing below for possible terminations.	
ITEM DESCRIPTION PRICE	
DA12BE	
DA12BE/SHLHead worn mic, -35dB sensitivity, 140dB max SPL, beige,	
includes Shure adapter 309.00	
DA12BE/SELHead worn mic, -35dB sensitivity, 140dB max SPL, beige,	
includes Sennheiser adapter 309.00	
DA15BEAs above, with in-ear monitor, beige 339.00	
Adapters (sold separately)	
QAD3Q compact thread (female) to 90° male XLR, requires 48V phantom power,	
balanced low impedance connection to digital recorders, standard or	
camera-mount mixers and pro video camcorders.	
Also available in beige	
DAADAKLAKG adapter, black	
DAADATLAudio-Technica adapter, black	
DAADCHLChiayo adapter, black	
DAADEVL Electro-voice adapter, black	
DAADJTLJTS adapter, black	
DAADLELLectrosonics adapter, black	
DAADMILMipro adapter, black	
DAADSELSennheiser adapter, black	
DAADSHLShure adapter, black	
DAADSOLSony adapter, black	
DAADSAL	
DAADSKL Sennheiser SK50 adapter, black	
DAADTOLTOA adapter, black	

SAMSON SE10/SE50 OMNI

HEAD WORN MICS These are low profile, miniature condenser models. The SE10T offers a 3mm capsule, while SE50 has a 2.5mm capsule. They may be shaped to fit the left or right ear and the retaining band is suitable for fitness applications. The mic has been treated with a water resistant coating for extra protection against sweat and other moisture. They also have a moistureguard drip ring to further protect the capsule. Includes 3 windscreens, clothing cable clip, carry case & detachable



cable for Samson wireless beltpack transmitters. Mics also include 4 adapters for use with other manufacturer's beltpack systems (Shure, AT, AKG and Sennheiser).

ITEM	DESCRIPTION	PRICE
SE10T	Omni headmic, 3mm capsule, beige	99.99
SE50T	Omni headmic, 2.5mm capsule, beige	199.99

COMPUTER AV VIDEO *7*¢

0.0

MUSIC

ACCESSORIES

0

LIGHTS





DA12 Headworn Microphone

Superior Sound

Permanent Positioning

Continuous Comfort

Trusted Performance

The widely used Que Audio DA12 Headworn Microphone is well known for it's superb sound, comfortable fit, and "stay-in-place" performance. The exceptional sound quality of the DA12 is the result of its 2.5mm European micro condenser capsule delivering the same trusted, high-end, water resistant, full frequency, superlative audio quality since 2008.

The extremely small size of the capsule makes it inconspicuous and easy to position, while it's big clear sound, and high SPL characteristics deliver the presentation and performance expected from a top of the line microphone. Perfect for church pastors, theater actors and singers, sportscasters, on-air or video talent, aerobics instructors, presenters, in the boardroom, and more.

- 2.5mm full-bandwidth water resistant micro capsule
- Spring-loaded ear cushion for better comfort and hold
- Moveable fully adjustable boom arm for added flexibility
- Includes new thermoplastic "stretch" cable, tie clip, (2) windscreens

Available in Black or Beige, Standard and Petite (child) models

Specifications: DA12 Element: Back Electret Condenser Polar Pattern: Omnidirectional Frequency Response: 20Hz-20Khz Sensitivity: -45dB ±3dB Output impedance: 2K ohms ± 30% SPL max: 140dB Operating voltage: 0.9V (optimal) – 5V (maximum) Cable: 1.4mm * 1.8m Weight: 1g (W/O cable and connector) Mic Dimension: 3.5mm

Q Connectors sold separately for most 3rd party wireless transmitters and 48V phantom powered XLR

*Specification and design subject to change without notice



Also available as the DA04 Lavalier Microphone

2)



