

ELECTRONIC WHITEBOARDS / PRESENTATION	E6-E7
ELECTRONIC WITTEDOARDS / TRESENTATION	LO-L/
HEADPHONES / LISTENING LABS	E8
SCIENCE LAB FURNITURE / MICROSCOPES	E9
DOCUMENT CAMERAS / VISUALIZERS	E10
DODOMENT GAMERAS / VISUALIZENS	LIU
LECTERNS	E11
A State A	
SPORTS - INTERCOMS / STADIUM SOUND	E12-E13
DIGITAL SIGNAGE	E14-E15
MUSIC LAB PRODUCTS	E16
COETWARE	
SOFTWARE	E16-E17
BAND / ORCHESTRA / CHORAL	E18-E22
LIBRARY / CLASSROOM FURNITURE / CARTS	E23-E25
CAFETERIA TABLES / FOLDING CHAIRS / DOLLIES	E26
GATETERIA TADEES / FOLDING GRAIKS / DOLLIES	E20

Welcome to the Full Compass Catalog for Spring/Summer 2011. The following 24 pages have been specifically designed to highlight products of interest for our Educational customers. In this supplement you will find a selection of classroom products, special software, science lab and music room furnishings which go beyond the scope of our regular catalog listings.

To see even more products than we can represent in the limited pages of this catalog, please visit us online at fullcompass.com or call a Sales Pro at 800-356-5844 for assistance and sales quotations. We have also produced a special supplement for our House of Worship customers, available for download on our web site. fullcompass.com/publications

We hope you find this catalog and the 24-page Education Market supplement useful.

Quick Purchase: 800-476-9886 M-F: 8:30-5:30 CST



FULLCOMPASS.COM

Full Service: 800-356-5844 M-F: 9:00-5:30 CST



SEAR UP FOR EDUCATION

E3



F4

ATLAS SOUND AL2430-2PH CLASSROOM **SECURITY & SOUND REINFORCEMENT SYSTEM** This system is designed for use in K-12 and higher education facilities or where a room constrained public

address system is required. The system consists of



an amplifier/receiver, wireless microphones, and docking station. It is designed to allow the teacher and students to walk freely around the room with the infrared microphones/system control units and project their voices through installed speakers. The AL2430 pendant/handheld microphone transmitter allows teachers to control microphone volume, overall system volume and mute settings via side-mounted soft touch controls. When transmitter is configured for "student" mode operation, the transmitter functions as a wireless microphone only without the control features. Its receiver/amplifier provides intuitive control of all system components and includes inputs to accommodate most any multimedia source. The charging station includes a dock section to charge 2 pendant transmitters and 4 AA rechargeable batteries simultaneously. Unit may be wall mounted via integral keyhole slots or shelf mounted for easy accessibility. Up to 3 infrared dome sensors may be used with the AL2430 receiver/amplifier to extend wireless coverage (2 are included with the system).

ITEM	DESCRIPTION	PRICE
AL2430-2PH		
	receiver/amplifier, 2 IR receiver domes w/cables, rechargeable	
	batteries, and power supplies	1084.50
AL2430-2PH-SD4	Same as above plus 4 Atlas Sound SD72W loudspeakers,	
	4 81-8 Tile Bridges, 4 CS95-8 Enclosures and 100' of plenum r	ated
	18/2 speaker cable (Loudspeaker system is UL Listed for use	
	in air handling (plenum) spaces per UL2043 standard	1220.50
AL-HSM	Headset w/mic	50.27
AL-DOME	Infrared dome sensor	51.50

ΛZDEN

AZDEN IR-CS/IR-WS INFRARED CLASSROOM SYSTEMS In today's RF saturated world a regular (VHF or UHF) microphone system risks interference from a variety of other devices



and sources. This infrared (IR) system is perfect for classroom audio, since, unlike the other systems, IR is short-range, cannot penetrate walls, and is line-of-sight. This means that a school can have as many classrooms as desired with individual audio systems, without fear of interference. Since it is dual-channel, the teacher can have one microphone and a second person can also have a microphone. In addition, since each class-room system is on the same pair of channels, teachers can go from room to room without having to switch microphones. Although you can purchase components separately to customize your own system, there are 2 pre-configured systems for ceiling-mount or wall-mounted speaker situations. The IRR30P receiver has 2 aux inputs to connect line level devices (CD/MP3 players, VCRs, etc), and a line level output jack. For bigger rooms up to 3 additional external IR sensors can be attached. With all 4 speakers attached, sound is spread equally throughout the room, allowing students to hear equally.

ITEM DESCRIPTION	PRICE
Complete Classroom Systems (just add speaker wiring)	
IR-CSIR wireless/ceiling-mount speaker system w/ 1 IRR-30P receiver w/	
power supply, 1 IRN-10 transmitter/mic, 1 IRH-15c handheld transmitter,	
1 IRD-60 sensor, 4 ACS-6.5 speakers, 2 BC-29 AC/DC chargers,	
and 4 IHR-3U AA NiMH batteries	875.52
IR-WSIR wireless/wall-mount speaker system w/1 IRR-30P receiver w/	
power supply, 1 IRN-10 transmitter/mic, 1 IRH-15c handheld transmitter,	
1 IRD-60 sensor, 4 AWS-4.5 speakers, 2 BC-29 AC/DC chargers,	
and 4 IHR-3U AA NiMH batteries	802.56
Components	
IRR-30P Dual-channel powered receiver w/power supply, 5W x4 @ 4ohms	328.32
IRR-30Dual-channel receiver w/power supply	291.84
IRN-10Dual-channel selectable neck worn transmitter/uni-directional mic combo.	109.44
IRH-15C Dual-channel selectable handheld transmitter w/uni-directional head .	170.24
IRD-30	. 55.82
IRD-606-diode external wall mounted dome IR sensor	
(uses RG59, 75-ohm coaxial cable)	
ACS-6.5	. 33.49
AWS-4.5	. 31.01
APS-25AC-powered speaker – can use 1 or 2 APS-IR receivers	151.16
1HR-3U "AA" NiMH – 2000mAh rechargeable battery, each	. 11.20
BC-27AC/DC power supply for IRR-15 and IRR-30	. 22.40
BC-29AC/DC recharger for IRB-10c	. 26.14
BC-30AC/DC power supply for IRR-30P	. 37.34

DUKANE

DUKANE AUDIO ENHANCEMENT SYSTEMS Audio Enhancement's teardrop-shaped microphone hangs like a necklace to capture and deliver



clear sound. The mic operates for 8 hours; no external battery or belt pack required. At the end of the day the pendant mic or hand held mic can be inserted into a charging stand and fully charged by the next morning. The IR signals are confined to the classroom and thus adjacent rooms can be operating with identical equipment without any interference or special settings. A second mic channel is also available in each room.

ITEM DESCRIPTION PRICE
1000-0001 Achiever system w/dome receiver, 20W receiver/amp, teacher mic,
4 ceiling speakers, 50ft hook up cable & wires
1000-0002 Achiever system w/dome receiver, 20W receiver/amp, teacher mic,
4 wall speakers, 50ft hook up cable & wires
1000-0004 Achiever system w/dome receiver, 20W receiver/amp, teacher &
hand mics, 4 ceiling speakers, 50ft hook up cable & wires
1000-0005 Achiever system w/dome receiver, 20W receiver/amp, teacher &
hand mics, 4 wall speakers, 50ft hook up cable & wires
1000-0061 Achiever system w/dome receiver, 20W receiver/amp, teacher mic,
50ft hook up cable (No speakers) 1295.00
1000-0101 Ultimate2 system w/dome receiver, 50W receiver/amp, teacher mic,
4 ceiling speakers, 50ft hook up cable & wires
1000-0102 Ultimate2 system w/dome receiver, 50W receiver/amp, teacher mic,
4 wall speakers, 50ft hook up cable & wires
1000-0104 Ultimate2 system w/dome receiver, 50W receiver/amp, teacher &
hand mics, 4 ceiling speakers, 50ft hook up cables & wires
1000-0105 Ultimate2 system w/dome receiver, 50W receiver/amp, teacher &
hand mics, 4 wall speakers, 50ft hook up cable & wires 1795.00
1000-0138 Ultimate2 system w/dome receiver, 50W receiver/amp, teacher mic,
50ft hook up cable (No speakers)
CS-07Charging stand, holds both lavaliere neck mic & handheld mic

DUKANE CONVEY ACLICK SYSTEM

With the AClick system, students use remote "clickers" to respond to questions displayed on a screen or whiteboard. This system delivers questions in formative, summative, ad hoc or web-driven formats. Every student participates in learning and sees how they're doing with instant feedback while Convey displays group results on screen. Teachers



control what the class sees. The AClick handheld remote "clicker" is ergonomically designed with solid construction for classroom use and employs RF technology for dependable, individualized interaction between teacher and students.

ITEM	DESCRIPTION	PRICE
SRS-KIT32	Kit w/32 AClick remotes, RF Base Station, carry case,	
	batteries & Convey software	2345.06
SRS-KIT26	Kit w/26 AClick remotes, RF Base Station, carry case,	
	batteries & Convey software	1973.81
SRS-KIT24	Kit w/24 AClick remotes, RF Base Station, carry case,	
	batteries & Convey software	1887.19
SRS-SINGLE	Single AClick remote w/batteries	
	RF base station w/USB cable	

Hamilton huhl

HAMILTON-BUHL USB TRANSFER EXPRESS

An economical way to copy large amounts of data from one USB drive to 15 targets at the same time and vice versa. USB 2.0 compatible to ensure fast transfer speed. A stand-alone system that does



not require a PC. Utilizes FAT, FAT32, VFAT, and ext 2 file formats. Copy speed is up to 480Mb/sec to all 15 targets simultaneously. Supports MP3/WMA/WMV/WAV/ASF files. Use any combination of USB2.0 compatible data devices - flash drives, SD/CF cards, USB2.0 HDDs, MP3 players, and more. Daisy-chain an additional unit for up to 30 targets total. Erase functionality erases multiple memory sticks simultaneously.

ITFM DESCRIPTION PRICE USB-TEXP... ...1 source to 15 target USB drive duplication system, duplicator only 799.00 EDU-CAST......Kit, USB-TEXP with 16 - 1GB MP3 Players ... 1210.92



CLASSROOM COMMUNICATION / TEACHER AIDS E5

Hamilion huhl

HAMILTON-BUHL STUDY BUDDY **DIGITAL FLASH CARD READER / RECORDER** Ideal for the K-12 market, this system is an electronic, interactive, and customizable learning system based on your curriculum. It utilizes both visual



R12

N USE

and auditory cues to reinforce learning. Create a lesson or activity in minutes that meets the needs of individuals or small groups of students. Using dry-erase pens, photographs, graphics and/or original artwork that is prepared on reusable electronic cards, teachers can record an accompanying voice instruction that is unique for each card. By combining voice and graphics, student learners can work independently with the card sets on a variety of topics. Each card can record up to 10 seconds of audio. Ideal for foreign language labs due to the auditory cues. Please see a PDF on our website for a curriculum guide

I	TEM	DESCRIPTION	PRICE	
S	TBDY1	.Flash card reader kit, includes one audio card reader,		
		36 re-usable, double sided flash cards, maximum memory		
		is 72 cards, runs on 3 AAA batteries (not included)	30.98	
6	PSTB-6	.Flash card reader kit, includes six audio card readers, 216 re-usable,		
		double sided flash cards, maximum memory is 72 cards (per reader),		
		runs on 3 AAA batteries (not included)	185.88	
F	RBLE36	.One pack of 36 re-useable cards for STBDY1 or GPSTB6	6.67	
V	VRN36	.One pack of 36 write-on cards for STBDY1 or GPSTB6	9.10	



LISTEN LISTENPOINT™ AUDIO

SYSTEM An easy way to incorporate audio structure into a classroom, training facility, courtroom, meeting room, multi-purpose rooms and more. It can

be used as a simple sound system or can be interfaced with a Listen FM or IR assistive listening system, telephone conferencing equipment, computer for VOIP/SkypeTM conference calls, external paging, third party control, or a DVD player. The LPT-C2 Control Unit features 2 stereo inputs and RS232. The LPT-C6 control adds 2 more stereo inputs, stereo aux output, balanced audio I/O, and direct T-Con I/O. Both control units integrate with

the room modules via Cat-5e cable. Room modules feature a paging input, 6-12VDC input, relay output, 2 remote sensor inputs, and speaker outputs.

ITEM DESCRIPTION	PRICE
LPT-S1-01 Basic System (M1 mic kit, C2 control unit, R12 room module)	1021.99
LPT-S2-01Standard System (M1 mic kit, C6 control unit,	
four 6" ceiling mounted speakers, and R12 room module)	1444.90
LPT-S3-01Performance System (2 M1 mic kits, C6 control unit,	
four 6" ceiling mounted speakers, and R14 room module)	1859.90
LPT-S4-01Advanced System (M1 mic kits, C6 control unit,	
four 6" ceiling mounted speakers, and R24 room module)	2557.90
LPT-M1M1 microphone kit (microphone, Li-ion rechargeable battery,	
charging station and clips)	
LPT-C2-01Control unit, standard	249.00
LPT-C6-01Control unit, advanced	
LPT-R2Room module (2 mic max/ no power amp), 1 speaker out	
LPT-R4Room module (4 mic max/ no power amp), 1 speaker out	
LPT-R12Powered room module (2 mic max/ 60W), 4 speaker out	
LPT-R14Powered room module (4 mic max/ 60W), 4 speaker out	549.00
LPT-R22-01High powered room module (2 mic max/ 120W), 4 speaker out	549.00
LPT-R24-01High powered room module (4 mic max/ 120W), 4 speaker out	649.00
LPT-A1046" ceiling speaker	
LPT-A104-P6" plenum-rated ceiling speaker	
LPT-A105 8" ceiling speaker	
LPT-A1065" wallmount speaker	

MIPRO MA101ACT WIRELESS RO **CLASSROOM PA SYSTEM** Lets instructors carry their own wireless mic from one classroom with wireless speakers to another similar room. Upon entering a room, you can turn that room's system on or off or adjust its volume. You can also play a CD or MP3 player through the speaker by connecting it to the wireless mic, which can be used as a handheld mic, a neck-worn lanyard



mic, or in conjunction with a hands-free headset mic. Features 100 built-in UHF frequencies, 30W RMS output and wall/ceiling mounting capabilities.

ITEM	DESCRIPTION	PRICE
MA101ACT-SYST	EM Wireless classroom PA system, includes MA101ACT	speaker,
	MT101ACT multi-function remote control/wireless n	nic,
	and MP101ACT microphone charger	
8MS11	Wall mounting bracket for MA101ACT	
PC11	Field remote frequency programmer	
ΜΔ101ΔΧΡ	Passive extension sneaker	159 36



REVOLABS CLASSROOM WIRELESS AMPLIFICATION **revolabs** system This system comes



with everything needed to install an amplification system in a classroom environment, including 2 speakers with wall mounts, a transmitter/receiver,

the Revolabs RF Armor wireless microphone, a charger base and all of the cables needed to install the system. The small and ultra light wearable wireless microphone is impervious to GSM noise from cell phones, PDAs, and features an accessible mute button. It is rechargeable and the battery provides 8hrs of talk time. The wall mount speakers feature a 5.25" woofer, .5" tweeter, have a frequency response of 60Hz to 20kHz, 30W of amplification, and are available in black or white.

ITEM	DESCRIPTION	PRICE
01-CLASSRM-BLK	. Wireless system w/black speakers	802.31
01-CLASSRM-WHT	. Wireless system w/white speakers	802.31
01-CLASSRM-11	. Wireless system, no speakers	693.63

Teach<u>Logic</u>





EAR UP FOR EDUCATION

small presentation environments, Maxim II is the perfect solution for classrooms, secure classified briefing areas or any learning area up to 2,500 sq. ft. Trouble-free infrared wireless communication is free from outside interference (will not transmit through walls). The base station features 2 16W amplifiers, built-in dual-channel wireless infrared receiver, 5-band equalizer, 3 stereo auxiliary inputs (line level) with +12db gain control for added sensitivity to facilitate various media inputs. Each system includes a drop-in battery charging station, dome sensor with 50' cable, and a choice of 4 (CS-4) ceiling speakers with tile bridge or a pair of two-way speakers with wall mount and shelf mount brackets. The intercom page override will mute all inputs and pass the page to additional classroom speakers connected to the Maxim II amplifier. The base station is rackmountable.

ITEM DESCRIPTION	PRICE
IRM-4000System with body-pack transmitter (IF	
	oattery charger (BRC-30) 1012.10
IRM-4100System with pendant transmitter (IRT	-89) with
plug-in mic (LM-300) and drop-in bat	tery charger (BRC-101) 1012.10
IRM-4200System with 2 pendant transmitters (
mics (LM-300) and drop-in battery ch	arger (BRC-202) 1189.39
IRM-4300System with handheld microphone (IR	
IRM-4400System with crescent transmitter/mic	
IRM-4500System with handheld microphone (IR	
transmitter (IRB-30) with choice of m	
	arger (BRC-30)1189.38
IRM-4600System with handheld microphone (IR	
transmitter (IRT-89) with plug-in mic	
)
IRM-4700System with 2 handheld microphones	(IKH-SUN)
IRM-4800System with 2 body-pack transmitters	
	op-in battery charger (BRC-30)1189.39
IRM-4900System with handheld mic (IRH-30N)	
	ery charger (BRC-50) 1189.38
WM-2	

Quick Purchase: 800-476-9886 M-F: 8:30-5:30 CST



FULLCOMPASS.COM

Full Service: 800-356-5844 M-F: 9:00-5:30 CST

ELECTRONIC WHITEBOARDS / PRESENTATION



E6

BUHL LYTEBOARD 78" INTERACTIVE WHITEBOARD

Using IR Technology, this interactive whiteboard can recognize a multitude of writing objects, including a stylus, pointer, dry-erase marker or even a finger. The polymer coated PVC surface provides a very durable surface mate-

rial that requires very little maintenance. The IR sensing technology is completely enclosed in the frame of the board; protected by a cover that is resistant to dust, oil, water and ambient light interference. The included DrawView software is quick and intuitive to learn, compatible with a variety of formats (PowerPoint 2003 & 2007, Word, Flash, etc.) and provides integration of video, animation, and graphics into lessons and presentations. System requirements are Windows XP/VISTA/7, Pentium IV 1Ghz, 512MB RAM and 300MB hard disk space (Windows only).

	• • • • • • • • • • • • • • • • • • • •	
ITEM	DESCRIPTION	PRICE
LYTEBOARD78	78" interactive whiteboard w/DrawView software	(Win) 1392.50
LYTERNARD78-STAND	Rolling floor stand for LyteRoard78	186 25

DUKANE

DUKANE LEADERBOARD 78T TOUCH

DIGITAL WHITEBOARD Use a finger, pen or wand to control intuitive annotation, drawing or mouse operation with this whiteboard. Durable surface with IR edge sensors delivers touch sensitive performance for fine annotations and ease. Action Bar with 12 permanent keys for quick access to annotation, image & presentation. Versatile and comprehensive Convey Notes software for easy configurations and user controls. Windows 2000/ ME/XP/Vista/Windows 7 compatible.



ITEM DESCRIPTION 57.5" x 44.5" interactive whiteboard w/ 3 pens, 1 eraser, LB781 1 reaching stick wand, 25' USB cable, manual, software & driver CD, brackets for wall mounting... LB78TST Mobile stand for LB78T.

DUKANE AIRSLATE 3 This wireless annotation and mouse control pad with Convey Notes software gives presenters maximum audience interaction by allowing the freedom to move around the room during presentation. Features simple setup and operation, 8"x 6" working area, precise cordless pen that functions as a mouse and stores



PRICE

1395.00

246.26

PRICF

399.00

on top of tablet, 16 customizable Macro Keys, and compatibility with all Microsoft Office programs. LCD window provides battery status, connection mode & status, volume and tablet connection number. Runs on Windows & Mac. 1-year warranty.

ITEM DESCRIPTION

نست (1: المعادية ال

RI-45

AS3

Wireless pad w/pen, tips & tools, adapter for USB port, USB cable, Nokia BL5C Li-ion rechargeable battery, AAA battery for pen, installation & driver CD-ROM

DUKANE LEADERBOARD 77H DIGITAL

WHITEBOARD This advanced digital board creates a large interactive projection screen when connected to a PC and data video projector. The teacher or presenter controls the computer by touching the board surface with the electronic pen. Mouse control functions and annotation are made possible with the pen, enabling the presenter to stay in front of the audience while



5)

 \bullet

RGB D-Sub Component S-Video BNC 5-BNC RCA RCA Stereo Mini Stereo RS-232 RS-232 Mini

 \odot

running any software program. It has 12 permanent keys on the board for quick access to annotation, images, and presentation tools. It features intuitive methods of screen capture, viewing and retrieval. It includes WhiteBoard software to quickly capture and retrieve written ideas. It comes with 2 electronic pens with 6 spare tips and 21' serial to USB cable. Windows 98SE/2000/ME/XP compatible.

ITEM	DESCRIPTION	PRICE
LB77HA	. 54.5" x 40" digital whiteboard	1240.00
LB77HST	Mobile stand	221.51

(;;)

DUKANE

DUKANE LEADERBOARD 77S

DIGITAL WHITEBOARD The 77S LeaderBoard by Dukane is an advanced digital board that creates a large interactive projection screen when connected to a PC and data video projector. The teacher or presenter controls the



computer by touching the board surface with their finger or a stylus. Mouse control functions and annotation are made possible with a touch, enabling the presenter to stay in front of the audience while running any software program. It has 15 permanent keys on the board for quick access to annotation, files, and presentation tools and a pressure sensitive surface for finger touch operation. It features intuitive screen capture, viewing, retrieval methods, and Simple method for modifying the annotation pen color and erase width. It includes EasiTeach Starter Interactive software and Virtual WhiteBoard software to quickly capture and retrieve written ideas. It comes with 6 dry erase markers, stylus, cloth, mounting brackets and adapters, USB adapter and cable. Windows 98/2000/XP compatible.

ITEM	DESCRIPTION	PRICE
LB77S	57.5" x 44.5" digital whiteboard	
ST77S	Optional mobile stand	691.76



EBEAM EDGE INTERACTIVE WHITEBOARD A full-featured interactive whiteboard system that operates in conjunction with a computer

and projector. Combine authentic and relevant text, graphics, photographs and animation on up to a 9'x5' image area. Control and navigate data from multiple sources and reach all types of learners. eBeam's Scrapbook features a meeting sharing function to export and save options for collaboration, generating ideas, planing projects, reviewing topics and processes between students and colleagues. Multiple formats, including jpg, pdf, and PowerPoint, can be used to save and distribute captured data. Content can be re-used and shared via e-mail and the web and students can selfassess their understanding of concepts with authentic and familiar visual artifacts. Parents and administrators can get a window into the classroom by viewing a virtual version of what happened on the board. Mac and PC compatible.

ITEM	DESCRIPTION	PRICE
EDGE-USB-EDU	. Includes eBeam Edge Receiver, Interactive 3-button Stylus,	
	15' USB cable, 2 mounting plates, AAA battery,	
	4 replaceable nibs, eBeam Interact Software CD,	
	wrist strap, and handwriting recognition software	. 719.95
EDGE-STYLUS	. Replacement interactive stylus w/4 spare replaceable nubs,	
	AAA battery	
FOCUS-150	. Document camera, 6mm to infinity focal distance, swivel head	,
	1280x960 SXGA	. 449.10
INSCRIBE-200E	. Wireless tablet, wireless 2.4G RF connection, 30ft range,	
	rechargeable Nokia BL5C Li-ion battery	
EDGE-EDU-BUNDLE	. Bundle includes EDGE-EDU, FOCUS-150 and INSCRIBE-200E	1367.15

EBEAM ENGAGE INTERACTIVE

WHITEBOARD Engage adds several interactive multimedia features to eBeam's interactive whiteboard systems including real time sound and video recording. The Engage System has JBL speakers, a built-in microphone, scroll knob, one-touch recording, and line level audio inputs

(:)



Screen Wire Trigger Remo

USB

Wired

Wi Fi

and outputs. Requires no special tools to install. Includes Engage System, installation template, security key, interactive stylus, pack spare nibs, (2) mounting brackets w/ spare adhesive, wireless (RF), magnetic mini keyboard with charging cable, keyboard mounting plate, USB cable, power cable, power adapter, AAA battery, and USB storage device with Education software (Mac OS X and Windows compatible.)

ITEM	DESCRIPTION	PRICE
ENGAGE	. Interactive whiteboard package	1169.00

HDMI

Hecordex

RECORDEX IMMPAD INTERACTIVE MULTIMEDIA

TABLET This lightweight Mac/Windows compatible device uses 2.4Ghz wireless RF technology to free educators from white boards. It allows application control, over image drawing/writing or whole screen utilization from up to 30' away. 30 IMMPAD devices can be connected wirelessly to one computer at a time. Features 16 quick



launch buttons. Easy to use with mouse like movements and actions (clicking, dragging, dropping, etc). The main version of the IMMPAD includes PowerPresenterII on-screen annotation software for Windows and a Mac OSX Driver for use with 3rd party software. RM Easiteach, whiteboard-compatible interactive lesson teaching multimedia software, is offered in two bundles each for both Mac & PC - one with subject-specific (math, science, geography, & language arts) "Toolbars" which provide extra teaching tools such as map building tools, sentence building cards, and more. The other bundle available does not include additional Toolbars. All bundles include 1 pen and 2 replacement tips, USB receiver dongle, USB charging cable, 1 Li-ion rechargeable battery and 1 AAA pen battery.

In for reconargeausic battery and riving on battery.			
ITEM	DESCRIPTION	PRICE	
IMMPAD	Wireless pen-controlled pad for whiteboards,		
	w/PowerPresenterII software	259.00	
IMMPAD+PCIMMPAD.	IMMPAD w/RM Easiteach Software for PC	299.00	
IMMPAD+MAC	IMMPAD w/RM Easiteach Software for Mac	299.00	
IMMPAD+TBPC	IMMPAD w/RM Easiteach Software w/Toolbars for PC	399.00	
IMMPAD+TBMAC	IMMPAD w/RM Easiteach Software w/Toolbars for Mac	399.00	

vaddio REDEFINING CAMERA CON

VADDIO INTERACTIVE WHITE

BOARD SYSTEM Use for videoconferencing, content creation, IMAG, rich media systems or any system designed to incorporate a whiteboard as a video input device. No dedicated PC is required.



Compatible with any videoconferencing, TelePresence, distance education or video media distribution system. HD video resolutions of 720p/59.94, 720p/50 and SD resolutions of 480i/29.97 and 576i/25.

ITEM	DESCRIPTION	PRICE
999-5446-000	. 4'x6' whiteboard system	
	. 4'x8' whiteboard system	

Panasonic

PANASONIC PT-ST10U SHORT THROW

PROJECTOR The PT-ST10U can project an impressive 80" diagonal image from just 2.7ft

away from the screen, allowing users to create big pictures in tight spaces such as small classrooms, conference rooms and trade show booths. The PT-ST10U offers 1024x768 XGA resolution and produces 2,800 lumens of brightness. The compact projector weighs approximately 6-1/2 lbs. Inputs include 2x RGB D-sub, S-video and composite video with RS232 and RJ45 ports for connectivity. Includes remote control (with batteries), VGA cable, monitoring and control software.

<u>ل</u>					•••••
ITEM	DESCRI	PTION			PRICE
PTST10U	XGA, 10	24x768, 4:3,	2800ANSI lum	ens	
ETLAB2	Replace	ment lamp fo	or the PTS10U.		220.72




SANYO PLCWL2500 SHORT THROW **PROJECTOR** Projects a full 80" diagonal HD image from a distance of only 34". Features full WXGA resolution (1280 x 800, 16:10). Includes

wired network capability, blackboard and color board modes, closed captioning and nearly maintenance-free operation. Call for more information.

Ling 🖸	<u></u>)		$\overline{\bullet}$	\bigcirc	
ITEM	DES	SCRIPTION			-
PLCWL2500	WX0	GA (1280 x 80	0), 2500 lum	ens	
640-349-0847	Ren	lacement lam	n for PI CWI 2	500	





Hecordex

RECORDEX RETRACT PLUS PROJECTOR SCREENS Made for the rigors of a classroom and boardroom environments, these manual return screens offer tremendous value. All come standard with a 4-side light



absorbing matte black border. Available in many sizes and ratios, including 16:10 format. They utilize Ultra3 Matte White surfaces for up to 1.1 gain and a 160 degree viewing angle. Integrated mounting system allows easy installation for ceiling/wall applications. Mounting brackets available for away-from-wall installations. Models are RoHS Directive 2002/95/EC compliant. All have a 5-year manufacturer's warranty. Models shown have hexagonal housings.

ITEM	DESCRIPTION	PRICE
101070	Square (1:1),70",50" x 50", 54.2"(L), 2.48"(Diam), 9lbs	32.50
101084	Square (1:1),84",60" x 60", 64.2"(L), 2.48"(Diam), 12lbs	36.50
101099	Square (1:1),99",70" x 70", 74.8"(L), 2.48"(Diam), 15lbs	37.50
101120	Square (1:1),120",84" x 84", 87.8"(L), 2.48"(Diam), 19lbs	82.50
101135	Square (1:1),135",96" x 96", 100"(L), 2.48"(Diam), 24lbs	105.50
103105	Video (4:3),105",64" x 84", 87.8"(L), 2.48"(Diam), 16lbs	71.50
103120	Video (4:3),120",72" x 96", 100"(L), 2.48"(Diam), 21lbs	84.50
110094	Wide (16:10),94",50" x 80", 83.8"(L), 2.48"(Diam), 16lbs	82.50
110113	Wide (16:10),113",60" x 96", 100"(L), 2.48"(Diam), 21lbs	86.50
110130	Wide (16:10),130",69" x 110", 113.8"(L), 2.48"(Diam), 28lbs	135.50
609991	Wall bracket, 6", for hex housing	9.00
609992	Wall bracket, 14", for hex housing	17.00
609993	Wall bracket, 23" for hex housing	23.00

DA-LITE

DA-LITE ROLL AROUND MARKER BOARDS

Two-sided magnetic marker board provides two full-size surfaces for presentations. Select any combination of surfaces: white porcelain or black hook and loop compatible fabric over cork. Choose from three board sizes depending on your needs: 3' x 4', 3.5' x 5', or 4' x 6'. Mounts on a sturdy black painted aluminum frame with carpet casters for easy mobility. Some assembly with hand tools required.



ITEM DESCRIPTION	PRICE
431773'x4' Whiteboard/Loop fabric covered cork. 67 lbs, shipping class 85	801.90
431763'x4' Whiteboard/Whiteboard, 67 lbs, shipping class 85	801.90
431803.5'x5' Whiteboard/Loop fabric covered cork, 80 lbs, shipping class 85	872.74
431793.5'x5' Whiteboard/Whiteboard, 80 lbs, shipping class 85	872.74
431834'x6' Whiteboard/Loop fabric covered cork, 99 lbs, shipping class 85	892.79
431824'x6' Whiteboard/Whiteboard, 99 lbs, shipping class 85	892.78

DA-LITE WHITE BOARD PACKAGE Contains 1 each of red, blue, green, and black dry erase markers, 1 eraser, 1 bottle of white board

cleaner, and I ter	escopic pointer.	
ITEM	DESCRIPTION	PRICE
43217	Whiteboard accessory package (as described above)	22.18
43233	Whiteboard cleaner (carton of 12) only	
43234	Eraser for whiteboards, each	5.35
43232	Telescoping pointer	
43220	Dry erase markers, set of 1 each of 4 colors	
	-	

DA-LITE LASER POINTERS / RF PRESENTERS These are

available as standard or jumbo sized, one blinking model, and a deluxe RF PowerPoint model. Use the green models for situations where rooms are bright, rear projection, or long distance applications. The PowerPoint RF remote model utilizes a green

laser and has handy page-up/page-down functions. It has no interference with nearby or multiple units because the remote pairs directly with the included USB receiver. For seamless presentations with Microsoft PowerPoint on PC's utilizing Win98/2000/ XP, Mac OSX, or either hardware utilizing Linux. The RF presenter has a range of 95 feet and the green laser has a range of 1,000 feet in a dark room.

ITEM	DESCRIPTION	PRICE
75837	. Laser pointer, red w/batteries	
35246	. Laser pointer, green w/batteries	
79899	. Blinking model laser pointer, red	
79900	. Jumbo laser pointer, red	
35247	. Jumbo laser pointer, green	
37139	. Deluxe RF Powerpoint remote, w/green laser pointer	87.56

OR EDUCATIC

Full Service: 800-356-5844 M-F: 9:00-5:30 CST



FULLCOMPASS.COM

PRICE

995 00 281.96

audio-technica always listening...

AUDIO TECHNICA ATH-COM2 STEREO HEADSET/DYNAMIC BOOM MICROPHONE These open-back dynamic headset/mic combos offer stereo sound paired with a neodymium dynamic microphone. They produce accurate vocals and have excellent sound quality. They are ideal for hands-free voice and multimedia applications. Frequency response 30Hz-20kHz, flexible mic boom, and 4.9' cable with (2) 3.5mm input/output plugs. Two 1/4" phone plug adapters included.

ITEM	DESCRIPTION	PRICE
ATH-COM2	Stereo Headset/microphone	39.63

Direct Sound Headphones

DIRECT SOUND HEADPHONES EXTREME **ISOLATION HEADPHONES** These headphones are ideal for drummers, home studio use, stage and studio musicians, and anyone who wants serious isolation. Specially designed earmuffs passively attenuate surrounding sound. The custom-fitted speaker assembly is designed to protect your eardrums from damage and improve your recording and performance experience.



PRICE 89 95 119.95

All models include a 1/8" gold plug with a 1/4" gold adapter.

ITEM	DESCRIPTION
EX-25	-25dB attenuation, black
EX-29	-29dB attenuation, black

i lamilion huhl

HAMILTON-BUHL USB HEADPHONES

- USB 2.0 complaint
- Exclusive Xear[™] software for reproduction of CD sound
- Virtual Dolby 5.1 channel effects
- Macintosh, Win 98Se, ME, 2000 and XP compatible
- · User-friendly volume controls
- · Replaceable foam ear pads (HA2 models only) • Durable leatherette ear pads (HA5 models only)

D drubie reather		
 One-year warra 	nty 🥌	
ITEM		PRICE
HA2USB	USB2.0 headphone, foam earpads	
HA2USBSM	Same as HA2USB w/ mic	
HA5USB	USB 2.0 headphone, leatherette earpads	
HA5USBSM	Same as HA5USB w/ mic	
USB1000	USB headphone adapter w/ headset input	
USB2000	USB headphone adapter w/ mic and headset input	20.14

HAMILTON-BUHL MP3 LISTENING CENTER

The CB/4SVHA2MP3 kit brings digital audio from the internet to your classroom. Download podcasts, lectures, or record your voice onto the included 1GB MP3 player with a built-in mic. Kit includes 4 headphones, a jackbox with individual volume controls, and all components store easily with the included soft, padded carrying case. Both kits below carry a 1 yea

oon, paaaoa oang		
year manufacturer	's warranty.	
ITEM	DESCRIPTION	PRICE
CB/4SVHA2MP3	MP3 listening center – 4 personal headphones,	
	jackbox w/volume, 1GB MP3 player, carry case	119.88
CB/4SVHA2	As above, minus MP3 player (use with an	
	existing iPod, Sansa type player)	

Hamilton

HAMILTON ELECTRONICS DIGITAL AUDIO HUB LISTENING CENTER

The Hamilton Digital Audio Hub provides iPod docking, amplified speakers and a 6 station listening center in a compact package. The Digital Audio Hub includes a stereo line in that works with any MP3 player, CD player or other audio device and can be routed to both the built in



speakers or the headphone jacks. Package includes 6 SC7V Deluxe Headphones with Individual Volume Control.

ITEM	DESCRIPTION	PRICE
DSIP-SC7V	Listening center, 6 station	160.29

NEW

HAMILTON ELECTRONICS CD/MP3

LISTENING CENTERS These listening center packages include everything you need for classroom audio for up to 6 students at a time. They include a CD/MP3 Player, Stereo jack box with individual volume controls, and plastic carry case and a choice of three different kinds of headphones. ITFM

DESCRIPTION

PRICE LCP/HACX205/HA2V. Listening center package with (6) HA2V headphones. 127.96 LCP/HACX205/MS2L.. Listening center package with (6) MS2L headphones. 127 96 LCP/HACX205/6SV Listening center package with (6) HA-5 Deluxe headphones 154.90

KOSS

KOSS EDUCATION HEADPHONES Ideal for schools. libraries and training departments, these stereophones incorporate a plastic ear cushion for easy cleaning and maximum durability. Formed from highly durable ABS plastic, the ear cushion creates a seal and vacuum to the ear that reduces ambient noise interference and leakage so the sound comes through loud and clear. The ED1TC features an adjustable headband and a dynamic element for a full frequency response. Ultra-durable for everyday use, the cups and head-



band have been designed to fit a wide variety of head sizes - from children to adults. The ED2TC features a clip design that fits securely around the ear and eliminates the need for a conventional headband. Perfect where minimal hair and head contact is preferred. The ED3 models are single ear clipstyle phones that are identical to the ED2TC, but are single ear only (ordered as left or right style).

ITEM	DESCRIPTION	PRICE
ED1TC	Headphone, 100Hz-20kHz, 32ohms, 98dB SPL, 4' cord	7.04
ED2TC	Clip style 100Hz-20kHz, 32ohms, 98dB SPL, 4' dual entry cord	8.43
ED3TC-L	Clip style version of ED2TC, left ear only	4.21
ED3TC-R	Clip style version of ED2TC, right ear only	4.21



Roland **ROLAND GLC-1 LAB CONFERENCING SYSTEM** This is a stand-alone conferencing system for 8 users and an instructor. It is expandable up to 48 users

with GLC-EXPKIT Expansion kits. It is easy to set up and includes all the connectors, cables, and headsets you need to get started. The basic kit includes 9 headsets, 9 interface boxes, a rack-mountable hub and a conference controller. The hub has audio output for monitoring and recording, CD audio input and Aux Audio input for external source playback. The kit also comes with Roland's RCS-HCS Home Concert Software Bundle but doesn't need to rely on an external computer to function.

boltmare banale bat abean t need to rely on an external compater to function.		
ITEM DESCRIPTION	PRICE	
GLC-1C8-user Group Learning kit, 9 interface, 9 headphones, hu	b,	
conference controller	CALL	
GLC-1	esCALL	
GLC-EXPKITC8 user expansion kit, w/controllers and headphones	CALL	
GLC-EXPKIT 8 user expansion kit, w/o controllers and headphones	CALL	
GLC-SBGroup Learning student box	CALL	
SB45Stereo headphones w/mic		
•		

Tenemos ventas y servicio en Español. Expertos que hablan Español disponibles en x1178 y x1164.





SCIENCE LAB FURNITURE / MICROSCOPES

ken-a-vision

KEN-A-VISION APPLIED VISION 4.0 SOFTWARE Designed for use with Ken-A-Vision's USB products, this software allows students to capture and manipulate



compatibility, time lapse recording, multiple camera support, multi-format video & audio recording, the ability to integrate pictures and video with interactive whiteboard software, image editing via free open source scripts & plug-ins, and more. Minimum system requirements: 1.4 GHz AMD or Intel processor, 512MB RAM, 23bit Windows XP SP2, or Vista SP1.

ITEM	DESCRIPTION	PRICE
VFCD40A	Applied Vision 4.0 video/image editing/presentation	
	software for use w/ Ken-A-Vision devices	146.91

KEN-A-VISION 1401KRM 1.3 MEGAPIXEL

PUPILCAM A 1.3 megapixel high-resolution 1280x960 SXGA microscope camera with digital CMOS technology. Complete with Applied Vision[™] Software (Windows[®]) for complete computer capturing and editing. It has a pre-attached 5 foot USB cable and a built-in microscope adapter for direct interfacing to your computer. The adapter provides



a secure and precise alignment to your microscope or stereoscope.

ITEM	DESCRIPTION
1401KRM	. PupilCam, 1.3 megapixel, USB 2.0

KEN-A-VISION T-1954-1C DIGITAL COMPREHENSIVE

SCOPE 2 This instrument can display images on a computer screen or AV projector and is compatible with Ken-A-Vision's Applied Vision 4.0 software - which will capture, store and allow you to edit images and movies. The T-1954-1C microscope features a 1.3 megapixel CMOS camera, 1280x1024 full-screen imaging, USB 2.0, a dimmer switch for adjusting transmitted light, and more. Comes with a copy of Applied Vision 4.0.



PRICE

PRICE

659.49

ITEM DESCRIPTION T-1954-1C......Microscope w/1.3 MP CMOS camera & capture/editing software ...

KEN-A-VISION T-1050-KENA DIGITAL MICROSCOPE

Featuring a detachable head, this USB-connected microscope allows you to magnify and capture images and video at 640x480 resolution. The T-1050-KENA is capable of 20X, 40X and 100X magnifications and includes a USB-powered LED light source on the unit's top as well as a battery-powered LED light below the stage. The microscope's anti-slip silicone surface stage pad requires no stage clips.


ITEM	DESCRIPTION
T-1050-KFNA	Digital microscope w/ detachable head



KEN-A-VISION X-2000 MULTI PROJECTOR This new inverted microscope has a 4x-40x zoom lens and XGA digital camera technology that connects directly to your classroom projector or computer monitor. It features a floating stage with a longer working distance giving you room for larger specimens or containers. No slip covers are needed, and there is no heat from the Rheostat light source giving you

ITEM DESCRIPTION X2000 . Digital microscope w/ detachable head...

a longer viewing time.





1888 40

FULLCOMPASS.COM





KEN-A-VISION T-29031 & T-29041 RESEARCH

MICROSCOPES Performance, adaptability, and ergonomic comfort make these scopes a good choice for advanced high school, college, and clinical laboratory settings. Both scopes have 10x widefield eyepieces for ease of viewing, humidity and climate protected optics, easily accessible stage drift control, and 20W Halogen illumina-



tion. They also feature 4x, 10x, 40xR, and 100xR DIN Achromat objective lenses ITEM DESCRIPTION PRICE

Research Scope w/ Binocular Head & Achromatic Objectives. T-29031 843.62 T-29041Research Scope w/ Trinocular Head & Achromatic Objectives. 916.98

KEN-A-VISION T-2200 SERIES VISION MICROSCOPES

These uniquely designed stereoscopes provide a rubber base for stability and protection. The scope also features separate on/off switches for transmitted and incident light, variable intensity controls for incident light and oversized focus knobs. Fluorescent transmitted light below and variable halogen incident light above. The T-2200 series also has interchangeable eyepieces with either 10X or 20X widefield with diopter.



ITEM NECODIDTION

TRIVE

KEN-A-VISION AQUA FLEX 1475 UNDERWATER

CAMERA An underwater camera ideal for field trips or classroom aquariums with its patented light technology that can see through mild murkiness and turbulance,. The camera is completely waterproof (aluminum enclosure) and features a full 360° rotating prism head that offers viewing on any side of the microscope (50:1 or



greater magnification), 33 ft of cable, a composite video output on RCA, and a USB video out. Includes 2 mounting holes with a wire leader attached and a battery pack.

ITEM	DESCRIPTION	PRICE
1475	Aqua Flex underwater camera	
AFMEXT	Aqua Flex Extension Mount	
VFBAT14	Aqua Flex Battery Case	

National Public SEATING Corp.

NATIONAL PUBLIC SEATING SCIENCE


LAB TABLES & STOOLS Create an entire science lab with these durable tables and steel stools. All tables offer a dual book compartment, and have a quality ashwood frame and leg construction. Table surfaces



are chemical and water resistant. Table legs include adjustable glides for accurate leveling, and have liquid protecting boots. All tables in this series are 30" high. Stool models shown have a heavy-duty 18-gauge frame with 4-spot welds connecting the foot ring at each leg., and have round hardboard seats. All products meet or exceed applicable ANSI/BIEMA standards. Some minor assembly required, please consult our website for assembly PDF file. The SLT2448, SLT2454, and SLT2460 have UPS / FedEx oversized charges when shipped. Please call and allow minor lead time on freight estimates for the items labeled as freight only.

ITEM	DESCRIPTION	PRICE
Science 1	Tables with Chem-Res Surfaces	
SLT2448		
SLT2454		
SLT2460		
SLT3060		
SLT3072		
18" Steel	Stools to Match Tables Above	

Full Service: 800-356-5844





F9

E10 DOCUMENT CAMERAS / VISUALIZERS

DUKANE

DUKANE 445 DIGITAL DOCUMENT CAMERA Equipped with a dedicated powerful processor, it features a 1080p HDMI output for HD display, audio and video processor for full-frame video recording to SD card or direct to computer, ultra sharp 6x optical zoom, true UXGA output with extended



gooseneck, and a double lamp design to provide optimal lighting. Includes VGA, USB, and C-Video/RS-232 cables, power cord, 512K SD card, microscope adapters, remote control w/ battery, and manual. I/O includes VGA HDSub-15, VGA passthrough, 1x HDMI, 1x C-Video, RCA jack, USB 2.0 Type B, 3.5mm audio and SD memory card slot. ITEM DESCRIPTION PRICE

445 Document camera, UXGA 1600x1200, 6x optical/4x digital zoom 999.00

DUKANE 335B DOCUMENT CAMERA This document camera features clear image quality, high resolution (XGA 1024x768), auto focus, and full connectivity. It also has 10x manual zoom and 16x digital zoom, an attached fluorescent lamp and image capture with built-in storage. Ships with cables, power cord, and remote con

ntrol.	, in the second s			-	0
	DESCRIPTI	DN			
	Document o	amera w	/light		
	Microscope				

DUKANE CAMERA 9000 WEBCAM / DOCUMENT

CAMERA A hi-resolution camera on a flexible mount that combines the function of a webcam with the utility of a document camera. It easily positions over 8.5"x11" documents, and can view the smallest details on objects while the flexible neck holds position. Features integrated mic with echo and noise reduction,



PRICE

625.00

54.00

181.44

PRICE

256.03

full operation of camera and mic via USB, red indicator when camera is operating, autofocus camera lens and auto light settings. Resolution is 8 megapixel photo and 960x720 or 1600x1200 for HD video. Includes digital zoom and 64 deg. field of view for video conferencing, and software. 2 year manufacturer warranty. DESCRIPTION PRICE

. HD webcam/document camera.....

ITEM CAM-9000

ITEM

CAM335

9850681-50

FOR EDUCATION

LEAR UP

ken-a-vision

KEN-A-VISION 7890UM 1.3 MEGAPIXEL VISION

VIEWER This viewer features 1280x960 SXGA camera resolution, 6mm glass lens, rubber knurled focusing system, ergonomically designed swivel head, and a preattached USB2.0 connection for a faster connection to your computer or laptop. It comes complete with Applied Vision[™] Software (Windows[®]) for full screen viewing, video streaming, FTP uploading. ITEM

DESCRIPTION 7890UM Viewer, 1.3 megapixel, USB2.0.


KEN-A-VISION DOCCAM II This camera is installed in the ceiling above a conference table and includes a laser positioning guide, making it easy to properly place documents. Offering a wide field of view, the Ceiling DocCam II is ideal for sharing large documents like blueprints or CAD



drawings. With 480 lines of resolution and its powerful (up to 300x) zoom capability. every detail is clearly shown. Power, video and control are run through a single Cat-5 cable, which significantly simplifies installation. Composite and S-video signals are output concurrently. It also features an RS-232 port with VISCA[™] control protocol for easy connection to a control system such as AMX or Crestron and for use with video codecs with far-end camera control. It comes with a plenum-rated enclosure, trim ring, single tile support rail and hardware, a 50'unshielded plenum-rated Cat-5 cable, a 25' S-video cable, a wall plate and power supply.

ITEM DESCRIPTION 910-171-066.... DocuCam II

PRICE 1833 23



KEN-A-VISION FLEXICAM ICAM DIGITAL

Featuring an 18" gooseneck and S-video, com-

Hecordex

ken-a-vision

NEW **RECORDEX AFL-80 PORTABLE DOCUMENT** CAMERA This compact 3.2MP XGA camera offers 96x zoom (12x optical, 8x digital), hands-free auto-focus, a gooseneck camera arm, and LED lights. The AFL-80 can capture video at a rate of 25 fps as well as still images, and be saved to your computer via USB & the included software. 64 hi-res

images can be internally stored on the camera. Also features VGA passthrough, auto & manual white balance and exposure control, and built-in image & transition effects (split screen, negative image, B&W/color toggle, mirror image, image freeze, etc.). Comes with padded carrying case. ITE PRICE

ITEM	DESCRIPTION
AFL80	Portable document camera w/gooseneck

RECORDEX LB350 PLATFORM DOCUMENT CAMERA

WITH LIGHTBOX Features a 352x (22x optical, 16x digital) 1.3 megapixel SXGA (1280x1024) camera, 25 fps streaming live video capabilities, image capturing and storage of up to 64 hi-res images. Also features passthrough audio and mic signals for amplification or recording, auto focus, auto white balance, auto exposure correction, and image effects - freeze, B&W/Color toggle, negative image, mirror image, flip effects, and more. Connectivity is 2x VGA passthrough, composite (RCA), USB 2.0



. 495.00

(640x480/720x576), RCA & 1/8" stereo audio out. Includes a wireless remote, USB cable, Debut Video Capture software for PC and Video Glide for Mac OSX for still image/video/audio capturing. Unit carries a 5-year manufacturer's warranty.

DESCRIPTION ITEM PRICE LB350 Platform document camera w/ lightbox, image effects, image/video capture, USB cable, image/A/V capture software. 595.00

vaddio

VADDIO CEILINGVIEW HD - CEILING MOUNTED DOCUMENT SYSTEM The CeilingVIEW HD is a high definition ceiling-mounted document system based on the Sony 2.1 mega-pixel native HD imaging sensor capable of 1920 x 1080 at 1080i or 1280 x 720 and 720p. High




speed differential signaling is used to deliver high quality HD and SD video over standard Cat. 5 cabling. Adjustments allow the video to be extended up to 400 feet from the Quick-Connect with virtually no loss in video quality or additional latency. Other features include 10x lens, YPbPr or Y/C and composited video output, metal black box enclosure with included tile support braces and trim ring, laser light locator for document positioning, and quick-connect interface. A power supply, IR remote, and EZCamera control adapter are included.

ITEM Ceilingview-HD	DESCRIPTION Ceiling-mounted doc cam, HD 720p/1080i, selectable	PRICE
CEILINGVIEW-HD-CCU	aspect ration 4:3/16:9, 10x optical zoom, compatible with Vaddio/Polycom/Tandberg remotes As above, but system that includes 1RU CCU unit	CALL
	to adjust: red & blue gain, aperture, iris, gain (Vaddio pn#999-3009-000)	CALL



See Consumer Alert on next page regarding Wireless Microphone Systems.

Honestv and Value since 1971



LECTERNS F11

AMPLIVOX ACRYLIC LECTERNS A sleek alternative to standard wood or metal podiums that allows the speaker to communicate more of the non-verbal elements of his or her speech. Elegant in their design, these stands are ideal for churches or meeting rooms. All models (except for SN3075) come fully assembled when delivered



assembleu	wiich denvered.	
ITEM	DESCRIPTION	PRICE
SN3050	Clear acrylic lectern, 47"H	574.70
SN3055	Clear acrylic lectern, large top (31.75" x 14.75"), 49"H	
SN3065	Contemporary acrylic lectern, 47 H	690.20
SN3075	Traditional acrylic lectern, 47.5"H	
SN3080	Aluminum-sided acrylic lectern, 48"H	
S1042	Clamp-on mic mounting kit (13" gooseneck, clamp & shockmount mic	holder) 60.20

AMPLIVOX AMPLI MEDIA POD PODIUM/

MULTIMEDIA LECTERN This podium is a fully assembled multipurpose computer lectern cart featuring a 4" deep area for a laptop that locks, with a slide out locking shelf for projectors and multimedia equipment. Two locking doors provide secure storage on 2 adjustable inner shelves for equipment and AV materials. Has wire management grommets on inside for laptop, LCD projector, and accessory use. Constructed from high quality laminate heat-fused MDF with a stained pine wood finish on the base. This unit rolls on four 4" casters (2 locking). Ships fully assembled, by truck. Available in 4 color



options - walnut, medium oak, mahogany and maple. ITEM DESCRIPTION

.Podium w/50W multimedia stereo amp, 2 built-in 6"x8" Jensen speakers, SS3230 dynamic handheld mic, 44"H x 26.5"W x 18.5"D, specify finish 699.30 SN3230 ..Podium only, no sound system or microphones .. 508.20

PRICE

AMPLIVOX PRESIDENTIAL LECTERN PLUS The Presidential Plus is an elegant radius-styled lectern, ideal for formal meetings or executive boardrooms, and it provides great sound in an attractive package. Includes choice of wireless mic (lapel, headset or handheld), 50W amplifier with VHF wireless receiver built-in, one handheld cardioid dynamic mic, 15' mic cable, flexible gooseneck w/shockmount mic holder and two 6"x8" Jensen-designed speakers built-in. Available in mahogany, or medium oak finishes.

ORDERING INFO:	OPERATES IN THESE TWO FREQUENCIES:		
Default VHF band (T6/T7)	171.105MHz, and 171.845MHz		
ITEM DESCRIPTION	PRICE		
SW450-HANDHELD Lectern, w/handheld	wireless mic, select finish1127.70		
SW450-HEADSET Lectern, w/headset v	wireless mic, select finish1127.70		
SW450-LAPEL Lectern, w/lapel wire	eless mic, select finish 1127.70		

AMPLIVOX SW505 SERIES EXECUTIVE ADJUSTABLE

SOUND COLUMN LECTERN Easily adjustable with pneumatic dial from 39" to 45", and the base has elegant sculpted radius corners and 4 hidden casters (2 locking) for easy portability. Includes 50W amplifier with VHF wireless receiver built-in, one handheld cardioid dynamic mic, 15' mic cable, flexible gooseneck w/shockmount mic holder and two 6"x8" Jensen-designed speakers built in. Typical for audience sizes up to 1,500 or rooms up to 15,000 sq ft. Available in several finishes (light oak, mahorany medium oak or walnut)



manogany, meunum oak, or wannut).	
ORDERING INFO:	OPERATES IN THESE TWO FREQUENCIES:
Default VHF band (T6/T7)	171.105MHz, and 171.845MHz
ITEM DESCRIPTION	PRICE
SW505A-HANDHELD Lectern, w/wireless h	handheld mic, select finish 1197.00
SW505A-HEADSET Lectern, w/wireless h	headset mic, select finish 1197.00
SW505A-LAPEL Lectern, w/wireless I	apel mic, select finish 1197.00





AMPLIVOX TABLETOP LECTERN The W250 tabletop lectern features a 21"W x 15"D work surface, roomy storage shelf, and has a durable water & scratch-resistant finish in walnut or medium oak. It may be supplemented with the S260 media cart base to create a full size lectern. The S260 base measures 21"W x 33"H x 17"D and has 4 casters (2 locking).

ITEM	DESCRIPTION	PRICE
W250	Tabletop lectern, specify finish	111.30
S260	. Media cart base for W250, specify finish	167.30



ANCHOR AUDIO ACCLAIM LECTERN Reach

crowds up to 500 for 7hrs on a rechargeable battery. The lectern base is also a portable transport case with tilt-n-roll casters for easy movement. Has a 50W speaker, includes 24" gooseneck mic and detachable reading light and weighs less than 35lbs. Includes auxiliary mic and line inputs.



ORDERING INFO:		OPERATES IN THIS RANGE:		
For ACL7500U model only		682.000-698.000MHz		
ITEM	DESCRIPTION	PRICE		
ACL7500	AC/DC portable lectern,	14"Hx22.5"Wx13.5D" (base),		
	22.5"x19" (top), gray			
ACL7500U1	AC/DC portable lectern v	with UHF receiver built in, no mic, gray 1226.00		
ACL-BASE	Lectern base & transpo	rt case, 3.5"Hx21.5"Wx18.5"D, gray 436.00		
WH6000	Wireless UHF handheld	transmitter		
WB6000	Wireless UHF bodypack	transmitter only, no mic 250.00		
LM60	Lapel mic for WB6000			

ANCHOR AUDIO ADMIRAL LECTERN A sleek, stylish and sophisticated lectern that complements contemporary design in boardrooms and auditoriums. Slip a Liberty or Xtreme powered sound system into the pedestal and Admiral becomes a self-contained presentation center. Oak laminate surfaces and handrubbed solid oak trim. Units carry a 6-year manufacturer's warranty.

ITEM	DESCRIPTION	PRICE	110
FL7500	.Lectern with LM618 gooseneck mic,		
	shockmount, grill, no system	1363.00	
LK-LIB	.Lectern w/front speaker grill, mic,		
	& Liberty sound system	2518.00	2





FCC *CONSUMER ALERT*

Most users do not need a license to operate these wireless microphone systems. Nevertheless, operating these microphone systems without a license is subject to certain restrictions: the systems may not cause harmful interference; they must operate at a low power level (not in excess of 50 milliwatts); and they have no protection from interference received from any other device.

Purchasers should also be aware that the FCC is currently evaluating use of wireless microphone systems, and these rules are subject to change.

For more information, call the FCC at 1-888-CALL-FCC (TTY: 1-888-TELL-FCC) or visit the FCC's wireless microphone website at www.fcc.gov/cgb/wirelessmicrophones.





STADIUM



DIRECTIVITY HORN SPEAKERS Two-way, horn-loaded, weather-resistant speakers feature extreme high output and outstanding pattern control for indoor and outdoor applications. All models feature bottom mounted Speak-on connectors.

11	1	
ITEM	DESCRIPTION	PRICE
AH5040S	. With 15"LF, 50° X 40°, 75Hz-14.5kHz, 250W RMS	1287.50
AH9040S	. With 15"LF, 90° X 40°, 75Hz-14.5kHz, 250W RMS	1287.50
AH6565S	. With 15"LF, 65° X 65°, 75Hz-14.5kHz, 250W RMS	1287.50
AH99-12ST	. With 12"LF, 90° X 90°, 80Hz-14kHz, 200W RMS	1016.50
AH94-12ST	. With 12"LF, 90° X 40°, 80Hz-14kHz, 200W RMS	1016.50
AH66-12ST	. With 12"LF, 65° X 65°, 80Hz-14kHz, 200W RMS	1016.50
AH99-8ST	. With 8" LF, 90° X 90°, 90Hz-10kHz, 100W RMS	672.50
AH94-8ST	. With 8" LF, 90° X 40°, 90Hz-10kHz, 100W RMS	672.50
AH66-8ST	. With 8" LF, 65° X 65°, 90Hz-10kHz, 100W RMS	672.50
AHSUB15S	. 15" subwoofer, 55Hz-120Hz, 250W RMS	1559.50

ATLAS SOUND CP700 POWER AMPLIFIER The

CONSTANT

CP700 is a professional grade power amp for demanding contractor applications. It features esoteric grade toroidal power supply and output transformers. Separate power

supplies drive the CP700's 2 independent channels to ensure maximum channel separation and low distortion. Power handling is 350W/channel at 70.7V, and 400W/channel at 40hms in direct coupled mode. Inputs provided on XLR & terminal blocks.

	•	-	•		
ITEM	DESCRIPTION			PRICE	
CP700	350W amplifier.				

Community

COMMUNITY R.5, R.5-COAX The R.5 series of 2-way, full-range loudspeakers is engineered to provide quality full-range sound projection in a variety of outdoor and indoor applications. Its wide range, smooth frequency response and high efficiency ensures both high fidelity music reproduction and superb projection of clear intelligible speech with very low distortion. All



R.5's feature a 12" 200W LF driver, with 90Hz-16kHz frequency response, and a UC1 1" exit non-metallic Ferrofluid cooled high frequency compression driver. "T" versions include an input transformer with 4 switchable tap settings to provide impedance matching to 70V or 100V lines. 5-year limited warranty.

ITEM	DESCRIPTION	PRICE
R.5-66Z	50°H x 50°V, 200W RMS, 500W PGM, 8ohms	
R.5-66TZ	Same as R.5-66X with 120W/70V transformer	
R.5-94Z	90°H x 40°V, 200W RMS, 500W PGM, 8ohms	749.00
R.5-94TZ	Same as R.5-94X with 120W/70V transformer	
R.5-99Z	90°H x 90°V, 200W RMS, 500W PGM, 8ohms	749.00
R.5-99TZ	Same as R.5-99X with 120W/70V transformer	
R.5-COAX-66	60°H x 60°V, 200W RMS, 500W PGM, 8ohms	749.00
R.5-COAX-66T	Same as R.5-COAX-66X with 200W/70V transformer	
R.5-COAX-99	90°H x 90°V, 200W RMS, 500W PGM, 8ohms	749.00
R.5-COAX-99T	Same as R.5-COAX-99 with 200W/70V transformer	

EV SX 300 / 600 ALL WEATHER SPEAKERS The Sx Series has long been an industry standard for lightweight, high-performance loudspeakers. These weather resistant models feature lightweight, polypropylene enclosures that are extremely rugged and safe for outdoor use. They come with a built-in 65° x 65° constant directivity, highfrequency horn, for increased intelligibility and clarity in tough environments. The SX300 has recessed stand-mount sockets, integral handles, flying points, and can be arrayed. The SX600 features a versatile, EV-exclusive SuperSAM[™] mounting system that allows 60° of vertical adjustment and 180° of horizontal pan



with a simple adjustment. Available in black (part numbers below) or white.

ITEM	DESCRIPTION	PRICE
SX300-PI	. 12" 2-way, 300W, Neutrik Speakon® connectors	845.00
SX300-PIX	. 12" 2-way, 300W, internal 70.7/100V, 100W transformer	942.00
SX600-PI	High power dual 12" 2-way, 600W, SJO cable input	2364.00
SX600-PIX	High power dual 12" 2-way, 600W, internal 70.7/100V,	
	600W transformer, SJO cable input	2673.00

ZEAW

EAW AX SERIES INSTALLATION SPEAKERS The AX Series features Concentric Summation Array[™] technology for highly coherent sound, both on- and off-axis. The LF subsystem has an acoustic origin along the axis of the coaxial MF/HF components, creating a true uni-axial design. All AX enclosures are identically sized, dual trapezoids. The MF/HF horns and the enclosures are symmetrical and so rotatable to create horizon-tally or vertically orientated arrays. Internal passive crossovers are designed to work with a digital signal processor (DSP) to



minimize power losses and provide more sophisticated processing to maximize performance. The companion AX122 subwoofer is designed to extend the low frequency response. Models shown are in black, but white is also available. Also, special order weather resistant models are available (add WP to model number).

(
DESCRIPTION	PRICE
. 12" 3-way, 45°x45° horn, 68Hz-20kHz,	
LF -1000W at 8ohms, barrier strip	3250.00
. 12" 3-way. 60°x45° horn. 68Hz-20kHz.	
LF -1000W at 8ohms, barrier strip	
. 12" 3-way. 60°x60° horn. 68Hz-20kHz.	
LF -1000W at 8ohms, barrier strip	
. 12" 3-way. 90°x60° horn. 68Hz-20kHz.	
LF -1000W at 8ohms, barrier strip	
. 12" dual subwoofer	
	. 12" 3-way, 45°x45° horn, 68Hz-20kHz, LF -1000W at 8ohms, barrier strip

QSC

QSC POWERLIGHT 3 SERIES

This series has 3 models ranging in power from 1250W to 4000W per channel at 20hms. All are 2RU, only 15.6" deep and 22lbs. They feature high-efficiency switchmode power supplies, DataPort for remote computer control, removable knobs with lock-out security plate, user-



defeatable clip limiters and selectable low-frequency filter per channel, 3 selectable input gains, front and rear panel LEDs to indicate switch settings, Parallel Dataport, XLRM and XLRF connectors, and Speakon and "Touch Proof" binding post outputs.

				01
ITEM	8 OHMS	4 OHMS	2 OHMS	WEIGHT PRICE
PL325		850W	1250W	
PL340		1250W	2000W	
PL380	1500W	2500W	4000W	

Technomad



TECHNOMAD TURNKEY PA SYSTEMS These solutions are designed to be setup in 15 minutes or less, and offer custom solutions for either mobile or permanently installed applications, in three sizes designed for audience sizes of 500+, 1000+, or 2000+. CD or tape players may plug into the provided mixer. The included rack in the system ships pre-wired and assembled. All systems include Technomad Mil-Spec weatherproof speakers, with power matched amplifier, mixer, microphone, cabling, wallmounts (install kits) and tripods (mobile kits). The IPA1 includes: 2 Viennal6 speakers, 1 stereo 150W amp, 1 Technomad line mixer (2 mic in, 4 RCA in), 1 dynamic mic, and a 6RU rack. The IPA2 changes to 2 Noho C install speakers, and a stereo 275W amp. The IPA3 uses a pair of 2 Berlin 15 speakers, and a stereo 400W amp. The MPA models are the mobile versions of the systems and include tripod speaker stands. The MPA-3 system substitutes the touring model of Berlin speakers.

ITEM	DESCRIPTION	PRICE
IPA-1	Install system kit, for audience of 500+	2942.60
IPA-2	Install system kit, for audience of 1000+	CALL
IPA-3	Install system kit, for audience of 2000+	CALL
MPA-1	Mobile system kit, for audience of 500+	3187.88
MPA-2	Mobile system kit, for audience of 1000+	CALL
MPA-3	Mobile system kit, for audience of 2000+	CALL

We service many of the major brands that we carry. Call our Authorized Repair Department at ext. 1172



Honesty and Value since 1971


нме

HM ELECTRONICS DX300 COACHES

WIRELESS SYSTEM The DX300 provides clear, secure, two-way sideline and press box communication, expandable for up to 20 coaches. It takes minutes to set up and prevents eavesdropping with its digital



frequency hopping spread spectrum coupled with 64 bits of encryption. Uses 2 types of communicators with the DX300—the lightweight beltpac or the all-in-one wireless headset. No frequency coordination is required. The system supports offense and defense communication channels. All systems include one MB300 base station with two antennas, AC40A battery charger, a BAT41 spare battery, power supplies, travel case and two 6' headset cables.





Components/Headsets:	
ITEM	DESCRIPTION PRICE
WH300-CZ11407	All-In-One wireless headset w/ battery, headstrap
BP300-CZ11408	. BP300 beltpack w/no headset
BP300-HS15-CZ11439	. BP300 beltpack w/HS15 headset 563.00
BP300-HS15D-CZ11440	. BP300 beltpack w/HS15D headset 682.00
HS15-CZ11450	. Single muff lightweight noise-canceling headset
HS15D-CZ11451	Double muff lightweight noise-canceling headset
G27245-1	MD-XLR4M adapter, adapter cable for
	XLR4F terminated dynamic mic headset
115G394	6' Headset extension cable for
	HS14/HS14D & HS15/HS15D models 11.00
G27021-1	. BAT850 rechargeable battery,
	7.2V 2300 mAH NIMH pack for base station 84.00
CZ11484	. AC850 Battery Charger – 4 port charger for BAT850
	battery, includes power supply, cord and manual 620.00
	. BAT41 rechargeable battery, Li-ion, for WH300 and BP300 48.00
107G065	. Beltpac pouch – Santoprene rubber protective pouch
	& clip for BP300
176G018	. Travel Case for DX300 system, includes foam inserts 368.00
101G048	. 5.9" reverse TNC base antenna 57.00
G27009-1	. 6' Remote antenna kit -6' cable w/right-angled bracket
	for remoting base antenna
G26671-1	. 30' Remote antenna kit-30' cable w/right-angled bracket for
	remoting base antenna 125.00
115G372	. Base Station interconnect cable - 7' with RJ45 connectors 9.00



TELEX LEGACY 2.4GHZ WIRELESS

FOR SPORTS A complete, portable wireless intercom system (up to 14 coaches) that sets up in seconds, and requires no FCC license. The systems are based on 2.4GHz, IEEE 802.11b wireless LAN technology, and incorporate a 64bit audio encryption system. They offer 3 audio channels, and offer full-duplex, handsfree operation. The beltpacks operate on rechargeable lithium ion batteries, and typically get about 8 hours of use per charge (charging time is about 6 hrs). Mic gain adjustments are programmable right on the beltpack (with voice prompts). Units carry a 3-year warranty.

These kits include:

- Sturdy carrying case (weight: 14 lbs. 8 oz., size: 23.5" L x 8.5" W x 20.5" H)
- 1 XO-AP base station
- 1 directional antenna
- Encrypted XO-1 beltpacks (and battery chargers)
- 1 gooseneck antenna mount (with clip for optional remote placement)



ITEM	DESCRIPTION PRIC	CE
TELEX LEGA	CY 2.4GHz Wireless for Sports	
LEGACY-3-SY	STEM 3-coach wireless intercom system, no headsets	00
LEGACY-4-SY	STEM4-coach wireless intercom system, no headsetsCA	LL
LEGACY-5-SY	STEM5-coach wireless intercom system, no headsetsCA	LL
LEGACY-6-SY	STEM6-coach wireless intercom system, no headsetsCA	LL
LEGACY-7-SY	STEM7-coach wireless intercom system, no headsetsCA	LL
LEGACY HEA	ADSETS (with A4F connectors, 150ohm phones, dynamic boom mics	;)
PH1LG		00
PH2LG		00
HR1LG	Single-sided, 5' cord, omni-flex boom mic, 15db noise cancel 239.0	00
HR2LG	Dual-sided, 5' cord, omni-flex boom mic, 15db noise cancel 264.0	00
PH100LG	Single-sided, 5' cord, omni-flex boom mic, 21db noise cancel 299.0	00
PH200LG	Dual-sided, 5' cord, omni-flex boom mic, 21db noise cancel 309.0	00

Quick Purchase: 800-476-9886 M-F: 8:30-5:30 CST



Full Service: 800-356-5844 M-F: 9:00-5:30 CST





BUHL MEDIA XMS DIGITAL PRESENTATION PLAYER A completely portable presentation play-

er that connects to any TV or projector (up to 1080i) to playback presentations, video, pictures and audio files. Simply plug a flash drive or SD card (not included) into one of the two available USB ports or SD card slot and connect the MediaPlay XMS to your TV or projector. No PC is required. Plays MPEG-1/2, RealMedia and Divx videos, MP3 and WMA audio files, and JPEG and GIF images. Connect via VGA, component or composite video and RCA audio connections.

· · · · · · · · · · · · ·	
ITEM	DESCRIPTION
XMS	Digital presentation player

BUHL BUHLFX 2000 DIGITAL SIGNAGE SYSTEM

The BuhlFX 2000 includes everything needed for a standalone digital signage system. Video, pictures, motion graphics and more can be used. Import videos and pictures from a variety of popular formats via flash drive and store them on the 80GB hard drive. Plug and play hardware with wizard and template driven software



PRICE

.... 105.00

combine for quick and easy setup. Easy setup by using either Ethernet or WiFi. Connect the BuhlFX 2000 to any monitor or projector (not included) via VGA, DVI or HDMI connections. Audio is through a Toslink optical connection, which supports 5.1 audio. Includes Buhl Digital Signage Pro Software and a one-year warranty.

ITEM	DESCRIPTION	PRICE	
BUHLFX-2000	. Digital signage system		

G CablesToGo[®]

CABLES TO GO TRULINK® WIRELESS DIGITAL SIGNAGE DISTRIBUTION

SYSTEM This system enables video with stereo audio to be distributed and synchronized wirelessly across multiple displays. The

802.11a/g wireless capabilities allow easy installation of digital signs in locations where running cables is difficult. Can also be used in wired mode using standard Cat5/6 cables. Supports up to 32 screens wirelessly or supports up to 1000 screens in wired mode. Wireless mode supports distances up to 100' by using the included antennas in an indoor environment while wired mode supports distances up to 3000'. Supports resolutions up to 1280x1024 @ 20fps, 1024x768 @ 30fps. Supports 10Base-T/100Base-TX & 802.11a/g. Connections include DVI-I, VGA and dual RCA audio. One year warranty.

	,	
ITEM	DESCRIPTION	PRICE
29505	TruLink wireless digital signage transmitter	. 687.88
29506	TruLink wireless digital signage receiver	. 687.88

DA-LITE

DA-LITE HOLO SCREEN HOLOGRAPHIC **REAR PROJECTION SYSTEMS FOR DIGITAL** SIGNAGE The Holo Screen is a holographic rear projection screen for point-of-sale and digital signage



PRICE

applications in retail stores, window displays, airports, banks and other high traffic areas. Available in sizes up to 108" x 300", the Holo Screen features an advanced holographic technology that displays images projected from 18-35 degrees. The result is a remarkably bright and clear image - even in brightly lit environments. The transparent display allows viewers to look at and see through the screen. Available in video and HDTV format sizes, all screens include top mounting hardware. Partial sizes listed below, call for smaller screens & custom quotes on sizes larger than 108" x 144", up to 108" x 300". Please allow reasonable lead-time on shipping quotes on larger screens due to freight shipping.

ITEM DESCRIPTION

VIDEO FORMAT 21497 60"x80" viewing area, 100" nom diagonal, 1/4" thick, 300lbs ship wt....... 2550.04 21498.....72"x96" viewing area, 120" nom. diagonal, 1/4" thick, 432lbs ship wt......CALL 21508..... 90"x120" viewing area, 150" nom. diagonal, 3/8" thick, 631bs ship wt... CALL 21509..... 108"x144" viewing area, 180" nom. diagonal, 3/8" thick, 857lbs ship wt.......CALL HDTV FORMAT

21502..... 45"x80" viewing area, 92" nom. diagonal, 1/4" thick, 225lbs ship wt....... 1273.69 **21503**.....52"x92" viewing area, 106" nom. diagonal, 1/4" thick, 324lbs ship wt.......1833.68 **21510**.....65"x116" viewing area, 133" nom. diagonal, 3/8" thick, 471lbs ship wt........CALL 21511.....78"x139" viewing area, 159" nom. diagonal, 3/8" thick, 678lbs ship wt...... ...CALL



GEFEN DVI VIDEO WALL CONTROLLER Creates a 2x2 video wall for digital signage applications with a max resolution of 1920x1200p60 supported on each output. Many configurations are available including full-screen enlargement, horizontal array, 4 identical displays and more. Multiple input and output resolutions are supported and automated control is supported with RS232. Rack ears, IR remote control, 6' DVI cable and 6' DB9 serial cable included.

ITEM DESCRIPTION EXT-DVI-VWC-242..... Video wall controller for digital signage...



GEFEN HD DIGITAL SIGNAGE PLAYER Create

an effective digital signage solution using the Signage Player which features easy-to-use soft-

ware, scalable distribution and control. HDMI or VGA outputs support video content to 1080p with a single cable. Using the included software, content can be scheduled into a playlist and is transferred over IP to the 2GB internal memory. HDMI, VGA, 3.5mm mini stereo analog, RJ-45, and USB 2.0 connections. Comes with mounting brackets (side slotted) for behind the display or on the wall.

		-	•
ITEM	DESCR	IPTION	PRICE
EXT-HD-DS	P HD dig	ital signage player	981.98

SANYO

SANYO DIGITAL SIGNAGE LCD MONITORS Sanyo's weatherproof large screen monitors are sealed in weather-tight aluminum cabinets and intended for outdoor use with antireflection tamper glass. The robust monitors offer a non-glare acrylic panel that protects it from a variety of



CF421 H2WI

environmental issues such as dust and food oil. All monitors offer a "no holes" ventilation design and can be mounted in landscape or portrait modes. All models include composite/RGB/component (YPbPr) in/output (loop through) and stereo audio (RCA x2). A DVI-D input is available on the CE42LH2WP & CE52SR2 models while HDMI is also available on the CE52SR2. The 52" CE52SR2 daylight-readable monitor also offers up to 1500 (cd/m² for panel) brightness with ideal conditions under daylight. Optional PJ-Net Organizer Plus allows network control.

CE42LH2WP CE52SR2 POA-LN01	DESCRIPTION 42" IP66 rated weatherproof LCD display, HD (1920x1080). 52" IP66 rated weatherproof LCD display, HD (1920x1080) PJ-Net organizer for CE42LH2MP. & CE52SR2	CALL
----------------------------------	---	------

SANYO PID-42AE1 42" LCD

MONITOR Equipped with PID (Public Information Display), it offers portrait enable, dust protection, and a rugged design. Video and graphics can be displayed in seamless high-quality HD at 1920x1080 and 16:9 aspect ratio. Orientation can be landscape or portrait. It offers technologies such as PIP,



where another small image is displayed in a big image, and POP, where 2 images are displayed right & left at the same size. It has various inputs & outputs including component (Y,Pb,Pr) or RGBHV in/out with 5-BNC, composite video in/out with BNC, and RS-232 control port (serial D-Sub 9) in/out for daisy chain connection. There are computer inputs (a D-Sub 15 RGB terminal) and DVI-D in with HDCP for HD signals. There are also jacks for external speakers. Includes manual, remote control with batteries, & AC power cord.

ITEM	DESCRIPTION	PRICE
PID-42AE1	. 42" LCD monitor, 1080p,	PID1195.00

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. Call today or visit us online!





SONY



SONY INTERACTIVE

FWDS42H1TOUCH

These 42" and 47" LCD monitors use 3M's optically clear Dispersive Touch Technology (DST) within the Sony factory LCD housings. The technology is designed for high traffic, high use environments, and serves as an extra layer of protection for the LCD panel itself. Supports gesture functions and offers the users standard USB 2.0 touch interface with touch connections located in the connector bay area of the LCD. All models feature 1920x1080 native resolution and 1000:1 contrast ratio. They support audio in/ out (pinjack), DVI-D, composite video out, Ethernet, HD component I/O, S-Video, and video-in interfaces. Also equipped with a network port for remote control/monitoring. An option slot accepts a range of adapters for versatility.

ITFM	DESCRIPTION	•		•	PRICE
FWDS42E1TOUCH	42" LCD touch	screen, 5	600 cd/m2	brightness	
FWDS42H1TOUCH	42" LCD touch	screen, 7	'00 cd/m2	brightness	
FWDS47H1TOUCH	47" LCD touch	screen, 7	'00 cd/m2	brightness	CALL



SONY GXDL-52H1 52" FULL HD DIGITAL SIGNAGE LCD DISPLAY This 920x1080 HD screen works well in semi-outdoor environments such as stadiums, airports, and train stations. Features burn-in resistant LCD technology, an IP30-rated dust & tamper-resistant aluminum chassis, replaceable tamper-proof glass, a LAN connection for status and control, internal heat sink, 1 HDMI in, and 1 DVI in. SNMP compatible for remote status and diagnostics purposes.

ITEM		PRICE
GXDL52H1	52" Full HD LCD display for digital signage	CALL
BKMFW15	HDMI input adapter	113.19
BKMFW16	HD-SDI adapter	
ICSFW40D	HD streaming card for digital signage w/ 60 GB HDD	
VSPNS7	HD storage player for digital signage	
BKMFW21	Monitor RS232 control adapter	113.19




SONY VSP-NS7 DIGITAL SIGNAGE PLAYER The VSP-NS7 has advanced digital signage functionality with a simple drag and drop software management tool. It is HD compliant to 1920x1080 for graphic files, and 1280 x 720 for HD video. It has Seamless Sequential Playout with no black during video switching, easy keying capability for logo insertion over video playout, and content rotation to rotate video for portrait playback. The NS7 has the ability to play back WM9HD. It has control over projectors and display devices, general scheduling, and NS7 management. Content can be sent from the Central management PC to the NS7 to update storage. It features Five Layer Playback including Bitmap, JPEG, Browser, Video, and Telop. Connectivity includes a Live IP Camera Input, two RS232 ports, four USB ports, PS/2 mouse/keyboard, Ethernet, analog RGB D-Sub 15pin, and 1/8" stereo audio output. Monitoring software is sold separately.

ITEM	DESCRIPTION	PRICE
VSPNS7	HD storage player for digital signage	1522.92
	Monitoring software for VSPNS7	



FULLCOMPASS.COM

LCD1701TS.



Touchscreen monitor, 17", 1280x1024......



837.00

EAR UP FOR EDUCATION



SPINETIX HMP100/200 DIGITAL SIGNAGE MEDIA PLAYERS These media players are a unique alternative to proprietary, PC based solutions for digital signage. With the HMP100 and HMP200 SpinetiX offers a new and simplified way to schedule, combine, update, stream and display content, whether it be audio, video, vector graphics, pictures or text. Great for use in interactive displays or videowalls and in a variety of settings including advertising, transportation, hospitality, finance and live events. Their fanless design and the absence of moving parts make these boxes extremely durable and well-suited for harsh environments. And their small design means they can be hidden nearly anywhere. Both players feature internal flash memory, flash drive and HDD support via USB, HDMI and VGA outs, *I*/8" TRS audio out, real time event communication, horizontal and vertical display capability, animation capabilities, and support for touchscreen, keyboard, joystick, gamepad or mouse interaction. The HMP200 adds full HD 1080p video, and has 8GB of internal memory.

ITEM	DESCRIPTION	PRICE
HMP-100	Hyper Media Player, 4GB, 720p	
HMP-200	Hyper Media Player, 8GB, 1080p	
HMD-PR0	Hyper Media Director software license, single	
HMD-SITE	Hyper Media Director software license, 20 seats	CALL





TOTEVISION LED DIGITAL SIGNAGE MONITORS Ideal for digital signage, production or hospitality situations, these LED monitors feature a true high definition image with no downscaling and a durable metal case with an even front bezel. All controls are located on the back of the units. Both models feature ATSC/QAM tuners and 1920x1080 resolution. The LED-2361HDMT is 23", with a contrast ratio of 1,000:1, and inputs for composite, component, HDMI, S-Video, VGA and RS-232 control. The LED-4200HDMT is a higher-end 42" model with a 4000:1 contrast ratio with inputs for composite (x2), component (x3), S-video (x2), HDMI (x2), VGA (x1), RS-232 control (x1), and multiple RCA audio inputs.

(),		
ITEM	DESCRIPTION	PRICE
LED2361HDMT	LED monitor, 23", 1920x1080	
LED4200HDMT	LED monitor, 42", 1920x1080	



 TOTEVISION LCD-1701TS TOUCHSCREEN MONITOR
 This 17" touchscreen

 LCD monitor is ideal for use in educational displays or informational kiosks. Features
 a 5 wire resistive touch screen with a wide 170° viewing angle and low power consumption. It has 1280x1024 (SXGA) resolution, 1,000:1 contrast ratio, CCFT back light, 2 x 2W built-in speakers, VGA 15-pin mini D-SUB input, and USB connection for the touch screen.

 ITEM
 DESCRIPTION
 PRICE



AVID MBOX 4X4 USB 2.0 AUDIO INTERFACE Record, edit, and mix performances with stunning sound quality, using the professional-grade Mbox® audio interface. Easily connect mics, instruments, monitors, and other analog, digital, and/ or MIDI gear with your computer to capture and create studio-quality productions. Just pair Mbox with your favorite audio recording or music creation software such as Pro Tools®, Logic, Live, Fruity Loops, Cubase, and more. Features soft-clip limiter, built-in guitar tuner, onboard DSP with cue mixing and reverb effects, up to 24-bit/96 kHz audio resolution, and is Mac and PC compatible.

- •4 x 4 simultaneous channels of I/O
- •(2) XLR mic/line combo inputs with professional-grade
- Mic preamps and 48V phantom power
- •(2) 1/4" DI inputs on front panel for easy access
- •(2) balanced 1/4" monitor outputs
- •(1) 1/4" stereo headphone output with volume control
- Stereo S/PDIF digital I/O
- •(1) MIDI input, one MIDI output
- Monitor control section with Mono and Dim controls
- Dedicated monitor volume knob

ITEM	DESCRIPTION	

...... 4-in/4-out USB 2.0 audio interface. MBOX-EDU



M-AUDIO

M-AUDIO FAST TRACK ULTRA The Fast Track® Ultra 8 x 8 audio/MIDI interface features high-speed USB 2.0 connectivity, MX Core[™] DSP mixer and four preamps with award-winning OctaneTM technology. Featuring both analog and digital I/O, it allows low-latency recording on all eight channels simultaneously with pristine 24-bit/96kHz fidelity. The on-board MX Core™ DSP mixer processes eight hardware inputs and eight software returns to the eight hardware outputs, delivering flexible routing and monitoring with delay and reverb. Compatible with most major audio software, Fast Track Ultra lets you record the way you want-in the studio or on the go. 6 balanced 1/4" line ins, 2 XLR mic ins, 2 XLR-1/4" mic/instrument in, 2 unbalanced 1/4" insert ins, S/PDF I/O on RCA, 6 balanced 1/4" outs, 2 - 1/4" headphone outs.

ITEM	DESCRIPTION	PRICE
FAST-TRACK-ULTRA-EDU	8-in/8-out USB audio interface	
	(10+ units purchased w/PO)	279.00



SON061

These feature semi-weighted, velocity-sensitive keys, 40-note polyphony, 128 onboard general MIDI sounds, instant access to 5 built-in sounds (3 piano tones, clay, organ), and a stereo-sampled Steinway grand piano. They also have a built-in 2-in/2-out, 16bit/44.1kHz USB audio interface with XLR mic, 1/4" instrument, and RCA inputs, and 1/4" jacks for stereo line outputs. Dual front-mounted headphone jacks are nice when in lab or teaching scenarios. Other features include MIDI out, connection and power via the USB bus, pitch bend wheel, mod wheel, piano reset button to restore all settings to default piano sound, and a sustain pedal jack. Includes Ableton Live Lite sequencing software.

ITEM	DESCRIPTION	PRICE		
PRO-KEYS-SONO61-EDU	61-key digital piano w/USB audio interface			
	(10+ units purchased w/PO)			
PRO-KEYS-SON088-EDU	88-key digital piano w/USB audio interface			
	(10+ units purchased w/P0)			
SP-2	Optional piano style sustain pedal			
PROTOOLS-MPOWERED-8	Optional DAW software			

KEYSTATION-61ES

M-AUDIO



M-AUDIO KEYSTATION SERIES MIDI CONTROLLERS This series offers everything from simple input of MIDI messages to versions that have hammerweighted keys and LCD displays. The Keystation 61ES and 88ES are basic models that connect to the computer via USB and require a native USB port or 9VDC power supply (optional) for powering up. They have pitch bend and modulation wheels, and a separate MIDI-out jack to route signals from the PC or to control external devices. The Pro88 is a deluxe controller featuring hammer-action with over 59 assignable controllers and a LCD display for viewing, editing and program changes.

ITEM	DESCRIPTION	PRICE		
KEYSTATION-61ES-EDU	. 61 semi-weighted keys USB MIDI			
	(10+ units purchased w/PO)	. 135.00		
KEYSTATION-88ES-EDU 88 semi-weighted keys USB MIDI				
	(10+ units purchased w/PO)	. 159.00		
778=4000-40349-00	Power supply 9VDC for Keystation series	25.50		

cakewa<mark>l</mark>k

SONAR X1 PRODUCER

SOFTWARE

- ABLETON LIVE 8 DAW SOFTWARE Complete nondestructive editing with
- New groove engine: apply in real time
 Powerful and creative MIDI sequencing
- of software and hardware instruments •Realtime time-stretching and warping of AIFF, WAV, Ogg Vorbis, FLAC and MP3
- files, for improvisation & instant remixing •Built-in audio effects include vocoder, multiband dynamics, overdrive, limiter,
- frequency shifter, and more. •VST and AU effects and instruments support;

MORE INFO AT

ILLCOMPASS COM

- automatic plug-in delay compensation •Full ReWire & REX file support & native sliced audio file creation •Video import and export for scoring to picture
- Suite version includes 6 virtual instruments, the Essential Instrument Collection 2, Session Drum (22GB of samples).
- Drum Machines, Latin Percussion and more Collection 2 and Session Drums

IIVF-8-FDII DAW software Mac/PC 329.00 LIVE-8-SUITE-EDU DAW software Mac/PC with instruments ... 499.00



 Use your favorite Avid audio interface, 3rd party Core Audio/ASIO interface (up to 32 channels supported), or built-in audio. Create bigger mixes with more simultaneous audio tracks up to 96 or 192* voices
 Multitrack Beat Detective, OMF/AAF/MXF
 SUPPORTS:
 Support Simultaneous audio tracks

NEW!

PRICE

..CALL

- Multitata beal pieceuve, our Arynnar interchange, DigBase Prov, and full Import Session Data dialog as standard Automatic Delay Compensation EUCON integration for Artist and Pro Series consoles/controllers and Pro Series consoles/controllers Work with video easily using the Time Code Ruler
- Work with video easily using the Finite Code wider and variable stereo pan depths Mix in surround with the updated 7.1 surround panner* Create complex mixes with 256 internal busses, 160 aux tracks, and 512* total audio tracks
- Share your music mixes with anyone with included MP3 Export *Feature/spec available with the expansion toolkit

PROTOOLS-9-EDUAudio production software Mac/PC 295.00 PROTOOLS-9-UG-LE-EDU...... Pro Tools LE to Pro Tools 9 upgrade 125.00 PROTOOLS-9-UG-MP-EDU M-Powered to Pro Tools 9 upgrade...... 175.00



- 32-/64-bit and Windows 7 Ready
 32a-/64-bit and Windows 7 Ready
 AudioSnap 2.0 Fix the timing of audio tracks with the click of a mouse
 Roland V-Vocal Get that
- •Nolaid V-Vocal Get that perfect pitch every time
 •Surround Sound, Video Import/Export
 •Matrix View Non-linear production



- environment for audio and MIDI Loops •Step Sequencer 2.0 — Program beats, leads and bass lines
- T and S Series Effects — 13 audio effects
- designed to make any mixing task a breeze
- ProChannel, Session Drummer, Demension Pro, Guitar Rig 4 LE
- Mastering Effects, Channel Strip Effects, TruPianos Amber
 RGC Synth Suite 4 legendary VSTi's from the renowned
 synth developer RGC

SONAR-X1-P-ED SONAR X1 Producer EDU Single ... 299.00 SONAR-X1-P-PK SONAR X1 Producer EDU Lab Pack (5) 899.00







MOTU AUDIO SYSTEM DIT DR INSTRUMENT AUDIO SUITE AUDIO UNITS

RTAS

AS

HOST-BASED TOM

SA STAND-ALONE APP 1 AEQUIRES ILOK

- ableton unlimited undo
- FOR EDUCATION GEAR UP

SOFTWARE E17

SUPPORTS:

VST

AU

CUBASE:

SUPPORTS:

DXI

NUENDOS

. 900.00

FULL COMPASS

SUPPORTS:

VST

DXI

EDUCATIC

*e*Media

EMEDIA EARMASTER 5 SCHOOL EDUCATION EDITION

- ·Teaches ear training for musicians at any playing level & any instrument
- •650 lessons with standard & jazz tutors ·Learn to recognize/transcribe intervals, chords,
- scales, rhythms and melodies •Create customized exercises
- ·On-screen guitar, piano, violin, bass & others
- ·Sing, play or clap answers into a microphone
- ·Guitar tuner and metronome
- Advanced networking support/student progress reporting
- •Create customized lessons (time limits, answer method)
- Student statistics & administration, organize users in a class Can run on a network (optional client computer installation)

EarMaster 5

Available in 13 languages

EARMASTER-SCHOOL5	Ear Training software	109.00
EARMASTER-SCHOOL-ED5	5 user lab pack	399.99
EARMASTER-SCHOOL-LIC	Site license	649.00

<u>é</u>Medià

EMEDIA PIANO & KEYBOARD METHOD VOLUME 1 -**EDUCATIONAL EDITION**

- Over 300 step-by-step lessons ·Basics; such as hand position, rhythm, and playing on black keys
- •Music notation, sight reading, scales, & much more
- Over 70 video demonstrations of techniques
- ·Songs & exercises are enhanced by
- live recorded audio/MIDI ·Interactive feedback when using MIDI keyboard
- ·Easy-to-read screens, enhanced audio/video
- Progress tracking
- •100+ songs classical, pop, folk, rock, blues, country
- Digital metronome and recorder

PIANO/KEY-VOL1-EDU Piano & keyboard method software	. 79.95
PIANO/KEY-VOL1-EDU55 user lab pack	237.98
PIANO/KEY-VOL1-EDU10. 10 user lab pack	356.98
PIANO/KEY-VOL1-EDU20. 20 user lab pack	594.98

make**music**[®]

MAKE MUSIC FINALE **NOTATION SOFTWARE**

- Unlimited number of staves & verses Chromatic & diatonic transposition
- World-class, engraver-quality printing
 SmartScore[®] Lite for scanning
- original engraved music
 original engraved music
 MicKotator® entero notation into Finale supports:
 from MIDI, your mouse, scanning, or by
 Jaying your instrument
 AU
- •Export page/section as TIFF or PICT file •Save file as audio MP3, WAV, or AIFF
- •Record or import an audio track
- Includes 375 world-class instrument sounds from Garritan, new orchestral instruments, percussion, electric drums & guitars, and choirs
- •Updated Garritan Aria Player w/reverb and the ability to save Ensembles
- Includes more than 800 ready-made, customizable music education worksheets and flashcards

FINALE-2011-ACADEMIC...Notation software, for XP/Vista/7. Mac OSX, Academic version 245.98

Quick Purchase: 800-476-9886

M-F: 8:30-5:30 CST

NT NATIVE INSTRUMENTS

CALL FOR EDUCATIONAL PRICING

ON ALL NATIVE INSTRUMENTS PRODUCTS



MOTU DIGITAL PERFORMER

- •Up to 24-bit/192kHz audio recording Track comping, direct audio
- CD burning MasterWorks Leveler and ProVerb
- convolution plug-ins Amp emulator, speaker modeling,
- and guitar pedal modeling plug-ins . Inline EQ & multi-band dynamics in
- each mixing channel ·Works with OMF/AAF, SDII, ACID, REX
- •RTAS, Rewire & Pro Tools HD/Accel support
- · Final Cut Pro integration with XML file support •Create/print lead sheets w/ lyrics and
- transposable chord symbols

DIGITAL-PRFMR-EDUCAT ... DAW software, Mac only,

DIGITAL-PRFMR-LP5..

SUPPORTS:

AU

DXI

AU

MAS RTAS

NII NATIVE INSTRUMENTS NATIVE INSTRUMENTS KOMPLETE 7 BUNDLE

- •24 KOMPLETE Instruments and Effects with 10,000 sounds & 90 GB of samples
- ·Suited for music production, live performance, instrument and sound design
- ·High-quality sound engines deliver perfect sound quality •5 Brand New Instruments and Effects SUPPORTS:
- ·Huge selection of presets covering the
- VST entire musical spectrum - all ready to play DXI •All instruments also run stand-alone - ideal formas
- formances on stage
- ·Supports all major plug-in & sample formats
- SA ·Perfect integration in all professional recording environments

KOMPLETE-7-EDU-5PK...Software bundle, 5-pack for music labs...767.69

PROPELLERHEAD X **REASON – SOFTWARE** propellerhead SYNTHESIS SUITE Virtual studio synth studio

- bundle (no audio tracks) · May integrate with any Rewire compatible
- host Includes large soundbank of drums, synths, REX files, etc.
 Expanded sequencer functionality, RPG8 monophonic arpeggiator, Re-Groove
- Mixer, Thor Polysonic Orkester Kong Drum Designer - drum synthesis, sampling,
- REX loops, physical modeling & custom-made effect modules
- DrOctoRex Loop Player loop sequencer
- Block based pattern sequencing mode
- Every sample player becomes a sampler record with a single click
- Multi-core optimization, on-screen keyboard and expanded Factory Sound Bank

RFASON-5-FDII . Virtual synth bundle for WinXP/ Vista/OSX, Academic version..... REASON-5-EDII-10PK . 10-pack, for music labs 1649.00 REASON-5-EDU-UPGRADE ... Upgrade from previous version,

Academic pricing 69.00

PLEASE ALWAYS CONSULT MANUFACTURER'S WEBSITE FOR MOST CURRENT SYSTEM REQUIREMENTS!

FULLCOMPASS.COM



SIRFLIUS 6 MUSIC NOTATION SOFTWARE

- ·Entry via computer keyboard,
- MIDI controller or MIDI guitar •Built-in library of 600+ chord types
- complete with guitar voicings •Keyboard and fretboard display windows
- for entry or playback visualization ·Live Tempo allows real-time conducting
- during playback and recording
- ·Built-in software mixer with status save and recall
- Includes convolution reverb, chorus, EQ, distortion & timbre •Sibelius Sounds Essentials library includes improved
- orchestral, choral and jazz sounds from Garritan. Tapspace and the A.I.R. group
- •M-Audio General MIDI virtual instrument library
- ·ReWire for synchronization with DAW
- ·Classroom control panel for teachers

SIBELIUS-6-EDU Notation software, Academic version 295.00 SIBELIUS-6-5PACK .. As above, 5-pack, for music labs........ 699.00

steinberg NEW!

- **STEINBERG CUBASE 6** •Software for recording, editing, mixing
- and producing music
- •Unlimited audio and MIDI tracks •8 built-in VST instruments - over 1900
- sounds •60 VST3 plug-ins (+18 VST MIDI
- plug-ins)
- •5.1 Surround and true multi-channel audio path VST
- MediaBay: universal media integration
- •Sound frame browser: universal sound management New take-comping system and pitch correction
- •New instruments like VST Amp Rack, LoopMash 2
- ·Advanced multitrack editing tools
- ·Beat creation and loop mangling

steinberg

Toolset for ADR work and new

·Leading native audio post-production

•Extended project exchange, including

·Superior editing features and smooth

•Unique Nuendo Surround Panner V5 and

•Extended automation system with "flexible

·World-class mixing and routing features with

•Mac OSX, Window XP/Vista/7 compatible

NUENDO-5-EDUDAW software Mac/PC

·Completely reworked MediaBay with networking capabilities

·Network collaboration for multi-seat projects via LAN or WAN

STEINBERG NUENDO 5

environment

native video engine

support of EDL lists

new scrubbing engine

more new VST3 plug-ins

automatable mix buses

passes" technology

SEE MORE ACADEMIC

TITLES ON OUR WEBSITE!

FULLCOMPASS.COM

Full Service: 800-356-5844

M-F: 9:00-5:30 CST

signature track

·Assign, create and edit multiple controller values directly on single note-level •Multitrack drum editing new transient and tempo detection

CUBASE-6-EDU DAW software for Windows 7/MacOSX 299.99

•Instrument tracks, track templates & track presets,

GIGLIGH

GIGLIGHTS GL1AND SGL MUSIC STAND LIGHTS The GL1 GigLight produces a bright, wide-beam that lights up 2 full pages of music with 4x more light than the typical battery-operated clip-on light. It uses PowerBright LED technology, delivering fullspectrum, daylight-color temperature light. The high-contrast, lowglare illumination makes notes stand out and reduces eyestrain. A



padded spring clip enables it to easily attach to the top of wire folding stands or solid back stands. The lamp head can be positioned out and over the music using an adjustable extension arm. It folds up small for easy carrying in a pocket, purse or accessory bag, and weighs just 10oz with batteries. The SGL Super GigLight model utilizes an advanced chip making it more powerful and more efficient, producing 4x more light than the GL1. SGL comes complete with a soft carry case and 4 AA batteries.

ITEM	DESCRIPTION	PRICE
GL1-GIGLIGHTS	Standard GigLight	39.99
	Super GigLight with soft case and 4AA batteries	

MIGHTY BRIGHT.

	aFlex Duet [™] LED Music Light Dual super LED lights with two	50810
	ustable goosenecks can light two pages. It can clip to almost `` thing and offers 20 hours of continuous use.	
IT		PRICE
50	NIN Black	22 40

TRIPLE LED[™] TELESCOPING 3 LED lenses focus light evenly. Fully extendable arm and maneuverable head allows you to position your music light over your score.

ITEM	DESCRIPTION	PRICE
50212	Silver w/ gig bag	
50210	Black w/ gig bag	
	AC adapter	

CLASSIC SIGHT READER™ The original Mighty Bright. An economic solution for low-light situations. Features fully adjustable incandescent light beam.

ITEM	DESCRIPTION	PRICE
52212	Silver	
52210	Black	
36304	Replacement bulbs 2pk	
36332	AC adapter	

XTRAFLEX™ SUPER LED Super LED can be positioned in any direction. Special lens spreads light evenly with no hot spots.

	-	•	•	-	
ITEM		DESCRIPTI	ON	PR	RICE
50412	2	Silver		13	3.44

MANHASSET[®]

FOR EDUCATION

JEAR UP

MANHASSET MUSIC STANDS Longest lasting, most durable music stand made. Rugged, all-aluminum, lightweight desks are ribbed for extra strength. Baked-on, glare-free, black textured finish resists scratches and chipping. Easy, automatic no-knob frictiontilt neck delivers constant tension at any tilt position. Solid-brass bearings, greaseless heavy-duty chrome inner shaft, and the original counterbalanced "Magic Finger Clutch™" provides one-hand friction grip. Secure at any height, even with a heavy load of music. Heavy-

gauge, all-steel welded base provides excellent stability and requires minimum space on stage risers or in storage. All the components of the Manhasset Music stands are available and can be purchased separately too. This includes all models of desks, shafts, bases, and all pieces of hardware and fasteners.

ITEM	DESCRIPTION	PRICE
M48	Manhasset symphony stand, black – stand desk is 20"W x 12.5"H,	
	height 26"-48" (lip to floor), overall max height of 60.5"	43.28
M48-6PACK.	6-pack of M48	221.18
M48-COLOR.	M48 - specify red, yellow, blue, orange, green, purple, grey, white	50.37
M48TA	Taller version of M48, height 38"-60" (lip-floor), 72.5" overall height .	48.97
5001	Orchestral version of M48 - adds storage for resin, bows, etc	48.97
M52	Voyager stand - portable stand, twist lock mechanism for quick	
	assemble/break down, height 26-48" (lip to floor), w/max	
	overall height of 60.5"	54.11

K&M	stands that go through K&M's final quality-control inspection Choose from collapsible, non-collapsible steel or wooder stands.	
ITEM	DESCRIPTION PRICE	
10810	Black powder coated steel, 3-piece folding, clamping elements,	
	large desk w/integrated nameplate, desk: 500 x 240mm,	
	stand height: 720/1520 mm	
11479	Orchestra stand, fully adjustable black steel desk,	
	desk: 480 x 300mm, stand height: 660/1130mm	1
12178	Steel desk (removable), locking base w/U-profile steel foldable	
	legs, desk: 520 x 355mm, stand height: 610/1080mm	
12179		
	foldable legs, desk: 500 x 340 mm, stand height: 610/1080mm	
116/1-WAL	NUTWooden stand, angular 4-leg design, desk: 460 x 300mm,	
	stand height: 715/1225 mm, walnut	
116/1-BEE	CHWooden stand, as above, in beech	

K&M STANDS MUSIC STANDS High quality sheet music

National Public SEATING Corp.

NATIONAL PUBLIC SEATING MELODY SERIES

116/1-CHERRY ... Wooden stand, as above, in cherrywood

MUSIC ROOM PRODUCTS The 8210 Melody Chair is specifically designed to meet the needs of a musical performance environment. It is designed band-pitch style with a back angle of 97°, allowing for maximum breathing capability. The frame is built with strong 7/8", 16-gauge square tubing, with a 14-gauge rear seat brace. The DY82 Choir Dolly is chrome plated and stacks up to 18 Melody chairs.

The 82MS Melody music stand features a desk made of 22-gauge aluminum, and has rolled steel edges to protect instruments. It has a coated black textured finish to prevent scratches and ping. It vertically adjusts from 26"-46" (lip to floor), via a spring-loaded adjustable tube

chipping. It vertically adjusts from 20 -40 (lip to noor), via a spring-loaded adjustable tube.			
ITEM	DESCRIPTION	PRICE	
8210	Melody stack chair, black, 12 lbs	55.85	
TA82			
	surface area, 8lbs, choose left or right handed version	56.80	
DY82	Dolly for up to 18 Melody 8210 chairs, 22 lbs	148.48	
82MS	Melody music stand, textured black, 8 lbs	38.78	
DYMS10	Dolly for up to 10 82MS Melody music stands, 33 lbs	204.75	
DYMS20	Dolly for up to 20 82MS Melody music stands, 55 lbs	286.37	

Qn Stage **ON-STAGE STANDS SHEET MUSIC STANDS The** Stands SM7122B & SM7122N are compact sheet music stands, each

fold for easy storage & portability with a spring-loaded trigger release. Each has 2 sections with a tilting 9" foldable book plate with 2" return lip, and fold out extensions with a 6-point hinge system (holds up to three 8.5" x 11" sheets). Each is height adjustable 26-40", with a 21" base spread. The SM7222B offers a tubular tripod base with an adjustable book plate (17" with 1" return lip), a telescoping 3-section vertical shaft, and a tripod folding leg base. It is height adjustable 20-52", with a base spread of 18-23". The SM7122BB & SM7222BB offer a stand and black bag. Call for other available colors.

ITEM	DESCRIPTION	PRICE
SM7122B	. Compact music stand, black finish	
SM7122N	. Compact music stand, nickel finish	
SM7122BB	. SM7122 music stand with black carrying bag, black	
SM7222B	. Tubular tripod base music stand, black	
SM7222BB	. SM7222 music stand with black carrying bag, black	
SMSB6500	. Music stand canvas carrying bag, black	5.99

VU SHEET MUSIC STANDS A line of stands which are ideal for schools, orchestras or houses of worship.

All models feature steel construction, tripod bases and adjustable height settings. The MUS100-10B is a full-sized model with a 19.13"x13.5" book plate which has holes in it to prevent tipping in windy situations. The MUS200-10B is a collapsible model with an 18.25"x9.19" book plate. The MUS300-10B is a heavy-duty collapsible model with an

ĺ	NEW!
MUS100-10B	MUS200-10B

18.25"x9.25" book p	late. MUS10	0-10B
ITEM	DESCRIPTION	PRICE
MUS100-10B	. Sheet music stand, "wind desk", 24" to 34.623" heigh	nt 59.99
MUS200-10B	. Sheet music stand, collapsible, 18.75" to 45.25" heig	ht 19.99
MUS300-10B	. Sheet music stand, heavy-duty collapsible, 17.5" to 43.63	" height 29.99

Tenemos ventas y servicio en Español. Expertos que hablan Español disponibles en x1178 y x1164.

M48



82MS

10810

.249.99

8210 & TA82

BAND / ORCHESTRA / CHORAL E19

ULTIMATE

ULTIMATE JAM STANDS INSTRUMENT STANDS

All of these	carry a 3-year manufacturer's warranty.	
ITEM	DESCRIPTION	PRICE
JS-CS50	Cello stand, 22" height, adjustable arms	
JS-CL25	Clarinet stand, 5.3" height	
JS-TB50	.Trombone stand, spring-loaded bell shaped holder,	
	18.5" base spread, 29.5-42.9" adjustable height	
JS-TR75	.Trumpet stand, spring-loaded bell shaped holder,	
	11.8" base spread, 16.5" height	
JS-SS25	Soprano sax stand, round base w/bell holder,	
	6.3" base diameter, 7.1" height	
JS-SS75	Multi-Peg sax stand, w/2 bell holders	
	for clarinets/flutes, 17.9" base spread, 19.3" height	
JS-DS100	Double tenor/alto sax stand, 19.9" width, 13.8" height	
JS-STS100	Standing sax stand, 22.8" base spread, 33"-50" height	
JS-BS50	.Baritone Sax stand, base spread 22", 32.7"-33.9" height	
		_

KORG WI-TUNE WIRELESS INSTRUMENT



JS-CS50

TUNER The world's first wireless instrument tuner features a clip on transmitter that sends a signal to a large backlit LCD tuner that can be placed on a music stand, table, or on the

floor to accommodate any situation. The main tuner body also has an internal mic and sound out mode that will produce an audible reference pitch from an internal speaker. The transmitter comes in a Clip-on variety for use with guitar, violin, and other string instruments or a strap version for use with saxophone, clarinet or other wind instruments. Markings indicate pure major third and minor third intervals.

ITEM	DESCRIPTION	PRICE
WI-TUNE-WR01	Chromatic tuner, standard clip	. 129.99
WI-TUNE-WR01S	Chromatic tuner, includes strap	. 149.99



GL-TENOR-SAX-A

GATOR LIGHTWEIGHT BAND CASES Lightweight nylon exteriors with plush covered dense EPS foam interiors. Features interlocking comfort grip handles, no-slip rubber shoulder pad and reinforced handles. Includes removable shoulder strap with D-rings and clips on most models. Models shown below are black, some clarinet, flute, and sax options have alternate color options. Please call for more choices. Dimensions given are exterior (interior dimensions not specified by Gator at time of printing).

PRICE
. 89.99
. 49.99
. 54.99
. 29.99
. 99.99
. 44.99
. 89.99
129.99
. 69.99

GATOR DELUXE ABS BAND CASES These

molded cases have heavy-duty aluminum valances, through-bolted handle for extra strength, triple chrome plated hardware with lockable latches, form-fitted EPS interior with plush lining, and D-rings for adding a shoulder strap. Dimensions given are exterior (interior dims not specified by Gator at time of printing).



1 00	
ITEM DESCRIPTION	PRICE
GC-ALTO-SAX Alto sax, 27.17" L x 13.39" W x 8" H, 8lbs	89.99
GC-ALTO-RECT Alto sax, rectangular case, 25" L x 12.5"W x 7.5" H, 10lbs	89.99
GC-CLARINET Clarinet, 15.55" L x 10.43" W x 5.51" H, 3lbs	49.99
GC-FLUTE-B/C Flute, 17.32" L x 5" W x 3" H, 2lbs	39.99
GC-FRENCHHORN French horn, 27.56" L x 19.69" W x 15.35" H, 23lbs	119.99
GC-TENOR-SAX	99.99
GC-TROMBONE Trombone, 37.99" L x 12.2" W x 11.42" H, 6lbs	99.99
GC-TRUMPET Trumpet, 22.83" L x 10.24" W x 7.09" H, 6lbs	54.99

Quick Purchase: 800-476-9886

M-F: 8:30-5:30 CST





SKB STRINGED INSTRUMENT CASES These cases are designed to hold an array of sizes and models securely and with uncompromising protection. Lid holds two bows. Perfect fit valance with D-ring for a handle and all hardware is reinforced with backplates.

ITEM	DESCRIPTION	PRICE
1SKB-444		
1SKB-434		84.99
1SKB-544		
	sure-grip handles, interior pockets	329.99
1SKB-344	4/4 cello deluxe, molded pocket cover supports the neck	209.99
1SKB-264		79.99
1SKB-244		74.99
1SKB-234		
1SKB-212		74.99
1SKB-214		74.99



SKB

CASES These car vided excellent p bass instruments. a D-ring handle ar reinforced with ba	orotection for all All cases feature and all hardware is	1SKB-462
ITEM	DESCRIPTION	PRICE
1SKB-130	Contoured trumpet case, fits most trumpets	
1SKB-325	Cornet case, fits most American horns	
	w/o shepherd's crook	
1SKB-SC325	Cornet soft case, fits most American horns	
	w/o shepherd's crook	
1SKB-370	French horn case, fits single and double horns	124.99
1SKB-390W	Large universal tuba case w/ wheels	519.99
1SKB-385W	Mid-sized universal tuba case w/ wheels	479.99
	Rectangular trumpet case, fits most trumpets	
1SKB-SC330	Rectangular trumpet soft case, fits most trumpets	49.99
1SKB-380	Sousaphone case w/ wheels, fits King 2350 and Conn 20	K 454.99
1SKB-360	Straight tenor trombone case, fits straight tenor w/ 8" be	II 104.99
1SKB-375	Universal euphonium case, fits most upright bell	
	three and four valve euphoniums	184.99
1SKB-462	Universal pro tenor trombone case, fits open and	
	traditional, wrap f-attachment tenors	144.99

1SKB-140

SKB WIND INSTRUMENT CASES

These cases and bags provided excellent protection for all instruments. All cases features a D-ring handle and all hardware is reinforced with backplates.

ITEM	DESCRIPTION	PRICE
1SKB-340	. Alto sax, fits most contemporary models	94.99
1SKB-SC340	. Alto sax soft case, fits most contemporary alto sax	
1SKB-310	. B-foot flute case	39.99
1SKB-312	. C-foot flute case	39.99
1SKB-1511P	. Clarinet/Oboe carry-all bag, fits clarinet and oboe cases	29.99
1SKB-320	. Clarinet case, fits b-flat clarinets	49.99
1SKB-140	. Contoured alto sax case, fits most alto saxophones	94.99
1SKB-440	. Contoured pro alto sax case, fit contemporary alto saxes	114.99
1SKB-455W	. Contoured pro baritone sax case w/ wheels	314.99
1SKB-450	. Contoured pro tenor sax case	134.99
1SKB-150	. Contoured tenor sax case	104.99
1SKB-1706P	. Flute/piccolo carry-all bag, fits flute and piccolo cases	29.99
1SKB-315	. Oboe case	49.99
	. Rectangular tenor sax case, fits most contemporary models	
1SKB-SC350	Tenor sax soft case, fits most contemporary models	



Full Service: 800-356-5844 M-F: 9:00-5:30 CST

FULLCOMPASS.COM





GATOR MARCHING SERIES DRUM CASES All cases belong to Gator's Protechtor Percussion Classic Series (except the GP-PE217/EB), come in black, feature carry handles, and come with a limited, lifetime warranty.

•		
ITEM	DESCRIPTION	PRICE
GP-PC204/EB	Large black quad/quint tenor drums case w/wheels	
GP-PC234/EB	. Small trio/quad tenor drums case	
GP-PC217/EB	. Marching snare drum case	
GP-PE217/EB	Elite Series foamless marching snare case w/ wheels	
	Large black marching snare drum case	
	16"x14" marching bass drum case	
	. 18"x14" marching bass drum case	
	20"x14" marching bass drum case	
GP-PC2214MBD		
GP-PC2414MBD	24"x14" marching bass drum case	
GP-PC2614MBD	26"x14" marching bass drum case	
GP-PC2814MBD	28"x14" marching bass drum case	
	30"x16" marching bass drum case	
	32"x16" marching bass drum case	

GP12

וסותם

GP-SNR-KIT-BAG



GATOR CYMBAL CASES & BAGS All cymbal bags and cases come in black and fit cymbals up to 22" in diameter. Cymbal cases feature handle grips and a wing nut system that secures cymbals during transportation.

ITEM	DESCRIPTION	PRICE
GP12	Nylon cymbal bag with fur-lined foam interior.	
	w/shoulder strap, dividers	69.99
GP-ARTIST-CYM	.Cymbal bag w/shoulder strap, dividers, synthetic wool interior	99.99
GP-PC302/EB	.Cymbal case w//handle, wing nut system	72.99
GP-PE302/EB	.Cymbal case w/wheels, extended handle, wing nut	104.99

GATOR MARCHING DRUM COVERS Made of 1680 Denier nylon, these marching drum covers stay in place thanks to Velcro straps and feature 5mm padding with hook and loop tabs for adjusting. They also include elastic hooks for securing the cover to the drum.

DECODIDUTON

IIEM		1 11101
GP-MDC-1113	. 11"x13" snare drum cover	34.99
GP-MDC-1214	. 12"x14" snare drum cover	34.99
GP-MDC-1418	. 14"x18" bass drum cover	34.99
GP-MDC-1420	. 14"x20" bass drum cover	34.99
GP-MDC-1422	. 14"x22" bass drum cover	34.99
GP-MDC-1424	. 14"x24" bass drum cover	39.99
GP-MDC-1426	. 14"x26" bass drum cover	39.99
GP-MDC-1428	. 14"x28" bass drum cover	49.99
GP-MDC-1630	. 16"x30" bass drum cover	49.99
GP-MDC-QDSM	. Small quad tenor drums cover	49.99
	. Large quad tenor drums cover	

GATOR SNARE KIT CASES The snare kit bag is made of 600-Denier nylon, is capable of holding a snare drum, practice pad, snare stand and sticks in its 2 zipper pouches (1 large, 1 small). It also features a removable handle & wheels assembly as well as shoulder straps so that the bag can be worn like a backpack. The snare and bell kit bag holds a set of practice bells as well as a snare drum, sticks, and other accessories. Also features backpack straps and a removable handle & wheels.

DESCRIPTION	, (-	PRICE
Snare drum/practice bells bag w/backpack straps & removable handle/wheels		104.99
Backpack-style snare drum bag w/detachable wheels/handle assembly		79.99



GATOR ALUMINUM VEST MARCHING DRUM CARRIERS Gator's XL Lite Series of aluminum marching drum carriers are the highest quality of lightweight carriers, providing wearers durability and a custom fit. The deluxe bass drum carrier replaces the hooks on the BD2 model with a swivel hook and adjustable support rods system for optimal bass drum positioning.

<i>y</i> 1	1 0	
ITEM		PRICE
GP-XLC-SD2	. OmniVest marching snare drum carrier	259.99
GP-XLC-QS2	. Quad/Sext tenor drums carrier	334.99
GP-XLC-QD2	. Quad/Quint tenor drums carrier	259.28
GP-XLC-BD2	. Marching bass drum carrier	209.99
GP-XLC-DBD1	. Deluxe marching bass drum carrier	249.99



GATOR T-BAR MARCHING DRUM CARRIERS The XL Lite T-bar carrier is the original aluminum marching carrier and continues to be the standard for many domestic and international marching groups. The lightweight design provides flexibility and support with utmost comfort and security.

	•	
ITEM	DESCRIPTION	PRICE
GP-XLC-SD3	. Lite snare carrier	. 189.99
GP-XLC-QD3	. Lite Quad/Quint carrier	. 269.99
GP-XLC-BD3	. Lite bass drum carrier	. 169.99



GATOR STIK STAND A series of drum stands that provide a secure way to set up snares, tenors, and bass drums. They are light and easy to transport. Stadium hook design allows player to go from the field to the stadium by simply adjusting the stand's height.

				0	•
ITEM					PRICE
GP-XLS-TS1	 Tenor o	lrum :	stand		
GP-XLS-ST1	 J-Arm	snare	stand	l	
GP-XLS-BD1	 . Bass d	rum s	tand.		
GP-XLS-SD1	 Snare	stand			



FOR MORE GATOR PERCUSSION CASES, **INCLUDING CUSTOM-SIZED MODELS -**PLEASE CALL 800-356-5844 OR VISIT FULLCOMPASS.COM


Honesty and Value

since 1971

We service many of the major brands that we carry. Call our Authorized Repair Department at ext. 1172



ІТГМ



INTELLISTAGE PORTABLE STAGE SYSTEMS

Consisting of modular, lightweight yet rugged platforms and collapsible risers, IntelliStage systems can be set up in a wide variety of heights and configurations by a single person. Sturdy and durable, platforms are capable of bearing weight up to 185lbs/sq ft and are available in carpet or duraflex finish. When it's time to break down, you'll find that disassembly and storage are equally convenient. IntelliStage systems are available in kits with an optional compact storage flight case featuring integrated casters to transport your stage just about anywhere. As your needs grow, so can your stage system -- platforms and risers are also available on an individual basis. Optional upgrade accessories like storage cases for larger systems and stage skirts are also available. Numerous options available, please call for assistance. Common setups listed below.

ITEM DESCRIPTION	PRICE
96 Square Ft Stage - 12'x8' Stage System (6 - 4'x4' carpeted pl	latforms)
ISTAGE1288	
ISTAGE1281616" high complete stage system (6 matching risers, 16	5") 1699.99
ISTAGE1282424" high complete stage system (6 matching risers, 24	l")1749.99
ISTAGE1283232" high complete stage system (6 matching risers, 32	<u>/</u> ") 1789.99
192 Square Ft Stage - 12'x16' Stage System (12 - 4'x4' carpete	ed platforms)
ISTAGE121688" high complete stage system (12 matching risers, 8") 3289.99
ISTAGE12161616" high complete stage system (12 matching risers, 1	16") 3369.99
ISTAGE12162424" high complete stage system (12 matching risers, 2	24") 3499.99
ISTAGE121632 32" high complete stage system (12 matching risers, 3	32")CALL
288 Square Ft Stage - 12'x24' Stage System (18 - 4'x4' carpete	ed platforms)
ISTAGE122488" high complete stage system (18 matching risers, 8")CALL
ISTAGE12241616" high complete stage system (18 matching risers, 1	16")CALL
ISTAGE12242424" high complete stage system (18 matching risers, 2	
ISTAGE122432 32" high complete stage system (18 matching risers, 3	32")CALL
6" Drum Riser	
ISDRUM6X66'x6', 6" high drummer's platform –	

ISDRUMBRO	
3'x3' carpeted platforms (4) & 6" legs (20)	599.99
ATA Flight Cases for Systems (sold separately)	
ICOCY2Y20 Flight and fits C 20/21 alatforms 8 C and of motobian sizes	F10.00

ISC6X3X3C	9.99
ISC6X4X4CFlight case – fits 6 4'x4' platforms & 6 pcs of matching risers 74	9.99



INTELLISTAGE STAGE ACCESSORIES

Complete any riser system with stage skirts and additional hardware.

ITEM	DESCRIPTION	PRICE
ISSK8X8	8ft by 8ft stage skirt	65.00
ISSK8X16		
ISSK8X24		
ISSK8X32		100.00
ISSKRTCLIPX	8Stage skirt clips, 8 pack	
IS6LEGX10	Drum riser feet	
ISSTCUP	Riser leveling cups, 25 pack	
	Connecting hardware for platforms and steps	

INTELLISTAGE RAMPS

These equipment and wheelchair ramps allow easy access to the stage. Ramps consist of metal frames, adjustable legs and the modular design allows the flexibility to easily upgrade when stage heights change. All ramp packages are available in the following finishes: carpet, tuffcoat, industrial (industrial coat models below). All wheelchair ramps have a 1:12 slope ratio and guard rails. For more ramp options please see the custom stage-builder at www.intellistage.com or call for more info.

ITEM DESCRIPTION

Straight Ramps

IS16RI Equipment ramp for 16" high stages, industrial coat finish	. 1499.99
IS24RIGR Equipment ramp for 24" high stages w/guard rails, ind.coat finish	. 3499.99
IS32RIGR Equipment ramp for 32" high stages w/guard rails, ind.coat finish	CALL
IS8RWI Wheelchair ramp for 8" high stages, industrial coat finish	. 2199.99
IS16RWI Wheelchair ramp for 16" high stages, industrial coat finish	CALL
Straight Ramps w/ Landing	
IS16DI Equipment room for 16" high stores w/lending industrial east finish	2100.00

IS16RLI......Equipment ramp for 16" high stages w/landing, industrial coat finish.. 2199.99 IS24RLI......Equipment ramp for 24" high stages w/landing, industrial coat finish.. 2899.99 IS24RLIGR...Equipment ramp for 24" stages w/landing, guard rails, ind.coat finish.......CALL IS16RLWI....Wheelchair ramp for 16" high stages w/landing, industrial coat finish.......CALL





PRICE

INTELLISTAGE CHORAL RISERS

TuffCoat and industrial finishes are also available by special order. Create a custom stage online at intellistage.com or call for full riser options.

otage onnie	at intenietageleenii er ean fer fan fieer optiene.	
ITEM	DESCRIPTION	PRICE
ISCR12C	18" wide three-tier choral riser package -	
	carpet finish, straight configuration, holds 12 performers	599.99
ISCR36C	18" wide three-tier choral riser package -	
	carpet finish, straight configuration, holds 36 performers	1799.99
ISCR60C	18" wide three-tier choral riser package -	
	carpet finish, straight configuration, holds 60 performers	2999.99
ISCRW24C	18" wide three-tier choral riser package -	
	carpet finish, winged configuration, holds 24 performers	1199.99
ISCRSC60C	18" wide three-tier choral riser package -	
	carpet finish, semicircular configuration, holds 60 performers	2999.99





FOR MORE INTELLISTAGE PRODUCTS, **VISIT OUR WEBSITE**

FULLCOMPASS.COM



Quick Purchase: 800-476-9886 M-F: 8:30-5:30 CST



FULLCOMPASS.COM


Full Service: 800-356-5844 M-F: 9:00-5:30 CST



NATIONAL PUBLIC SEATING RISERS

The Trans-Port riser unit eliminates the need to set up multi level risers. It is an all-in-one 3-level carpeted choral riser that is easy to transport with built-in wheels and allows for quick set up. Has 14-gauge steel legs & aluminum frames keeping it lightweight & strong. Standard standing risers are also easy to set up & allow for quick arrangement. Units easily attach to one another to provide multi level heights. Available in both straight & tapered units, allowing for continuous or semi-circle arrangements. Come with red, green, gray, or blue carpeting. Guard rails (black) are recommended to ensure safety and are easy to assemble/install. Please note: most of these items are too large to ship UPS. Please allow minor lead time for us to provide you an accurate freight estimate based on your needs.

ITEM	DESCRIPTION	PRICE
Trans-Port 3-Level	l Choral Risers (choose color)	
TP72	. Straight, 23"W x 72"L x 22"H	. 682.29
TPR72	. Tapered, 23"W x 72"L x 22"H	. 682.29
GRTPR	. Guard rail for TP72 & TPR72	. 119.52
Straight Standard	Risers w/Carpet (choose color)	
	. 18"W x 96"L x 8"H	. 250.29
RS16C	. 18"W x 96"L x 16"H	. 271.00
RS24C	. 18"W x 96"L x 24"H	. 274.12
RS32C	. 18"W x 96"L x 32"H	. 282.49
RS2LC	. 2-levels (includes RS8C, RS16C)	. 521.29
RS3LC	. 3-levels (includes RS8C, RS16C, RS24C)	. 795.41
RS4LC	. 4-level (includes RS8C, RS16C, RS24C, RS32C)	1077.90
Tapered Standard	Risers w/Carpet (choose color)	
RT8C	. 18"W x 60"L x 8"H	. 179.55
RT16C	. 18"W x 66"L x 16"H	. 196.36
RT24C	. 18"W x 72"L x 24"H	. 210.55
	. 18"W x 78"L x 32"H	
RT2LC	. 2 level (includes RT8C, RT16C)	. 365.99
RT3LC	. 3 level (includes RT8C, RT16C, RT24C)	. 593.71
RT4LC	. 4 level (includes RT8C, RT16C, RT24C, RT32C)	. 830.24
Guard Rails for Ris		
GRR24S	. Guard rail for 24"H straight riser	. 122.70
GRR32S	. Guard rail for 32"H straight riser	. 130.48
	. Guard rail for 24"H tapered riser	
GRR32T	. Guard rail for 32"H tapered riser	. 117.91
Side Guard Rails (black) for Standard Risers	
SGR2L	. Guard rail for 2 levels	55.06
SGR3L	. Guard rail for 3 levels	59.72
SGR4L	. Guard rail for 4 levels	64.64



NATIONAL PUBLIC SEATING STAGES

Built with 16-gauage steel frames & premium grade plywood core, these carpeted stages are durable & portable. Legs are made with 14-gauge tubular steel & outfitted with spring-loaded easy to open & close support brackets, for quick set-up & safe use. Carpeted surfaces are available in blue, green, red, & gray.

ITEM	DESCRIPTION	PRICE
Stage w/ Carpeter	d Surface	
	36W x 96L x 8H	364.67
	36W x 96L x 16H	
S3624C	36W x 96L x 24H	410.58
	36W x 96L x 32H	
	48W x 96L x 8H	
	48W x 96L x 16H	
	48W x 96L x 24H	
	48W x 96L x 32H	
Stage Set		
	36", includes S368C, S3616C, S3624C, & 2 guard rails	1288 81
Stage Configuration		17 13.04
	36", 3 sets of SST36C, 4 sets of SPST36C, & guard rails	CALL
Stage Pie w/ Carp		001 45
SP3680	36", for 36W x 8H stage	221.45
SP36160	36", for 36W x 16H stage	311.28
SP36240	36", for 36W x 24H stage	419.19
SP488C	48", for 48W x 8H stage	259.15
	48", for 48W x 16H stage	
	48", for 48W x 24H stage	/ / 4.8/
Stage Pie Set		
	36", includes SP368C, SP3616C, SP3624C	
	48", includes SP488C, SP4816C, SP4824C	1395.10
Steps for Stages		
	Step (1) for 16"H stage	
	Steps (2) for 24"H stage	
STP32	Steps (3) for 32"H stage	407.69
Guard Rails for St		
GRS30	30"W guard rail	49.80
	36"W guard rail	
GRS48	48"W guard rail	59.72
Stage Skirting		
SS8	shirred pleat skirting for 8"H stage	13.58
	shirred pleat skirting for 16"H stage	
	shirred pleat skirting for 24"H stage	
	shirred pleat skirting for 32"H stage	
	box pleat skirting for 8"H stage	
	box pleat skirting for 16"H stage	
	box pleat skirting for 24"H stage	
	box pleat skirting for 32"H stage	
Stage Storage/Tra		
	Stage dolly for 36"W & 48"W stages	588.92



LIBRARY / CLASSROOM FURNITURE / CARTS $\mathbf{F23}$





BRETFORD FLAT PANEL CARTS

These wide-body carts are UL Listed to 1667 standards for schools and provide a secure solution for holding and transporting flat panel monitors. Each cart features a wide-body design, adjustable flat panel mount with 0 to 15° forward tilt, and a handle for easy maneuvering. Models with "C" come with lower cabinet. Does not include monitor.

monado monitori		
ITEM	DESCRIPTION	PRICE
FPBBUL32-E4BK	30"-42" monitor size, 2 outlets, 32"W x 27.5"D x 66"H	484.38
FPBBUL32-M4BK	As above w/3 outlets	484.38
FPBBUL32-P4BK	As above w/no outlets	445.50
FPBBULC32-E4BK	30"-42" monitor size, 2 outlets, 32"W x 27.5"D x 70"H	820.80
FPBBULC32-M4BK	As above w/ 3 outlets	820.80
FPBBULC32-P4BK	As above w/no outlets	781.92
FPBBUL37-E5BK	36"-47" monitor size, 2 outlets, 36.25"W x 28.75"D x 66"H	586.44
FPBBUL37-M5BK	As above w/ 3 outlets	586.44
FPBBUL37-P5BK	As above w/no outlets	547.56
	42"-52" monitor size, 2 outlets, 40"W x 32.5"D x 66"H	
FPBBUL42-M5BK	As above w/ 3 outlets	639.36
FPBBUL42-P5BK	As above w/no outlets	600.48



BRETFORD MOBILE 19" RACKMOUNT PRESENTATION CARTS

The TC15 provides room for a projector and presentation materials on the top shelf and has 2 pull out shelves for a laptop and document camera. Locking lower cabinet includes a 19" rackmount with front and rear door for easy access to cords. TC15FC has the same features but includes a mounting pole for up to 42" monitors with a 200mm VESA mounting hole pattern. The FF models include a UL & C-UL listed, surge protected, 4-outlet electrical assembly with on/off switch & 20' grounded power cord. Electrical unit mounts inside the lower cabinet.

ITEM	DESCRIPTION	PRICE
TC15-BK	Cabinet multimedia cart 32"W x 24"D x 42"H	562.14
TC15FF-BK	As TC15-BK but adds 4-outlet electrical assembly	623.16
TC15FC-BK	Cabinet flat panel cart 32"W x 24"D x 70"H	
	w/ flat panel mt pole	
TC15FCFF-BK	As TC15FC-BK but adds 4-outlet electrical assembly	



EAR UP FOR EDUCATION



BRETFORD UCS880 MOBILE MULTIMEDIA INSTRUCTOR DESK

This desk features a cabinet with 19" rackmount rails for multimedia equipment and 2 accessory shelves for additional items. Work surface includes 4 holes, which lead to a full width cord bin and the rear of the cabinet. Cabinet features a locking door and rear access panel. Work surface is height adjustable. Model shown in Grey Mist, but custom colors are available. Call for more information.

ITEM	DESCRIPTION	PRICE
UCS880-GM	Multimedia instructor desk, grey mist finish	706.40

BRETFORD 30-COMPUTER LAPTOP CARTS

These carts store and charge up to 30 laptop computers. Top shelf features a nonslip rubber mat and a hole at the back for cord management and access to electrical units. Two surge and overload-protected 15-outlet electrical units are installed in the front or rear of cart. A 3-outlet electrical unit is attached to the back panel for powering additional equipment. Padlock-secured perforated doors and rear and side panels allow for ventilation of equipment when charging. UL versions that conform with UL 60950 standards for Safety of Informational Technology are available. Models come in Grey Mist (part numbers below) or Concrete powder paint finish.

ITEM	DESCRIPTION	PRICE
LAP30EBA-GM	. Welded cart w/ 5" casters & rear electrical units	. 1517.94
LAP30EULBA-GM	. UL version of above	. 1825.74
LAP30EFR-GM	.Welded cart w/ 5" casters & front electrical units	. 1517.94
LAP30EULFR-GM	. UL version of above	. 1825.74
LAP30ERBBA-GM	.Welded cart w/ 8" casters & rear electrical units	. 1744.74
LAP30ERBFR-GM	.Welded cart w/ 8" casters & front electrical units	. 1744.74
LAPTMR2	Laptop computer cart charging timer	330.48

Full Service: 800-356-5844

M-F: 9:00-5:30 CST

Quick Purchase: 800-476-9886









BRETFORD



BRETFORD ANTIMICROBIAL LAPTOP / PROJECTOR CARTS

These products are intended to inhibit the growth of mold, mildew and fungus on the product's surface. The Antimicrobial finishes are built into the product during the manufacturing process and become an intrinsic part of the product's surface. Laptop carts store 15, 18, 24, 30 or 32 laptop computers. Due to electrical limitations, each 9-outlet electrical unit must be plugged into separate circuits and not separate outlets, or use the LAPTMR2 to automatically switch from charging one bank of computers to the other. Resettable combination padlock included. Projector carts feature a pull out laptop computer shelf that can be set at a seated or standing height. All data projector carts can be equipped with UL listed electrical outlets that include a 20' power cord. All models below in concrete finish. Please call for different colors and more options.

ITEM	DESCRIPTION	PRICE
LAPTG15ESA-CTBMT.	15-unit laptop card w/electrical	1139.94
LAP18EULBA-CTMBT.	18-unit UL-listed laptop cart w/electrical in back	1670.22
LAP24EULBA-CTMBT.	24-unit UL-listed laptop cart w/electrical in back	1800.90
LAP30EULBA-CTMBT.	30-unit UL-listed laptop cart w/electrical in back	1881.36
TCPUL23-CTMBT	Projector cart w/4" twin wheel casters	562.14
TCP23FF-CTMBT	Projector cart w/10-outlet electric, 4" twin wheel casters	623.16
TCP23-CTMBT	Projector cart w/4" hard rubber casters	562.14
TCP23FF-CTMBT	Projector cart w/10-outlet electric, 4" hard rubber casters	623.16
LAPTMR2	Automatic laptop computer cart charging timer	330.48



BRETFORD CONNECTIONS STUDENT CLASSROOM DESKS

These are small (30" wide) desks that are ideal for individual work yet easily combines for group configurations. Height adjustable legs (24"-32") include a backpack hook, two per table. Features 1" adjustable leveling glides or 4" casters, two locking. Models below have a Grey Mist finish with Black Base. Other finishes are available for custom quotes.

ITEM	DESCRIPTION	PRICE
CD3576-GMB	. 30" D, glides, 30" W x 30" D x 24" H, 60lbs	179.04
CD3577C-GMB	. 30" D, 4" casters, 30" W x 30" D x 24" H, 63lbs	202.63
CD3584-GMB	. 24" D, glides, 30" W x 24" D x 24" H, 61lbs	172.88
CD3585C-GMB	. 24" D, 4" casters, 30" W x 24" D x 24" H, 67lbs	192.37
CD3586-GMB	. 20" D, glides, 30" W x 20" D x 24" H, 511bs	168.26



BRETFORD CR8500 / CR4500 SERIES FOLDING TABLES

Available in rectangle, trapezoid, quarter round, and half-round shapes for endless configurations. Tables fold to 4-1/2" flat for easy storage and feature a built-in handle. They have a 1" thick laminate work surface, and heavy-duty steel base. Meet or exceed ANSI/BIFMA safety and quality standards. Models shown have grey mist finish with black bases. Other finishes are available, call for custom quotes (too many to list here).

ITEM	DESCRIPTION	PRICE
Seminar Table	es – 18" deep work surface, seats 2-3, not for use with CR8500	series
CR4500-GM	60" W x 29" H. 76lbs, grev mist finish w/black base	268.81
CR4502-GM	72" W x 29" H, 92lbs, grey mist finish w/black base	351.92
	7" deep work surface, w/modesty panel	
CR8500-GM	53.5" W x 29" H, 88lbs, grey mist finish w/black base, seats 2	268.81
	72" W x 29" H, 102lbs, grey mist finish w/black base, seats 4-6.	
Trapezoid – 2	3.25" deep work surface, w/front modesty panel, combine three	with
CR8500 tables	s for a U-shape configuration, or 6 for a hexagon configuration	
CR8501-GM	57.5" W x 29" H, 70lbs, grey mist finish w/black base	310.88
Half Moon – 2	8" deep, front modesty panel, combine with CR8500 or CR4500	for a
conference tal	ble, or use 2 for a 54" round table	
CR8505-GM	54" W x 29" H, 79lbs, grey mist finish w/black base, seats 2	293.44
Quarter Round	-27" deep, front modesty panel, combine 2 with CR8500 for U-s	hape, or
4 for a 190" n	ound configuration, seats 2	
	63" W x 29" H 85lbs grey mist finish w/black base seats 2	342 68



BRETFORD NETBOOK 32 MICRO COMPUTER LAPTOP CART

Stores and charges up to 32 netbook computers with 10" screens. It has 2 interior shelves with 8 vertical compartments per shelf. Includes 32-outlet UL electrical system with an automatic timer. Rear panel access is available to the electrical, and a resettable combination padlock is included. Complies with GREENGUARD Environmental Institute's GREENGUARD Children & Schools Indoor Air Quality standards, contributing to points toward LEED Certification.

ITEM	DESCRIPTION	PRICE
NETBOOK32	. 32 netbook storage cart w/electrical, 5" casters, 154lbs	1450.44
NETBOOK32-ANMBT	. As above with Antimicrobial finish	1504.44



LIBRARY / CLASSROOM FURNITURE / CARTS E25



DA-LITE CT-LS SERIES LAPTOP STORAGE CARTS

These are lockable mobile storage carts for laptop computers. The top shelf has a 1/2" lip on 3 sides for safety and supports a printer and server device. Ships partially assembled & is available in a dove gray powder coated finish. Laptop cell partitions are individually removable for greater storage flexibility. The rear panel is removable to provide convenient access to electrical compartment. Available with an optional 12- or 17-outlet electrical assembly for laptop recharging.

ITEM DESCRIPTION	PRICE
6300 CT-LS20 mobile storage cart (holds up to 20 laptops), 43 1/8"H x 30"W x 23 1/4"D	629 49
6316CT-E12 12-outlet electrical assembly for CT-LS series car 5097CT-E17 17-outlet electrical assembly for CT-LS series car	ts 90.09



DA-LITE MODULAR STUDY CARREL SYSTEM

The Alpha model has a 29.25" wide work surface, and the larger Beta model has a 35.5" wide work surface. Both models are 22.5" in depth and have a 29" surface height.

- · Modular system allows study carrels to be rearranged, expanded or contracted at any time
- · Sharing of common sides and fronts substantially reduces cost without compromising quality
- · Constructed of furniture-grade particle board with simulated birch work surface and dividers with black T-mold edges
- Legs and bookshelf are steel with black powder-coated finish

ITEM 5203	DESCRIPTION Alpha series starter study carrel (A-S model),	PRICE
	46"H x 29.25"W x 22.5"D, 58lbs	
5204	Alpha series adder study carrel (A-A model),	
	46"H x 29.25"W x 22.5"D, 46lbs	
5205	Beta series starter study carrel (B-S model),	
	45" H x 35.5" W x 22.5"D, 68lbs	
5206	Beta series study adder carrel (B-A model),	
	45" H x 35.5" W x 22.5"D, 56lbs	

Quick Purchase: 800-476-9886 M-F: 8:30-5:30 CST





DA-LITE ADVANCE BOOK TRUCKS

These are heavy-duty steel book trucks that assemble fast. Choose from four models, each with a unique combination of shelves to meet your specific needs. All units are 17"D x 30"W x 48"H.

ITEM	DESCRIPTION	PRICE
3545	BK-211 Easy Mover Booktruck,	
	handles 36" stack of books, 10" rubber wheels	
5981	BK-212 Booktruck, 6 sloping shelves, 4" casters	
6261	BK-214 Booktruck, 3 sloping shelves,	
	87" shelf space. 4" lockable casters	224.54

DA-LITE HUSKY HAULER BOOK TRUCKS

These heavy-duty steel book trucks assemble quickly with 4" locking casters that make even the heaviest loads roll easily. Choose from four models, each with a unique combination of shelves to meet your specific needs. All units are 17"D x 30"W x 48"H. Dove gray powder coated finish.

DESCRIPTION HH-100, 3 sloping shelves

7039 HH-101, 2 sloping shelves, 1 flat shelf	313.24
7040 HH-102, 2 flat shelves, 1 sloping shelf	288.29
7041 HH-103, 3 flat shelves	



ITEM

7038

73-001

FULLCOMPASS.COM

GRUNDORF ROAD-RUNNER COLLAPSIBLE

CART Weighs just over 19 lbs and can carry loads up to 300 lbs. It folds up for easy storage, and features a collapsible handle and a load-bearing platform that is extendable lengthwise. One pair of wheels is fixed while the other set swivels and includes brakes. Also features impact-resistant vinyl corners. ITEM





99 95

PRICE

338.18

Full Service: 800-356-5844 M-F: 9:00-5:30 CST

E26 CAFETERIA TABLES / FOLDING CHAIRS / DOLLIES



NATIONAL PUBLIC SEATING MOBILE BENCH CAFETERIA TABLES Tabletops come with flip up benches or fixed benches in 8,10 or 12 ft lengths. Frames are constructed with 14-gauge steel. Color options for MTB and MTFB models include gray, light oak, walnut, blue, green, yellow, & red. The Convertible benches can be used as a comfortable bench with a back or easily change into a table with bench. They can also combine into one large table using the optional built-in ganging device. Convertible benches come in 6, 7 or 8 ft lengths and color options include gray, light oak, & walnut. Tabletops & benches for all models are available in either plywood with TuffEdge guard or particleboard with vinyl T-molding. All feature a torsion bar system for safe, easy & reliable opening or closing.

casy & renable	opening of closing.	
ITEM	DESCRIPTION	PRICE
Plywood Core	Tabletop w/Flip Up Benches (choose color)	
MTB8PW	8ft unit	
MTB10PW	10ft unit	
MTB12PW	12ft unit	
Particleboard	Core Tabletop w/Flip Up Benches (choose color)	
	8ft unit	
MTB10PB	10ft unit	
MTB12PB	12ft unit	1118.47
Plywood Core	Tabletop w/Fixed Benches (choose color)	
MTFB8PW	8ft unit	
MTFB10PW	10ft unit	
MTFB12PW	12ft unit	
Particleboard	Core Tabletop w/Fixed Benches (choose color)	
MTFB8PB	8ft unit	
MTFB10PB	10ft unit	
MTFB12PB	12ft unit	1005.48
Convertible Be	nch Unit (Plywood Core) (choose color)	
CB72PW	6ft unit	529.07
CB84PW	7ft unit	553.97
CB96PW	8ft unit	577.01
Convertible Be	nch Unit (Particleboard Core) (choose color)	
CB72PB	6ft unit	454.38
CB84PB	7ft unit	
CB96PB	8ft unit	

NATIONAL PUBLIC SEATING 200 SERIES FOLDING CHAIRS Premium all-steel (18-gauge) with electromagnetically welded seat

back. Each chair holds 480lbs of moving weight. Environmentally friendly chairs; adhere to ANSI/BIFMA X7.1-2007 VOC emission standards. Dimensions are 29 1/2"H x 18 1/4"W x 20 1/4"D.

ITEM	DESCRIPTION	PRICE
201	. Folding chair, steel, beige	17.12
202	. Folding chair, steel, gray	17.12
203	. Folding chair, steel, brown	17.12 📕
204	Folding chair, steel, brown Folding chair, steel, blue	17.12 🖡
210	. Folding chair, steel, black	17.12
240	. Folding chair, steel, red	17.29

ns	A
CE 12 12 12 12 12	
12	
12	ALA
12	
12	204
12	
29	1

			6

NATIONAL PUBLIC SEATING 5200 SERIES CHAIRS WITH TABLET-ARM 18-gauge steel folding chairs with left

or right high-pressure tablet-arm. Each chair holds up to 480lbs of moving weight. Environmentally friendly; adhere to ANSI/BIFMA X7.1-2007 VOC emissions standards. Dimensions are 29 1/2"H x 20 1/2"W x 28 3/4"D; tablet-arm is 22"L x 11"W, 5/8" thick.

ITEM	DESCRIPTION	PRICE
5201L	. Folding chair, steel, beige, light oak left tablet arm	35.20
5201R	Folding chair, steel, beige, light oak right tablet arm	35.20
5202L	Folding chair, steel, gray, gray left tablet arm	35.20
5202R	. Folding chair, steel, gray, gray right tablet arm	35.20



NATIONAL PUBLIC SEATING BLOW MOLDED FOLDING TABLES Lightweight, they are available in 3 rectangular sizes (60", 72", 96") and 3 round sizes (48", 60", 71"). The BT-3060 & BT-3072 have 1 3/4" thick tops, and all other tables have 2" thick tops. They have lightly spotted gray tops with gray textured powder coated wishbone shaped legs. Straight legs on round tables and Pedestal style legs on BTA Series. The BTA Series come in red or blue, and are height adjustable from 22"-32"H. Most tables offer 17-gauge strength legs, the BT48R & BT71R offer 19-gauge strength. Each offers a gravity slide lock or snap lock for extra stability, and a lightly textured surface that resists scratching, yet is smooth enough to write on. 1000 lb weight capacity on BT3060/3072/60R, 800 lb weight capacity on BT3096, and 700 lbs on BT48R/71R.

	,	0			,		
ITEM	DESCRIPTION						PRICE
BT-3060	Folding table,	rectang	gular,	30" x 6	60" x 1.7	5"	59.07
BT-3072	Folding table,	rectan	gular,	30" x 7	2" x 1.7	5"	
BT-3096	Folding table,	rectan	gular,	30" x 9	6" x 2" .		
BT-1860	Folding table,	18"D s	emina	ar table	, 18" x 6	0" x 2"	
BT-1872	Folding table,	18"D s	emina	ar table	, 18" x 7	2" x 2"	
BT-1896	Folding table,	18"D s	emina	ar table	, 18" x 9	6" x 2"	
BT-48R	Folding table,	round,	48"				
BT-60R	Folding table,	round,	60"				
BT-71R	Folding table,	round,	71"				
BTA-3072-04	Folding table,	rectang	gular,	30" x 7	2" x 1.7	5", adjust. h	eight, blue 114.31
BTA-3072-40	Folding table.	rectang	nlar	30" x 7	2" x 1.7	5" adjust h	eight red 114.31



NATIONAL PUBLIC SEATING DOLLIES FOR FOLDING CHAIRS Constructed of brown powder coated steel, these offer easy handling with 4 casters (2 swivel and 2 stationary). The DY50 offers an extra swivel caster in the middle for support. They feature 3 tubular handles - one at each end and one in the middle.

ITEM	DESCRIPTION	PRICE
DY35	Folding chair dolly for vertical storage,	
	35 chairs, 38 1/2"H x 19 1/4"W x 81"D	143.46
DY50	Folding chair dolly for vertical storage,	
2100	50 chairs, 38 1/2"H x 19 1/4"W x 109 1/2"D	180.15




NATIONAL PUBLIC SEATING DOLLIES FOR FOLDING TABLES Constructed of brown powder coated steel, these dollies roll on 4 casters (2 swivel and 2 stationary). DY-3072 & DY-3096 hold 4', 5', 6', or 8' tables, laid flat, and each stack up to 12 tables high. A tubular handle provides stability and ease of handling. DY-60R & DY-71R offer vertical storage of plastic or laminate tables. The DY-60R is for 48" & 60" tables, and has 2 tubular handles. The DY-71R is for 71" tables, and has a front handle & side handles.

ITEM	DESCRIPTION	PRICE
DY-3072	Folding table dolly for horizontal storage, max 72"L	164.23
DY-3096	Folding table dolly for horizontal storage, max 96"L	196.55
DY-60R	Folding table dolly for vertical storage, 48" & 60" round tables	148.37
DY-71R	Folding table dolly for vertical storage, 71" round tables	178.89



Tenemos ventas y servicio en Español.



Honesty and Value since 1971