

CARTONI
PROFESSIONAL CAMERA SUPPORTS

CARTONI H101/H102 TRIPOD KITS Perfect for HDV and MiniDV cameras weighing from .5-10lbs. Features include tilt range +90°/-90°, bowl diameter of 75mm, pan range of 360°, infinite fluid drag and counterbalance. The H100 HDV head in both systems includes a quick release sliding camera plate, spirit level, and orientable pan bar. The head weighs 4lbs and each total kit weights 10lbs.



ITEM	DESCRIPTION	PRICE
H101HiDV head, 1-stage aluminum tripod, mid-level spreader, & soft case.....	1208.98
H102HiDV head, 2-stage aluminum tripod, mid-level spreader, & soft case.....	1424.74

CARTONI FOCUS HD KITS The FOCUS HD is a 4.4lb fluid head that is ideal support for the latest HD cameras weighing up to 26 lbs. Features include tilt range of +90°/- 90°, a bowl diameter of 100mm, pan range of 360°, infinite fluid drag and counterbalance. The Focus HD head in all systems includes a quick release sliding camera plate, illuminated spirit level, extendable pan bar and soft case. Please go to www.fullcompass.com for more info.

NEW!



ITEM	DESCRIPTION	PRICE
F126FocusHD System includes FocusHD Head, 3 tube ultra-light tripod with mid-level spreader and soft case.....	1394.98
F127FocusHD AL 2/ML includes FocusHD Head, 2-stage 3 tube ultra light tripod with mid-level spreader and soft case.....	1644.86
F128FocusHD CF System includes FocusHD Head, 3 tube CF ultra-light tripod with mid-level spreader and soft case.....	1692.58
2325FocusHD ENG AL System includes FocusHD Head, 1-stage AL ENG tripod with mid-level spreader and soft case.....	1729.77
F130FocusHD ENG CF System includes FocusHD Head, 1-stage, CF eng tripod with mid-level spreader and soft case.....	2332.41
F131FocusHD ENG 2 System includes FocusHD Head, 2-stage AL eng tripod, mid-level spreader and soft case.....	2045.97
F132FocusHD ENG CF 2 System includes FocusHD Head, 2-stage CF ENG tripod, mid-level spreader and soft case.....	2470.05
F133FocusHD ENG SS 2 System includes FocusHD Head, 2-stage AL Smart Stop ENG tripod, mid-level spreader and soft case.....	2324.97
F134FocusHD ENG SS 2 System includes FocusHD Head, 2 stage CF Smart Stop ENG tripod, mid-level spreader and soft case.....	2659.77

CARTONI P-SERIES PEDESTALS/PEDESTAL KITS The P20 pedestal is a compact portable model with a capacity for loads up to 55lbs. Weighing only 39lbs it takes less than 5 minutes to assemble. Includes hand pump and a 100mm base adapter. The P50 handles loads up to 120lbs. Weighing only 62lbs it takes less than 10 minutes to assemble. It also includes hand pump and an adapter. The P90 is designed to support camera/lens combinations up to 198lbs.



ITEM	DESCRIPTION	PRICE
P200P20 pedestal with 100mm ball base adapter.....CALL
P2L01Includes P20 pedestal w/Laser head, 2 pan bars.....CALL
P2G01Includes P20 pedestal w/Gamma head, 2 pan bars.....CALL
P500P50 pedestal with 1 adapter (specify from adapter list below).....CALL
P500-PWIncludes P50 pedestal w/pneumatic wheels, 1 adapter (specify from adapter list below).....CALL
P5D01Includes P50 pedestal w/Delta head, 2 pan bars.....CALL
P5MA1Includes P50 pedestal w/Master head, 2 pan bars.....CALL
P900P90 pedestal with flat base adapter.....CALL
P90MA1P90 pedestal w/Master head, 2 pan bars.....CALL
P863100mm ball base adapter.....	219.48
P856Flat base adapter.....	219.48
P150150mm ball base adapter.....	219.48

Adapters (required for ordering certain models above)

FOR
**JIBS, CRANES, &
OTHER SUPPORT ITEMS**
SEE CAMERA ACCESSORIES
PAGE 331-334



Manfrotto
proven professional

MANFROTTO 501HDV KITS The 501HDV head features a fixed counterbalance set for a typical weight of camera and accessories at 5.5lbs, that helps ensure both smoother tilt movements and greater equipment safety even when tilt locks are inadvertently left off. It has a standard 3/8" female thread attachment on the bottom, -60°/+90° tilt range, 360° panoramic rotation, 1 bubble spirit level, quick release camera plate, and includes 1 pan bar.



TECH SPECS	501HDV, 546BK	501HDV, 546GBK	501HDV, 547BK
LOAD CAPACITY13.23 lbs.....13.23 lbs.....13.23 lbs
MAX HEIGHT66.34".....66.93".....60.43"
MIN HEIGHT17.13".....17.32".....35.83"
WEIGHT11.46 lbs.....11.24 lbs.....8.6 lbs
SPREADERMid-level.....Ground-level.....Mid-level
STAGES/MATERIAL2-stage, aluminum.....2-stage, aluminum.....1-stage, aluminum/technopolymer

ITEM	DESCRIPTION	PRICE
501HDV,546BK501HDV head, 546B tripod, MBAG90PN bag.....	475.00
501HDV,546GBK501HDV head, 546GB tripod, MBAG90PN bag.....	540.00
501HDV,547BK501HDV head, 547B tripod, MBAG100PN bag.....	370.00
501HLVAdditional pan bar for 501HDV.....	24.77

MANFROTTO 504 HD KITS The 504 HD video head offers great fluidity and features a 4-step counterbalance system, ergonomic tilt drag and tilt locking knobs on its left side. The 546B and 546GB aluminum tripods come with mid-level and ground-level spreaders, respectively. The 546B also features spike foot shoes.



TECH SPECS	504HD,546BK	504HD,546GBK	504HD,535K
LOAD CAPACITY19.8lbs.....19.8lbs.....19.8lbs
MAX HEIGHT65.9".....67.3".....72.4"
MIN HEIGHT17.3".....18.3".....15.9"
WEIGHT13.9lbs.....13.9lbs.....11lbs
STAGES/MATERIAL2-stage, aluminum.....2-stage, aluminum.....3-section, carbon fiber

ITEM	DESCRIPTION	PRICE
504HD,546BK504HD head, 546B tripod, MBAG100PN bag.....	730.00
504HD,546GBK504HD head, 546GB tripod, MBAG100PN bag.....	810.00
504HD,535K504HD head, 535 tripod, MBAG100PN bag.....	990.00
504HLVAdditional pan bar for 504HD video head.....	36.88

MANFROTTO 509 HD KITS The 509HD is Manfrotto's newest pro video head that incorporates their patented Bridging Technology, with a larger base for more stable shooting. Incorporates a 100mm ball and full fluid in both tilt and pan. Also includes variable counter balance and adjustable friction control to balance most video cameras. The 3-stage, carbon fiber 536 tripod has no center column and a 75/100mm bowl adapter. The 2-stage, aluminum 545B tripod features a 100mm bowl interface, mid-level spreader, and rubber shoes. The 2-stage, aluminum 545GB kit is the same tripod as the 545B, but with a ground-level spreader instead of a mid-level. Please go to www.fullcompass.com for more info.

NEW!



ITEM	DESCRIPTION	PRICE
509HD,536K509HD head, 536 tripod, MBAG100PNHD bag.....	1599.89
509HD,545BK509HD head, 545B tripod, MBAG100PNHD bag.....	1499.89
509HD,545GBK509HD head, 545GB tripod, MBAG100PNHD bag.....	1499.89

PRICES SUBJECT TO CHANGE WITHOUT NOTICE.
Call today or visit us online!

Honesty and Value
since 1971

- AUDIO
- COMPUTER AV
- VIDEO
- ACCESSORIES
- LIGHTS
- MUSIC



MANFROTTO TRIPOD HEADS

ITEM	APPLICATION	TYPE	LOAD	ARM	PLATE	TILT	PAN	WEIGHT	PRICE
701HDV	Mini DV	Fluid	8.8 lbs.	Fixed	QR	+90/-60	360°	1.8 lbs.	158.00
128LP	Micro Video	Fluid	8.82 lbs.	Fluid	Fixed	-90/+90	360°	2.2 lbs.	77.00
128RC	Micro Video	Fluid	8.9 lbs.	QR	Fixed	-60/+90	360°	2.3 lbs.	90.00
501HDV	Pro Video	Fluid	13.2 lbs.	Fixed	QR	-60/+90	360°	3.96 lbs.	190.00
504HD	Pro Video	Fluid	16.5 lbs.	Tele.	QR	+90/-60	360°	6.4 lbs.	400.00
516	Video	Fluid	22.1 lbs.	Tele.	QR	-60/+90	360°	7.8 lbs.	610.00
519	Pro Video	Fluid	22 lbs.	Tele.	QR	+91.5/-90	360°	6.4 lbs.	900.00
526	Pro Video	Fluid	35 lbs.	Tele.	QR	+75/-70	360°	7.9 lbs.	1170.00
391RC2	Micro Video	Fluid	11 lbs.	Fixed	QR	-75/+90	180°	1.5 lbs.	65.00



MANFROTTO CARBON FIBER TRIPODS These 2-, 3-, or 4-section, center column tripods are made of carbon fiber with magnesium castings and are extremely lightweight and rigid. Its design allows for horizontal-vertical movements and greater range of positions.

ITEM	SECTIONS	CLOSED	MIN. HEIGHT	MAX. HEIGHT	HEIGHT COLUMN (IN)	LOAD CAP.	WEIGHT	PRICE
190CXPRO3	3	22.8"	3.15"	48"	57.5"	11 lbs	2.8 lbs	300.00
190CXPRO4	4	19.7"	3.15"	48"	57.5"	11 lbs.	2.95 lbs	325.00
055CX3	3	24.2"	2.56"	53.5"	69.7"	17.6 lbs	3.92 lbs	375.00
055CXPRO3	3	25.6"	4.53"	55.12"	68.9"	17.6 lbs	3.64 lbs	400.00
055CXPRO4	4	21.46"	4.53"	53.35"	66.9"	17.6 lbs	3.75 lbs	425.00
535	3	28.9"	10.63"	67.3"	NA	44 lbs.	5.1 lbs	460.00
536	4	28.0"	10.24"	79.92"	NA	55.1 lbs	7.16 lbs	570.00



MANFROTTO SINGLE NON-BRACED LEG, CENTER COLUMN RAPID TYPE

ITEM	COLOR	EXT. HEIGHT	CENTER POST	FOLDED LENGTH	LOAD CAP.	WEIGHT	PRICE
732ZYSHB	Black	46.9"	16.5"	20.9"	4.4 lbs	2.2 lbs	95.00
190XDB	Silver	45.7"	11.4"	20.9"	11.1 lbs	3.9 lbs	105.00
055XDB	Silver	54.0"	17.3"	24.1"	13.3 lbs	4.9 lbs	150.00
055XB	Black	70.1"	16.0"	24.0"	15.4 lbs	5.1 lbs	175.00



MANFROTTO BRACED LEG, GEARED CENTER COLUMN TRIPODS

ITEM	COLOR	EXT. HEIGHT	CENTER POST	FOLDED LENGTH	LOAD CAP.	WEIGHT	PRICE
475B	Black	74.0"	10.2"	31.5"	26.5 lbs	9.5 lbs	330.00
028B	Black	89.4"	18.9"	32.3"	26.5 lbs	9.2 lbs	285.00
058B	Black	75.2"	10.3"	37.0"	26.5 lbs	13.6 lbs	400.00

MANFROTTO BRACED LEG, NO COLUMN

ITEM	COLOR	EXT. HEIGHT	BOWL SIZE	FOLDED LENGTH	LOAD CAP.	WEIGHT	PRICE
545B	Black	60.3"	100 mm	27.2"	55 lbs.	7.7 lbs	480.00
545GB	Black	62.4"	100 mm	27.2"	55 lbs.	7.7 lbs	480.00
546B	Black	60.6"	75mm	27"	44lbs	7.7lbs	449.99
546GBK	Black	62.4"	75mm	27"	44lbs	7.7lbs	540.00

Model below has claw ball leveler:

528XB	Black	58.3"	100 mm	40.0"	66.0 lbs	16.3 lbs	630.00
-------	-------	-------	--------	-------	----------	----------	--------



MANFROTTO CAMERA STAND A 5-section aluminum stand with camera mounting plate and adjustable leveling bubble. The stand rises to a max height of 24' with twist locks. Features triple leveling legs, double spider casting, and double bracing. Supports a max payload of 15.4lbs.

ITEM	DESCRIPTION	PRICE
269HDB-3U	5-section camera stand 24' w/plate.	685.00

AUDIO



COMPUTER AV



VIDEO



LIGHTS



MUSIC



ACCESSORIES



- AUDIO
- COMPUTER AV
- VIDEO
- LIGHTS
- MUSIC
- ACCESSORIES



MANFROTTO 526 PRO FLUID HEAD KITS The 526 is ideal for the high-end ENG and EFP video market and features large rubber padded knobs for better grip and all controls (tilt and pan lock, tilt drag) are easily found on the left side. It has 3-step settings for drag levels, plus a no-drag setting for snap-pan/tilts. It has a built-in 4" half-ball that adapts to a number of tripods w/ a 4" receiver. It has an illuminated leveling bubble, one pan arm, and a 357PLV plate. It has a 3/8" screw attachment thread on the bottom, -70°/+75° tilt range, and 360° panoramic rotation.



TECH SPECS	526.545GBK	526.545BK	526.536K
LOAD CAPACITY	35.27lbs	35.27lbs	35.27lbs
MAX HEIGHT	68.11"	66.54"	85.83"
MIN HEIGHT	18.7"	17.72"	16.93"
WEIGHT	15.65lbs	15.65lbs	15.10lbs
STAGES/MATERIAL	2-stage, aluminum	2-stage, aluminum	3-stage, carbon fiber
CARRYING CASE	MBAG100PN	MBAG100PN	MBAG100PN

ITEM	DESCRIPTION	PRICE
526.545GBK	526 head, 545GB tripod w/ floor level spreader, bag	1800.00
526.545BK	526 head, 545B tripod w/ mid-level spreader, bag	1800.00
526.536K	526 head, 536 carbon fiber tripod, bag	1500.00
519LV	Additional pan bar for 526	40.01

MANFROTTO 701HDV KITS The 701HDV was developed specifically for the latest prosumer & professional light, compact HD camcorders. It has improved ergonomics with locks and knobs that allow for a more solid grip, control, and fluidity thanks to internal fluid cartridges, a double pan-bar rosette, and bigger sliding plate. It has a 3/8" female thread attachment on the bottom, a bubble spirit level, 501PL type camera plate, -60°/+90° tilt range, and 360° panoramic rotation.



TECH SPECS	701HDV.055XBK	701HDV.547BK	701HDV.755XBK
LOAD CAPACITY	8.82lbs	8.82lbs	11.9lbs
MAX HEIGHT	73.82"	59.65"	69.5"
MIN HEIGHT	6.5"	35.04"	20.9"
WEIGHT	7.5lbs	6.9lbs	9lbs
STAGES/MATERIAL	3 section, aluminum	1-stage, aluminum	2-stage, aluminum
CARRYING CASE	MBAG80N	MBAG100PN	MBAG80PN

ITEM	DESCRIPTION	PRICE
701HDV.055XBK	701HDV head, 055XBK tripod, bag	338.00
701HDV.547BK	701HDV head, 547B tripod, bag	300.00
701HDV.755XBK	701HDV head, 755XB tripod, bag	414.00



MANFROTTO DOLLIES/SPREADERS

ITEM	DESCRIPTION	FOOTPRINT	WEIGHT	WHEELS	PRICE
530SPRB	Squid mid-level w/ fine adjuster, 8" to 15"				220.15
531SPRB	Mid-level w/ fine adjuster for 515MVB or 525MVB, 9.8" to 17.7"				65.69
127	Portable folding video dolly, 43" diameter	5.3 lbs	3"		144.00
127VS	Variable leg spread folding dolly	N/A	7.5 lbs		180.00
181	Folding auto dolly	50" diameter	10 lbs	3"	245.54
114MV	HD Tripod dolly w/ spikes	44.1" diameter	13.7 lbs	5"	315.00
114	Deluxe video dolly	44.1" diameter	17.7 lbs	5"	315.00
165MV	Spiked foot tripod spreader 31.5" to 51.2"				67.74
165	Lightweight spreader 31" to 51"				49.10
350SPRB	Mid-level spreader for 350MVB, 350SHMVB, 351MVCF and 351MVB				52.78

MANFROTTO TRIPOD BAGS

ITEM	DESCRIPTION	LENGTH	WIDTH	HEIGHT	PRICE
MBAG70N	Unpadded black bag	27.6"	5.9"	5.1"	38.10
MBAG80PN	Padded black bag	31.5"	5.51"	N/A	82.88
MBAG90PN	Padded black bag	35.4"	9"	7.8"	103.83
MBAG120PN	Padded black bag	47.2"	9"	7.8"	140.98



MILLER SOLO DV ALUMINUM SERIES

TECH SPECS	1637	1640	1643	1831
LOAD CAPACITY	5.5lbs	11lbs	22lbs	19.8lbs
MAX HEIGHT	69.4"	69.4"	69.4"	70.6"
MIN HEIGHT	14.6"	14.6"	14.6"	15.8"
WEIGHT	11.4lbs	11.6lbs	11.7lbs	16.1lbs
STAGES/MATERIAL	2-stage/aluminum	2-stage/aluminum	2-stage/aluminum	2-stage/aluminum
MOUNTING STANDARD	75mm ball leveling	75mm ball leveling	75mm ball leveling	75mm ball leveling
INCLUDES	DS5 fluid head, 1518 softcase, 680 pan handle, 1630 tripod	DS10 fluid head, 1518 softcase, 680 pan handle, 1630 tripod	DS20 fluid head, 1518 softcase, 680 pan handle, 1630 tripod	Compass15 fluid head, 876 softcase, 1520 strap, 679 pan handle, 1630 tripod

ITEM	DESCRIPTION	PRICE
1637	Solo DV Aluminum Tripod kit, DS5 head	1077.13
1640	Solo DV Aluminum Tripod kit, DS10 head	1265.25
1643	Solo DV Aluminum Tripod kit, DS20 head	1547.00
1831	Solo DV Aluminum Tripod kit, Compass 15 head	2182.25
394	Solo DV Dolly option, 36" diameter open, 21.7" folded length	469.00
1590	Solo DV leg covers, neoprene sharkskin base, (3 per set)	40.25



MILLER SOLO DV CARBON FIBER SERIES

TECH SPECS	1511	1514	1833	1846
LOAD CAPACITY	11lbs	22lbs	19.8lbs	26.5lbs
MAX HEIGHT	68.9"	68.9"	70.2"	70.6"
MIN HEIGHT	14.6"	14.6"	15.8"	16.3"
WEIGHT	10.7lbs	10.8lbs	15.2lbs	26.5lbs
STAGES/MATERIAL	2-stage/carbon fiber	2-stage/carbon fiber	2-stage/carbon fiber	2-stage/carbon fiber
MOUNTING STANDARD	75mm ball leveling	75mm ball leveling	75mm ball leveling	75mm ball leveling
INCLUDES	DS1 fluid head, 1518 softcase, 1520 strap, 680 pan handle, 1501 CF tripod	DS20 fluid head, 1518 softcase, 1520 strap, 680 pan handle, 1501 CF tripod	Compass15 fluid head, 876 softcase, 1520 strap, 679 pan handle, 1501 CF tripod	Compass20 fluid head, 876 softcase, 1520 strap, 679 pan handle, 1501 CF tripod

ITEM	DESCRIPTION	PRICE
1511	Solo DV CF Tripod kit, DS1 fluid head	1500.63
1514	Solo DV CF Tripod kit, DS20 fluid head	1782.38
1833	Solo DV CF Tripod kit, Compass15 fluid head	2386.13
1846	Solo DV CF Tripod kit, Compass20 fluid head	2867.38
394	Solo DV Dolly option, 36" diameter open, 21.7" folded length	469.00
1590	Solo DV leg covers, neoprene sharkskin base, (3 per set)	40.25



MILLER SOLO ARROW SERIES

TECH SPECS	1770	1774	1778	1686	1690
LOAD CAPACITY	30.9lbs	30.9lbs	30.9lbs	35.3lbs	35.3lbs
MAX HEIGHT	62.7"	66.6"	66.6"	66.6"	66.6"
MIN HEIGHT	32.8"	23.7"	23.7"	23.7"	23.7"
WEIGHT	23.3lbs	23.3lbs	21.7lbs	23.5lbs	22.2lbs
STAGES/MATERIAL	1-stage/alum	2-stage/alum	2-stage/carbon fiber	2-stage/alum	2-stage/carbon fiber
MOUNTING STANDARD	100mm ball leveling	100mm ball leveling	100mm ball leveling	100mm ball leveling	100mm ball leveling
INCLUDES	Arrow25 fluid head, 475 rubber feet, 993 mid-level spreader, 870 case, 694 pan handle, 1589 Sprinter II tripod	Arrow25 fluid head, 475 rubber feet, 993 mid-level spreader, 872 case, 694 pan handle, 1589 Sprinter II tripod	Arrow40 fluid head, 475 rubber feet, 993 mid-level spreader, 872 case, 694 pan handle, 1576 Sprinter II tripod	Arrow25 fluid head, 475 rubber feet, 993 mid-level spreader, 875 case, 694 pan handle, 1580 Sprinter II tripod	Arrow40 fluid head, 475 rubber feet, 993 mid-level spreader, 875 case, 694 pan handle, 1576 Sprinter II tripod

ITEM	DESCRIPTION	PRICE
1770	Aluminum tripod kit, Arrow25 head, 1589 Sprinter II tripod	CALL
1774	Aluminum tripod kit, Arrow25 head, 1580 Sprinter II tripod	CALL
1778	Carbon Fiber tripod kit, Arrow25 head, 1576 Sprinter II tripod	CALL
1686	Aluminum tripod kit, Arrow40 head, 1580 Sprinter II tripod	CALL
1690	Carbon Fiber tripod kit, Arrow40 head, 1576 Sprinter II tripod	CALL
481	Studio dolly w/cable guards	1242.50



SACHTLER FSB4 TRIPOD KITS The FSB4 fluid head is ideal for users of small & lightweight HDV cameras. Features a robust aluminum housing, and Sachtler's Speedbalance technology for swift balancing. It has 3 horizontal, and 3 vertical grades of damping, 5-step counterbalance, and integrated flat base fitting. Also compatible with components of the SOOM modular systems, and optional FSB-CELL power solutions. It uses Sachtler's Sideload S camera plate.

TECH SPECS	SYSTEM-FSB4-MD	SYSTEM-FSB4-2MD	SYSTEM-FSB4-SLMCF
LOAD CAPACITY	8.8lbs	8.8lbs	8.8lbs
MAX HEIGHT	62.2"	62.2"	63"
MIN HEIGHT	37.4"	37.4"	30.3"
WEIGHT	10.6lbs	10.6lbs	10.8lbs
STAGES/MATERIAL	1-stage/alum.	2-stage/alum.	2-stage/carbon fiber
MOUNTING STANDARD	75mm	75mm	FSB4 fluid head, SpeedLock 75CF tripod, SP75 spreader, padded bag, DV75 pan bar

ITEM	DESCRIPTION	PRICE
SYSTEM-FSB4-MD	Aluminum tripod kit	836.40
SYSTEM-FSB4-2MD	Aluminum tripod kit	984.00
SYSTEM-FSB4-SLMCF	Carbon fiber tripod kit	1176.70

SACHTLER SACHTLER/VINTEEN HYBRID SYSTEMS Combining a Sachtler head and a Vinten tripod to build a stable, reliable tripod kit. The FSB6 features 3 grades of drag and 10 steps of counterbalance. The FSB8 features 5 grades of drag and 10 steps of counterbalance. Either comes in a 'Sideload' with 4.7" of sliding range, or 'Touch & Go' with 2.4" of sliding range and plate mechanism. The 3819-3 tripod is 2-stage aluminum support. Includes a detachable mid-level spreader, rubber feet and a Sachtler Padded ENG II soft bag.

TECH SPECS	SYSTEM-FSB6-TV2	SYSTEM-FSB6-V2	SYSTEM-FSB8-TV2	SYSTEM-FSB8-V2
LOAD CAPACITY	13.2lbs	13.2lbs	20lbs	20lbs
MAX HEIGHT	66.5"	66.5"	66.5"	66.5"
MIN HEIGHT	21.5"	21.5"	21.5"	21.5"
WEIGHT	12.7lbs	12.4lbs	13.1lbs	12.7lbs
STAGES/MATERIAL	2-stage/alum.	2-stage/alum.	2-stage/alum.	2-stage/alum.
MOUNTING STANDARD	75mm	75mm	75mm	75mm

ITEM	DESCRIPTION	PRICE
SYSTEM-FSB6-TV2	Sachtler FSB6T/Vinten Pozi-Loc Tripod	2020.95
SYSTEM-FSB6-V2	Sachtler FSB6/Vinten Pozi-Loc Tripod	2020.95
SYSTEM-FSB8-TV2	Sachtler FSB8T/Vinten Pozi-Loc Tripod	2425.95
SYSTEM-FSB8-V2	Sachtler FSB8/Vinten Pozi-Loc Tripod	2425.95

SACHTLER FSB6 SERIES TRIPOD KITS The FSB6 features Snap & Go sideload mechanism which has a sliding range of 4.7", and 10-step counterbalance. It has a Touch & Go camera plate, 3 horizontal, and 3 vertical grades of damping, a self-illuminating leveling bubble, and +90°/70° tilt range. Also compatible with components of the SOOM modular systems, and optional FSB-CELL power solutions.

TECH SPECS	SYSTEM-FSB6MD	SYSTEM-FSB6-2MD	SYSTEM-FSB6-SLMCF
LOAD CAPACITY	13.2lbs	13.2lbs	13.2lbs
MAX HEIGHT	62.2"	63"	63"
MIN HEIGHT	37.4"	30.3"	30.3"
WEIGHT	11lbs	11.5lbs	11.2lbs
STAGES/MATERIAL	1-stage/alum.	2-stage/alum.	2-stage/carbon fiber
MOUNTING STANDARD	75mm	75mm	75mm

ITEM	DESCRIPTION	PRICE
SYSTEM-FSB6-MD	Aluminum tripod kit	1418.60
SYSTEM-FSB6-2MD	Aluminum tripod kit	1553.90
SYSTEM-FSB6-SLMCF	Carbon fiber tripod kit	1738.40

SACHTLER FSB CELL SERIES- POWER SOLUTIONS

set your ideas in motion!

FOR FSB2/4/6 SERIES KITS Powering solution for MiniDV/HDV camcorders. Compatible with FSB2/4/6 heads, it is a 7.2volt lithium-ion battery that loads directly under the camera. Shaped like a camera plate, the battery underside fastens directly to the fluid head. The battery weight (1.4lbs) is positioned directly over the fluid head, optimizing camera control. Specific camera adapter cables (required) shown below.

ITEM	DESCRIPTION	PRICE
FSB-CELL-BATTERY	Battery, 7.2V/10.5Ah (requires adapter cable, FSB compatible head)	209.10
FSB-CELL-SONY-I	FSB cable-Sony PD100/150/170, VX2100, HDRFX7	81.18
FSB-CELL-SONY-II	FSB cable-Sony HVRZ1U, HVRV1U, HDRFX1, FX1000, HVRZ5U	81.18
FSB-CELL-CANON	FSB cable-Canon XHA1/G1, XLH1, XL1/2, XM2	81.18
FSB-CELL-PANASONIC	FSB cable-Panasonic AGHPX170, HVX200, DVC30/80	81.18

CAMERA ACCESSORIES & LENS CONTROL

ANTON BAUER EGRIPZ HANDHELD CAMERA SUPPORT EgripZ handles are a flexible polymer to make the camera easier to hold securely and comfortably - on the hottest day or in the trickiest of positions. Weighs just 12.2oz and mounts easily to the camera's 1/4-20 tripod mounting. It can flex into virtually any position around the camera without getting into the way of normal camera operation. One hand operation is more comfortable with EgripZ as a forearm support - preventing the camera from "rolling" on the operator's wrist. Low shots and high perspectives are much easier and steadier with two hands to stabilize the camera. EgripZ attaches easily a monopod or other support for additional stability via the 1/4-20 base mount.

ITEM	DESCRIPTION	PRICE
EGRIPZ	Handheld camera support	87.47

ANTON BAUER STASIS FLEX POWER SUPPORT SYSTEM Not simply a shoulder mount, Stasis redirects the geometry of a handheld camera to make use of the most stable platform in the world- the human body. By redirecting the weight of the camera into the torso and over the shoulder, the weight the camera is redistributed- off the operators hand, relief-fatigue and stabilizing shooting. its revolutionary, patent pending infinitely adjustable mechanism which allows the operator to position the camera in virtually any shooting position- forward/back, in/out, up/down- the camera can be repositioned instantly and locked in place at the touch of a lever. Stasis Flex can be used as a standalone body support, with hard points on the rear pad to mount peripherals-like wireless receivers, hard drives or transmitters. Gold Mount series batteries can be used to extend runtime.

ITEM	DESCRIPTION	PRICE
STASIS-FLEX	Stasis Flex shoulder mount - 1/4-20 mounting platform accepts any camera or standard quick release mounting plate, requires adapter cable	264.77
FGM-S	Gold mount with DC-DC converter for 6V to camera 14V to PowerTap connector. With cable and camera connector for Sony cameras	167.53
FGM-P	As FGM-S, but with connections for Panasonic cameras	167.53
FGM-EX1	Gold mount with cable and camera connector for Sony PMWEX1. Supplies native 14V to camera and to power tap	167.53

BEBOB FOXI FOCUS-IRIS CONTROL A professional remote focus and iris control designed for Panasonic HVX-200 and AG-DVX100B camcorders. This compact & convenient unit places smooth and accurate adjustment of lens functions right at the operator's fingertips, and allows for quick and easy switching between auto and manual control. Mounts on tripod panhandle or 15mm rods.

ITEM	DESCRIPTION	PRICE
BE-FOXI	Focus/Iris control for Panasonic HVX-200 and AG-DVX100B	465.00

