



Canon

NEW!

CANON VIXIA FLASH MEMORY CAMCORDERS

- Canon 10x HD video lens with SuperRange Optical Image Stabilization
- 1/3-inch 1920x1080 HD CMOS Pro
- Record to SDHC/SDXC cards or internal flash memory (M50 & M52 only) in AVCHD or MP4 formats
- Built-in Wi-Fi for wireless transfer of video to YouTube & Facebook
- Includes 3.0-inch touch LCD screen, USB, component & composite, HDMI, 3.5mm mic jack



HFM52

H.264
MPEG-4AVC

ITEM	DESCRIPTION	PRICE
HFM50	HD camcorder w/ 8GB internal memory	649.99
HFM52	HD camcorder w/ 32GB internal memory	749.99
HFM500	HD camcorder	549.99
KT-DW-491	Kata Digital Waist Pack, camera case	49.89
TS166SDHC10	SDHC memory card, 16GB, Class 10	18.15
TS326SDHC10	SDHC memory card, 32GB, Class 10	35.73

Canon

CANON VIXIA HD CAMCORDERS

- The HFR200 has 3.2 Megapixels, 1/4.85" CMOS image sensor, 20x optical/400x digital zoom, 3" high resolution touch panel LCD screen
- MPEG4-AVC/H.264 recording, native 24p/24p Progressive (60i)/30p Progressive (60i)
- Built-in 3.0 Megapixel digital camera
- Dynamic Image Stabilization, Face Detection, & Smart Auto
- Dolby Digital 2 channel (AC-3) audio, 3.5mm stereo microphone & headphone jacks
- HFR20 adds 8GB flash memory built-in while the HFR21 has 32GB flash memory



HFR200

H.264
MPEG-4AVC

ITEM	DESCRIPTION	PRICE
HFR200	HD camcorder w/ 2 SDHC/SDXC slots, silver	329.99
HFR20	HD camcorder w/8GB internal memory & 2 SDHC/SDXC slots, black/silver/red	349.99
HFR21	HD camcorder w/32GB internal memory & 2 SDHC/SDXC slots, black	449.99
WM-V1	Wireless Microphone	222.96
KT-DC-431	Kata Digital Case camera bag	39.89
TS326SDHC10	32GB Transcend SDHC, class 10	35.73
TS646SDXC10	64GB Transcend SDXC, class 10	92.62

CANON VIXIA HF G10 The HF G10 records up to 12 hours of full HD 1920x1080 video to a 32GB internal flash drive or to (2) SDXC-compatible memory card slots. With Relay Recording, the camcorder automatically switches recording from the internal drive to SD memory cards when the memory is full. The camcorder also features a HD CMOS Pro Image Sensor, SuperRange Optical Image Stabilization, instant AF, and Canon Face Decton. Control and view video with the 3.5" Touch Panel LCD screen. The lens has 10x optical and 200x digital zoom. Records 2 or 5.1 channel audio (5.1 requires optional SM-V1 surround mic). Includes USB 2.0, HDMI out, stereo mini-jack mic input, and component and composite out. Includes lens hood, battery, power adapter, and cables.



HDV

ITEM	DESCRIPTION	PRICE
HFG10	Flash Memory Camcorder	1499.99
SM-V1	5.1 surround mic	221.68



AVCHD

CANON XA10 PROFESSIONAL CAMCORDER This compact camcorder records Full HD 1080p via AVCHD, features a Canon 10x video lens, a 3.5" touch panel LCD screen, and a detachable handle with an external mic holder and XLR inputs. Additional features include a native 1920x1080 CMOS image sensor, Canon's DIGIC DV III image sensor, a 35mm equivalent zoom range (30.4-304mm), an 8-blade iris, manual control, frame modes, and infrared mode. Video can be recorded to a 64GB internal flash drive or to (2) SDXC cards. Includes HDMI, component, and composite outputs, (2) XLR audio ins, (1) 1/8" mic in, a 1/8" headphone jack, a LANC-compatible remote control terminal, and a USB 2.0 terminal. Comes with battery, power adapter, wireless controller, lens hood, stylus pen, and USB, stereo video & component cables.

ITEM	DESCRIPTION	PRICE
XA10	Compact HD camcorder w/detachable handle	1999.99

CANON XF100 & XF105 PROFESSIONAL CAMCORDERS Both cameras use an MPEG-2, 4:2:2 50Mbps XF codec and 1/3" CMOS sensor for capturing video onto dual compact flash cards (up to 64GB each). Uniting video, audio and metadata into a single file, they use an MXF (Material eXchange Format) File Wrapper. The 10x HD L-series lens features a SuperRange Optical Image Stabilizer (OIS) system and has a customizable control ring for focus, zoom or iris. The DIGIC DV III Image Processor ensures natural, lifelike colors and captures shadow detail with accuracy. Both have 3D assist features such as OIS Lens Shift, and a focal length guide. Each model features a 3.5", 920,000-pixel LCD monitor. Both feature a built-in stereo microphone, dual XLR inputs and 16-bit PCM audio at 48kHz. Both models have Mini-B USB 2.0, component & composite out, HDMI, remote control & 1/8" TRS headphone jack. The XF105 adds HD-SDI output, genlock, and SMPTE time code terminals for multi-camera or 3D productions. Each includes battery pack, power adapter, DC cable, wireless controller, component cable & XF utilities disc.

ITEM	DESCRIPTION	PRICE
XF100	Professional camcorder, built-in stereo mic, XLR ins	2995.00
TS166CF600	Compact flash card, 16GB, 600x (by Transcend)	70.96



XF105

MPEG-2



XF300

MPEG-2

CANON XF300 & XF305 PROFESSIONAL CAMCORDERS Both use an MPEG-2, 4:2:2 50Mbps XF codec for capturing 1920x1080 (three 1/3" CMOS sensors) video onto dual UDMA CF cards. Uniting video, audio and metadata into a single file, they use an MXF (Material eXchange Format) File Wrapper. The 18x HD L-series lens features a SuperRange Optical Image Stabilizer (OIS) system and offers a 35mm-equivalent zoom range of 29.3-527.4mm. The DIGIC DV III Image Processor ensures natural, lifelike colors and captures shadow detail with accuracy. Each model features a 4" 1.23-megapixel LCD monitor. Both feature a built-in stereo microphone, dual XLR inputs and 16-bit PCM audio at 48kHz. The XF300 has Mini-B USB 2.0, component & composite out, HDMI, remote control & headphone input. The XF305 adds HD-SDI output, genlock, and SMPTE time code (in/out) terminals for multicamera or 3-D productions. Each includes battery pack, power adapter, DC cable, wireless controller, component cable & XF utilities disc.

ITEM	DESCRIPTION	PRICE
XF300	HD 4:2:2 camcorder, built-in mic, XLR ins	CALL
XF305	HD 4:2:2 camcorder, built-in mic, XLR ins, HD-SDI out, genlock, time code	CALL



Follow us!

Shop anytime. Buy online. Go to fullcompass.com

FULL COMPASS
PRO AUDIO | VIDEO | AV | LIGHTING
MUSICAL INSTRUMENTS
800-356-5844
FULLCOMPASS.COM



XF305

XF105

XA10

COVER THE SPECTRUM OF **PRODUCTION**

When we set out to produce a family of high quality, durable, easy-to-use digital camcorders, we sought to cover all aspects of video production. Starting with the distinct size, weight and ergonomics of each model and their individual system interfaces, we produced a camcorder for most types of portable shooting. We knew what the industry needed was a new level of flexibility in digital motion image capture that anticipated the varied needs of high-performance handhelds and tripod mounts. So from high-mobility shooting to precision image capture in confined spaces and even infrared capture, the XA & XF Series pro camcorders handle everything you'd ever expect in a handheld and more.

Canon
image*ANYWARE*

JVC

JVC GY-HM150U COMPACT HD 3-CCD CAMCORDER This camcorder is for videographers looking for broadcast-quality features in a smaller device. Selectable data rates of up to 35 Mbps allow full 1080/60i HD recording. Record in the Final Cut Pro™-ready ".mov", XDCAM EX™ MPEG-2 or ".AVI" format to dual card SDHC/SDXC slots. Record 2 channels of uncompressed 16-bit audio. Other features include Fujinon 10:1 zoom HD lens, 1080p DSP, time lapse & retro cache recording, still picture capture, XLR inputs, composite, component and HDMI video outputs, USB 2 terminal, 3.5 mini jack, headphone output on 3.5mm mini jack, a 2.8" LCD viewfinder and remote control.



ITEM	DESCRIPTION	PRICE
GYHM150U	1/4" 3-CCD SD/HD Solid State camcorder, w/10x Fujinon lens	2995.00
HZHM150VZR	Remote control	295.00
TS16GSDHC10	SDHC memory card, 16GB, Class 10	18.15
TS32GSDHC10	SDHC memory card, 32GB, Class 10	35.73



NEW!

JVC GY-HM10Q 4K COMPACT HANDHELD CAMCORDER This handheld camcorder can capture and record real-time video at 4x the resolution of full HD—3840x2160 images at 24p, 50p and 60p using AVC/H.264. It uses a F2.8 10x zoom lens and a high-speed 1/2-inch class CMOS device for up to 60 frames per second. It records 4 quadrants to 4 separate SDHC cards simultaneously. An included file utility combines the 4 separate streams into a single file and can also provide a downconverted HD output. Also has (4) HDMI outs and (2) balanced XLR connectors. It can also function as an HD camcorder. Includes integrated stereo mic and 3.5" touch screen.

ITEM	DESCRIPTION	PRICE
GYHM10Q	4K compact camcorder	4995.00

JVC GY-HM21U PROHD 3-D CAMCORDER This 3D camcorder provides full HD recording (1920x1080 x 2) to dual SDHC/SDXC flash memory and uses twin F1.2 HD lenses and dual back-illuminated CMOS sensors. With JVC's FalconBird™ LSI processing, recording can be made in either 60i or 24p with 34Mbps in 3D mode. There is also 64GB of internal memory for recording. 3D video is recorded to either MVCH.H.264 or AVCHD format. Has HDMI output, (2) XLR mic ins and 3.5mm stereo jack.



NEW!

ITEM	DESCRIPTION	PRICE
GYHM21U	ProHD 3D camcorder	1795.00

JVC GYHM750U COMPACT SHOULDER SOLID-STATE CAMCORDER

Designed for ENG/EFP applications, it has a 3rd-gen digital processing engine and records in HD or SD directly to SDHC media. Data rates up to 35Mbps allow 720x480i SD and full HD 1920x1080i 50/60 recording. Dual, hot-swappable recording on SDHC cards provides simultaneous recording for instant backup and sequential recording. A 20-second retro cache prevents "missed shots". Native recording files include Final Cut Pro-ready .mov, Iso Base XDCAM EX .MP4 and AVI. Connect the optional KA-AS790 model to provide MPEG2 signal for microwave or long distance cable runs. Includes a HDSDI output, Downconverted SD (DV via IEEE-1394), and (2) XLR audio inputs. Includes a Canon 14:1 HD 4.4mm wide-angle lens, a 4.3" LCD monitor, and uncompressed LPCM 2-channel audio recording.



ITEM	DESCRIPTION	PRICE
GYHM750U	ProHD compact shoulder solid state camcorder w/14x Canon lens	CALL
GYHM750CHU	ProHD compact shoulder SDHC camcorder head, no lens	CALL
GYHM750L17	ProHD compact shoulder SDHC camcorder with Fujinon 17x lens	CALL
KAMR100G	SxS memory card recorder	892.00
TS16GSDHC10	SDHC memory card, 16GB, Class10	18.15
XT20SX47BRM	Fujinon 20x 4.7mm HD lens	CALL
KAAS790G	ASI module	3500.00
E10S	IDX Li-ion V-mount battery	328.00
VFHP790G	8.4" HD/SD studio viewfinder	CALL

JVC PROHD SOLID STATE MEDIA CAMCORDER The GY-HM790 is a modular HD camera with solid state recording and studio functionality. It can be used for field production or as a studio camera. It features high-level HD picture in 1080i and 720p formats, 3-CCD optical system, 4:2:2 processing, built-in Genlock, focus assist function, and image customization modes. It records to dual hot-swappable SDHC memory cards and has selectable data rates up to 35Mbps. A retro cache up to 20 seconds prevents "missed shots". I/O includes composite out, component out, SDI out, HD-SDI out, analogue composite video input (BNC), XLR mic/line input, (2) RCA audio outs, (2) 3.5mm headphone jacks, IEEE1394 out and more.



ITEM	DESCRIPTION	PRICE
GYHM790U	ProHD solid state media camcorder w/ 14x Canon lens	CALL
GYHM790CHU	ProHD solid state media camcorder head, no lens	CALL
XT17SX45BRMK1	Fujinon 17x HD quick zoom lens	CALL

mack 2 YEARS VIDEO WARRANTY AUTHORIZED RESELLER

- AUDIO
- MUSIC
- COMPUTER AV
- VIDEO
- LIGHTS
- ACCESSORIES



Follow us!

Para asistencia en Español llame al 800-356-5844 x1164 y x1178

ProHD



GY-HM790 STUDIO/ENG FLAGSHIP CAMERA

Our top-end, modular ProHD camera is designed for ENG/field use or integration with fiber or multicore studio options.



GY-HM750 ENG/PRODUCTION CAMERA

This compact shoulder-mounted camera is ideal for ENG news, sports, documentaries and more. Simultaneous recording on two SDHC cards for instant backup and ready-to-edit file formats.

GY-HM710 ENTRY-LEVEL MODEL
A value-packed compact shoulder camera that records 1080i or 1080p at up to 35Mbps onto dual hot-swappable memory cards.



GY-HM150 HANDHELD CAMERA
This handheld ProHD camera shoots high-quality HD footage in challenging environments and records 35Mbps XDCAM EX™ .mp4 or .mov files for easy integration and editing.



GY-HMZ1U 3D CAMERA
This 3D camera lets you record at 24p or 60i onto SDHC/SDXC cards or internal memory in Full HD (1920 x 1080 x 2). Includes Dual XLR audio, a 5X 3D zoom lens and a glasses-free LCD panel.

JVC's ProHD Cameras. Affordable. Versatile. Incredible.

JVC's ProHD family keeps growing...and so do your options. Whether it's Broadcast Studio, ENG, Production, Educational, Corporate, or Event, our cameras deliver superb image quality along with unmatched versatility. Nothing makes the transformation from SD to HD, and even 3D, smooth and affordable like ProHD. You'll have the flexibility to record broadcast-quality HD footage directly to off-the-shelf, affordable memory cards. In addition, JVC's native file recording serves up the fastest, shoot-to-edit workflow. JVC's ProHD. Performance you can count on...today and tomorrow.



GY-HM790 in
Studio Configuration



800-356-5844
FULLCOMPASS.COM

JVC

Panasonic



PANASONIC AG-HPX170 3-CCD ULTRA MOBILE P2 HD CAMCORDER The lightest member of the P2 Series features a 28mm Leica Dicomar™ zoom lens, HD-SDI interface and metadata input/management. It records in HD or SD formats. 1/3" progressive 16:9 3-CCD imager delivers an excellent signal-to-noise ratio, lower noise/smear, and exceptional low-light performance. The digital signal processor with 14-bit A/D conversion and 19-bit processing assures high-quality recording. Using 32GB P2 cards in the 2 card slots, you can record up to 160min in full frame DVCPRO HD formats. I/O includes HD/SD-SDI out, component out, composite out, XLR in, line out, IEEE 1394 and USB 2.0. Comes with one 16GB P2 card, CGAD54 5400mA battery, AGB25 AC adapter/battery charger.

ITEM	DESCRIPTION	PRICE
AGHPX170PJ	3-CCD P2 HD Camcorder.....	3395.00
PC202	Deca Mini Camporter bag (18.9"L x 9.8"W x 9.7"H) for AG-HPX170 (by Petrol).....	151.32

PANASONIC AG-HPX250 PROFESSIONAL HANDHELD CAMERA Features a 22x zoom lens to cover a wide shooting range, a low-noise 1/3-type 2.2-megapixel 3MOS image sensor for low-noise shooting and 3 manual control rings. It also supports AVC-Intra codecs and features genlock and timecode. Shoots in full 1920x1080 HD and 10-bit, 4:2:2 full sample, broadcast quality images. Records to dual hot-swappable P2 card slots. I/O includes HD/SD-SDI out, HDMI out, video out, 2-channel mic/line inputs.

ITEM	DESCRIPTION	PRICE
AGHPX250	P2 HD camcorder.....	CALL
PC003	Petrol Deca Dr. bag for AG-HPX250.....	180.18



NEW!



PANASONIC AG-HPX370 1/3" HD SHOULDER-MOUNT CAMCORDER Features a 1/3" 2.2MP 3-chip imager with Ultra Luminance Technology. It offers 10-bit, 4:2:2, full 1920x1080 AVC-Intra recording and a 20-bit DSP. Camera image achieves a high level of sensitivity with a high-sensitivity photodiode and a low-noise pixel translator. The camera's progressive mode features a 3D adaptive processing technology that offers high-sensitivity and image production comparable to interlace mode. Other features include variable frame rates, Chromatic Abberation Compensation, advanced gamma functions, built-in scan reverse, waveform and vector scope display, focus assist tools, flash band detection, and a Dynamic Range Stretch function.

ITEM	DESCRIPTION	PRICE
AGHPX370PJ	1/3" P2 HD shoulder-mount camcorder w/17x Fujinon lens.....	CALL
300STUDIO	Basic camcorder studio system for AG HPX370/500.....	CALL
300STUDIO-PLUS	Advanced camcorder system for AG HPX370/500.....	CALL
PC103	Deca U-Bag for AGHPX370 by Petrol.....	340.08



PANASONIC P2 HD CAMCORDER ACCESSORIES

Accessories for the AG-HXP Series:

ITEM	DESCRIPTION	PRICE
AJP2E016XG	16GB E-Series P2 card, 1.2Gb/s transfer.....	387.11
AJP2E032XG	32GB E-Series P2 card, 1.2Gb/s transfer.....	487.92
AJP2E064XG	64GB E-Series P2 card, 1.2Gb/s transfer.....	700.60
AGMC200G	Mountable shotgun mic.....	359.10
AJPCD30PJ	3-slot P2 card drive w/ USB interface.....	2058.48
AGMSU10	P2 Media storage unit.....	2443.84
AJPCD2	Portable P2 card reader, USB powered.....	340.86

PANASONIC HDTV-2 VIDEO PRODUCTION STUDIO

The HDTV Producer is a full-featured video production system designed for churches, colleges or schools. The included AG-HMC80 camcorder uses MPEG-4 AVC/H.264 encoding and has DV and HD recording capabilities. Packages Include:

- (2) AG-HMC80 AVCCAM camcorders
- AG-HMX100 AV switcher
- AG-HMR10 AVCCAM recorder
- TH-42LF20 42" LCD monitor w/ pedestal mount
- Shure SM48LC mic w/stand
- Intercom/Tally system for 4
- (2) Tripods & Zoom/Focus rear lens control systems
- (2) 32GB SDHC cards
- All inter-connect cabling



ITEM	DESCRIPTION	PRICE
HDTV-2	Video production package.....	CALL

Panasonic Financing is available on many of these products. Call your Sales Pro for details.

- AUDIO
- MUSIC
- COMPUTER AV
- VIDEO
- ACCESSORIES
- LIGHTS




Follow us!

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. Call today or visit us online!

Panasonic

PANASONIC AG-HMC40 PRO AVCCAM HANDHELD HD CAMCORDER

With 3 megapixel 1/4" progressive 3MOS sensors, this camcorder works well in ENG, event recording and student applications. Capable of taking 10.6 megapixel still images, this lightweight (2.16lbs) unit has a 12x Leica Dicomar zoom lens, Optical Image Stabilizer, 7-mode gamma functions and a waveform monitor. Delivers a max AVCHD bit rate of 24Mbps and shoots on SDHC memory cards in HD up to 1080/60i. It also has interval recording and time stamping, HDMI out and USB 2.0 out. Comes with VWVBG260PP9 7.2V battery pack. An XLR mic adapter is needed for optional mic.




MIC NOT INCLUDED

AVCHD

ITEM	DESCRIPTION	PRICE
AGHMC40	Pro 3MOS AVCCAM HD camcorder	1905.00
AGMYA30G	2-channel XLR mic adapter	300.00
AGMC200G	Optional XLR microphone, requires AGMYA30G	359.10
TS16GSDHC10	16GB SDHC memory card, Class 10	18.15
TS32GSDHC10	32GB SDHC memory card, Class 10	35.73
VWT4314HPPK	Tele-conversion lens	212.40
VWW4307HPPK	Wide-conversion lens	196.80
VWVBG260PP8	7.2V, 2640mAh Li-ion battery pack	155.63
VWVBG6PPK	7.2V, 5800mAh Li-ion battery pack	177.60

PANASONIC AG-HMC80 3MP SHOULDER-MOUNT CAMCORDER

This professional AVCCAM shoulder-mount camcorder uses MPEG-4 AVC/H.264 encoding and features solid state DV and HD recording capabilities. It is also capable of capturing 10.6 MP still photos. Using one 32GB SDHC card, you can record up to 3hrs of 1920x1080 video and audio in PH mode, up to 12hrs of 1440x1080 HD video or 2 hrs of DV video. Also offers user-assignable manual focus ring functions (focus/iris/zoom), a standard HDMI out, USB 2.0, composite out, IEEE 1394 out, and a built-in stereo mic, among other features.



AVCHD

ITEM	DESCRIPTION	PRICE
AGHMC80	3-megapixel shoulder-mount camcorder w/DV, HD recording	2350.00

PANASONIC AG-HMC150 3CCD HANDHELD AVCCAM CAMCORDER

Utilizes highly efficient AVCHD recording to provide stunning image quality and longer record time. It incorporates 3 - 1/3" progressive CCD imagers for 1920x1080 resolution picture quality. Equipped with a high-performance wide-angle Leica Dicomar™ 13x zoom lens and 24- and 30-frame progressive capture in a full range of HD formats including 1080/60i and 720/60p. One 32GB SDHC card can hold 3hrs in the PH mode and up to 12hrs in the HE mode. Other features include 2 XLR inputs with mic/line switches, HDMI out, component out, composite out, RCA audio out, USB2 terminal, a remote control, and 2 focus displays. NOTE: SDHC media cards must have a minimum of 20MB/sec transfer rate to work reliably with this unit.



AVCHD

ITEM	DESCRIPTION	PRICE
AGHMC150PJ	Professional 3-CCD AVCCAM camcorder	3170.00
MC70	Unidirectional mic, phantom powered	199.20
TS16GSDHC10	SDHC memory card, 16GB, Class 10	18.15
TS32GSDHC10	SDHC memory card, 32GB, Class 10	35.73
VWVBG260PP8	Li-ion battery pack, 7.2V, 2640mA (1hr, 50min)	155.63
VWVBG6PPK	Li-ion battery pack, 7.2V, 5800mA (3hr, 50min)	177.60

PANASONIC AG-AC160/AC130 MEMORY CARD CAMERA RECORDER

NEW!

These camcorders each feature a 22x zoom lens with a wide field of view and use the low-noise, high-resolution 1/3" 2.2-megapixel U.L.T. MOS image sensor. The professional AVCHD PH mode ensures high-quality 1920x1080 recording to 2 SD memory cards. Both also have 18-bit DSP and a 3-position Gain selector. The AG-AC160 adds slow/quick motion recording, high-quality LPCM audio and HD-SDI output. I/O for both models includes HDMI, video out, (2) XLR ins and headphone jack.



AVCHD

ITEM	DESCRIPTION	PRICE
AGAC130PJ	AVCCAM camcorder	3456.00
AGAC160PJ	AVCCAM camcorder w/ HD-SDI output	CALL
TS32GSDHC10	SDHC memory card, 32GB, class 10	35.73
TS64GSDXC10	SDXC memory card, 64GB, class 10	92.62

PANASONIC AG-AF100 LARGE 4/3" SENSOR AVCCAM MEMORY CARD CAMCORDER

The first 4/3" large image camcorder optimized for hi-def video, the AGAF100 features a micro 4/3" mount for changing lenses, as well as a smaller, handheld-style form factor. This camcorder offers users a wider field of view and a shallow depth of field similar to those found in a 35mm movie camera. The micro 4/3" mount allows you to use a variety of still camera lenses as well as zoom lenses, prime lenses, and film camera lenses with fixed focal lengths. Records up to 1080/60i and 720/60p. Also features uncompressed 4:2:2 8-bit HD-SDI and HDMI output. 2 card slots offer relay recording onto SDHC cards. SDXC card compatible.



AGAF100

AVCHD

ITEM	DESCRIPTION	PRICE
AGAF100	4/3" sensor AVCCAM memory card camcorder (no lens)	CALL

Lenses (partial list)

HF007014	Lumix G Vario 7-14mm/F4.0	1099.95
HVS014140	Lumix G Vario HD 14-140mm/F4.0-F5.8	849.95
HFS014042	Lumix G Vario 14-42mm/F3.5-5.6	199.95
HH014	Lumix G 14mm/F2.5	399.95

Adapters (partial list)

DMW-MA1	4/3 DSLR mount adapter for Lumix G Micro System cameras	169.95
MFT-CAN	Canon FD to M4/3 (by Novoflex)	211.99
MFT-NIK	Nikon to M4/3 (by Novoflex)	292.99

Accessories

AGMC200G	Mountable shotgun mic	359.10
VWVBG6PPK	Rechargeable battery	177.60
PC004	Deca Doctor Bag 4 (by Petrol)	265.20

PANASONIC HDC-Z10000 PROFESSIONAL 3D CAMCORDER

NEW!

This HD camcorder is designed for professional 2D and 3D production with independently mounted large-diameter F1.5 twin-lenses and a double 3MOS sensor system. Features AVCHD Progressive compliant recording in Full-HD 1920x1080 to dual SD memory card slots. Also features Crystal Engine Pro II processing for enhanced resolution and noise reduction, 16-bit PCM audio recording and (4) electret condenser mics. I/O include (2) XLR in, HDMI out, headphone out.



AVCHD

ITEM	DESCRIPTION	PRICE
HDC-Z10000PZ	2D/3D camcorder	3034.50

Panasonic Finance Solutions

Provided by CoActiv Capital Partners for Panasonic Broadcast & Television Systems

Visit fullcompass.com today!

For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central





CONTOUR HD RUGGED HANDS-FREE CAMERAS

This small camera captures 1080p video with a wide-angle lens; has durable aluminum & water-resistant body. Features built-in omnidirectional mic, rotating lens and dual alignment lasers. Contour+ adds 2.5mm mic jack & HDMI port. The ContourRoam is waterproof to 1m, has a built-in battery and a quick "On-Record" switch. Cameras record to Micro SD card with selectable frame rates.



ITEM	DESCRIPTION	PRICE
CONTOUR-GPS	Contour HD Camera w/ GPS & 135° lens	299.99
CONTOUR+	Contour HD camera w/ GPS, Bluetooth & HDMI output, 170° lens	499.99
CONTOUR-ROAM	ContourRoam camera, waterproof w/ built-in battery, 170° lens	199.99
CONTOUR-BATTERY	Contour battery	26.09
2810	Windshield mount	32.39
3100	Universal mount	16.19

SONY

SONY HDR-CX580V HD FLASH MEMORY CAMCORDER

- 1920x1080 60p/24p recording in MPEG4-AVC/H.264 to built-in 32GB flash memory or Memory Stick Pro Duo/SDHC/SDXC memory card.
- Wide Angle G lens with 12x optical (150x digital) zoom with 1/3.91" back-illuminated Exmor® R CMOS sensor for low-light video
- Dolby Digital 5.1ch recording w/built-in zoom mic
- 12 MP still image capture, Optical SteadyShot, & Geotagging capability
- 3" Xtra Fine touchscreen LCD display
- HDMI out, component & composite outs, headphone jack, USB 2.0, AV out, & mic input



HDRXC580V	32GB flash memory HD camcorder	759.86
-----------	--------------------------------	--------

SONY

SONY HVR-HD1000U HDV SHOULDER-MOUNT CAMCORDER Features high-definition HDV 1080i recording, and a built-in downconverter for creating DV material. It has a 1/2.9" Clear Vide CMOS image sensor™, optical 10x zoom Carl Zeiss Vario-Sonnar T lens, 2.7" LCD viewfinder, & Super Nightshot™ function. It has a photo mode for taking 6.1-Megapixel, 2848x2136 quality 4:3 images, dual record function for shooting HDV video & 4.6-Megapixel (16:9) photos at the same time. Video is recorded on Digital Master™ pro tape, or consumer MiniDV tape. I/O includes component out, composite out, S-video out, HDMI out, IEEE1394 4-pin I/O, audio output, LANC, USB type B terminal, and audio input on 3.5mm jack. An ECM-PS1 external shotgun mic is supplied.



ITEM	DESCRIPTION	PRICE
HVRHD1000U	HDV shoulder-mount camcorder	1524.95
HVRMRC1K	CompactFlash memory recording unit	753.08
NPF770	InfoLITHIUM L series battery pack	99.99
RM1BP	LANC remote controller with variable speed zoom control	236.58
VCLHGA07	0.7x wide-angle conversion lens for 37mm/30mm camcorders	199.99

SONY HVR-Z5U HDV CAMCORDER This compact camcorder offers enhanced imagery for high-definition video with Sony's G Lens and 3 - 1/3" ClearVid™ CMOS sensor system with Exmor technology. It provides excellent low-light sensitivity, color and contrast, and 1080/24p/30p HDV native progressive recording modes. The hybrid recording system, which allows simultaneous recording on tape and non-tape media, can incorporate an optional HVR-DR60 hard disk recorder or HVR-MRC1K memory-recording unit. The HVR-Z5U hybrid recording system can also record HD and SD simultaneously.



ITEM	DESCRIPTION	PRICE
HVRZ5U	HDV camcorder, G Lens, 24p, hybrid recording	CALL
ACVQL1BP	Quad battery charger	462.55
HVRMRC1K	Memory recording unit	753.08
VCLHG0872K	0.8x wide angle conversion lens, with matte box	743.82
NPF970	InfoLithium battery, 6600mAh	149.99

SONY HVR-Z7U CAMCORDER W/ MEMORY CARD RECORDER An HDV camcorder with interchangeable lens in a compact handheld shooting format, recording up to 60 minutes of 1080i HDV or 40 minutes of 480/60i DV/DVCAM on a miniDV tape. A detachable HVR-MRC1 memory card recorder/player is also included for simultaneous or tapeless recording. It features a tilting 3.2" XtraFine LCD viewfinder. The camcorder has 2 XLR mic inputs and has uncompressed HD video and audio output signals available on an HDMI connector. It comes with a Carl Zeiss 12x zoom lens (4.4mm-52.8mm), AC adapter/charger, NP-F570 LI battery, and condenser microphone.



ITEM	DESCRIPTION	PRICE
HVRZ7U	HDV Palmcorder w/memory card recorder/player	CALL
RM1BP	LANC remote control	236.58
VCL308BWH	Wide angle lens, 24-192mm	2176.51
TS32GCF400	Compact Flash memory card, 32GB, 400x speed	71.19
NPF970	7.2V 6600mAh LI battery	149.99

SONY NEX-VG10 HD CAMCORDER WITH INTERCHANGEABLE LENSES Has a large Exmor™ APS HD CMOS sensor and E-mount & A-mount interchangeable lens system (adapter needed for A-mount lenses) to create video with the depth and detail of SLR-class still photos. Shoot AVCHD™ video at up to 24Mbps at full 1920x1080/60i HD resolution. It features a 3.0" Xtra Fine LCD™ 180° swivel display and full control for adjusting iris, gain, and shutter speed and Optical SteadyShot™ image stabilization. Take 14-megapixel photos at up to 7fps. The stereo mic has 4 capsules that provide exceptional front-side directivity and stereo separation. A single memory card slot accepts Memory Stick PRO Duo™/Pro-HG Duo™/PRO-HG HX Duo™ media, and SD, SDHC, and SDXC. Also has HDMI output, USB port, microphone jack, stereo headphone jack and dual accessory shoe. Includes E-mount 18-200mm lens.



ITEM	DESCRIPTION	PRICE
NEXVG10	Handycam camcorder w/ interchangeable lens option, includes 18-200mm lens	1999.99
SEL16F28	16mm f/2.8 wide-angle E-mount lens	249.99
SEL1855	18-55mm f/3.5-5.6 zoom E-mount lens	299.99
HVLF58AM	Flash unit	499.99
TS32GSDHC10	SDHC memory card, 32GB, Class 10	35.73
TS64GSDXC10	SDXC memory card, 64GB, Class 10	92.62

- AUDIO
- VIDEO
- COMPUTER AV
- MUSIC
- ACCESSORIES
- LIGHTS



Follow us!

We service many of the major brands that we carry.
Call our Authorized Repair Department at 800-356-5844 x1170.

SONY



SONY HXR-MC2000U AVCHD CAMCORDER A professional, shoulder-mount AVCHD camcorder that records full-raster 1080i HD AVCHD or DVD quality MPEG-2 SD onto a built-in 64GB solid state drive or to SD/SDHC/SDX, Memory Stick Duo/Memory Stick Pro Duo and Memory Stick PRO-HG Duo memory cards. A 1/4" back-illuminated Exmor CMOS sensor offers greater low-light sensitivity. A wide-angle Sony G Lens is included. Connectors include L & R audio out, Y/Pb/Pr video out, composite video out, HDMI out, headphone jack, mic in, remote jack and USB 2.0. Other features include 12x zoom, quick AF system, assignable lens ring, 2.7" PhotoPlus touchscreen, Optical SteadyShot® Image Stabilization and Active Mode SteadyShot for tenfold camera shake reduction.

ITEM	DESCRIPTION	PRICE
HXRMC2000U	Shoulder-mount AVCHD camcorder	1749.00
TS32GSDHC4	SDHC memory card, 32GB, Class 4	29.08
TS64GSDXC10	SDHC memory card, 64GB, Class 10	92.62
NPF970	Rechargeable Lithium-Ion battery pack	149.99
PC206	Protective camcorder bag	170.82

SONY PMW-EX1R & PMW-EX3 XDCAM-EX™ HD SOLID STATE CAMCORDERS Compact camcorders with three 1/2" Exmor™ CMOS sensors and instant random access and file-based operation capabilities. They record in either 1080i or 720p at 35Mbps to dual 16GB SxS cards with selectable frame rates. Uses MPEG-2 CODEC. Other features for both cameras include 14x Fujinon zoom lens with image stabilization, AF & MF assist functions, built-in stereo mic, 3.5" LCD panel, SDI output, mini-USB 2.0 terminal, component out and (2) audio XLR/F inputs. The PMW-EX1R also has DVCAM recording and HDMI output. The PMW-EX3 is a semi-shoulder mounted camera that adds an interchangeable lens system with timecode in/out and genlock for multi-camera operation. It also has 8-pin remote access for studio operation. Both include a 16GB SBP-16 SxS card, remote controller, BPU30 battery and BCU1 charger. The PMW-EX3 also comes with a LO-3830 1/2" lens adapter.

ITEM	DESCRIPTION	PRICE
PMWEX1R/3	XDCAM-EX HD camcorder	CALL
PMWEX3/5	XDCAM EX HD semi-shoulder-mount camcorder, interchangeable lens system, genlock	CALL
KH20X64KRS	Canon HD 20x zoom, 1/2" lens	CALL
BPU60	Battery, 56Wh (charge time of 170min using BCU1 charger)	282.98
SBACUS10	SxS memory card reader/writer that connects via USB2.0, PC/MAC	257.32



SONY PMW-350 & PMW-320 XDCAM-EX™ HD SOLID STATE CAMCORDERS Shoulder-mount camcorders with SxS Pro™ flash memory card recording capabilities. The PMW-350 offers three 2/3" Exmor™ CMOS sensors, while the PMW-320 has three 1/2" sensors. Both have 1920x1080 HD resolution in a 7lb package (body only). Using 2 SxS memory card slots, record up to 200min of HD footage at 35Mbps on 32GB cards (280min for PMW-320). The MPEG-2 CODEC gives a balance of quality and the required bit rate. Switch between 1080i & 720p with multiple frame recording options. Slow & Quick Motion function allows variable frame rate recording. Audio can be recorded to 4 channels at 48kHz. Camcorders are studio-configurable, with timecode in/out, genlock in, HD/SD SDI and HDMI out.

ITEM	DESCRIPTION	PRICE
PMW320K	XDCAM EX HD camcorder w/16x Fujinon lens	CALL
PMW350K	XDCAM EX HD camcorder w/16x Fujinon lens	CALL
PMW350L	XDCAM EX HD camcorder, no lens	CALL
BPGL65A	65Wh Lithium-Ion battery	336.17
BPGL95A	95Wh Lithium-Ion battery	622.55
ACDN10	AC adapter/charger	778.95
SBACUS10	SxS memory card reader/writer	257.32
VCTU14	Tripod adapter	231.08



SONY PMW-500 XDCAM HD422 CAMCORDER A XDCAM HD422 camcorder with solid-state recording that supports full-HD 422 50-Mbps MXF record and playback using MPEG-2 compression. It can also be switched to record in HD 420 35-Mbps. Its 2/3" type 3Power HAD FX CCD sensors deliver excellent picture quality and low-light performance and records onto Solid State SxS media. Up to 120 minutes of video can be stored on a single 64GB SxS card. Other features include 24-bit 4-channel audio recording, selectable recording modes and video formats, focus magnification, auto focus assist, automatic lens aberration compensation, slow and quick motion functions, interval and frame recording, gain control, proxy data recording, up/down and cross-conversion capability and a 3.5" color LCD monitor. Body only, lenses sold separately.

ITEM	DESCRIPTION	PRICE
PMW500	XDCAM HD422 Camcorder	CALL
XA20SX8.5BRM	Telephoto lens, 8.5-170mm focal length, 20x zoom (by Fujinon)	CALL
BPL80S	83.5Wh Lithium-Ion battery	577.18
ACDN10	AC adapter/charger	778.95
SBACUS10	SxS memory card reader/writer	257.32
VCT14	Tripod adapter	320.62



SONY SxS MEDIA SxS memory cards for Sony XDCAM EX camcorders. The standard SxS cards feature a transfer rate of up to 800 Mbps and the SxS-1 cards have a speed of 1.2 Gbps. No card reader is needed for the WI-SE cards, as the user can offload data directly with the USB 2.0 port. Hoodman kits include an SDHC card and an SxS memory adapter.

ITEM	DESCRIPTION	PRICE
SBP32	SxS Pro Sony 32GB memory card	1162.27
SBS32G1A	Sony SxS-1 32GB memory card	504.35
SBS64G1A	Sony SxS-1 64GB memory card	1142.39
WI-SE-32	SxS Express 32GB media card (by Wise)	497.70
WI-SE-64	SxS Express 64GB media card (by Wise)	991.62
SXSKIT16ST	16GB SDHC and SxS adapter (by Hoodman)	129.99
SXSKIT32ST	32GB SDHC and SxS adapter (by Hoodman)	189.99



Visit fullcompass.com today!

For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central



SONY

SONY DIGITAL HD VIDEO CAMERA RECORDER The HXR-NX5U is the first product in Sony's NXCAM generation. It uses AVCHD format and allows long duration recording with 2 memory slots which record on Sony memory sticks or SDHC cards. It also records in both HD and SD formats. The camera has a focal length of $f = 4.1$ to 82.0mm (equivalent to $f = 29.5$ to 590 mm at 16:9 mode) and a 20x optical zoom. It has a built-in 3.2", 16:9 XtraFine LCD monitor and a 0.45", 16:9 viewfinder. Features HD/SDI and HDMI outputs, 3-pin XLR audio input, and RCA type audio output. Ships with AC adapter/charger, NP-F770 rechargeable battery, AV and USB cables, and microphone.

ITEM	DESCRIPTION	PRICE
HXRNX5U	Digital HD Video Camera, SD card/memory stick recorder	CALL
HXRFMU128	Flash memory unit	693.84
VCLHG0872K	Wide conversion lens	743.82
RM1000BP	LANC remote commander	879.06
TS166SDHC10	16GB Transcend SDHC card, Class 10	18.15
TS326SDHC10	32GB Transcend SDHC card, Class 10	35.73



AVCHD



AVCHD

SONY HXR-MC50U ULTRA COMPACT AVCHD CAMCORDER This compact camcorder has a wide angle G Lens™ and a single 1/2.88" back-illuminated Exmor™ R CMOS sensor that offers exceptional low light sensitivity. It has 1920x1080i AVCHD HD recording at up to 24Mbps, SD recording, and a 3.5" LCD display. A built-in 64GB solid state hard disk drive stores up to 6hrs of HD video. Media card slot accepts Memory Stick Duo/ Memory Stick PRO Duo/ Memory Stick PRO-HG Duo & SD/SDHC/SDXC media cards. Features include Infrared night vision filming and Optical SteadyShot® Image Stabilization, built-in GPS and 10x optical zoom. An assignable dial gives manual control of focus, exposure, white balance, iris & shutter speed. I/O include AV remote multi-pin connector, analog AV, HDMI, USB, component video, headphone jack, mic input, S-Video, & interface shoe. Includes a stereo shotgun microphone.

ITEM	DESCRIPTION	PRICE
HXRMC50U	Compact AVCHD camcorder w/G lens, stereo shotgun mic	1499.00
TS326SDHC10	SDHC memory card, 32GB, Class 10	35.73
TS646SDXC10	HDXC memory card, 64GB, Class 10	92.62

SONY HXR-NX3D1U This compact & lightweight 3D/2D camcorder features dual Sony G® Lens System (w/ real 6-blade iris) and dual Exmor R® 1/4-type sensors. It records in full HD with multiple frame rates to 96GB of internal memory on a Memory Stick or SD card. A 3.5" Xtra Fine LCD display provides glassless 3D viewing. It also has Optical SteadyShot™ and 10x optical zoom. Output video with the HDMI jack and record uncompressed 16-bit audio with two balanced XLR inputs.

ITEM	DESCRIPTION	PRICE
HXRNX3D1U	3D/2D Compact Camcorder	2728.91



NEW!

AVCHD



AVCHD

SONY HXRNX70U AVCHD COMPACT CAMCORDER The HXRNX70U is a Handy-type camcorder that records in 1920x1080 full HD at 28Mbps to either 98GB flash memory or a Memory Stick Pro Duo/ SD card. It has an ultra-wide angle 26.3mm G lens and a native 16:9, back-illuminated Exmor R™ CMOS sensor. Other features include a 3.5" XtraFine LCD touchscreen, detachable handle/audio control unit, and GPS Geo Tagging. I/O includes (2) XLR line in, component and composite out, 3.5mm stereo jack, and mini USB.

ITEM	DESCRIPTION	PRICE
HXRNX70U	Handy-type camcorder, 98GB	2799.00

SONY NEX-FS100 SUPER 35MM DIGITAL MOTION CAMCORDER An interchangeable lens camcorder featuring a large CMOS sensor equivalent in size to Super35mm film cameras. Uses a Sony E-mount interchangeable lens system. It is designed to capture fine detail and image texture with image fidelity and low noise. Records HD or SD and 16-bit audio to SDHC/SDXC card or Memory Stick Pro. Other features include over/under cranking, slow & quick motion, 3.5" LCD viewfinder and HDMI output with embedded time for 4:2:2 uncompressed digital out. XLR in, audio out, component out, composite out, 3.5mm headphone out, mic in, and USB mini.

ITEM	DESCRIPTION	PRICE
NEX-FS100U	NXCAM Super 35mm camcorder without lens	CALL
NEX-FS100UK	As above w/18-200mm lens	CALL
SEL1855	18-55mm zoom lens, f/3.5-5.6	299.99
SEL50F18	50mm telephoto lens, f/1.8	299.99
NEX-CAN	Novoflex NEX camera to Canon FD lens adapter	211.99
NEX-NIK	Novoflex NEX camera to Nikon lens adapter	292.99
TS326SDHC10	Transcend SDHC memory card, 32GB, class 10	35.73
TS646SDXC10	Transcend SDXC memory card, 64GB, class 10	92.62



AVCHD



Follow us!

We have the largest selection of hard to find items. Call us!



HXR-NX5U



NEX-FS100U



HXR-NX70U

The NXCAM® family is expanding, and so are their capabilities.

Sony's new professional camcorders raise the bar for performance standards.

Two additions to the NXCAM family of professional video products deliver unprecedented capabilities. These new camcorders join Sony's existing NXCAM model HXR-NX5U to deliver an impressive range of options, creativity, and flexibility for production professionals. Each is high in performance covering a range of applications, including commercial video and music video, and affordable production.

The NEX-FS100U Super 35mm camcorder is equipped with an Exmor™ Super 35 CMOS sensor. This large-format sensor's high sensitivity enables it to produce footage with shallow depth of field, similar to that of a film camera. The sensor is the same as the one used on our PMW-F3 camera. Combined with the Sony E-mount interchangeable lens system, this camcorder allows various Sony A-mount lenses to be used via an optional mount adaptor (LA-EA1).

Two models available:

- NEX-FS100U, without lens, \$5,850 (suggested list price)
- NEX-FS100UK, with lens, \$6,550 (suggested list price)

The HXR-NX70U Compact Professional AVCHD™ Camcorder is a tough little workhorse. Its main unit has been proven to reach dust-proof and rain-proof requirements specified by IEC60529 IP54. So sudden rain or dust on outdoor shoots won't affect the camcorder's operation, allowing it to perform in even the most challenging shooting environments. This ultra-compact HD camcorder also incorporates an Exmor R CMOS sensor for superior quality, low-light footage and enhanced manual controls, for the precision that pro shooters depend on when capturing high-quality HD content. The NXCAM HXR-NX70U is a versatile, all-weather camera that captures the action any time, under any conditions. Available for \$3,200 (suggested list price).

The entire NXCAM family is available now, so there's a solution for everyone. For more information on these new members of the NXCAM family, please contact your Full Compass Sales Pro.