





















































ETC SELADOR LED LIGHT FIXTURES

Go beyond effects lighting and give your theater effective LED luminaires that can be trusted in every application from key, fill and side light to color washes and cyc lighting. Selador™ Series fixtures perform to your standards for warm and cool white light, soft tints, rich pastels, and intense primary colors, without sacrificing energy efficiency. All use the x7 Color System™- 7 color LEDs providing the broadest color spectrum in any LED fixture Every Selador luminaire is versatile enough to provide a broad range of color and white light, but optimized for a specific lighting task.

PALETTA™

This 2.5W color-mixing fixture is available in 4 different lengths. Uses a medium-power LED with color mix that is balanced for very bright output in the red, orange, pink, magenta, purple, blue, and indigo color families (white light has slightly less brightness). Since it is designed for colored light applications it should be used where only 4 or 5 colors will be used at the maximum level for an extended time period. Great for small and mid-size cycs and stage washes. It also fits in smaller spaces for architectural applications.

This light is the white light specialist and is available in 4 lengths. It uses the same medium-power LED as Paletta with a color mix that is balanced for high-brightness white and tinted colors. This LED array uses a new Phosphor-Converted Amber LED which provides high brightness and a broader spectral content than regular Amber LEDs. Use this product for key and fill lighting in studios or mid-size theatres. It can also be used with good results on a cyc or in other color applications as well.

VIVID-R

Vivid-R combines high-power Luxeon® Rebel LEDs and high-efficiency lenses for a strong, cutting beam of light and maximum color production. Clear lenses allow a more direct, powerful beam, resulting in longer throws. It provides higher light output than the original Vivid™ fixture while using less power and generating very little heat. The Vivid-R Fire models are dedicated to the warm (red, orange, vellow) spectrums and the Ice models dedicated to the cool (blue) spectrum. Vivid-R models are available in 4 lengths and the Fire/ Ice models in 2.



ITEM	DESCRIPTION	PRICE
S4LEDDS-0-X	Daylight 5600K LED fixture,	
	body and shutter assembly, black	2295.00
S4LEDD-0-X	Daylight 5600K LED fixture, body only, black	2240.00
S4LEDTS-0-X	Tungsten 3000K LED fixture,	
	body and shutter assembly, black	
S4LEDT-0-X	Tungsten 3000K LED fixture, body only, black	2240.00
S4LEDLS-0-X	Lustr+ x7 color system LED fixture,	
	body & shutter assembly, black	
	Lustr+ x7 color system LED fixture, body only, black .	
SELPA11	Paletta 11" LED fixture	942.48
SELPA21	Paletta 21" LED fixture	1702.80
	Paletta 42" LED fixture	
	Paletta 63" LED fixture	
SELLU11	Lustr 11" LED fixture	1148.40
	Lustr 21" LED fixture	
	Lustr 42" LED fixture	
	Lustr 63" LED fixture	
SELVR11	Vivid-R 11" LED fixture	1148.40
	Vivid-R 21" LED fixture	
SELVR42	Vivid-R 42" LED fixture	3762.00
SELVR63	Vivid-R 63" LED fixture	CALL
	Vivid-R Ice 11" LED fixture, blue/green	
	Vivid-R Ice 22" LED fixture, blue/green	
SELVF11	Vivid-R Fire 11" LED fixture, red/yellow	1148.40
SELVF21	Vivid-R Fire 22" LED fixture, red/yellow	2055.24



ETC DESIRE™ LED LIGHT FIXTURES

The Desire D40 contains 40 Luxeon® Rebel LED emitters comprised of 7 different colors and features a user interface on the rear. It can also be controlled using any RDM-enabled controller. Offers 5 different DMX profiles: Calibrated RGB, Calibrated HSI, Calibrated HSIC, Direct, and Studio. D40XT fixtures share the 40 Series' features but adds waterproof and weatherproof housings.




ITEM SFI D40DI-DA-X	DESCRIPTION D40 Studio Daylight fixture with	PRICE
OLLD TOD! ON X	5600K LEDs for cool white output	1659.24
SELD40FI-0A-X	. D40 Fire x7 color fixture with extra-high red brightness	1421.64
SELD40HI-0A-X	. D40 Studio HD fixture with warm and cool white LEDs, 5 addtional LED colors	1500.84
SELD40II-OA-X	. D40 Ice x7 color fixture with extra-high blue brightness	1421.64
SELD40LI-OA-X	. D40 Lustr+ x7 color fixture with high-intensity white LEDs	1421.64
SELD40TI-OA-X	. D40 Studio Tungsten fixture with 3000K LEDs for warm white output	1659.24
SELD40VI-OA-X	. D40 Vivid high-intensity, high-saturation x7 color fixture	1421.64

ITEM	DESCRIPTION	PRICE
SELD40D0-0X	D40XT Studio Daylight fixture with	
	5600K LEDs for cool white output	1861.20
SELD40FO-0X	D40XT Fire x7 color fixture with extra-high red brightness	1623.60
SELD40HO-OX	D40XT Studio HD fixture with warm and cool	
	white LEDs, 5 addtitional LED colors	1702.80
SELD4010-0X	D40XT Ice x7 color fixture with extra-high blue brightness	1623.60
SELD40L0-0X	D40XT Lustr+ x7 color fixture with high-intensity white LEDs	1623.60
SELD40TO-0X	D40XT Studio Tungsten fixture with	
	3000K LEDs for warm white output	1861.20
SELD40V0-0X	D40XT Vivid high-intensity, high-saturation x7 color fixture	1623.60
SELD40FI-0A-X	D60 Fire x7 color fixture with extra-high red brightness	1421.64











S4LED

TUNGSTEN

ETC SOURCE FOUR® LED



















ITEM

S4LEDDS-0-X

S4LEDD-0-X

S4LEDTS-0-X

S4LEDT-0-X

S4LEDLS-0-X

S4LEDL-0-X S4LED-SFD.

419EDLT.

426EDLT

436EDLT.

I FD50LT

S4LED-SWD6

S4LED-SWD7

S4LED-SWD12

S4LED-SWD14



















































S4LED

DAYLIGHT

Combines the size, look, and optics of the Source Four family with the user-

interface and high efficiency of the Selador Desire TM line of LED luminaires. With no burnt gels or lamps to replace, Source Four LEDs have the highest lumens

per watt of any LED spotlight while retaining a 50,000-hour life. Uses the same

shutter barrel, accessories, and lenses as existing Source Four fixtures

(Enhanced Definition lens tubes are suggested). Features 60 Luxeon® Rebel LED emitters and comes in daylight, tungsten and lustr+ configurations. Available

with the LED light engine only or the light engine with shutter assembly.

Daylight 5600K LED fixture, body only, black.

Tungsten 3000K LED fixture, body only, black.

Enhanced Definition lens tube, 19 degree.

Enhanced Definition lens tube, 26 degree..

Enhanced Definition lens tube, 36 degree..

Smooth-wash diffuser for 6.25 gel frame ... Smooth-wash diffuser for 7.5 gel frame

Smooth-wash diffuser for 10° lens tube....

Smooth-wash diffuser for 5° lens tube...

S4LED Specific 50 degree Lens Tube...

Lustr+ x7 color system LED fixture, body only, black ...

DESCRIPTION

Soft focus filter

Daylight 5600K LED fixture, body and shutter assembly, black.

Tungsten 3000K LED fixture body and shutter assembly, black.

Lustr+ x7 color system LED fixture,

body and shutter assembly, black.

AMERICAN DJ MEGA PAR PROFILE SYSTEM

- 11 built-in programs
- Electronic dimming: 0-100%
- · All-in-one LED Par system with
- 4 RGB color mixing LED fixtures
- · 4 wash fixtures, stand w/bag, foot controller and system soft case included
- · 4-button LED DMX display on rear panel; 3 DMX channel modes
- . 6 operation modes: static color, manual dimmer color, built-in programs, auto run, sound active and DMX512 mode.

ITEM	DESCRIPTION	PRICE
MEGA-PAR-PROFILE-SYS	All-in-one	
	LED Par system	399.99

Follow us!







AMERICAN DJ MATRIX BEAM LED

- (25) 3W warm white Cree LEDs in a 5x5 panel
- · Latch system links multiple fixtures together
- Designed for use as blinder effect or matrix chase effect
- Built-in light chases, create characters in light via DMX
- 3 operation modes: auto (program run), sound active and DMX512 mode

• 4-button LED DMX display on rear panel; 3 DMX channel modes

DESCRIPTION PRICE MATRIX-BEAM-LED.... ...DMX 5x5 LED panel... 699.99



AMERICAN DJ P64-LED PLUS LED PAR CAN

- Power Draw: 24W max
- · Includes hanging bracket
- Electronic Dimming: 0 100%
- LED par can with RGB color mixing
- 4 operation modes: Sound Active, Auto, RGB, and DMX-512 6-channel
- Smooth projection on walls with rich palates of color created by mixing Red, Green and Blue LEDs
- LED Advantages: long life bulbs, low power consumption, low heat
- Great for performance stages where traditional par cans emit heat onto performers
- Smooth color scrolling with color strobe effect





PRICE

2295.00

215.60

215.60

215.60

330.00

27 00

28 00

60.00



• 13.5° beam angle

• 630° pan and 220° tilt

- 108W LED moving head beam effect with (36) 3W LEDs (8 red, 10 green, 10 blue, 8 white)
- In/out IEC connections to daisy chain power
- 3 operational modes: DMX-512, sound active or master/slave

• LED DMX 4-button menu system; 2 DMX channel modes

DESCRIPTION INNO-COLOR-BEAM Compact moving head LED fixture.




AMERICAN DJ **MEGABAR 50 RGB RC LED LIGHT FIXTURE**

- · Beam angle: 40 degrees
- Power draw: 18W max
- 32 built-in color macros
- 22" indoor LED lighting bar with remote control
- Tri color RGB LEDs provide color mixing for stage or wall washing
- 7 Operation modes: Manual Color, Color Change, Color Fade, Auto, Sound active, RGB manual control and DMX-512
- · IEC AC input & output to daisy chain power

DESCRIPTION PRICE MEGA-BAR-50-RGB-RC......Light bar, LED, RGB, with emote control......







DUI'C LIGHTING EXCITEMENT



Create More Colorful And Dynamic Shows With American DJ

Lighting That Makes A Difference! WiFLY PAR QA5

Rechargeable Lithium battery powered, with wireless DMX, slim flat parfixture with 5x5-Watt QUAD LEDs

MATRIX BEAM LED

25x 3W Warm White Cree LED's in a 5x5 panel

VIZI BEAM 5R



MEGATIRIPAR PROFILE

Ultra bright slim flat black Par with 5x 3-Watt, 3-IN-1 TRI LEDs

INNO COLOR BEAM LED

108-Watt LED Moving Head fixture



Mega Par Profile System

Ultra brightslim flat wash fixture



800-356-5844 FULLCOMPASS.COM













































- 40° beam angle
- **FLAT PAR QUAD 5** · Low-profile design
- (5) 5W QUAD LEDs (4-in-1 RGBA or RGBW)
- In/out IEC connections to daisy chain power
- 44 color macros, color strobe effect and smooth RGB mixing
- 4-button LED DMX display on rear panel; 8 DMX channel modes
- 6 operational modes: manual color, color change, color fade, auto mode, sound active and DMX-512

		PRICE
	DMX LED slim par (RGBA)	
FLAT-PAR-QWH5	DMX LED slim par (RGBW)	249.99



AMERICAN DJ MEGA TRIPAR PROFILE LOW PROFILE LED WASH LIGHT

- · Flicker free
- 40° beam angle
- Power Draw: 16W max
- 7 DMX channel modes
- 0-100% electronic dimming
- Slim par with (5) 3W TRI LEDs (RGB)
- · Standalone or master/slave Configuration
- "Sit-flat" design: Power & DMX I/O designed
- so unit can be set flat on ground or inside truss
- Includes a scissor yoke (hanging bracket) to hang on truss, mount on a wall or set on the ground
- Digital DMX display with 4-button menu for easy navigation
- 5 operational modes: Auto mode and sound active feature with built-in programs

ITEM	DESCRIPTION		RIC
MEGA-TRIPAR-PROFILE	Low profile LED wash light	14	9.9

AMERICAN DJ **INNO SCAN LED**

UNIQUE SIT-FLAT DESIGN

- 9° beam angle
- · Built-in lighting programs
- 50W LED DMX512 scanner
- · Replaceable gobos
- Separate color/gobo wheels, 8 colors + white, 6 rotating gobos + spot
- 3 operation modes: master/slave, sound active and DMX512 mode
- 4-button LED DMX display on rear panel; 2 DMX channel modes





AMERICAN DJ **FLAT PAR TRI 7X**

- 40° beam angle
- 32 built-in color macros
- TRI LED (3-in-1) projects no RGB shadows
- UNIQUE SIT-FLAT DESIGN
- Ultra-bright slim par can with (7) 3W TRI LEDs
- 4-button LED DMX display on rear panel; 7 DMX channel modes
- · 6 operation modes: manual color model, color change mode.
- · color fade mode, auto mode, sound active mode and DMX512 mode

PRICE
199.99
19.99



FLAT PAR QUAD 12

- 40° beam angle
- · Low-profile design
- (12) 5W QUAD LEDs (4-in-1 RGBA or RGBW)
- In/out IEC connections to daisy chain power
- 44 color macros, color strobe effect and smooth RGB mixing
- 4-button LED DMX display on rear panel; 8 DMX channel modes
- 6 operational modes: manual color, color change, color fade, auto, sound active and DMX-512

	DESCRIPTION	PRICE
FLAT-PAR-QA12	DMX LED slim par (RGBA)	429.99
FLAT-PAR-QWH12	DMX LED slim par (RGBW)	429.99

AMERICAN DJ WIFLY PAR QA5

- 25° beam angle
- · Rechargeable lithium battery
- (5) 5W QUAD LEDs (4-in-1) RGBA
- 4-button LED DMX display on rear panel
- · WiFly Transceiver wireless DMX onboard
- · Battery-powered flat par with wireless DMX
- 8 DMX Channel modes; 6 Operational modes
- · Battery-powered flat par with wireless DMX





APOLLO DESIGN TECHNOLOGY MINILED RGB

- No UV emission
- 13° beam spread
- Matrix of (5) 3W RGB LEDs
- · Smooth distribution of intensity and color
- Control via DMX, onboard, or infrared remote (optional)
- Fore to aft adjustable yoke placement for tight spaces

ITEM	DESCRIPTION	PRICE
LF-MI-LED-RGB	15W RGB LED fixture	638.22


APOLLO DESIGN TECHNOLOGY MULTIFORM HP3-90 RGB LED FIXTURE

- Neutrik® powerCON I/O
- Locking 5-pin XLR DMX I/O
- DMX master/slave mode
- · User-adjustable white balance
- Backlit amber 63-segment LCD display
- LED fixture with (90) 1W LEDs (30 red, 30 green, 30 blue)
- LED panel temperature sensor with automatic limiter
- · Auto-shifting modulation frequency for full TV-camera compliance

ITEM	DESCRIPTION	PRICE
LF-LED-390-20	Multiform HP3-90, power cable included with IP20 unit	595.96

APOLLO DESIGN TECHNOLOGY MINIFRESNEL LED

- 50W LED fresnel luminaire
- No UV emission, energy efficient
- Available in silver, white and other colors
- Adjustable beam from 12° hot spot to 76° even wide flood
- Available in 3000K, 4000K or 5700K color temperatures
- Reversible yoke for use in any orientation



Call your Sales Pro for finish and color temperature options!











BLIZZARD LIGHTING FLURRY™ Q **COMPACT MOVING HEAD LED WASH LIGHT**

- 25° beam angle
- · RGBW color mixing
- Variable electronic strobe
- · LED display menu with invert
- 75W max power consumption
- · Built-in programs/color macros via master/slave or DMX control
- Sound Active mode in standalone or DMX
- · User-selectable basic or advanced operating modes
- Compact and lightweight (only 6.5 lbs)

ITEM	DESCRIPTION	PRICE
FLURRY-Q	Compact moving head wash light	379.99

BLIZZARD LIGHTING TOUGHPAR™ QUADRA **IP-65 RATED LED PAR FIXTURE**

- RGBW color mixing
- 18 10W Quad-Color RGBW LEDs
- Beam angle: 25°, Field angle: 30°
- · Built-in color & chase macros via DMX
- LED display with 4-button control panel
- · Dual mounting brackets for positioning flexibility
- Weatherproof, IP-65-rated, cast aluminum enclosure with tempered glass lens and watertight internal gaskets
- HSV (3-Channel), RGBW (4-Channel), RGBW + Dimmer (5-Channel) & Extended (8-Channel/9-Channel) DMX Profiles

ITEM	DESCRIPTION	PRICE
TOUGHPAR-DUADRA	IP-65 rated LED par fixture	569 99



BLIZZARD LIGHTING PUCK3-NX FLAT LED PAR FIXTURE

- Variable electronic strobe
- Built-in chase macros via DMX
- · Easy-to-use LED control panel
- · All-metal case with dual mounting yokes
- RGB color mixing via 9x Edison® 3W tri-color LEDs
- Variable electronic dimmer (0-100%)
- User-selectable 3 (RGB dimming) or 6 DMX ch.
- Full RGB mixing standalone, Master/Slave, and DMX

ITEM	DESCRIPTION	PRICE
PUCK3-NX	.Low profile LED par fixture	199.99

BLIZZARD LIGHTING PUCK Q12 FLAT LED PAR CAN

- Selectable 4 or 7 DMX channels
- · Variable electronic strobe and dimmer
- · All metal case with dual mounting yokes
- Linkable with all other Blizzard Puck par cans
- (12) 10W Quad-Color (RGBW or RGBA) LEDs
- Full RGBW or RGBA color mixing plus 15 built-in colors in standalone, master/slave and DMX modes



BLIZZARD LIGHTING TORRENT F3™ LED **MOVING HEAD SPOT**



- 3-facet rotating prism
- Variable 3-mode electronic strobe
- Variable electronic dimmer (0–100%)
- 14-channel DMX LED moving yoke
- 7 interchangeable, rotating slot-n-lock gobos plus open (1 glass installed)

 9 static gobos plus open, rotating gobo wheel and rainbow color spin at variable speeds

• 4-button LED control panel for easy programming

ITFM DESCRIPTION

TORRENT-F3 LED head snot

BLIZZARD LIGHTING ROCKLITE™ RGBAW WASH LIGHT

- 4/5/9/10 DMX channels
- 23° beam angle, 26° field angle
- LED display with 4-button control panel
- (36) 3W RĞBAW Edison® Edixeon™ LEDs
- · Built-in color macros and
- automated programs via DMX
- · RGBAW color mixing with or without DMX control
- · Master/slave, standalone & sound active modes

	DESCRIPTION	PR
LITE-RGBAW	LED wash light (RGBAW)	399

BLIZZARD LIGHTING PIXELSTORM™ LED **LINEAR WASH**

• 25° beam angle

ITEM

- PowerCON® compatible
- 3-pin and 5-pin DMX connectors
- (9) 3W RGB Tri-Color (3-in-1) LEDs
- · LED display with 4-button control panel
- RGBAW color mixing with or without DMX control
- User-selectable 3 (RGB) 4/7/16/34 DMX channel operation
- 13 user-definable built-in programs/colors in standalone mode
- Multi-mode and user-programmable 16-bit dimmer and strobe

DESCRIPTION PRICE PIXEL-STORM. LED linear wash

BLIZZARD LIGHTING THE PUCK PRO ZOOM™ **LED PAR CAN**

- $\bullet~25^{\circ}\text{-}45^{\circ}$ zoom PAR fixture
- Long-life LEDs (rated at 60,000hrs)
- (14) 10W RGBW quad-color TianXin LEDs
- 7 DMX modes, including RGBW and HSV color mixing modes
- Rugged all-aluminum chassis with dual mounting yokes and handle
- User-selectable DMX channel modes, dimming, color temp, power options, color display and more

and I may am a market		
ITEM	DESCRIPTION	PRICE
PUCK-PRO-700M	LED par can with zoom	399 99




BLIZZARD LIGHTING THE PUCK FAB5™ LED PAR CAN

- (7) 15W 5-in-1 RGBWA LEDs
- 25° beam angle, 29° field angle
- 4-button LED control panel for easy programming
- Full RGBAW color mixing in standalone & master/slave • Built-in sound active plus automated programs via
- DMX and master/slave
- · Color preset (3-channel), RGBAW (5-channel) and extended (12-channel) DMX

DESCRIPTION PRICE .5-in-1 LED par can (RGBWA).





ITFM

PUCK-FAB-5.















PRICE

999 99





















































































BLIZZARD LIGHTING BLADE RGBW MOVING HEAD

- Neutrik® powerCON in/out
- User-selectable 16-bit dimming
- User-selectable, 11 or 15 DMX channels
- · 4-button menu with LCD-TFT icon-based display • Defeatable pan/tilt correction with trim adjustment
- (36) 5W CREE® RGBW quad-color LEDs
- Razor-sharp 1.1° beam angle + attachable 8° diffuser lens
- Full color mixing in standalone, master/slave and DMX modes

ITEM	DESCRIPTION	PRI
BLADE-RGBW	. LED moving head with 1.1° beam angle	599.

NEW!

BLIZZARD LIGHTING TOUGHSTICK™ **RGBAW STRIP WASH**

- IP65 rating
- 25° beam angle
- LED control panel
- (60) 3W RGBAW LEDs
- · Variable electronic strobe and dimmer
- · RGBAW color mixing ability in standalone mode
- Independent control of 3 pixels (20 LEDs each)
- User-selectable 4/5/6/10/16/20-channel DMX modes
- · Built-in color and chase macros via DMX, programs via master/slave

ITEM	DESCRIPTION	PRICE
TOUGH-STICK-RGBAW	LED strip wash	599.99
	•	



CHROMA-Q **COLOR FORCE 12 LED FIXTURE**

- Aluminum body
- · Smooth, uniform wash
- 2,400 lumen output
- · Built-in power supplies
- Full RGBA color palette and h92 CRI
- Deep blues and reds from a single fixture
- HSI, RGB, RGBA, and StRGBA DMX modes included
- · Length (1') is ideal for floor, wall, or truss mounting

ESCRIPTION		PRICE
Color Force™ 12"	RGBA Black	1191.68



CHCF12NFRGBA.



PRECISION-DMX COMPACT SIZE

DARKLIGHT PRECISION DMX MICRO RGB FLOOD

- IP65 rating
- 7-channel DMX control
- 25° lens angle, 50,000hr lamp life
- · DMX address and configuration stored in EEPROM
- World's smallest DMX512 controllable theatrical floodlight
- Full color control via DMX512; DarkBox Programmer (sold separately) required to change DMX from default address 1
- · Built-in functions: flicker, strobe, blink, fade, color change, master dimming, color macro

ITEM	DESCRIPTION	PRICE
PRECISION-DMX	Miniature DMX RGB flood	85.00
DARKBOX-PROGRAMMER	DMX addressing tool	85.00

darklight

PRECISION Z HIGH POWER MICRO SPOT OR FLOOD



ICE

- IP68 rating, submersible to 3ft
- 2-wire dimming using PWM input (10%-100%)
- Equivalent to traditional 20W halogen fixtures PRECISION-Z-SPOT
- 95% energy savings compared to 20W halogen lamp
- Lens angle is 15° for spot and 120° for flood, 50,000hr lamp life • Spot is available in red, green, blue, amber, cool white, warm white and ultraviolet

PRECISION-Z-FLOOD

ITEM	DESCRIPTION	PRICE
PRECISION-Z-SPOT	.Miniature spot	
		38.25



DARKLIGHT GANTOM IQ **MICRO IMAGE PROJECTOR**

- IP65 rating
- Dual-polarity input
- Smallest gobo projector on the market
- · Zoom- and focus-adjustable w/sliding lenses
- 2-wire dimming using PWM input (10%-100%)

COMPACT SIZE

NEW!

- Supports full-color, user-made 3/4" patterns
- 25°-40° lens angle, 50,000hr lamp life

ITEM	DESCRIPTION	PRICE
GANTOM-IQ	.Miniature gobo projector	. 204.00

DARKLIGHT **GANTOM DMX** MICRO FLOOD



- · Flicker-free and video-ready
- 20° lens angle, 50,000hr lamp life
- · Integrates into any existing DMX universe
- DMX address and configuration stored in EEPROM
- Available in RGBW (4-channel) or dynamic white (2-channel) · Quad-chip LED and matching optics for homogenous color output

-	-			-	-	
ITEM		DESCRIPTION				PRICE
GANTOM-DM	X	.Miniature DMX	flood			. 153.00

DARKLIGHT DARKBOX













GANTOM-DMX COMPACT SIZE

LED indicators, can drive multiple fixtures in sync and make any 12V LED flicker, strobe, blink, surge, pulsate, or dim. The Flicker can also generate patterns and the DMX Micro has fully-tunable speed and brightness for any mode. The Programmer is compatible with all DMX devices and functions as a DMX addresser and configurator. It even has a built-in 224-channel single scene output and DMX controller for use with static effects.

ITEM	DESCRIPTION	PRICE
DARKBOX-FLICKER	.LED dimmer and pattern generator	42.50
DARKBOX-DMX-MICRO	.Multi-functional LED dimmer	51.00
DARKBOX-PROGRAMMER	.DMX addresser and configurator	85.00

































PRICE



















FLATION

OPTI TRI PAR

- Flicker Free
- Fan Cooled
- 18 x 3W LEDs
- 25° standard beam angle
- · Case Color: Black
- 4 Digit LED display
- · Master/slave, stand alone and DMX control
- Die-Cast Aluminum Tri-Color LED Par Can
- Strobe effect (1-18 flashes per second)

ITEM DESCRIPTION PRICE OPTI-TRI-PAR. .LED par can..



ELATION OPTI QUAD PAR QUAD LED PAR FIXTURE

- Flicker free
- Power con in/out
- 18 x 5W quad RGBW LEDs
- Quad color technology
- Smooth dimming control
- 10° standard beam angle
- Power Consumption: 140W max
- Strobe effect (1-18 flashes per second)
- DMX-512- controllable via 6 DMX modes
- Split yoke bracket: floor-stand or mount
- · 3-pin and 5-pin XLR data input and output



ELATION DESIGN LED PAR ZOOM

- LED PAR FIXTURE WITH VARIABLE ZOOM • 36 (10 Red, 10 Blue & 16 Green) x 3W RGB LEDs
- · Sound active mode with 8 built-in chases
- Weighs 15.4 lbs.
- 3-Pin XLR in/out
- Power consumption: 60W • 7° to 49° motorized zoom
- 4-digit LED display-flip option
- Split yoke up-light bracket
- DMX-512 control with 8 channels
- Smooth & flicker-free color mixing
- · Die-cast aluminum with gel frame holder
- Rigging: split yoke bracket with safety cable eye

ITEM DESCRIPTION DESIGN-LED-PAR-ZOOMLED par fixture with variable zoom



FI ATION

- (14) 5W Quad RGBA LEDs
- 10° standard beam angle
- · Dual-yoke floor stand
- No colored shadows
- Long life 50,000hr LEDs

- 1/2/3/4/6/7 DMX channel operation mode

DESCRIPTION PRICE LED par can..

ELATION PLATINUM SPOT LED LIGHT FIXTURE

- 16° beam angle
- Pan/Tilt: 540/630 x 265
- · Motorized Iris and Focus
- Variable speed shutter/strobe
- 16 Channels of DMX (3-pin and 5-pin connections)
- 240W max power consumption / 120V-240V power supply
- LED lamp source with comparable output to 250 discharge
- 8 Dichroic colors, 14 gobos, 7 rotating/indexing replaceable gobos, 7 replaceable static gobos, 3 facet 3D rotating/indexing prisms, frost filter.

ITEM DESCRIPTION
PLATINUM-SPOT-LEDLED light fixture, DMX, 240W...... PRICE



ELATION PRO LIGHTING ARENA PAR LED WASH

- 90 x 3W LEDs
- 4-digit LED display
- · On-board control
- 15° standard beam angle
- 7-channel mode macros
- 0-100% electronic dimming
- 3 DMX control modes: 4, 5, 7

.RGBW LED par can, 90x 3W LEDs..

ELATION DESIGN WASH LED 60 LED WASH HEAD FIXTURE

- 630° Pan/540° Tilt in 16-bit mode
- 28° beam angle (15° lens)
- · Very fast movement
- Dimmer: 0-100%, strobe: 25 FPS
- · Flicker-free LCD display
- 220W power consumption, 1.9 Amps
- 13 DMX channels in 16-bit resolution
- 3-pin and 5-pin DMX connectors
- · Master/slave and stand alone operation
- Dimensions 16.5"L x 12.5"W x 19"H, Weighs 16.75 lbs.



DESCRIPTION LED wash head



ELATION LEVEL Q7 LED FLAT PAR FIXTURE

- (7) 15W RGBW OSRAM Quad LEDs
- 14,700 lux @ 2.5m
- 3- and 5-pin DMX
- Neutrik® PowerCon in/out
- · High-output and professional grade
- Weighs 10lbs

DESCRIPTION LEVEL-Q7. .Quad LED par fixture ..

ELATION FLEX PIXEL WP LED PIXEL TAPE

- · Flex Pixel IR allows for standalone control
- 10' flexible LED pixel tape with waterproof cover Mountable to any surface with optional Flex IP Clip Kit
- 15mmW x 5mmH x 3mtrL (not including in/out cables)
- Flex Pixel 5VPSU power supply required for each section of tape
- Flex Pixel Driver offers up to 2 tapes and up to 432 DMX channels of control • (72) RGB SMD tri color LED pixels (216 ch.) per tape spaced on 40mm centers

ITEM	DESCRIPTION	PRICE
FLEX-PIXEL-WP	LED pixel tape, power supply not included.	149.99
FLEX-IP-CLIP-KIT	Mounting clip to mount to any surface	6.68
FLEX-PIXEL-DRIVER	DMX driver	74.99
FLEX-PIXEL-IRC	IR receiver and remote	37.99
FLEX-PIXEL-5VPSU	5V standard power supply unit	29.99
S-150-5	5V installable power supply unit	74.18



Visit fullcompass.com today!





- Flicker-free operation
- 0-100% electronic dimming
- · 4-digit LED display























ITFM

RAYZOR-Q7

ELATION VOLT Q5

• 16.000 lux @ 8ft

• (5) 15W RGBW LEDs

• Rechargeable battery with charging station

· Compact and solid design with built-in handle













ACCESSORIES













ELATION OPTI TRI WHITE LED FIXTURE

- · Flicker-free operation • 3-pin and 5-pin DMX connections
- Neutrik® PowerCON in/out
- 100-240V switching power 47-63Hz
- · Dual-yoke for floor mounting
- Fan-cooled with 50,000hrs of LED life
- Stand-alone mode, sound-active mode & DMX control
- (54) 3W Tri White™ I FDs (18 cool white 18:

(J4) JW III WILLE	LLD's (10 COOI WINE, 10 Warm Winte and 10 amber)	
ITEM	DESCRIPTION	PRIC
OPTI-TRI-WHITE	Tri White™ LED fixture	699.9



ELATION RAYZOR Q7 MOVING HEAD LED WASH

- (7) 15W Quad RGBW LEDs
- 17° beam angle, 13° field angle
- Pan: 540°/630°; Tilt: 265°
- 5,442 lux @ 4M
- 5-pin in/out DMX connectors
- 15/17/28 DMX channels
- Long life 50,000 hour LEDs
- 0-100% electronic dimming
- · Color LED touch display

DESCRIPTION	PRIC
Moving head LED wash	1799.



• 4-button LED control panel for easy programming ITEM DESCRIPTION VOLT-Q5IP65 rated LED spot...



ELATION EVENT BAR LED PINSPOT

- Full DMX control
- 4-head X-Y Bar
- \bullet 360° pan and 270° tilt
- (4) 3W white LED pinspots
- · Full dimming on each pinspot head
- 3 DMX modes—12-channel, 14-channel, 25-channel
- 12° beam angle with optional 6° beam angle included
- · Easy-to-use display for DMX or internal program access ITEM

DESCRIPTION PRICE EVENT-BAR-DMX LED bar with 4 pinspots



ELATION PLATINUM SPOT LED PRO MOVING HEAD

- 8 dichroic static colors
- EWDMX receiver built-in
- 3 and 5-pin DMX in/out
- 7,478 lux/695 fc at 10'
- Weighs 35.2 lbs.
- Motorized zoom, iris and focus
- 3-facet rotating/indexing prism
- 15° to 34° variable motorized zoom beam angle
- 14 gobos (7 rotating glass and 7 static metal)
- · Variable speed mechanical shutter/strobe/dimmer
- 140W LED moving head spot comparable to 250W discharge
- Easy-to-use display for DMX or internal program access

ITEM	DESCRIPTION	PRIC
PLATINUM-SPOT-LEDPRO	Moving head spot fixture	2699.9



ELATION EVENT CYLINDER

- IP65 rated
- · RGB color mixing
- · Manual, auto, and master/slave modes
- · Battery powered with 12 hour life, 6 hour charge
- DMX version has (4) modes, 1-, 3-, 4-, and 6-channel
- (2) versions DMX has 72 Tri Color LEDs, RF has 48

(=) (01010110	District of the Color BEBO, in the io	N C
ITEM	DESCRIPTION	PRICE
EVENT-CYLINDER:	-DMXLED cylinder with wireless DMX	699.99
EVENT-CYLINDER-	-RFLED cylinder with RF and remote	499.99

COMPACT LED MOVING HEAD WITH ZOOMT

- · RGBW color mixing
- 11° to 58° zoom
- 3850 lumens
- · Built-in FX engine • 4000 lumen output
- · Single lens wash fixture
- with fully pre-mixed color
- Low power consumption and quiet cooling system

TEM	DESCRIPTION	PRIC
MAC-AURA-BLACK	LED moving head	

MARTIN MAC-101 LED MOVING HEAD WASH LIGHT FIXTURE

- · Martin's fastest moving head
- · Calibrated colors
- 2200 lumen output
- · Smooth electronic dimming
- 13.5° one-tenth peak angle
- · Electronic strobe with pulse • Efficient & consumes little power
- Easily daisy-chainable and weighs only 8.2 lbs.
- 8/12 DMX channels via 5-pin locking XLR
- AC power in & thru via Neutrik Power Con




PRICE











MODULAR LED STRIPLIGHT

- Full spectrum RGB color mixing
- Swappable diffuser lenses
- Easy to install
- Modular, plug-and-play, LED striplight
- DMX controllable or 64 ready-to-go stand-alone programs
- Available in two lengths: 300 mm (1 ft) and 1200 mm (4 ft)

ITEM	DESCRIPTION	PRICE
EASYPIX-300	300mm LED striplight	. 189.49
EASYPIX-1200	. 1200mm LED striplight	. 506.44
EASYPIX-POWER	.Accessory power supply	. 478.88



MARTIN MAC 301 WASH LED MOVING HEAD FIXTURE

- Fast and efficient zoom: 13°-36°
- Punchy beam with great beam definition
- Smooth electronic dimming: 0-100%
- · Electronic strobe with pulse and random effects
- Excellent color mixing: vibrant saturates and subtle pastels
- Compact, quiet and lightweight
- DMX-512 control

ITEM	DESCRIPTION	PRICE
MAC301-WASH	LED moving head	3987.50



PHILIPS COLOR KINETICS ICOLOR COVE QLX

- Generates saturated color & dynamic effects in alcoves, accent spaces & other interior spaces
- 16.7 million additive RGB colors; continuously variable intensity
- DMX-512 control/RDM discovery & addressing
- · Chromasic technology integrates auto-addressing, power, communication & control to lower system cost
- Mixing distance of 2" to uniform light
- Available in multiple size and beam configurations

ITEM	DESCRIPTION	PRICE
101-000066-00	12" iColor Cove QLX, 120°x120° beam angle	95.00
101-000066-01	12" iColor Cove QLX, 100°x40° beam angle	95.00
101-000066-02	6" iColor Cove QLX, 120°x120° beam angle	71.00
101-000066-03	6" iColor Cove QLX, 100°x40° beam angle	71.00



PHILIPS COLOR KINETICS **COLORBLAST TRX** THEATRICAL WASH LIGHT

- · Interchangeable lenses
- Stand alone or DMX operation • Red, Green, Blue, Amber, and White LEDs
- 4 DMX modes including 16-bit color control
- · Wide variety of optional beam shaping accessories

ITEM	DESCRIPTION	PRICE
116-000029-00	Color Blast TRX	779.00
	Top hat	
120-000009-04	Half top hat	39.00
120-000015-04	Egg crate louvers	101.00
120-000019-04	Barndoors	105.00
120-000025-00	Horizontal spread lens 36°/50°	62.00
120-000025-01	Horizontal/vertical spread lens 40°/40°	54.00





PHILIPS COLOR KINETICS VAYA FLOOD RGB

- DMX-512 control
- IP66-rated for wet exterior use
- Auto-ranging 100V-240V 50/60Hz input
- · High-brightness red, green and blue LEDs
- · Color-changing fixture for interior and exterior use
- Available in multiple size and beam configurations

ITEM	DESCRIPTION	PRICE
316-000007-04	. 8.8"x9.3" Vaya Flood LP RGB, 10° beam angle	463.00
316-000007-05	. 8.8"x9.3" Vaya Flood LP RGB, 20° beam angle	463.00
316-000007-06	. 8.8"x9.3" Vaya Flood LP RGB, 30° beam angle	463.00
316-000008-04	. 10.8"x13.9" Vaya Flood MP RGB, 10° beam angle	773.00
316-000008-05	. 10.8"x13.9" Vaya Flood MP RGB, 20° beam angle	773.00
316-000008-06	. 10.8"x13.9" Vaya Flood MP RGB, 30° beam angle	773.00

PHILIPS COLOR KINETICS **VAYA COVE COLOR**

- 120° beam angle
- Red, green, and blue LEDs
- Low voltage, 24V DC input power
- DMX-512 control/RDM discovery and addressing
- · A color-changing fixture for interior cove and accent lighting applications.

ITEM	DESCRIPTION	PRICE
316-000004-00	11.8" Vaya Cove Color	45.00
316-000004-01	23" Vaya Cove Color	68.00
	45.7" Vaya Cove Color	



PHILIPS COLOR KINETICS **VAYA LINEAR COLOR**

- Integrated power
- Interior/Exterior IP65
- · For fixed or dynamic color effects · Tilting surface-mount bracket
- Aluminum finish, tempered glass lens
- Auto-ranging 100V-240V, 50/60Hz output

 DMX-512 control/RDM 	discovery and addressing
---	--------------------------

ITEM	DESCRIPTION	PRICE
	.13W 13" fixture, wide 50° beam .13W 13" fixture, narrow 10°x50° beam	
	.41W 40" fixture, wide 50° beam	
316-000002-03	.41W 40" fixture, narrow 10°x50° beam	519.00



ROSCO MIRO CUBE™ FAMILY

These 48W LED wash lights put more than 3000 lumens into a compact and portable 4" cube. The rugged, geometric design is perfect for museums, track-



light systems, in stores and lobbies or built into sets, truss and lighting rigs.

- · Bolted yoke design allows units to be easily ganged
- Flicker-free dimming through DMX (8- or 16-bit resolution)
- · Plugs directly into wall anywhere in the world, adjusting automatically to 90-240VAC 50-60Hz
- More than 40 units can be powered from a single 20A circuit LCD control panel
- Full color mixing, tunable white, or black light versions (in black or white finish)

ITEM		PRICE
MIROCUBE-4C	Color-mixing LED wash	820.31
MIROCUBE-WNC	Tunable white LED wash	820.31
MIROCUBE-UV	Blacklight LED wash	1257.81
MIROCUBE-RGBW	RGBW LED wash	726.56

















































