

ETA SYSTEMS UL LISTED POWER CONDITIONERS The ETA-ECS6RM and ECS3 are rack-mountable multi-stage sequencing units. The ECS3 is a 15A unit that features three sequential timing sections (activated via the unit or remotely). It includes noise filtering for both EMI and RFI, and spike and surge protection. It has 9 power outlets and 24VDC control outputs. The ETA-ECS6RM is a modular system with six sequential timing sections. It can monitor up to six independent 20A AC main lines both for voltage and current readings and informs of potentially damaging voltages as well as incorporating Extreme Voltage Shutdown. The companion ETA-ECM20 and ETA-15SH/20SH power conditioner units provide voltage monitoring and spike/surge suppression. PRICE

ITEM DESCRIPTION

Rackmount Power Distribution AC (15A) Power Conditioner/Distribution

with Spike and Surge Protection, and EMI/RFI Filtration	
PD8	00
PD8L	50
ETA-S15L	50
ETA-C15D15A, 11 outlets, lights, voltmeter, dual front panel outlet	50
Rackmount Power Distribution – Sequential Power	
ETA-ECM20 2A, 2400W module with voltage monitoring, EMI/RFI filtering	00
ECM-RACEWY6 Power module strip, holds up to 6 ECM modules, 4 AC inlets 112.	50
ETA-15SH	50
ETA-20SH	50
ETA-ECS3	
with 3 control channels, 9 outlets	50
ETA-ECS6RM 6 output sequencer controller with voltage and current monitoring 438.	50
AP-GNL18	50



ART 4X4 POWER DISTRIBUTORS These units feature ART's 4x4 layout on the back of the unit -4 of the 8 rear outputs are spaced 1.25" apart, allowing space for wall warts. They all offer Surge and Spike protection as well as RFI and EMI filtering, front mounted power switches and 15A circuit breakers. They are all rackmountable and use only 1RU of space. The PB4X4 is a basic model. The PS4X4 features backlit linear volt and amp meters. The PS4X4 PRO features LED volt and amp meters, pull out light pipes with auto-off and dimmer, as well as the APF (Advanced Power Filtering) which filters out digital and dimmer hash as well as any high frequency noise that is above the audio range. APF's high power discrete design allows the filter to stay effective over the full operating range.

ITEM	DESCRIPTION	PRICE
PB4X4	Power distributor, 8 outlets	49.00
PS4X4	Power distributor, 8 outlets, analog meters	109.00
PS4X4-PR0	Power distributor, 8 outlets, LED meters, APF filtering	155.00

EBTECH.

EBTECH HUM-X Hum X[™] filters out unwanted voltage and current in the ground line that cause ground loop hum while simultaneously maintaining a solid, safe ground. Simply place the Hum XTM on the end of the power cord of the equipment that has a ground loop and plug the Hum XTM into



the wall outlet. Ground loop is gone and audio signal remains intact. Easy to use and easy to install.

ITEM	DESCRIPTION	PRICE
HUM-X	Ground hum exterminator	

FURMAN

PL-PLUS-DMC

FURMAN CLASSIC SERIES POWER CONDITIONERS These are 15amp/1800W and 20amp/2400W power conditioners with Series Multi Stage Protection. This absorbs damaging transient voltages and clamps at 188VAC peak, 133 VAC RMS. Other features include 2 retractable, long-life, low-heat LED light fixtures with dimmer switch, BNC utility light connection on the rear panel, 8 rear panel outlets and 1 front panel outlet with circuit breaker and 5-year limited warranty. The PL-PLUS-C and PL-PRO-C add a front panel meter to display incoming line voltage ranging from 90-128V and the DMC versions add a large digital voltmeter/ammeter with discrete dimmer button displaying line voltage and true RMS current draw.

ITEM	DESCRIPTION	PRICE
PL-8C	15A power conditioner	
PL-PLUS-C	15A metered power conditioner	229.95
PL-PLUS-DMC	15A digital readout voltmeter power conditioner	
PL-PRO-C	20A metered power conditioner	
PL-PRO-DMC	20A digital readout voltmeter power conditioner	

FURMAN PLUGLOCK LOCKING OUTLET

	ition to the "wall wart" problem. 5 transformers or regular plugs		4
	duty outlet strip.	TURBLAN	Ph
ITEM Pluglock	DESCRIPTION 		



PRICE 40.92

FURMAN ASD-120 A/C SEQUENCED POWER DISTRO Allows you to power up six 20amp, 120V circuits in a user-adjustable, delayed-sequenced fashion. The sequence is reversed for power down. Each circuit's 20amp rear panel duplex outlet can be switched to be part of or apart from the power up/down sequence, which can be initiated with either momentary or maintained switches, locally or remotely. The ASD-120's design incorporates four oversized busses, allowing wiring for 120V or 240V single phase, or 208V 3-phase power. Unit must have supply cable installed by qualified electrician.

ITEM	DESCRIPTION	PRICE
ASD-120	Sequenced power distro	699.95



FURMAN AR1215 VOLTAGE REGULATOR/POWER CONDITIONER Delivers a stable stream of AC power to protect equipment from problems caused by AC line voltage irregularities such as sags, brownouts, or over-voltages. Features 8 outlets on the rear panel and one on the front.

ITEM	DESCRIPTION	PRICE
AR1215	.15A, for 97-141V	549.95

FURMAN MP-SERIES POWER SEQUENCERS This remote power relay provides remote turn-on for use with PowerLink, ASD- 120, PS-REL, and other units. Features turn-on via 12VDC trigger.
ITEM DESCRIPTION PRICE MP20Q Power relay and outlet, quad plate (120V/20A)
FUDMAN D 2400 AD 20AMD VOLTAGE DECUL ATOD/DOWED CONDITIONED

FURMAN P-2400 AR 20AMP VOLTAGE REGULATOR/POWER CONDITIONER Delivers a stable 120V of AC power to protect equipment from problems caused by AC line voltage irregularities such as sags, brownouts, or overvoltages. It accepts input voltage between 97V-137V. It is ideal for high-current equipment such as power amplifiers or powering AV racks in large installations. Additionally, it's a full-featured power conditioner that filters and purifies AC power, reducing line noise and ensuring optimum performance.

ITEM	DESCRIPTION	PRICE
P2400AR	20A voltage regulator/power conditioner	. 1799.95



Our Sales Pros will provide you with the solutions you need.

FURMAN F1000-UPS AND F1500-UPS UNINTERUPTIBLE POWER

SUPPLIES These power supplies provide a comprehensive battery backup solution

for electronics which need to maintain critical memory and be shut down properly

in the event of a power outage. The F1000-UPS has a 1,000VA capacity with simulated

sine wave output, while the F1500-UPS has a 1,500VA capacity with true sine wave

output. Both models feature 8 outlets, RS232 interface and IR control to send "Off"



FURMAN POWER STATION SERIES: POWER SURGE STRIPS The Power Station series provides zero ground contamination, series mode maintenance-free surge suppression and Linear Filtering Technology for safe and quiet AC for Home Theatre and other sensitive applications. The PST-8 and PST-8D feature Furman's Series Multi Stage Protection circuit which incorporates Linear Filtering Technology (LiFT) to insure that any electronic device is fed clean, filtered AC power

(1111) 10	moure mat	any croctron	ie defiet	10 100	cicuii, i	ntorourio	ponon.	
ITEM		DESCRIPTION	L					PRICE
PST-6		6-outlet surg	e strip					95.00
PST-2+6.		8-outlet surg	e block a	nd surge	alarm			45.54
PST-8		8-outlet surg	e strip					98.34
PST-8-DIG	ITAL	8-outlet, isol	ated anal	og plus (digital b	anks		118.03
				0.				

PS8R-II FURMAN PS SERIES POWER CONDITIONERS Powers up equipment in 3

delayed outlet groups, power down in reverse sequence. Power is protected with triple mode Varistor spike and surge suppression, RFI filtering. status LEDs monitor groups and wiring integrity. Rated for 15 amps, the PS8R version has terminals for remote control.

ITEM	DESCRIPTION	PRICE
PS8R-II	Sequencer with remote terminals	
PS-REL	AC relay accessory	
RS1	Wall-key switch remote	39.95



FURMAN P-3600-ARG GLOBAL VOLTAGE REGULATOR A 30 amp power conditioner/True RMS voltage regulator that ensures stable 120V power delivery from any input voltage source between 100V to 127V or 208V to 240V, making it ideal for use when travelling to countries with 100V, 220V, 230V, or 240V services. It features Furman's True RMS Regulation Technology (utilizing an ultra-low-noise torroidal isolation transformer/autoformer, high-current switching TRIACs, and micro-processing control) to step-down or step-up input voltages. The unit also offers Furman's exclusive LiFT/SMP/EVS technologies for professional-level protection and linear AC noise filtration. The front panel has a status LED status light, large LED voltage and current meters and two NEMA-20 power outlets, plus eight more and a L-5 30amp outlet on the rear.

ITEM	DESCRIPTION	PRICE
P-3600-ARG	30A voltage regulator	4199.95



F1500-UPS

FURMAN MERIT X SERIES POWER CONDITIONERS Rackmount power conditioners offering "Noise Sniffer" compatible RFI/EMI filtration, and standard level surge and spike protection. The M-8LX also features front-panel lights, and the M-8DX features lights and a digital voltage meter.

ITEM	DESCRIPTION	PRICE
M-8X2	15amp power conditioner	
M-8LX	As M-8X, with front-panel lights	
M-8DX	As M-8X, with front-panel lights and voltage meter	

FURMAN PRESTIGE SERIES POWER CONDITIONERS Power conditioners offering high levels of filtration and protection with advanced features like power factor technology to provide the headroom your equipment needs or true RMS voltage regulation. Other features include series multi-stage protection, automatic extreme voltage shutdown, 1800W rating with circuit breaker, rear BNC for optional gooseneck light, isolated outlet banks minimize inter-component interference and noise, wall wart spacing, and USB charger. Each unit has 9 total outlets, 8 in the rear and 1 in the front. The P-1800 AR adds true RMS voltage regulation and the LED voltmeter displays both incoming voltage and output current draw (LED on P-1800PFR only shows voltage in).

ITEM	DESCRIPTION	PRICE
P1800PFR	15-amp power distributor	
P1800AR	15-amp power distributor with RMS regulatio	in 899.95



JUICE GOOSE XVRT-PRO SERIES UNINTERRUPTIBLE POWER SUPPLIES Rackmountable, interactive UPSs with a "buck-boost" transformer that corrects incoming voltage to provide proper 120VAC output. Data network interfacing is possible via RS232 or external SNMP card. All models feature 320 Joules of surge protection and up to 50dB of AC line filtration.

ITEM	DESCRIPTION	PRICE
XVRT-1000-PR0	UPS, 1000VA, 600W, 2 hour full load run time, 1RU	534.80
XVRT-1500-PR0	UPS, 1500VA, 900W, 2 hour full load run time, 2RU	691.60
XVRT-2200-PR0	UPS, 2200VA, 1320W, 3 hour full load run time, 3RU	723.60
XVRT-3000-PR0	UPS, 3000VA, 1800W, 2 hour full load run time, 3RU	931.50



JUICE GOOSE JG SERIES POWER CONDITIONERS Switched outlets on the back of each unit provide power and a basic level of protection from dirty and dangerous AC voltage. The basic power conditioning can clamp voltage spikes and reduce AC line interference between line and neutral leads.

ITEM		PRICE
JG-JUNIOR	15A, 6 outlets	48.00
	15A, 8 outlets	
JG8.0L	JG8.0 with two sliding dimmable rack lights	
JG8.OLM	JG8.0L with 20 segment color-coded voltmeter	136.50
JG11.0-15A	15A, 11 outlets (1 unswitched and 9 switched on rear,	
	1 unswitched on front)	104.40
JG11.0-20A	20A, 11 outlets (1 unswitched and 9 switched on rear,	
	1 unswitched on front), requires 20A rated receptacle	118.90

MUSIC COMPUTER AV VIDEO LIGHTS

PRICE

749 95

1299.95

X08-M

P1800PFR



Visit fullcompass.com today!

For expert advice - call: 800-356-5844 M-F: 9:00-5:30 Central



LEX PRODUCTS CORP PAGODA **POWERHOUSE** Fed from either a generator or a panel, and rated for outdoor use, this box can accept up to (30) NEMA 5-20, 20A Edison cords for powering lights, effects and equipment for events. The ele-

vated base keeps receptacles above



potentially wet surfaces while the breakers are mounted under a hinged lid for safety. The compact, heavy-duty molded rubber enclosure is fully insulated, resistant to shock, impact or corrosion and is stackable for easy storage and portability.

ITEM DESCRIPTION

DB100NP-ABB-S3 Outdoor-use pagoda distribution box.

LEX PRODUCTS CORP **20A FEED-THRU BENTO BOX**

Ideal for theatrical, concert and movie/TV production - anyplace you need reliable, robust power connections. This 6-circuit box breaks an industry standard lighting cable into NEMA 5-20 20A receptacles for connection of up to 12 lights while the feed-thru option allows multiple



boxes to be daisy-chained. The heavy-duty extruded thermoplastic enclosure is electrically insulated, resistant to shock, impact and corrosion, and features end plate grips for easy handling as well as a collapsible handle.

ITEM	DESCRIPTION	PF
BNZJ2-Z3	20A, 6-circuit Bento Box	528

PRODUCTS LEX CORP QUAD BOX

This versatile 20 Amp box enables the user to create stringers using PowerCON inputs and

place duplex receptacles exactly where they are needed. The heavy-duty molded rubber enclosure is fully insulated and resistant to shock, impact and corrosion.

DESCRIPTION ITEM

DB20PC-SBPC ... 20-amp Quad Box with PowerCon input to Edisons, feed thru 135.66

PRODUCTS CORP E-STRING[™] LEX

EXTENSION CORDS Available in 15A and 20A ratings, these heavy-duty extension cords are perfect for plugging in low-wattage devices such as laptops, display lighting, and photo equipment. Suitable for outdoor use, each outlet on these black cords includes a dust cover and a green LED power indicator for locating outlets in dim situations.

	/
DESCRIPTION	PRICE
. E-String, 15A, 3 receptacles, 25'	
Orchestra String, 20A, 6 receptacles, 23'4"	
. E-String, 20A, 6 receptacles, 50'	
. Two circuit, 20A, 4 receptacles, 33'	
	DESCRIPTION E-String, 15A, 3 receptacles, 25' Orchestra String, 20A, 6 receptacles, 23'4" E-String, 20A, 6 receptacles, 50'



LEX PRODUCTS CORP 100AMP COMPANY SWITCH

This space-saving metal enclosure provides a safe and convenient means of supplying temporary 3-phase power access. Features such as cam-type connectors and lugs, main-breaker-interlocked doors and integrated LED worklight combine to make this one of the safest, easiest-to-use 5-wire switches available.

ITEM DESCRIPTION CS-100F-C5DS1.. ... 100A, 3-phase indoor company switch ..







PRICE



DESCRIPTION ITEM PRICE BNZA2-Z2-6 20-amp doghouse to (3) NEMA 5-20, 20A duplex receptacles, feed thru. 272.10

Leprecon

LEPRECON WATSON POWER MANAGEMENT Provides AC power switching, and DMX buffering, for groups of LED fixtures, color scrollers, or other lighting accessories. Via 1 DMX control



channel or through sensing DMX data, fixtures can be turned off when not in use. An additional output adds DMX capacity, as well as a firewall between fixtures and the rest of the control system. Additional features include easy reset control for fixtures needing power cycling and full sine wave power. Power lead not included.

ITEM	DESCRIPTION	PRICE
	9" enclosure, 15A, 1 Powercon in, 1 duplex out,	
	1 DMX in, 2 DMX out	573.00
	9" enclosure, 15A, 1 Powercon in, 1 Powercon out,	
	1 DMX in, 2 DMX out	573.00
	19" enclosure, 15A, 1 Powercon in, 6 duplex out,	
	1 DMX in, 2 DMX out	
	72" raceway, 15A, 1 Powercon in, 6 duplex out,	
	1 DMX in, 2 DMX out	
	Edison to Powercon lead	
	Stage Pin to Powercon lead	
DPA-C	Twist-Lock to Powercon lead	67.50





MIDDLE ATLANTIC SERIES PROTECTION™ POWER DISTRIBUTION

With Series Protection[™] technology, it provides instantaneous surge protection for AV systems. Its MOV-free design is non-sacrificial and non-degrading. Automatic recovery after an over/under voltage event minimizes system downtime, avoiding the need for a hard reset. Available in a variety of configurations, including full and half rack models.

ITEM	DESCRIPTION	PRICE
PD-915R-SP	15A with 1 front and 8 rear outlets, 1RU	. 448.50
PD920R-SP	20A with 1 front and 8 rear outlets, 1RU	. 568.50
PD-415R-SP	15A with 4 rear outlets, 1RU half-rack	. 261.75
PD-HW15-SP	15A with hardwire only, no outlets	. 269.25



Shop anytime. Buy online. Go to fullcompass.com

RICE 8.77

PRICE

PRICE

1475.46



MIDDLE ATLANTIC PD SERIES RACKMOUNT POWER STRIPS

These cost-effective power units all feature 9 outlets in a variety of configurations. All models feature surge and spike protection, EMI filtering, and are rackmountable, requiring only 1RU of space. The PDC models can be used with existing control systems, or even a remote switch, to control power remotely. The PD-915RV-RN offers remote and local notification of surge suppression status.

ITEM	DESCRIPTION	PRICE
PD915R	Power strip, 8 rear, 1 front, power switch, 9' cord	104.49
PD915R-PL	Power strip, 8 rear, 1 front, no power switch, 9' cord	111.99
PD915RC-20	Power strip, 8 rear, 1 front, power switch, 20' cord	216.09
PD915RV-RN	Power strip, 8 rear, 1 front, power switch, 9' cord,	
	status notification	163.17
PDC-915R-2	Power strip, 8 rear (2 controlled), 1 front,	
	power switch, 9' cord, remote control ability	190.86
PDC-915R-6	Power strip, 8 rear (6 controlled), 1 front,	
	power switch, 9' cord, remote control ability	190.86



MIDDLE ATLANTIC MPR SERIES MODULAR RACEWAY SYSTEM

Create a custom power strip with exactly the functions you need for an installation. Many modules are available, from 15 to 30A outlets, to advanced remotely controlled power modules – even sequencing controller. All retain full ETL Listing. For assistance in building a system, please call a Full Compass sales pro.

PART #	LENGTH	MOUNTING SPACE	MOUNTING SPACE WITH OPTIONAL J-BOX	PRICE
Chassis			WITH OF HORAE J-BOX	
GIIASSIS MDD2	201	24		45.00
MPKJ	32			
	/ 2	04 70"	72" .80"	
ITEM		SCRIPTION		PRICE
Optional J-L				
	8"x	6"x3" J-box		53.84
Modules				
MPR-BL8A	8"	blank cover, 4-pack		8.84
RLM-15-1CA	Sta	nd-alone 15A controlled m	odule, 9' cord	110.03
RLM-20-1CA	Sta	nd-alone 20A controlled m	odule, 9' cord	122.24
			odule	
			vired only)	
			vired only)	
		A isolated ground controlle	d module	115.02
Control Mo				
			contact closure control	
			ule, (4) 1-15R fan receptacle	s 167.89
FC-4-1CA	Sta	nd-alone thermostatic fan	control, cord	
	(4)	1-15R fan receptacles, 9'	cord	184.68
FC-2-215-10		nd-alone thermostatic fan		
			s on fan receptacles, 9' cord	205.04
MPR-SEQ-10		nd-alone 6-step sequence		
	cor	itact closure control, 9' coi	d	201.19



SURGEX PROFESSIONAL AC POWER PRODUCTS SurgeX's patented Series Mode[®] technology is superior to conventional

MOV circuitry. It provides proven, reliable protection, stopping multiple surges of up to 6,000V, and does not produce ground contamination. The entire line meets the most stringent government purchase specifica-



PRICE

.. 19.00

00V, and does not entire line meets rchase specifica-

tions for power line surge suppressors. Its A-1-1 rating assures you of dependable protection from destructive spikes, surges and inductive transients. All models carry a 10-year manufacturer's warranty. Models shown with COUVS® designation have Catastrophic Over/Under Voltage Shutdown feature.

ITEM DESCRIPTION

Rack Mount Models
SEQ2RU, 14-outlet, 20A, sequential startup, LCD display,
ICE inrush current elimination, EMI/RFI filtering, COUVS®
SX21202RU, 15-outlet, 20A, EMI/RFI filtering
SX1120RT1RU, 9-outlet, 20A, ICE, COUVS®, remote control capability
for AC power distribution systems, can interface with SEQ model
SX11151RU, 9-outlet, 15A, EMI/RFI filtering
SX1115RT1RU, 9-outlet, 15A, ICE, COUVS [®] , remote control capability
for AC power distribution systems, can interface with SEQ model 699.00
Stand-Alone Models
SA966
SA1810
SA15
SA20

SURGEX SA82 FLATPAK[™] PROTECTION FOR FLAT PANEL MONITORS AND PROJECTORS The SA82 utilizes the patented Series Mode[®] surge protection technology

SA-BMounting brackets (1 pair)



restores power when line voltage returns to a safe level. Units are 8amp load capable and have 2 industrial-grade grounded AC receptacles. The unit's compact design can be easily integrated with today's flat panel monitor or projector mounting systems. The FlatPak SA82 is available in black and silver finishes, comes with detachable IEC power cord and universal mounting brackets. 10-year manufacturer's warranty.

-	•	•
ITEM	DESCRIPTION	PRICE
FLATPAK-SA82	2-outlet, 8A surge suppressor/power conditioner	
	for LCD panels (select color)	299.00

whirlwind

PL1DI-L1420-010

WHIRLWIND POWER LINK These UL® listed tactical power distributors are designed for live sound reinforcement, AV rental, or any event that requires multiple industrial-strength power drops. It is encased in 0.074" powder-coated, cold-rolled steel. Multiple Powerlink units can be linked together, creating single-circuit chains of AC distribution.

ITEM	DESCRIPTION	PRICE
PL1DI-L1420-010	Splits a single L14-20 NEMA twist-lock AC connector	
	to (2) 20A Powercon® outlets	
PL1DI-L2120-010	Splits a single L21-20 NEMA twist-lock AC connector	
	to (3) 20A Powercon® outlets	349.83
PL1DI-L1430-010	Splits a single L14-30 NEMA twist-lock AC connector	
	to (2) 20A Powercon® outlets	400.89
PL1DI-L2130-010	Splits a single L21-30 NEMA twist-lock AC connector	
	to (3) 20A Powercon® outlets	418.12

WHIRLWIND POWER DISTROS A safe and reliable UL® Listed Power Distro that features lightweight aluminum panels, premium, fast response magnetic circuit breakers, and top of the line components. These power distributor systems are built to suit your needs; Choose from multiple types of input panels, main breaker panels, combo panels, breaker panels, output panels, and power meter/accessories. Please call your Sales Pro for custom ordering information.



MUSIC ihidh COMPUTER AV VIDEO LIGHTS ACCESSORIES

Visit fullcompass.com today!

