



















































CLEARSONIC ACOUSTIC BAFFLES/DRUM SHIELDS These 0.25" thick acrylic durable ClearSonic panels isolate drums or other instruments. They fold flat for easy storage and transport. Height extenders (12" and 18") are also available.

ITEM	DESCRIPTION	PRICE
A4-1	4'x1' 1-section add-on for A4	75.60
A4-3	4'x6' 3-section panel	. 226.80
A4-4	4'x8' 4-section panel	. 302.40
A4-5	4'x10' 5-section panel	. 378.70
A4-6	4'x12' high 6-section panel	. 454.30
	4'x14' 7-section panel	
	5.5'x2' 1-section add-on for A5	
A5-3	5.5'x6' 3-section panel	. 317.10
	5.5'x8' 4-section panel	
	5.5'x10' 5-section panel	
	5.5'x12' 6-section panel	
	5.5'x14' 7-section panel	
	12" height extension panel, for 5-section panels	
AX12-6	12" height extension panel, for 6-section panels	. 147.00
	12" height extension panel, for 7-section panels	
	Base channel support for drum shield	
	· ·	

CLEARSONIC SORBER 1.5" thick compressed fiberglass inside a heavy Velcro receptive cloth casing. Free-standing models open to 4' wide but fold in half for portability and storage.

ITEM	DESCRIPTION	PRICE
S2D	. 24"Hx22"W for lower half of clear	
	panel, wall or ceiling with Velcro	36.26
S4-2D	. 2-panel free-standing, 44"Hx48"W	129.64
S5-2D	.2-panel free-standing, 66"Hx48"W	169.82
SX12-2D	1'x2' height extenders for S5-2 haffles	68 46

CLEARSONIC PORTABLE

CASES Portable cases will

hold-up to a 7-panel acrylic sys-

tem. Soft-sided models feature



padded lining, handles and zippered pouch for accessories. The CH5 is a hard-sided model made from .098" molded ABS plastic. It can fit up to 7 AX panels and has interior foam padding, zinc-plated steel corners, nylon straps, wheels as well as spring-loaded cushioned handles.

ITEM C2	DESCRIPTION Zippered case for A2 panels	PRICE 89.39
C4	Zippered case for A4 panels	112.70
	. A5 panel hard case	

CLEARSONIC FLECTOR Personal monitor disc that mounts behind vocal microphones to reflect direct sound back to the

Follow Us!







ISOPAC-A

CLEARSONIC ISOPAC ISOLATION PACKAGES IsoPacs A and B feature the Lid System, reducing the amount of sound that would normally escape upwards. IsoPacs C and D are for applications where the lid is not necessary, but still feature SORBER absorption baffles to control the reflected sound. ClearSonic panels (CSP) are a reflective sound barrier but do not absorb sound while SORBER is a great sound absorber but not a great barrier. All models are available in your choice of light or dark grey finish.

ISOPAC-A - DRUM SHIELD KIT

- Dimensions: 7'W x 9'D x 6.5'H
- Kit contains: (1) A5-7 7-section CSP, (3) S5-2L 4'W x 5.5'H SORBER baffle (rear), (7) AX12 - 12" height extenders, (1) STC5L - 2'W x 5.5'D center lid section, (1) STC512L - 12"W x 5.5'D center lid section, (2) STS5L - 2'W x 5.5'D side lid section. (7) S2L - 22"W x 2'H SORBER haffle. (1) Fan - 6", 2-speed, low-noise fan

occuon, (1) ban	22 WAZ II DONDEN Dame, (1) Tan	o, 2 opeca, ion noise ian
ITEM	DESCRIPTION	PRICE
ISOPAC-A	Drumshield kit with lid system 50-60%	sound reduction 2066 75

ISOPAC-B - DRUM SHIELD KIT

- Dimensions: 7'W x 7'D x 6.5'H
- Kit contains: (1) A5-6 6-section CSP, (3) S5-2 4'W x 5.5'H SORBER baffle (rear), (6) AX12 - 12" height extenders, (1) STC5 - 2'W x 5.5'D center lid section, (2) STS5 - 2'W x 5.5'D side lid section, (4) S2 - 22"W x 2'H SORBER baffle, (1) Fan - 6", 2-speed, low noise fan

ITEM DESCRIPTION PRICE ISOPAC-B Drum shield kit with lid system, 50-60% sound reduction.. 1732 92

ISOPAC-C - DRUM SHIELD KIT

- Dimensions: 6'W x 7'D x 5.5'H
- (1) A5-5 5-section CSP, (3) S5-2 4'Wx5.5'H SORBER baffle (rear), (5) S2 - 22"W x 2'H SORBER baffle Sound reduction not possible to measure without lid system

ITEM	DESCRIPTION	PRICE
ISOPAC-C	Drum shield kit no lid system	1219 26

ISOPAC-D - DRUM SHIELD KIT

- Dimensions: 6'W x 6'D x 4'H
- Kit contains: (1) A4-5 5-section CSP, (2) S4-2L 4'Wx4'H SORBER baffle (rear), (5) S2L - 22"W x 2'H SORBER baffle Sound reduction not possible to measure without lid system

ITEM	DESCRIPTION	PRICE
ISOPAC-D	Drum shield kit, no lid system	. 819.28

Full Compass also carries IsoPac Vocal Booth Kits. Visit fullcompass.com for details.

CLEARSONIC CSP-LITE DRUM SHIELD KIT

This lower-cost 5-panel kit is constructed with (5) 24"Wx66"Hx3/16"D acrylic panels and is pre-assembled with flexible hinges to fold flat for easy storage. Unlike standard ClearSonic panels, the LITE2466-5 are unfinished "as-cut and square". Note that they are not designed to support ClearSonic's height extenders or LidPac assemblies.



ITEM	DESCRIPTION	PRICE
LITE2466-5	Drum shield kit, 24"Wx66"Hx3/16"D	350.00









AURALEX ROOMINATOR KITS

Kits contain Studiofoam Absorbent Wedge Panels to calm early reflections and kill that hollow, ringy room sound. The LENRD Bass Traps (not included in the D36-DST kit) smooth out inaccurate and excessive low frequencies while the T-Fusor Sound Diffusors (Pro Kit only) gives a spacious ambiance and wide sweet spot that big-name studios have.





D36-DST KIT

Entry-level system for small rooms (6'x8'x8' or less). Kit Includes:

- (18) DST-112 1'x1' panels (charcoal)
- (18) DST-114 1'x1' wedge panels (various colors)
- (2) Tubetak liquid adhesive

ITEM	DESCRIPTION	PRICE
D36CHA/BUR	Charcoal and burgundy	154.99
D36CHA/CHA	Charcoal only	154.99
D36CHA/PUR	Charcoal and purple	154.99



PROJECT 2 KIT

Designed primarily for rooms <100 sq. ft. Kit Includes:

- (24) Studiofoam 2'x2'x2" wedge panels (charcoal)
- (8) LENRD Bass Traps (various colors)
- (2) Tubetak liquid adhesive

ITEM	DESCRIPT	TON	PRICE
PROJ2CHA/BUR.	Charcoal	and burgundy	 659.99
PROJ2CHA/CHA.	Charcoal	only	 659.99
PROJ2CHA/PUR.	Charcoal	and purple	 659.99



Designed primarily for rooms 15'x20'x8' or smaller. Kit Includes:

- (36) Studiofoam 2'x2'x2" wedge panels (charcoal)
- (12) LENRD Bass Traps (various colors)
- (8) T-Fusor 3D Sound Diffusers
- (3) Tubetak liquid adhesive

ITEM	DESCRIPTION	PRICE
PROPLUSCHA/BUR	Charcoal and burgundy	1319.99
PROPLUSCHA/CHA	Charcoal and charcoal	1319.99
PROPLUSCHA/PUR	Charcoal and purple	1319.99



AURALEX LENRD BASS TRAPS

LENRD (Low End Node Reduction Device) Bass Traps are triangular-shaped,


irregularly wedge-cut pieces of Studiofoam that give superior broadband absorption, especially at low frequencies. They fit room corners and wall/ceiling junctures perfectly and are the

easiest and most cost-effective way to control excess low frequency energy without sacrificing large amounts of cubic space. Noise reduction coefficient (NRC) is 1.35. (Recommended adhesive: 1 Foamtak or 2 Tubetak per eight units. Sold separately.)

ITEM	DESCRIPTION	PRICE
LENBLU	. Bass trap, blue, 8-pack	329.99
LENBUR	Bass trap, burgundy	38.75
LENBUR-HP	. Bass traps, burgundy, 4-pack	154.99
LENCHA	. Bass trap, charcoal	38.75
LENCHA-HP	. Bass traps, charcoal, 4-pack	154.99
LENPUR	Bass trap, purple	38.75
	Bass traps, purple, 4-pack	

AURALEX STUDIOFOAM® PYRAMIDS A per-

fect combination of good looks and great sound, giving a cool look to your studio. Pyramids offer tons of versatility, provide virtually seamless installations, supply a bit of extra diffusion due to their 4-sided geometry.



Available in multiple colors, substitute the last 3 letters of the part number for color (CHA = charcoal, BUR = burgundy, PUR = purple. Other colors available for some models, call a sales pro for more information. Prices listed are for charcoal models, a small upcharge is added for alternate colors.)

ITEM	DESCRIPTION	PRIC
2PYR24XXX	. (12) 2'x4'x2" Pyramid Studiofoam	479.9
4PYR24XXX	. (6) 2'x4'x4" Pyramid Studiofoam	479.9
2PYR22XXX	. 2'x2'x2" Pyramid Studiofoam	21.6
4PYR22XXX	. 2'x2'x4" Pyramid Studiofoam	43.3
FOAMTAK-SINGLE	. Spray adhesive, 96 sq. ft. coverage	24.9
TUBETAK-PRO-SINGLE	.Liquid adhesive, 32 sq. ft. coverage	9.9


AURALEX STUDIOFOAM® PRO CLASS 'A' ACOUSTICAL FOAM The first melamine-

free acoustical foam with a Class 'A' fire rating. Even though its profile is 1.5" thick, it offers a higher noise reduction coefficient (NRC = .90) than 2" Studiofoam Wedges. It will not rot, crumble or suffer surface harm from normal use. Available in 2'x2' and 2'x4' charcoal grev panels. Features beveled edges similar to



AURALEX STUDIOFOAM® WEDGE FOAM

Has triangular horizontal cuts and treats most small to medium sized areas including vocal booths, control rooms and studios. An industry workhorse. Overall NRC = .80, and comes in various colors. Wedgies™ are 1'x1' panels and come in 2" only.



Available in multiple colors, substitute the last 3 letters of the part number for color (CHA = charcoal, BUR = burgundy, PUR = purple. Other colors available for some models, call a sales pro for more information. Prices listed are for charcoal models, a small upcharge is added for alternate colors.)

ITEM	DESCRIPTION	PRICE
2SF24XXX	(12) 2" Studiofoam, 2'x4'	449.99
3SF24XXX	(8) 3" Studiofoam, 2'x4'	459.99
4SF24XXX	(6) 4" Studiofoam, 2'x4'	449.99
2SF22XXX	2" Studiofoam, 2'x2'	19.17
4SF22XXX	4" Studiofoam, 2'x2'	
FOAMTAK-SINGLE	Spray adhesive, 96 sq. ft. coverage	24.99
TUBETAK-PRO-SINGLE	Liquid adhesive, 32 sq. ft. coverage .	9.99
WEDGIES	(24) 2" foam wedges, 1'x1'	4.58







COMPUTER AV









































































AURALEX GRAMMA SOUND ISOLATION AMP RISERS Gig and Recording Amplifier and Monitor Modulation Attenuator. The

Gramma sound isolation riser is an incredibly effective device used to float an amp or loudspeaker and yields nearly total acoustic sound isolation. They come complete with a carrying handle, road-ready carpet, Studiofoam Wedges and PlatFoam. The Great Gramma is a larger design intended for guitar cabinets or similar sized speakers and subs.

ITEM	DESCRIPTION	PRICE
GRAMMA-4PACK	. 15"x26" platform, 4-pack	219.96
GRAMMA-SINGLE	. 15"x23" platform, single	54.99
GREAT-GRAMMA	. 19"x30" platform, single	84.99

AURALEX ADHESIVES Use these adhesives to affix acoustic foam panels or diffusors to your walls. Tubetak Pro provides a permanent bond and is easily applied from the tube with a standard caulking gun. One tube mounts about 32 square feet of foam or diffusors. Foamtak can be applied lightly so that foam is removeable, or applied heavily for a permanent bond. One can mounts about 96 square feet of foam or diffusors.

ITEM	DESCRIPTION	PRICE
TUBETAK-PRO-SINGLE	Permanent adhesive, tube	9.99
FOAMTAK-SINGLE	Semi-permanent adhesive, aerosol	can24.99




elastic, water-based sealant is used for reducing sound transmission at the perimeter of wall systems or around electrical box cutouts to achieve specified STC/MTC values. The surface dries to a tough film but the sealant remains flexible and stays pliable for up to 5 times longer than alternative brands. It has no residual run-off, is paintable and non-staining, and meets ASTM C-834 standards for flame retardancy. Coverage per 29 oz. cartridge is approximately 40 linear feet with a 3/8" bead applied.

AURALEX STOPGAP ACOUSTICAL SEALANT This highly

ITEM	DESCRIPTION	PRICE
STOPGAP	Acoustical sealant, 29oz, cartridge	19.99

AURALEX PROPAD™ MONITOR

ISOLATORS Extremely useful for decoupling monitors and reducing structural vibrations. They feature a durable, 3-layer and highly-damped construction, a slip-resistant ISO-Plate top, and an additional PlatFoamTM wedge for angled



applications. ProPAD work with most standard-sized near-field monitors with 5.25", 6.5" or 8" woofers. ProPAD XL is for larger twin woofer monitors up to 19" wide.

ITEM	DESCRIPTION		PRICE
PROPAD	Monitor isolators, up to 8"	wide (pair)	99.99
PROPAD-XL	Monitor isolators, up to 19	" wide (pair)	199.99

AURALEX SHEETBLOK™ SOUND BARRIER

SheetBlok Sound Isolation Barrier is a dense, limp-mass vinyl material that is about 6dB more effective than solid lead at stopping the transmission of sound. It acts as a thin, dense sound barrier layer in walls, ceilings or floors and is most effective when used as one component of



a multi-layered construction scheme. It helps in decoupling (i.e. floating) floors and walls and is paintable with latex paint. SheetBlok-Plus comes with a PSA (pressuresensitive adhesive) already attached.

ITEM	DESCRIPTION	I	PRICE
J-10SHBL	. Sound barrier	, 4'x10'x1/8"	249.99
J-30SHBL	. Sound barrier	, 4'x30'x1/8"	124.99
PLSHBL30	. Sound barrier	, 4'x30'x1/8" with adhesive attached	599.99

Follow Us!

AURALEX U-BOAT FLOOR FLOATERS These proprietary U-Boat floaters are made of a specially formulated rubber compound. These U channels are used to support framing members and float (isolate and decouple) them from the surrounding structure. With the help of U-Boats, a floated room features greatly improved transmission loss (isolation) and low-frequency definition. Each channel is 2 1/8" W x 1 1/2" H x 2" D, and are 5/16" thick on the sides, and 1/2" thick at the base.

	,	
TEM	DESCRIPTION	PRICE
JBFF	U-boat floater, black ((each) 2.49

AURALEX SONOFIBER

These absorptive panels are a cost-effective Class A fire retardant option with excellent acoustical properties and a composition well suited for




harsh environments such as nightclubs, restaurants, gymnasiums, houses of worship, multi-purpose rooms and other commercial or industrial environments. Especially recommended for use up high where people will not interact with the panels.

ITEM	DESCRIPTION	PRICE
SFIBERCHA25	. 1"x2'x2' panels 25-pack, Charcoal	. 374.99
SFIBERWHI25	. 1"x2'x2' panels 25-pack, White	. 374.99

AURALEX STAND-MOUNTED PANELS ProMAXTM is set of stand-mounted absorption panels that includes a pair of 2'x4'x3" charcoal panels with (2) MAX-Stands mounts. The smaller DeskMAXTM is a portable desktop solution and includes a pair of 2'x2'x3" panels which mount using the 2 included desktop stands.

ITEM	DESCRIPTION	PRICE
PROMAX	Acoustic panels, free-standing,	
	charcoal grey	349.99
DESKMAX	Acoustic panels, desktop, charcoal grey	249.99



AURALEX ELITE B24™ PROPANELS™

These are decorative, fabric-wrapped absorptive panels that meet Class 'A' fire ratings per ASTM-E84 standards. The 2" thick, 2ft x 4ft beveled-edge panels have a 1.12 Noise Reduction Coefficient (NRC), making them the perfect choice for absorbing slap and flutter echo in applications such as schools, gymnasiums, theaters, houses of worship, board rooms or recording and broadcast studios. Includes wall-mounting Impaling Clips.

ITEM	DESCRIPTION	PRICE
B224SHW	ProPanel, sandstone color (each)	139.99
B1240BS	ProPanel, colbalt color (each)	109.99

AURALEX DIFFUSORS

MetroFusorTM is made from high quality EPS (expanded polystyrene), and features a distinctive, proprietary surface contour. T'FusorsTM and QuadFusorTM drop easily into ceiling grids and are wall mountable with pushpins, staples, nails, Tubetak, Velcro or 2-sided tape. Improved broadband diffusion can be achieved by filling the cavity in the back of the T-Fusor with acoustic foam or 1" rigid fiberglass. The DST-R Reflector kit consists of (36) 12"x12"x1"



diffusors. Their 1" depth makes them ideal for areas where space is tight. The MiniFusor™ is a 12"x12"x5" diffusor made of thermoplastic resin with an inner cavity which can be filled for better diffusion and low-frequency trapping. All diffusors are white and can be easily painted with water-based paints.

ITEM		PRICE
METRODIFF	. 24"x24"x2" white diffusor	19.17
TFUSOR	23.75"x23.75"x5.5" white diffusor	64.99
QUADFUSOR	. 2'x2'x4.5" white diffusor	69.99
DST-RKIT	. (36) 12"x12"x1"white diffusors	104.99
MINIFUSOR-EACH	. 12"x12"x5" diffusor	11.66











SKYLINE

RPG SKYLINE TWO-DIMENSIONAL PRIMITIVE ROOT DIFFUSOR

Skyline is an omni-directional primitive root number theory 2-dimensional diffusor. It scatters incident sound uniformly so that the acoustic glare in all directions is minimized. This is especially useful for small rooms, where surfaces are relatively close to the listener and a very efficient diffusing surface is needed. DESCRIPTION

.. 2 diffusers, 2'x2'x8", white ..



The energy that is not diffused is absorbed. This panel extends
the acoustical performance of traditional absorptive fabric
wrapped panels, allows wide area coverage without excessive
deadening, and offers an alternative to RPG's line of traditional
phase grating diffusors. Sold in boxes of two.

RPG FLATFUSOR PANELS The Flatffusor™ provides uni-

form sound diffusion at high and mid band frequencies and

crosses over to pure absorption below the diffusive cutoff.



NEW

iiiiiii

COMPUTER AV

ITEM	DESCRIPTION	PRICE
FLAT1-298-2	(2) Diffusors, 2'x2'x1", gray	165.19
FLAT1-298-4	(2) Diffusors, 4'x2'x1", gray	330.37



ACOUSTIC GEOMETRY DOOR SEAL KIT This kit includes an automatic bottom seal and adjustable jamb seals, which create an airtight seal. It lowers a neoprene gasket to the door threshold and works as a self-leveling unit - the gasket end nearest the hinge drops first, with the rest of the seal self-leveling to the threshold as the door closes. It's installed around the sides and top of the door jamb, using soft neoprene rubber to create an airtight seal by closing the air gap between the door and the jamb. It can be cut down to desired height, with

a maximum door height of 84", maximum door width of 36", and a minimum door width of 34". ITEM DESCRIPTION PRICE

AGDOORRSEALKT...... Door seal kit. 298.98

ACOUSTIC GEOMETRY STUDIO 6 SOUNDPROOF

WINDOW This beautifully-constructed insulated studio window has 2 pieces of 1/4" laminated glass, plus an air cavity and an additional pane of 3/8" laminated glass. It features a 6-3/8" aluminum frame, acoustically treated frames & seals, angled & flat glass for maximum acoustical performance, and Class A-1 ASTM E-84 nonflammable Sound SilencerTM acoustical frame inserts. It fits any wall thickness by insetting or offsetting the acoustical window.



ITEM	DESCRIPTION	PRICE
AGST63672	Sound-proof window, 72"x36"	4659.98

ACOUSTIC GEOMETRY GREEN GLUE DAMPENING COMPOUND

Green Glue is a liquid, waterborne, viscoelastic damping compound which represents the highest performance of its type. It's significantly lower in applied cost than competitive products, achieving a better cost/performance ratio in damping normal construction materials such as drywall, wood products, etc. Features: non-toxic, no mixing required, simple & familiar "caulk gun" application,

improved sound isolation, thoroughly lab-tested, offers reduced impact noise, improved resistance to airborne sound and reduction in structure-borne sound.

ITEM	DESCRIPTION	PRICE
ASGG29	29oz tube of green glue	16.98

ACOUSTIC GEOMETRY ACO-U-STICK These sound absorber mini-panels are a great solution for reducing echo and loud sounds in studios, practice rooms, hallways, and basements. The panels are very affordable, high-quality, and easy to stick on walls or other surfaces. The panels are 1" square, 1" thick, and ship in an economical 6-pack, complete with self-stick mounting tabs. Aco-U-Stick panels are made from eco-friendly recycled Bonded Acoustical Cotton and are environmentally-friendly with no VOCs.

ITEM	DESCRIPTION	PRICE
ACOUSTIK6	. 6-Pack of Mini Acoustic Panels, 1'x1'x1"	29.98

ACOUSTIC GEOMETRY CURVED DIFFUSORS

Curve Diffusors are the most natural-sounding, accurate, affordable improvement you can make to a room's acoustics. They feature a cylindrical (constant-radius) design for phasecoherent accurate broadband diffusion, plus a built-in MLV Bass Trap membrane and a mid-high internal absorber. They are stackable in ceilings under 8' and may be mounted vertically or horizontally. Available in small, medium, and deluxe sizes with multiple fabric colors to choose from.

ITEM	DESCRIPTION	PRICE
CRVDFSCROSBIRC	. Small curve diffusor, 14"x42"x5", birch	372.98
CRVDFMCROSBIRC	. Medium curve diffusor, 21"x42"x7", birch	447.98
CRVDLXCROSBIRC	Deluxe curve diffusor, 15"x43"x3", birch	639.98
DECVS	Free-standing hirch stand for curved diffusors/nanels	199 9



ACOUSTIC GEOMETRY STUDIO 3D SOUNDPROOF DOOR

This USA-built sound control door has a STC value up to 56, and is ideal for recording studios, offices, band rooms, hotels, conference rooms or any application where a soundproof interior door is required. This standard-model door is shipped pre-hung and assembled, offered in ready-to-stain oak with silver hardware - custom wood-species, finish, and hardware options are available.

-F		
ITEM	DESCRIPTION	PRICE
AGST336800AKRS	Soundproof door, right swing, 30"x80"x2-3/4"	. 2999.98
AGST336800AKLS	Soundproof door, left swing, 30"x80"x2-3/4"	2999.98



NEW!

EM	DESCRIPTION	PRICE
ST336800AKRS	Soundproof door, right swing, 30"x80"x2-3/4"	. 2999.98
ST336800AKLS	Soundproof door, left swing, 30"x80"x2-3/4"	. 2999.98



PRIMACOUSTIC FLEXIBOOTH VOICE-OVER **BOOTH** The 48"x48" wall-mounted fiberglass

FlexiBoothTM opens like a cupboard to create a 16 cubic foot "voice-over zone" that eliminates room ambience. Ideal for voiceovers, vocal tracking, and podcasting, it absorbs sound energy through the voice range. Multiple FlexiBooths can be placed in a room and customized to reflect various acoustic environments. Doubles as a bass trap when closed and can be cleat mounted to any wall surface.

ITEM	DESCRIPTION	P.
	Dual-purpose vocal booth/bass trap,	
	2" thick main panels, 1" thick door p	oanels



PRIMACOUSTIC FLEXIFUSER VARIABLE PITCH DIFFUSER

Ideal for recording studios, broadcast stations and home theaters, the pitch diffuser deflects sound energy to create a greater sense of air and space. It mounts at receive end of room, diffusing directional acoustic energy. It also reduces standing waves and flutter echo from 500Hz and up. 6 variable pitch slats can be rotated to tailor the diffuser's sound deflection. The rearmounted absorptive panel behind the diffuser's slats further reduces room reflections. Various patterns can be combined in clusters for maximum effect. Ships flat to reduce freight costs and assembles in minutes using standard household tools.

ITEM	DESCRIPTION	PRICE
FLEXI-FUSOR	Variable pitch diffuser with rotating slats, 48"Hx24"Wx6"D	. 399.99





449 99

M-F: 9:00-5:30 Central















































PRIMACOUSTIC GOTRAP The GoTrap™ is a combination studio gobo and bass trap that controls spill between instruments recording simultaneously and passively removes excess bass in the room (down to 75Hz). GoTraps are comprised of high-density, fabric-covered 6 lbs/ft3 sound absorbing panels, an 8" D internal cavity, and internal fiberboard barriers that contain sounds and enhance bass absorption.



ITEM	DESCRIPTION	PRICE
GO-TRAP	. 24"x36" birch studio gobo and bass absorber,	
	select black/beige/grey panel color	. 399.99

PRIMACOUSTIC PAINTABLES™

ACOUSTIC PANELS These innovative acoustic panels are constructed from high-density 6lb/cubic foot glass wool with resinhardened edges. More importantly, they feature a specially formulated textured latex surface that can be painted or UV printed to match your studio's decor - without affecting the panels' acoustic performance. Available in a variety of sizes and ship with an absolute white finish.

ITEM	DESCRIPTION	PRICE
PAINTABLES-24X24X2SQ	24x24x2" square-edged acoustic panel	549.99
PAINTABLES-24X48X2BV	24x48x2" bevel-edged acoustic panel	549.99

PRIMACOUSTIC MAXTRAP BROADBAND CORNER BASS TRAP

This combination 3-way broadband corner trap consists of a high-density fiberglass panel with a resonator membrane. It's easy to assemble (24"x48" flat-pack wood frame) and its unobtrusive design fits any décor. Effective from 65Hz and up.

ITEM	DESCRIPTION	PRICE
MAX-TRAP	. 24"x48" broadband corner acoustical absorber3	99.99



PRIMACOUSTIC MODULAR ACOUSTIC

CLOUD SYSTEM Suspended over the con-

sole or listening position, this fabric- wrapped, high-density fiberglass panel eliminates the need to install

floor-to-ceiling reflectors and comes with easy-to-assemble suspension hardware. Its unobtrusive design fits any décor and is available in beige, black and grey.

ITEM	DESCRIPTION	PRICE
2IITATT2	24"Hv48"Wv2"D overhead nanel with frame	199 99

PRIMACOUSTIC CUMULUS BROADBAND CEILING CORNER TRAP These triangular focal point traps mount

in corners and is highly effective in small rooms due to sound migration, providing absorption upwards of 125Hz. Their unobtrusive design fits any décor and they are quick and easy to mount.



ITEM	DESCRIPTION	PRICE
CUMULUS	Two 24" triangle corner traps	. 119.99

PRIMACOUSTIC BROADWAY LONDON SERIES **ACOUSTICAL TREATMENT KITS**

The London room kits provide a balanced solution that deals with both room reflections and problem frequencies. The panels are modular and can be easily distributed to meet a multitude of room configurations and be adapted as a starting point for larger rooms or more demanding applications. The kits consist of high-density 6 lb.-per-cubic-foot fiberglass panels, which are 5 times more absorbent than



1.3 lb. foam, resulting in fewer panels altogether. They are Class 1 fire rated for safe installations anywhere. No glue needed. Installation is clean and easy. Available with black, grey or beige panels.



LONDON 8

The Primacoustic London 8 is the perfect "studio in a box" for those that have small rooms but plan on growing. For rooms under 100 sq. ft.

Kit Includes:

- (4) 12"x36"x2" panels
- (8) 12"x12"x1" panels
- (20) surface impaler clips

ITEM	PRIC
LONDON-8	199.9

LONDON 12

A Live-End/Dead-End kit for rooms with a square footage of about 120 sq. ft.

Kit Includes:

- (2) 24"x48"x2" panels
- (8) 12"x48 x2" panels
- (12) 12"x12"x1" panels
- (28) surface impaler clips
- (8) corner impaler clips

ITEM	PRICE
LONDON-12	749 99

LONDON 10™ ROOM KIT

A Live-End/Dead-End kit for rooms up to 120 sq. ft. that includes:

- (8) 12"x48"x2" beveled-edge panels
- (12) 12"x12"x1" square-edge panels
- (28) surface impaler clips

ITEM	PRICE
LONDON-10	499.99

LONDON 16

When maximum absorption and accuracy are required. For rooms 150 sq. ft. or larger.

Kit Includes:

- (6) 24"x48"x2" panels
- (12) 12"x48"x2" panels • (24) 12"x12"x1" panels
- (48) surface impaler clips
- (16) corner impaler clips

ITEM	PRICE
LONDON-16	1499.99







LONDON 8

