

**ALTMAN**  
Lighting, Inc.

**ALTMAN Q-LITE OPEN FACE FIXTURE**

These open-face luminaires are compact, lightweight, multipurpose flood/fill lights ideal for stage, studio and location lighting applications. Designed to operate high color-temperature tungsten halogen lamps, they are well suited for use in tight or confined spaces where maximum light output and beam spread are required for fill or flood lighting. The Q-Lite is rated for up to 1000W lamps, and the Q-Lite Jr. is rated for up to 650W. 36" Power lead. Lamps not included.



ITEM	DESCRIPTION	PRICE
Q-LITE.....	1000W open face fixture .....	176.25
Q-LITE-JR.....	650W open face fixture .....	157.50
QL-BD4.....	Barn door for Q-LITE.....	33.00
QL-JR-BD4.....	Barn door for Q-LITE-JR.....	27.75
FCM-EIKO.....	1000W, 3200K lamp.....	6.29

**BOWENS**

**BOWENS GEMINI 750PRO (X2) KIT**

This two-head studio lighting kit is great for beginning photographers or those looking for a versatile kit with plenty of accessories. Includes (2) Gemini 750Pro lights, a Pulsar Radio Trigger and Receiver Card, a 60x80 cm softbox, 90cm umbrella, a 120° wide angle reflector, (2) stands, (2) flash tubes, (2) power cords, (2) lamps, a sync lead, and a rolling case.



ITEM	DESCRIPTION	PRICE
BW-8710TXUS.....	Two-head Gemini 750Pro Lighting Kit.....	2099.00

**BOWENS GEMINI 400RX KIT**

This two-light kit is great for photographers at every level of expertise and works well in studios and on location. Includes (2) Gemini 400Rx flash heads with built-in Pulsar Radio Receivers, a Pulsar Tx Radio Trigger, (2) 90cm umbrellas, (2) wide angle reflectors, (2) stands, a carry case, 250W modelling lamps, cables, and a sync cord. Features include fast 1.2s recycling, 1/1000s quick flash duration (both onboard features), and a full 5-stop flash power range that also controls the proportional modelling lamp.



ITEM	DESCRIPTION	PRICE
BW-4765TXUS.....	Two-light Gemini 400Rx Kit.....	849.00

**BOWENS PORTRAIT REFLECTOR KIT**

Designed specifically for portrait lighting applications, this kit includes a 60x80cm softbox, a 60° grid reflector, an 81 cm gold/silver reflector disc, (3) sizes of honeycomb grid, a back light reflector, 12 colored gels and filters, and a telescopic backlight stand.




ITEM	DESCRIPTION	PRICE
BW-6655.....	Portrait lighting accessory kit.....	595.00

**ELATION**

**ELATION LIGHTING TVL F1 LED THEATRICAL FIXTURES**

Available in 3200K warm white and 5600K cool white versions, this LED fixture is designed for theatrical applications and features no-noise thermo-optical cooling. Additional features include 12°-40° zoom, 95 CRI, 50,000 hour LED life, DMX-controlled dimming and zoom, and flicker-free operation. Connections include (2) Ethernet (RJ45) ports, and 5-pin DMX powerCON power input.



ITEM	DESCRIPTION	PRICE
TVL-F1CW.....	5600K cool white LED theatrical fixture.....	1499.99
TVL-F1WW.....	3200K warm white LED theatrical fixture.....	1499.99



**ELATION LIGHTING TVL3000 II LED TV/BROADCAST LIGHT**

This fixture features (24) 3W white LEDs, flicker-free dimming, convection cooling, an included beam angle lens kit (10°, 25°, 40°, 60°), manual and 1-channel DMX operation modes, adjustable barn doors, Powercon in/out, and a max. power consumption of 70W. Works great as a replacement for keylights and headlamps.



*Please contact your sales representative to discuss available mounting bracket accessories.*

ITEM	DESCRIPTION	PRICE
TVL-3000-II/CW.....	5000K Cool White LED broadcast light.....	1199.99
TVL-3000-II/DW.....	3200-5600K Variable/Dynamic White version.....	1199.99
TVL-3000-II/WW.....	3200K Warm White version.....	1199.99
TVL3BAT.....	Rechargeable battery back for 2x TVL3000 II.....	899.99

**ikan**

**IKAN SL120 STUDIO LED LIGHT** The SL120 is outfitted with 120 high-intensity "Cree"-style emitters which provide a high color rendering index of 91, making it a great choice for studio use. Features of particular note include barn doors with Intensifiers, DMX 512 control of onboard dimmer and an aluminum heat sink to cool the unit. A yoke mount is included.



ITEM	DESCRIPTION	PRICE
SL120.....	Studio LED Light Fixture.....	2159.00

**IKAN IB508 DUAL-COLOR LED LIGHT** The ikan IB508 is a dual-color, 3200K-5600K, lightweight (3.1 lbs), portable LED lighting solution. Powered by 2 Sony-style 'L' series batteries (included) with on-board battery life indicator, diffuser, battery charger and a ball head mount.



ITEM	DESCRIPTION	PRICE
IB508.....	Dual-Color LED Light.....	494.00



Ask us about our  
2- and 3-year  
extended warranties!

Visit [fullcompass.com](http://fullcompass.com) today!

For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central



- AUDIO
- VIDEO
- MUSIC
- COMPUTER AV
- ACCESSORIES

AUDIO



MUSIC



COMPUTER AV



LIGHTS



ACCESSORIES



**KUPO™**



**KUPO™ PROFESSIONAL LIGHTING SUPPORT AND GRIP EQUIPMENT**

ITEM	DESCRIPTION	PRICE
KS743712	40" C Stand, Turtle Base, Kit, Chrome	176.50
KS743811	40" C Stand, Turtle Base, Kit, Black	183.00
KS742512	20" C Stand, Turtle Base, Chrome	131.00
KS742811	20" C Stand, Turtle Base, Black	124.43
KS743512	20" C Stand, Turtle Base, Kit, Chrome	182.50
KS743611	20" C Stand, Turtle Base, Kit, Black	178.00
KS300312	Low Mighty Stand	204.00
KG500112	Master Cine Stand	220.00
KS500412	Master High Cine Stand	240.00
KG600112	High Overhead Roller Stand	370.00
KS300112	High Roller Stand	285.50
KS300712	Junior Roller Stand	198.75
KS401212	3 Section Crank Up Stand	560.50
KG203012	2.5" Grip Head - Chrome	24.25
KG203111	2.5" Grip Head - Black	24.00
KG203212	20" Grip Arm - Chrome	30.00
KG203311	20" Grip Arm - Black	29.25
KG203412	40" Grip Arm - Chrome	34.00
KG203511	40" Grip Arm - Black	34.00
KG300512	Articulated Arm	72.95
KD2302112	Baby Drop Ceiling Adapter - 5/8" Stud	10.00
KG006312	Adapter 1-1/8" stud to 5/8" Stud	15.00
KG2004611	5/8" Receiver w/ 3/8" -16 Thread	10.25
KG005412	TVMP Adapter	11.00
KG083111	15 lbs Velcro Sandbag - Empty	21.75
KG083211	25 lbs Velcro Sandbag - Empty	26.00
KG083311	35 lbs Velcro Sandbag - Empty	32.75

**Litepanels®**

**LITEPANELS 1X1 SERIES LED LIGHT PANELS**

These 1'x1' LED light panels are thin and lightweight, and can be joined together for a variety of lighting configurations. Even though the fixture draws in only 40W at 24V, its output is equivalent to 500W. The unique design of the fixture allows you view your subject through its body, thanks to its pattern of hundreds of "mini-portals". Dimmers go from 100%-0% with little to no color modulation. The bi-focus models allow you to crossfade between the 2 different beam spread angles for a combined output. Packages and accessories (filters, power supplies, mounts, stands, etc.) sold separately – please contact your sales pro.

Dimmers go from 100%-0% with little to no color modulation. The bi-focus models allow you to crossfade between the 2 different beam spread angles for a combined output. Packages and accessories (filters, power supplies, mounts, stands, etc.) sold separately – please contact your sales pro.

ITEM	DESCRIPTION	PRICE
903-1006	1x1 mono daylight flood, 50° beam spread	1571.00
903-1007	1x1 mono daylight flood, 30° beam spread	1571.00
903-1003	1x1 mono tungsten flood, 50° beam spread	1571.00
903-1004	1x1 mono daylight super-spot, 15° beam spread	1795.50
903-2013	1x1 bi-color daylight/tungsten flood, 50° beam spread	2290.50
903-2021	1x1 bi-focus daylight spot/flood, 30°/50° beam spread	2290.50
903-2024	1x1 bi-focus daylight spot/super-spot, 30°/15° beam spread	2695.50



**Litepanels®**

**LITEPANELS SOLA 6™ LED FRESNEL**

This fully dimmable, flicker-free daylight-balanced fixture offers the soft light quality of Litepanels' Sola series and the controllability and light-shaping properties of a Fresnel. The Sola 6 uses about a tenth of the power and 1/3 the weight of a conventional Fresnel. Offers 100%-0% dimming with no noticeable color shift and focus control from 67° to 15°. Focus and dimming are controlled via onboard touchscreen or via integrated DMX. Includes standard yoke, barn door, and power supply. Accessories (gels, etc.) are available separately – please contact your Sales Pro.

ITEM	DESCRIPTION	PRICE
906-2002	LED daylight-temperature Fresnel with 6" lens	2786.00



**LITEPANELS INCA™ LED FRESNELS**

These DMX-controllable tungsten-balanced fixtures are for use in applications where LED lighting needs to match existing incandescent (or other equally warm) lights. The Inca's controllability and light-shaping properties are similar to those of the average Fresnel, but they consume less power and weigh less. They offer 100%-0% dimming with no noticeable color shift via on-fixture dial or integrated DMX. Includes standard yoke, power supply, and barn door. Gels, carrying bag and other accessories are sold separately – please contact your Sales Pro.

ITEM	DESCRIPTION	PRICE
906-4003	Inca 4, 4" tungsten LED Fresnel	1526.00
906-2003	Inca 6, 6" tungsten LED Fresnel	2786.00



**LITEPANELS CROMA**

Designed for ENG and other fast-paced video recording applications, this fixture offers soft light with the addition of variable color temperature. With smooth dimming, a soft rubber housing, and a cool running temperature, Croma mounts on DSLRs, camcorders, and stands to provides flicker-free light at any frame rate or shutter angle. Draws a total of 9W and runs off an AC adapter or (6) AA batteries. Comes with diffusion gel, shoe-mount, AC power supply and carry bag. Additional accessories (mounts, etc.) are sold separately – please contact your Sales Pro for more information.

ITEM	DESCRIPTION	PRICE
905-4023	On-camera variable-temp LED fixture	584.10



**LITEPANELS MICRO ON-CAMERA LED LIGHTS**

A compact lighting tool for small DV camcorders, the Micro™ uses LED technology in an ultra-light-weight package. Operators will enjoy luminous, soft, directional lighting with the same warmth and great color characteristics that make Litepanels an integral part of television, broadcast news and feature production. The top-mounted dimming knob is ideal for DV and DSLR cameras. Micro™ runs off 4 standard AA batteries, MicroPro™ doubles the light output, uses 6 standard AA batteries and includes a carrying bag.

ITEM	DESCRIPTION	PRICE
905-1002	25W on-camera LED light, ball head shoe mount, gels	198.00
905-2022	50W on-camera LED light, ball head shoe mount, gels, carrying bag	315.00



Follow Us!

Let us show you exactly what to expect with our lighting design computer modeling and pre-visualization.

# lowel

Lowel systems and kits have been an industry standard for video, film and still photography since 1959. Combining innovative design with modern, high-strength materials, Lowel lights and accessories are efficient, lightweight and durable.



### LOWEL DV CREATOR 44 KIT

Includes:

- 1 Rifa-lite 44 (LC-44)
- 1 250W, 120V lamp (GCA)
- 1 Pro-light (P1-10)
- 1 Pro-light 4-way barndoors (iP-20)
- 1 250W, 120V lamp (GCA)
- 1 Omni-light (O1-10)
- 1 Omni-light 4-way barndoors (O1-20)
- 1 500W, 120V lamp (FTK)
- 1 Tota-light (T1-10)
- 1 750W, 120V lamp (EMD)
- 4 Uni TO stands (UN-55)
- 1 Tota-frame (T1-20)
- 1 Assorted gels (T1-78)
- 1 Pro and i gel frame (iP-40)
- 1 iP Assorted gels (iP-78)
- 1 Flexi-shaft pkg (2) (T1-50)
- 1 Tota-flag (T1-52)
- 1 Tota-brella (T1-25)
- 1 T/O Lampak (TO-61)
- 1 ViP Lampak (ViP-61)
- 1 TO-83 case

ITEM	DESCRIPTION	PRICE
DV-9023Z	DV Creator 44 Kit	1351.45

**LOWEL LIGHTING PRIME LEDS** A new series of LED fixtures designed for use in production facilities and for location setups. The Prime LEDs have a wider 50° beam angle producing a brighter light than similarly sized units. They can be dimmed manually or via DMX and feature quiet fanless operation. Available in daylight or tungsten colors.



ITEM	DESCRIPTION	PRICE
PRM-200DA	Prime LED 200, Daylight, 17.7x14.9"	1510.64
PRM-200TU	Prime LED 200, Tungsten, 17.7x14.9"	1510.64
PRM-400DA	Prime LED 400, Daylight, 24.9x14.9"	1949.22
PRM-400TU	Prime LED 400, Tungsten, 24.9x14.9"	1949.22

**LOWEL BLENDER** Lowel Blender™ brings intuitive lighting to your location. 2 sets of LEDs in tungsten and daylight color are quickly and easily blended with rotary dimmer controls, allowing you to match the mixed light sources of your real world location, or create a contrasting color blend to make your subject stand out. Powered by AC adapter or optional battery sled for maximum flexibility. Blender packs more punch than you've come to expect from compact LED lights, and its small size (4"x3"x3") makes it small enough to fit on a pistol grip. Supplied with a set of front diffusers for variable softening and diffusing of the blended output.



ITEM	DESCRIPTION	PRICE
BLN-10	Blender with AC adapter	536.49
BLN-911LB	Blender with Panasonic battery sled	595.46
BLN-912LB	Blender with Sony battery sled	595.46
BLN-913LB	Blender with Canon battery sled	595.46

### LOWEL TOTA-LIGHT BROAD SOURCE

Exceptionally wide-angle halogen source. Gull-wing reflector produces smooth, efficient light pattern. Watts: 750, 650, 500 and 300 at 120V; 800 at 220/240V. Light controls: umbrella, gel frame, flags, etc. Mounting system: stand, wall/door mount, clamps. Protective front screen. Closes compactly for storage and travel.



ITEM	DESCRIPTION	PRICE
IT1-10	Tota-light with 16' AC cable	140.24

# lowel

### LOWEL PRO-LIGHT, I-LIGHT

Portable lights for both AC and battery power. Features interchangeable reflectors, focus capability, inexpensive halogen lamps and a wide variety of accessories, including swing-away accessory holders. #2 (IP-17) re-lector and Prismatic glass (IP-52) is included.



ITEM	DESCRIPTION	PRICE
P2-10	Pro-light, 120V AC 50-250W, 4' cable, 12' extension cable, stand link	133.42
I-01	I-Light 12-14V, with 55W and 100W lamp, 4' cable with cigarette lighter plug, Low link, Cam-link, VIP Stand link and focus knob extension	174.34
I-02	I-Light with 4-pin XLR connector	174.34
I-045	I-Light with Anton-Bauer tap	174.34
ID-01	ID-Light like i-Light with dimmer	284.27
ID-02	ID-Light with 4-pin XLR connector	284.27
ID-045	ID-Light with Anton Bauer tap	284.27

**LOWEL RIFA-LITE** For beautiful soft key or fill lighting. Compact, lightweight and self-contained. Woven glass front diffuser with exceptional heat resistance.



ITEM	DESCRIPTION	PRICE
LC-44EX	Rifa-Lite 250W 16"x16"	356.27
LC-44EC/50	Egg crate for LC-44	151.02
LC-55EX	Rifa-Lite 500W 21"x21"	515.47
LC-55EC/40	Egg crate for LC-55	199.99
LC-66EX	Rifa-Lite 750W 25"x25"	598.84
LC-66D	Baffle for LC-66	144.48
LC-66EC/40	Egg Crate for LC-66	236.74
LC-88EX	Rifa-Lite 1000W 32"x32"	686.01
LC-88D	Baffle for LC-88	167.34
LC-88EC/40	Egg Crate for LC-88	285.71

# SEKONIC

### SEKONIC L-758CINE DIGITALMASTER

Offering the most extensive range of fps (frames-per-second), cine shutter speeds, and shutter angle settings, the Sekonic L-758Cine DigitalMaster meets the demands of professionals. Sekonic has automated the process of understanding the dynamic range of your camera and calibrating your meter to work with it. This process requires recording images of one of Sekonic's Exposure Profile Targets or one of X-Rite's ColorChecker series targets, available as a separate purchase. Once recorded, the processed TIFF or JPEG image files are imported into Sekonic's DTS software for processing and mapping. Measured data from industry-standard targets can also be entered manually. After processing, a USB cable is used to transfer the data to one of the Sekonic L-758 meters. Up to 3 camera profiles can be stored in the meter. Any number of profiles can be stored with the software. Once loaded, the Sekonic L-758Cine makes incident and reflected-light spot readings that are precisely tuned to the dynamic range of the profiled camera.



ITEM	DESCRIPTION	PRICE
401-760	L-758Cine DigitalMaster light meter	822.00



AUDIO



MUSIC



COMPUTER AV



VIDEO



LIGHTS



ACCESSORIES



# SEKONIC

## SEKONIC L-308DC DIGICINEMATE

Whether you are a DSLR videographer, cinematographer, still photographer or involved in any facet of image capture, the Sekonic L-308DC provides accurate light metering for all situations. Features three ways to meter and measure light, calibration compensation and illuminance measurement in lux and or foot-candle.



ITEM	DESCRIPTION	PRICE
401-310	L-308DC DigiCineMate light meter	279.00



# SEKONIC

**SEKONIC L-478D LITEMASTER PRO** The world's first touch-screen-operated light meter, the L-478D LiteMaster Pro has unique features for both still and motion story tellers. It's compact in size yet comfortable to use. The large 2.7" LCD displays ambient, flash, cine and a host of other information in a clear and understandable way. Settings are made by simply touching or sliding a finger over the screen. The L-478D can be quickly calibrated to your camera using Sekonic's Data Transfer software and either Sekonic or X-Rite Brand targets or by manually inputting data to the DTS program or on the meter itself.

ITEM	DESCRIPTION	PRICE
401-478	L-478D LiteMaster Pro light meter	389.00

# ROSCO

## ROSCO LITEPAD™ SLIM PROFILE LIGHT SOURCE

A slim profile light source that generates a soft, even beam of light and almost no heat. Its small form and lightweight design make it perfect for many places where a larger, typical luminaire could not fit. Drawing just a few Watts of power, LitePad is simple, fast and economical to use in film and television, theatre, live entertainment, and retail/event lighting. Units are sold individually with a simple 12V transformer, or in kits. Axiom models feature steel and aluminum housing and can be affixed to C-stands via bracket, or mounted using velcro, among other methods. Daylight panels listed below, tungsten and high output models are also available.



ITEM	DESCRIPTION	PRICE
LITEPAD-12X12-DL	12"x12" panel, includes power supply	495.00
LITEPAD-3X3-DL	3"x3" panel, includes power supply	48.51
LITEPAD-3X6-DL	3"x6" panel, includes power supply	98.01
LITEPAD-3X12-DL	3"x12" panel, includes power supply	148.50
LITEPAD-6X6-DL	6"x6" panel, includes power supply	138.60
LITEPAD-6X12-DL	6"x12" panel, includes power supply	321.75
LITEPAD-AXIOM-3X6-D	3"x6" Axiom panel, includes power supply	193.05
LITEPAD-AXIOM-3X12-D	3"x12" Axiom panel, includes power supply	266.31
LITEPAD-AXIOM-6X6-D	6"x6" Axiom panel, includes power supply	266.31
LITEPAD-AXIOM-6X12-D	6"x12" Axiom panel, includes power supply	464.31
LITEPAD-AXIOM-12X-D	12"x12" Axiom panel, includes power supply	593.01
LITEPAD-AXIOM-24X-D	24"x24" Axiom panel, includes power supply	890.01
LITEPAD-BRACKET-6	6" LitePad mounting bracket	33.06
LITEPAD-BRACKET-12	12" LitePad mounting bracket	42.47
LITEPAD-DMX-DIMMER	2-channel DMX dimmer for LitePads	296.01
LITEPAD-PRO-GAFFER	Contains 2 of each size LitePad (except 3"x3"), eggcrates, brackets, color filter packs, Pelican case, etc.	3860.01
LITEPAD-QUICK-KIT	Contains 1 of each size LitePad (except 3"x3"), mounting brackets, cables and Pelican case	2276.01
LITEPAD-DIGI-SHOOTER	(1) 3" High-output LitePad, 5 Axiom LitePads, cables, eggcrates, color filter packs, Pelican case, etc.	2699.10
LITEPAD-STILL-PHOTO	(1) 3" High-output LitePad, 2 Axiom LitePads, 2 full spot lenses (3"x6", 6"x6") cables, eggcrates, color filter packs, Pelican case, etc.	809.10
LITEPAD-HO+--EVERYWHR	6 High-output daylight LitePads, 6 High-output tungsten LitePads, cables, brackets, and Pelican case.	3239.10

# SV

## SMITH VICTOR DIGILIGHT FLUORESCENT LIGHT KIT

This 1050W 3-light kit includes (3) DigiLight FL3 fluorescent lights, (9) 26W spiral fluorescent lamps, an MB110 mini boom arm, (3) Raven RS8 8 ft black aluminum light stands, and a lighting guide. The fixtures' reflectors are chemically etched for maximum light dispersion.



ITEM	DESCRIPTION	PRICE
KFL-33	3-light fluorescent lighting kit w/lamps, stands, etc.	399.00

## SMITH-VICTOR K78 PROFESSIONAL PORTRAIT LIGHTING KIT

This kit consists of (2) 765UM 600W quartz lights, (1) 750SG 1,000W quartz Broad Light, (2) Raven RS8 8' black aluminum light stand, (1) Raven RS13 13' air-cushioned black aluminum light stand, (1) MB150 boom arm, (1) 45" black-backed white umbrella, on DYH 600W quartz lamp, (1) FHM 1,000W quartz lamp, (1) EYH 250W quartz lamp, (1) SBC1236 12"x36" strip soft box with mounting bracket, (1) wheeled soft case and (1) Imaging with Light lighting guide.



ITEM	DESCRIPTION	PRICE
K78	Professional portrait kit	849.00

## SMITH VICTOR KSB-1250 ECONOMY SOFTBOX LIGHT KIT

This softbox kit includes (2) SBL-2432 economy softbox lights, (1) SBL-1236 economy softbox light, (2) 500W ECT 3200K photoflood lamps, (1) 250W ECA 3200K photoflood lamp, (3) Raven RS8 8 ft black aluminum light stands, (1) MB110 mini boom arm, and a lighting guide. The softboxes feature a silver metallic lining inside for maximum brightness as well as a diffusion panel.



ITEM	DESCRIPTION	PRICE
KSB-1250	3-light softbox light kit	545.00

## SMITH VICTOR KT900 PHOTOFLOOD KIT

This 1250W 3-light kit is great in a variety of applications and features (2) 12" reflectors with punch-out holes, (1) 5" reflector, (3) socket and cord sets with 5/8" stand mounts, (2) umbrella mounts, (2) 32" umbrellas, (2) 500W ECT photoflood lamps, (1) 250W ECA photoflood lamp, (3) Raven RS8 8 ft aluminum light stands, (1) MB110 mini boom arm, (1) wheeled soft case and a lighting guide.



ITEM	DESCRIPTION	PRICE
KT900	3-light photoflood kit	275.00



Follow Us!

Let us show you exactly what to expect with our lighting design computer modeling and pre-visualization.

# Light It All - With A Rosco LitePad Kit



Rosco LitePads are a light-weight, durable, LED light source developed for anyone that shoots with a camera. LitePads are unique because they emit a soft, glowing, flattering pool of light that doesn't blind the subject with a directional beam. Available in Tungsten and Daylight color temperatures.



## Rosco LitePad Kits

Portable and affordable lighting kits designed for photographic or video customers that want to roll their lighting gear into the location, plug it in and be ready to shoot in minutes. Contact your Full Compass Sales Pro for more information.



### Digital Shooters Kit AX

The kit includes six LitePad LED lights along with all the accessories needed to mount, power and dim the lights for a perfect three-point lighting setup.

Full Compass SKU: LITEPAD-DIGI-SHOOTER



### Still Photo Kit AX

The kit contains three smaller LitePads along with mounting & power accessories that attach the LitePads directly to the camera.

Full Compass SKU: LITEPAD-STILL-PHOTO



**rosco**

**FULL COMPASS**  
PRO AUDIO | VIDEO | AV | LIGHTING  
MUSICAL INSTRUMENTS

800-356-5844  
FULLCOMPASS.COM

AUDIO



**ROSCO DIFFUSION KIT** Diffusion materials help control the character of the lighting in each scene. Rosco's range of diffusion filters are offered in closely graded steps so the photographer can select the exact filter needed for each situation. Kit includes 15 diffusion filters.



ITEM	DESCRIPTION	PRICE
09020-LKIT	Diffusion Kit, 20"x24"	97.55
09020-SKIT	Diffusion Kit, 10"x12"	38.03

**ROSCO COLOR EFFECTS KIT** The ten color filters in this kit are selected from a range of over 300 colors that Rosco produces for theatre, film and television. Each of the 15 sheets of color is deep-dyed on a heat-resistant base. They are ideal for most video production lights.



ITEM	DESCRIPTION	PRICE
09040-LKIT	Color Effects Kit, 20"x24"	97.55
09040-SKIT	Color Effects Kit, 10"x12"	38.03

This kit is used for color correction of virtually all mixed-light sources found on location. There are sixteen filters for light source color correction. Materials include a range of blue and amber balancing filters along with a selection of green and magenta color compensating filters.



ITEM	DESCRIPTION	PRICE
09030-LKIT	Color Correction Kit, 20"x24"	97.55
09030-SKIT	Color Correction Kit, 10"x12"	38.03

**ROSCO CALCOLOR KIT** The CalColor Kit consists of 10" x 12" sheets of each of the 33 colors in the CalColor range. This kit also includes a technical brochure and reference swatchbook. Packaged in a handy storage pouch.



ITEM	DESCRIPTION	PRICE
04000-OKIT	CalColor Kit, 10"x12"	50.16



**WESTCOTT GREEN SCREEN X-DROP BACKDROP KIT**

Designed for quick set-up and teardown, this 5'x7' green screen backdrop has telescoping legs and arms and is machine washable. Grommets along the top and bottom make hanging the backdrop easy and ensure that it remains taut. Includes a carry case that allows you to transport three additional backdrops.



ITEM	DESCRIPTION	PRICE
579K	5'x7' green screen backdrop with mounting stand and case	119.90



**WESTCOTT ILLUSIONS PHOTO GREEN SCREEN SOFTWARE BUNDLE (LITE)**

This kit includes a 5'x7' wrinkle-resistant X-Drop green screen, PhotoKey Lite Software, (200) digital backdrops, (20) overlay graphics, and (2) wall hooks. Great for every level of expertise of photographer/photo editor.




ITEM	DESCRIPTION	PRICE
417N	Green screen with digital backgrounds and software	89.90



**WESTCOTT BACKGROUND SUPPORT SYSTEM**

The Background Support System uses two 10' H air-cushioned stands with a three-section cross bar that extends up to 10.5". The system also allows



for mounting a second crossbar and background. Includes carry case.

ITEM	DESCRIPTION	PRICE
9014	Background support system	199.90



6768



6770



6771



6772



6770

**WESTCOTT TWO-SIDED BACKDROPS**

Two-sided collapsible background gives the user two color choices in one bag. Includes two straps along the top edge for easy hanging and round, clear PVC carry case. All backgrounds are 6'x7'.

ITEM	DESCRIPTION	PRICE
6771	Rich Mocha/Heavenly Blue	219.90
6767	Smokey Gray/Midnight Blue	219.90
6770	Bracken Brown/April Showers	219.90
6768	Autumn Red/Pearl	219.90
6772	Black/White	219.90



Follow Us!

Let us show you exactly what to expect with our lighting design computer modeling and pre-visualization.