



#### AMERICAN DJ DOTZ FLOOD **RGB WASH/BLINDER FIXTURE**

- 6 DMX Modes
- IEC AC In/Out
- · Electronic Dimming
- Barn doors adjust 60° beam angle
- · Compatible with ADJ UC3 series controllers
- (6) 30W COB (Chip On Board)Tri RGB LEDs
- · Wireless control via DF FC foot pedal controller
- Built-in Programs, 3-zone pixel control, 100% **Electronic Dimming**

	9	
ITEM	DESCRIPTION	PRICE
DOTZ-FLOOD	RGB Wash/Blinder fixture	549.99
DF-FC	Foot pedal controller	99.99



AMERICAN DJ MEGA TRI38 SYSTEM

- 25° beam angle
- Strobe & Pulse LED Effect
- 45 W Max power draw (entire system)
- 12 Built-in Programs & 32 Built-In Color Macros
- Smooth RGB Color Mixing (fast or slow color change operation)
- Includes (4) 3x3W tri-color LED wash fixtures, (1) wireless foot controller, (1) stand, (1) stand bag, (1) soft case for lights
- RGB Mode, Built-in Programs, Auto Run, Sound-Activated & 6/12/15-channel DMX-512 operational modes

ITEM	DESCRIPTION	PRICE
MEGA-TRI38-SYSTEM	LED Par Wash system	449.99



#### AMERICAN DJ DOTZ BAR 1.4 LED WASH BAR WITH BLINDER

- DMX-512 protocol
- 0-100% Electronic Dimming
- Built-in Microphone and preset colors
- 3-, 6-, 8-, 12- & 17-Channel DMX Modes Great for Stage Lighting, Bands or Night Clubs
- 4 Operating Modes Sound-Activated,
- Auto Run, Built-In Programs or DMX Control • 1x4 COB (Chip On Board) TRI LED high-output linear wash bar

CRIPTION			PRICE
/Rlinder I	FD fivt	ro	100 00

#### DOTZ-BAR-1.4 **AMERICAN DJ ULTRA BAR 6**

## INDOOR LINEAR LED FIXTURE

- LED pulse & strobe
- 3-Section Pixel control
- 35 built-in Color Macros • Ultra bright TRI RGB LEDs
- Variable RGB color mixing
- 0-100% Electronic Dimming
- 22.5" (0.5 m) indoor linear bar w/ (6) 3W
- 3-, 5-, 6-, 7-, 8-, 9- or 11-channel DMX modes
- Auto Run, Program Mode, Sound-Activated, RGB Dimmer, Static Color and DMX-512 operational modes
- Includes mounting brackets for wall-mounting or placement on the ground



IINIDIIF SIT-FLAT DESIGN





#### **AMERICAN DJ MEGA TRIPAR PROFILE LOW PROFILE LED WASH**

- · Flicker free
- 40° beam angle
- Power Draw: 16W max
- 7 DMX channel modes
- 0-100% electronic dimming
- Slim par with(5) 3W TRI LEDs (RGB)
- Standalone or master/slave Configuration
- "Sit-flat" design: Power and DMX I/O designed so unit can be set flat on ground or inside truss
- · Includes a scissor yoke (hanging bracket) to hang on truss, mount on a wall or set on the ground
- · Digital DMX display with 4-button menu for easy navigation
- 5 operational modes: Auto mode and sound active feature with built-in programs

ITEM	DESCRIPTION	PRICE
IIEW	DESCRIPTION	FRIGE
MECA_TRIDAD_DRAFILE	Low profile LED wash light	00 00
MILUA-INIFAN-FNUI ILI		



#### **AMERICAN DJ** WIFLY BAR QA5

- 25° beam angle
- Battery-powered LED bar
- 6 DMX channel modes (4, 6, 7, 8, 9, 22); 6 operational modes
- · WiFly Transceiver with wireless DMX built-in (5) 5W QUAD LEDs (4-in-1) RGBA
- Rechargeable lithium battery, runs 6 hours on full charge
- 4-button LED display on rear panel for DMX addressing





- 5-Zone Pixel Control
- · Built-in Microphone

WIFLY-BAR-QA5.

- · Power Cord Daisy Chain • 3-Pin & 5-Pin DMX In/Out
- 4-Button DMX LED Display
- 1-, 4-, 17-Channel DMX modes
- 0-100% Electronic Dimming
- (15) 3W 3-in-1 RGB TRI LEDs
- Power Consumption: 61W maximum
- · Runs cool for extended periods of time with no duty cycles

· Sound-Activated, Show Mode, DMX Control operation modes

DESCRIPTION

DESCRIPTION PIXEL-PULSE-BAR. .LED Color Strobe/Wash effect fixture...



#### **AMERICAN DJ FLAT PAR QUAD 5**

- 40° beam angle
- Low-profile design
- (5) 5W QUAD LEDs (4-in-1 RGBA or RGBW)
- In/out IEC connections to daisy chain power
- 44 color macros, color strobe effect and smooth RGB mixing
- 4-button LED DMX display on rear panel; 8 DMX channel modes
- 6 operational modes: manual color, color change, color fade, auto mode, sound active and DMX-512

ITEM	DESCRIPTION	PRICE
FLAT-PAR-QA5	DMX LED slim par (RGBA)	179.99
FLAT-PAR-QWH5	DMX LED slim par (RGBW)	179.99





PRICE



COMPUTER AV
















































ACCESSORIES













#### **AMERICAN DJ FLAT PAR QUAD 12**

- 40° beam angle
- · Low-profile design
- (12) 5W QUAD LEDs (4-in-1 RGBA or RGBW)
- In/out IEC connections to daisy chain power
- 44 color macros, color strobe effect and smooth RGB mixing
- 4-button LED DMX display on rear panel; 8 DMX channel modes
- 6 operational modes: manual color, color change, color fade, auto, sound active and DMX-512

,		
ITEM	DESCRIPTION	PRICE
FLAT-PAR-QA12	DMX LED slim par (RGBA)	. 299.99
FLAT-PAR-QWH12	DMX LED slim par (RGBW)	. 299.99



#### **AMERICAN DJ** WIFLY PAR QA5

- 25° beam angle
- · Rechargeable lithium battery
- (5) 5W QUAD LEDs (4-in-1) RGBA
- 4-button LED DMX display on rear panel
- · WiFly Transceiver wireless DMX onboard
- · Battery-powered flat par with wireless DMX
- 8 DMX Channel modes; 6 Operational modes
- Battery-powered flat par with wireless DMX
- ... Battery powered par can with wireless DMX .....



#### **AMERICAN DJ MEGA PAR PROFILE SYSTEM**

• 11 built-in programs

WIFLY-PAR-QA5....

- Electronic dimming: 0-100%
- All-in-one LED Par system with 4 RGB color mixing LED fixtures
- 4 wash fixtures, stand with bag, foot controller and system soft case included
- 4-button LED DMX display on rear panel;
- 3 DMX channel modes
- . 6 operation modes: static color, manual dimmer

color, built-in progr and DMX512 mode.	, ,	nd active
ITEM	DESCRIPTION	PRIC

I I E IVI	DESCRIPTION	PKII
MEGA-PAR-PROFILE-SYS	All-in-one	
	LED Par system	349.9





#### **AMERICAN DJ** FLAT PAR TRI 7X

- 40° beam angle
- 32 built-in color macros
- TRI LED (3-in-1) projects no RGB shadows
- Ultra-bright slim par can with (7) 3W TRI LEDs
- 4-button LED DMX display on rear panel; 7 DMX channel modes
- 6 operation modes: manual color model, color change mode,
- · color fade mode, auto mode, sound active mode and DMX512 mode

ITEM	DESCRIPTION	PRICE
FLAT-PAR-TRI7X	DMX 3W TRI-LED slim par can	169.99
ADJ-LED-RC	Remote control	19.99







#### AMERICAN DJ **MATRIX BEAM LED**

- (25) 3W warm white Cree LEDs in a 5x5 panel
- Latch system links multiple fixtures together
- · Designed for use as blinder effect or matrix chase effect
- Built-in light chases, create characters in light via DMX
- 3 operation modes: auto (program run), sound active and DMX512 mode

• 4-button LED DMX display on rear panel; 3 DMX channel modes

ITEM	DESCRIPTION	PRIC
MATRIX-BEAM-LED	DMX 5x5 LED panel	699.9



- Upgradeable fixture
- Standard 110V Configuration, 240V compliant
- 3 ft Power Cable With Edison Connector
- Includes 20W, 50,000 hr Osram Ultra LED HD PAR 38 lamp

DESCRIPTION PRICE LED par can fixture......



#### **APOLLO DESIGN AVID 7 RGBW LED WASH**

- DMX512 protocol, IP20 rated
- 38 preset colors plus color calibration
- 4-Button, Full Color Graphics User Interface
- (7) High-Output RGBW 4-Color Osram OStar Stage LEDs
- Smooth, Selectable Dimming Curves Accurate to 0% Output
- 21° Standard Beam High Efficiency Optics - No Color Fringing
- . 5-pin XLR DMX In and Out on Neutrik PowerCON connectors

DESCRIPTION PRICE AC-LED-AVID7... . RGBW LED wash fixture...... ...1653.80




#### **BLIZZARD LIGHTING** THE PUCK PRO ZOOM™ **LED PAR CAN**



- Long-life LEDs (rated at 60,000hrs)
- (14) 10W RGBW quad-color TianXin LEDs
- 7 DMX modes, including RGBW and HSV color mixing modes
- Rugged all-aluminum chassis with dual mounting yokes and handle

• User-selectable DMX channel modes, dimming, color temp, power options, color display and more















#### **BLIZZARD LIGHTING ROKBOX EXA LED**

- Built-in sound active programs
- Variable electronic dimming & strobe
- Built-in color & chase macros via DMX
- 5 user-selectable 32-bit dimming curves
- Built-in automated programs via master/slave
- Flicker-free constant-current 400hz LED driver
- (18) 15W (6 x 2.5w) RGBAW+UV 6-in-1 LEDs

ROKBOX INFINIWHITE-COOL

• RGBAW+UV color-mixing ability in standalone mode

ITEM DESCRIPTION

ROKBOX-EXA....

ROKBOX INFINIWHITE-WW

ROKBOX-INFINIWHITE

**BLIZZARD LIGHTING** 

• (18) 10W 4-in-1RGBW LEDs

• 4-button DMX LED display

• 3/4/5/8/9 DMX channel modes

**ROKBOXTM** 

..(18) 15W RGBAW+UV LED Fixture...

**BLIZZARD LIGHTING** 

• 3/6/7 or 8-ch DMX

 wiCICLE®-enabled Built-in programs

DESCRIPTION

LED par can with DMX...

**ROKBOX INFINIWHITE** 

(18) 15W (3x 5W) AWC 3-in-1 LEDs

Dimmer, strobe & sound active options

(5) user-selectable 32-bit dimming curves

PRICE





#### **BLIZZARD LIGHTING** SKYBOX EXA LED PAR

- RGBAW + UV Color Mixing
- 7x15W 6-in-1 LEDs w/ 100,000 hrs life
- 395-400nM ultraviolet light output
- 2.4Ghz built-in wireless DMX receiver
- Intelion<sup>TM</sup> lithium-ion battery system
- 5 user-selectable 32-bit dimming curves

• Beam Angle: 25° optics standard,

26° beam, 30° field

6x1 RGBAW+UV LED Par fixture.....

PRICE 549.99









COMPUTER AV















PRICE

329 99









#### **BLIZZARD LIGHTING PUCK Q12 FLAT LED PAR CAN**

ITEM SKYBOX-EXA.

- · Selectable 4 or 7 DMX channels
- · Variable electronic strobe and dimmer
- All metal case with dual mounting yokes
- Linkable with all other Blizzard Puck par cans
- (12) 10W Quad-Color (RGBW or RGBA) LEDs • Full RGBW or RGBA color mixing plus 15 built-in

DESCRIPTION

colors in standalone, master/slave and DMX modes



flexibility

.7x15W RGBAW+UV LED Fixture.

DESCRIPTION

standalone mode

**BLIZZARD LIGHTING HOTBOX EXA LED FIXTURE** • Built-in sound active programs · Variable electronic dimming & strobe

• Built-in color & chase macros via DM

• 5 user-selectable 32-bit dimming curves

· Dual mounting brackets for positioning

• RGBAW+UV color mixing ability in

• Built-in automated programs via master/slave

• Flicker-free constant-current 400hz LED driver

• (7) 15W (6 x 2.5w) RGBAW+UV 6-in-1 LEDs



DESCRIPTION PRICE . LED wash light (RGBW)......



#### **BLIZZARD LIGHTING** THE PUCK FAB5™ LED PAR CAN

- (7) 15W 5-in-1 RGBWA LEDs
- 25° beam angle, 29° field angle
- · 4-button LED control panel for easy programming
- · Full RGBAW color mixing in standalone and master/slave
- · Built-in sound active plus automated programs via DMX and master/slave
- Color preset (3-channel), RGBAW (5-channel) and extended (12-channel) DMX

ITFM DESCRIPTION PRICE PUCK-FAB-5 5-in-1 LED par can (RGBWA).....

#### **BLIZZARD LIGHTING** ROCKLITE™ RGBAW **WASH LIGHT**

- 4/5/9/10 DMX channels
- 23° beam angle, 26° field angle
- LED display with 4-button control panel
- (36) 3W RĞBAW Edison® Edixeon™ LEDs
- RGBAW color mixing with or without DMX control

Built-in color macros and automated programs via DMX

DESCRIPTION PRICE ..LED wash light (RGBAW) ROCKLITE-RGBAW.....





• Master/slave, standalone and sound active modes

ITFM HOTBOX-EXA















































PRECISION-DMX COMPACT SIZE

#### DARKLIGHT PRECISION DMX MICRO RGB FLOOD

- IP65 rating
- · 7-channel DMX control
- 25° lens angle, 50,000hr lamp life
- DMX address and configuration stored in EEPROM
- World's smallest DMX512 controllable theatrical floodlight
- Full color control via DMX512; DarkBox Programmer (sold separately) required to change DMX from default address 1
- Built-in functions: flicker, strobe, blink, fade, color change, master dimming, color macro

ITEM	DESCRIPTION	PRICE
PRECISION-DMX	.Miniature DMX RGB flood	. 114.00
DARKBOX-PROGRAMMER	.DMX addressing tool	95.00



#### **DARKLIGHT GANTOM IQ MICRO IMAGE PROJECTOR**

• IP65 rating

Miniature gobo projector....

- Dual-polarity input
- · Smallest gobo projector on the market
- Zoom- and focus-adjustable with sliding lenses
- 2-wire dimming using PWM input (10%-100%)
- Supports full-color, user-made 3/4" patterns
- 25°-40° lens angle, 50,000hr lamp life

DESCRIPTION PRICE

GANTOM-DMX COMPACT SIZE

#### **DARKLIGHT GANTOM DMX MICRO FLOOD**



GANTOM-IQ

- Flicker-free and video-ready
- 20° lens angle, 50,000hr lamp life
- · Integrates into any existing DMX universe · DMX address and configuration stored in EEPROM
- Available in RGBW (4-channel) or dynamic white (2-channel)
- · Quad-chip LED and matching optics for homogenous color output

ITEM	DESCRIPTION	PRICE
CANTOM-DMX	Miniature DMX flood	180 50

#### DARKLIGHT DARKBOX **CONTROLLERS**





LED indicators, can drive multiple fixtures in sync and make any 12V LED flicker, strobe, blink, surge, pulsate, or dim. The Flicker can also generate patterns and the DMX Micro has fully-tunable speed and brightness for any mode. The Programmer is compatible with all DMX devices and functions as a DMX addresser and configurator. It even has a built-in 224-channel single scene output and DMX controller for use with static effects.

ITEM	DESCRIPTION	PRICE
DARKBOX-FLICKER	LED dimmer and pattern generator.	57.00
DARKBOX-DMX-MICRO	.Multi-functional LED dimmer	66.50
DARKBOX-PROGRAMMER	.DMX addresser and configurator	95.00



#### PRECISION Z HIGH POWER MICRO SPOT OR FLOOD



- · IP68 rating, submersible to 3ft
- 2-wire dimming using PWM input (10%-100%)
- Equivalent to traditional 20W halogen fixtures PRECISION-Z-SPOT
- 95% energy savings compared to 20W halogen lamp
- Lens angle is 15° for spot and 120° for flood, 50,000hr lamp life · Spot is available in red, green, blue, amber, cool white, warm white and ultraviolet

PRECISION-Z-FLOOD

COMPACT SIZE

•		
ITEM	DESCRIPTION	PRICE
PRECISION-Z-SPOT	Miniature spot	
PRECISION-Z-FLOOD	Miniature flood	47.50



#### **ELATION CUEPIX BLINDER WW2**

- Strobe Effect
- Integrated Rigging Bracket
- (2) 100W Warm White 3200K COB LEDs
- $\bullet$  60° Beam Angle 80° Field Angle
- RDM (Remote Device Management)
- 0% 100% dimming of Each COB Module • Variable and Selectable Dimming Curves
- · Flicker Free Operation for TV and FILM
- Standalone Operation with Master/Slave Function
- Individual COB Module Control Including Pan Focus

ITEM	DESCRIPTION	PRICE
CUEPIX-BLINDER-WW	.2-LED blinder fixture	599.99



• Variable / Selectable Dimming Curves

- · DMX control with built-in effect macros
- 1x8 30W Chip-On-Board (COB) RGB LED Batten

ITEM	DESCRIPTION	PRICE
CUEPIX-BATTEN-TRI	.1x8 COB RGB LED batten fixture	649.99





#### **ELATION LIGHTING DESIGN CUEPIX PAR 150 / 300**

- IR Remote Control Option
- Variable / Selectable Dimming Curves
- 3- & 5-Pin DMX in/out Powercon in/out
- Pixel Control of each Chip-On-Board (COB) module

CUEPIX-PAR-150

ITEM	DESCRIPTION	PRICE
CUEPIX-PAR-150	4x30W COB RGB Par 150 fixture	499.99
CUEPIX-PAR-300	. 7x30W COB RGB Par 300 fixture	699.99









# **CUEPIX SERIES**

ADD INTENSITY, COLOR & BRILLIANCE IN YOUR DESIGN WITH THE NEW ELATION LED CUEPIX SERIES



The CUEPIX Series Features:

Integrated Hanging Yokes . Pro Grade Touring Design

Power-Con Linking / 3 & 5 pin DMX



the POWER to ACHIEVE your VISION







CUEPIX STRIP TRI



CUEPIX BLINDER WW2



CUEPIX"STRIP WW



800-356-5844 FULLCOMPASS.COM













EPAR-TRI

ITEM

EPAR-0























ACCESSORIES



















· Flicker-free operation • Long life 50,000hr LEDs · 4-digit LED display • 0-100% electronic dimming • 1/2/3/4/6/7 DMX channel operation mode

DESCRIPTION	PRICE
LED par can	251.93

#### **ELATION EVENT CYLINDER**

- IP65 rated
- RGB color mixing
- Manual, auto, and master/slave modes
- Battery powered with 12 hour life, 6 hour charge
- DMX version has (4) modes, 1-, 3-, 4-, and 6-channel
- (2) versions DMX has 72 Tri Color LEDs, RF has 48

ITEM	DESCRIPTION	PRICE
EVENT-CYLINDER-DMX	.LED cylinder with wireless DMX	377.93
EVENT-CYLINDER-RF	.LED cylinder with RF and remote	377.93



#### **ELATION EPAR QA LED PAR CAN**

- (14) 5W Quad RGBA LEDs
- 10° standard beam angle
- · Dual-yoke floor stand
- No colored shadows
- · Flicker-free operation
- Long life 50,000hr LEDs
- 0-100% electronic dimming
- 4-digit LED display
- 1/2/3/4/6/7 DMX channel oneration mode

	operation mode	
	DESCRIPTION	PRICE
QA	LED par can	449.99



#### **ELATION LEVEL Q7 LED FLAT PAR FIXTURE**

- · Weighs 10lbs
- 14,700 lux @ 2.5m
- 3- and 5-pin DMX
- Neutrik® PowerCon in/out
- (7) 15W RGBW OSRAM Quad LEDs
- · High-output and professional grade

DESCRIPTION .Quad LED par fixture ...

#### **ELATION VOLT Q5 WEATHERPROOF LED SPOT**

- 16.000 lux @ 8ft
- (5) 15W RGBW LEDs
- Built-in wireless DMX receiver
- · Excellent color mixing and tight beam
- Weather-resistant housing with IP65 rating
- · Rechargeable battery with charging station
- Compact and solid design with built-in handle • 4-button LED control panel for easy programming

ITFM DESCRIPTION PRICE VOLT-Q5 .IP65 rated LED spot..




- Flicker free
- Power con in/out
- 18 x 5W quad RGBW LEDs
- · Quad color technology
- Smooth dimming control
- 10° standard beam angle
- Power Consumption: 140W max
- Strobe effect (1-18 flashes per second)
- DMX-512- controllable via 6 DMX modes
- Split yoke bracket: floor-stand or mount
- 3-pin and 5-pin XLR data input and output



DESCRIPTION OPTI-QUAD-PAR Quad LED Par Fixture

#### **ELATION FLEX PIXEL** WP LED PIXEL TAPE



- 10' flexible LED pixel tape with waterproof cover
- Mountable to any surface with optional Flex IP Clip Kit
- 15mmW x 5mmH x 3mtrL (not including in/out cables)
- Flex Pixel 5VPSU power supply required for each section of tape
- Flex Pixel Driver offers up to 2 tapes and up to 432 DMX channels of control
- (72) RGB SMD tri color LED pixels (216 ch.) per tape spaced on 40mm centers

	DESCRIPTION	PRICE
FLEX-PIXEL-WP	LED pixel tape, power supply not included .	119.99
FLEX-IP-CLIP-KIT	Mounting clip to mount to any surface	6.68
FLEX-PIXEL-DRIVER	DMX driver	74.99
FLEX-PIXEL-IRC	IR receiver and remote	37.99
FLEX-PIXEL-5VPSU	5V standard power supply unit	29.99





- 6-Color RGBAW+UV 12W per node
- 7 x 12W / 12 x 12W / 18 x 12W
- IP 65 Rated LED Series
- Variable / Selectable Dimming Curves
- IR Remote Control Option • IP Power/Data linking cables

ITEM	DESCRIPTION	PRICE
SIX-PAR-100-IP.	6-color 80W IP 65 rated LED	449.99
SIX-PAR-200-IP.	6-color 120W IP 65 rated LED	549.99
SIX-PAR-300-IP.	6-color 200W IP 65 rated LED	699.99





SIX-PAR-300P





#### **ELATION LIGHTING ARENA PAR ZOOM** WITH QUAD COLOR

- Variable Strobe Macros
- 10°- 60° Motorized Zoom
- Selectable Dimming Curves
- 220W Max Power Consumption
- Flicker Free Operation for TV and film
- Integrated Dual Rigging Yoke / Floor Stand
- 1000W Comparable Output LED PAR 64
- (19) 10W Quad Color (RGBW) LEDs

• Power Link Up To (4) Units at 120V (8) Units at 230V



DESCRIPTION

. 19x10W Quad Color LED Par.



NEW!



#### **ELATION PROTRON** LED STROBE LIGHT

- (576) 6500K white LEDs
- 28.000 lumens
- 120° beam angle
- IP65 rugged die cast case
- · DMX and RDM control
- Full ON mode, bursts and linear dimming
- IP Rated PowerCon In and Thru connections
- 100-240V AC Auto Sensing, 150W

DESCRIPTION PROTRON-LED-STROBE.... .LED strobe light

PRICE

#### **ELATION OPTI TRI 30 LED SPOTLIGHT**

- 7x 3W LEDs
- Dimming 0-100% • Digital DMX display
- 25W total power draw
- 5-pin DMX connection
- Multi-voltage internal PSU
- 10° (optional 25°) beam angle
- DMX channels: 1, 2, 3, 4, 6 or 7-channel modes
- Double hanging brackets (may be set on the floor)
- 4 operational modes: sound active, macro, auto & DMX
- Tri-color LED technology for better colors (no multicolor shadows)

DESCRIPTION PRICE OPTI-TRI-30. ... LED spotlight.



#### **ELATION OPTI TRI** WHITE LED FIXTURE

- Flicker-free operation
- 3-pin and 5-pin DMX connections
- Neutrik® PowerCON in/out
- 100-240V switching power 47-63Hz
- Dual-yoke for floor mounting
- · Fan-cooled with 50,000hrs of LED life
- Stand-alone mode, sound-active mode and DMX control
- (54) 3W Tri White™ LEDs (18 cool white, 18 warm white and 18 amber)

DESCRIPTION OPTI-TRI-WHITE. . Tri White™ LED fixture......



#### **MARTIN RUSH** STROBE 1 5X5

- 3-pin and 5-pin XLR
- 5x5 matrix panel
- · DMX or sound activated
- (25) 5W Cree cool white LEDs
- Individually controllable LEDs
- Preprogrammed macros (effects, letters, numbers, etc.)
- Linkable integrated horizontal and vertical locking
- Multiple DMX control options and standalone mode

DESCRIPTION PRICE RUSH-STROBE. . LED strobe/blinder.



#### **MARTIN RUSH** PAR 1 RGBW

- 2 DMX channel modes (5/7)
- 20° fixed beam angle
- · Premixed RGBW color mixing
- · Electronic dimming and strobe
- (7) 10W RGBW Cree MC-E LEDs
- DMX and standalone control options
- · Flexible bracket for floor or truss mounting

PRICE LED par can..



RUSH-PAR2-RGBW-ZOOM.....

RUSH-PAR-1.

**MARTIN RUSH** 

• 5-pin XLR • 10° to 60° Zoom

PAR 2 RGBW ZOOM

• Bright LED PAR Can

• (12) 10 W RGBW LEDs

DESCRIPTION LED PAR Can w/ 12 RGBW LEDs PRICE



### ROSCO MIRO CUBE™ FAMILY

These 48W LED wash lights put more than 3000 lumens into a compact and portable 4" cube. The rugged, geometric design is perfect for museums, track-light systems, in

stores and lobbies or built into sets, truss and lighting rigs.

- · Bolted yoke design allows units to be easily ganged
- Flicker-free dimming through DMX (8- or 16-bit resolution)
- · Plugs directly into wall anywhere in the world, adjusting automatically to 90-240VAC 50-60Hz
- More than 40 units can be powered from a single 20A circuit LCD control panel
- Full color mixing, tunable white, or black light versions (in black or white finish)

ITEM	DESCRIPTION	PRICE
MIROCUBE-4C	. Color-mixing LED wash	820.31
MIROCUBE-WNC	. Tunable white LED wash	820.31
MIROCUBE-UV	. Blacklight LED wash	1257.81












































For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central















































Combines the size, look, and optics of the Source Four family with the user-

interface and high efficiency of the Selador Desire™ line of LED luminaires. With no burnt gels or lamps to replace, Source Four LEDs have the highest lumens per watt of any LED spotlight while retaining



a 50,000-hour life. Uses the same shutter barrel, accessories, and lenses as existing Source Four fixtures (Enhanced Definition lens tubes are suggested). Features 60 Luxeon® Rebel LED emitters and comes in daylight, tungsten and lustr+ configurations. Available with the LED light engine only or the light engine with shutter assembly.

ITEM	DESCRIPTION	PRICE
S4LEDDS-0-X	Daylight 5600K LED fixture,	
	body and shutter assembly, black	2295.00
S4LEDD-0-X	Daylight 5600K LED fixture, body only, black	2240.00
S4LEDTS-0-X	. Tungsten 3000K LED fixture,	
	body and shutter assembly, black	
S4LEDT-0-X	. Tungsten 3000K LED fixture, body only, black	2240.00
S4LEDLS-0-X	. Lustr+ x7 color system LED fixture,	
	body and shutter assembly, black	
S4LEDL-0-X	Lustr+ x7 color system LED fixture, body only, black	2240.00
S4LED-SFD	Soft focus filter	15.00
419EDLT	Enhanced Definition lens tube, 19 degree	215.60
426EDLT	Enhanced Definition lens tube, 26 degree	215.60
436EDLT	Enhanced Definition lens tube, 36 degree	215.60
LED50LT	. S4LED Specific 50 degree Lens Tube	254.10
S4LED-SWD6	Smooth-wash diffuser for 6.25 gel frame	27.00
S4LED-SWD7	Smooth-wash diffuser for 7.5 gel frame	28.00
S4LED-SWD12	Smooth-wash diffuser for 10° lens tube	60.00
S4LED-SWD14	Smooth-wash diffuser for 5° lens tube	95.00



#### ETC DESIRE™ LED LIGHT FIXTURES

The Desire D40 contains 40 Luxeon® Rebel LED emitters comprised of 7 different colors and features a user interface on the rear. It can also be controlled using any RDM-enabled controller. Offers 5 different DMXs: Calibrated RGB, Calibrated HSI, Calibrated HSIC, Direct, and Studio. D40XT fixtures share the 40 Series'

features but adds waterproof and weatherproof housings

reatures but adds	waterproof and weatherproof housings.	
ITEM	DESCRIPTION PR	RICE
SELD40DI-0A-X	D40 Studio Daylight fixture with	
	5600K LEDs for cool white output	4.10
SELD40FI-0A-X	D40 Fire x7 color fixture with extra-high red brightness 1400	).10
SELD40HI-OA-X	D40 Studio HD fixture with warm and cool	
	white LEDs, 5 addtional LED colors1478	3.10
SELD40II-OA-X	D40 Ice x7 color fixture with extra-high blue brightness 1400	).10
SELD40LI-0A-X	. D40 Lustr+ x7 color fixture with high-intensity white LEDs 1400	).10
SELD40TI-OA-X	D40 Studio Tungsten fixture with 3000K LEDs	
	for warm white output	1.10
SELD40VI-OA-X	D40 Vivid high-intensity, high-saturation x7 color fixture 1400	0.10
	.D40XT Fire x7 color fixture with extra-high red brightness 1599	9.00
SELD40HO-OX	D40XT Studio HD fixture with warm and	
	cool white LEDs, 5 addtitional LED colors	
SELD4010-0X	D40XT Ice x7 color fixture with extra-high blue brightness 1599	9.00
SELD40LO-0X	D40XT Lustr+ x7 color fixture with high-intensity white LEDs 1599	9.00
SELD40TO-0X	D40XT Studio Tungsten fixture with	
	3000K LEDs for warm white output	3.00
	D40XT Vivid high-intensity, high-saturation x7 color fixture 1599	9.00
SELD40FI-0A-X	D60 Fire x7 color fixture with extra-high red brightness 1400	).10

#### **ETC SOURCE FOUR** LED CYC LENS ADAPTER

- · Highly tuned optics
- 2:1 luminaire spacing
- Smooth, homogenized distribution
- · Works with any Source Four LED array
- · Lights subtly-painted drops with x7 color
- Rugged die-cast aluminum construction
- · Heat- and impact-resistant polycarbonate lenses · Works within the footprint of traditional incandescent cyc lights

ITEM	DECODIDATION	-	DDIOE
	DESCRIPTION		PRICE
S4LEDCYC	CYC lens adapter for S4 fixture		 331.80

#### **PHILIPS**



#### PHILIPS COLOR KINETICS **VAYA FLOOD RGB**

- DMX-512 control
- IP66-rated for wet exterior use
- Auto-ranging 100V-240V 50/60Hz input
- High-brightness red, green and blue LEDs
- · Color-changing fixture for interior and exterior use
- · Available in multiple size and beam configurations


ITEM	DESCRIPTION	PRICE
316-000007-04	. 8.8"x9.3" Vaya Flood LP RGB, 10° beam angle	463.00
	. 8.8"x9.3" Vaya Flood LP RGB, 20° beam angle	
316-000007-06	. 8.8"x9.3" Vaya Flood LP RGB, 30° beam angle	463.00
316-000008-04	. 10.8"x13.9" Vaya Flood MP RGB, 10° beam angle	773.00
316-000008-05	. 10.8"x13.9" Vaya Flood MP RGB, 20° beam angle	773.00
316-000008-06	. 10.8"x13.9" Vaya Flood MP RGB, 30° beam angle	773.00



#### PHILIPS COLOR KINETICS **COLORBLAST TRX**







- · Red, Green, Blue, Amber, and White LEDs
- 4 DMX modes including 16-bit color control · Wide variety of optional beam shaping

DESCRIPTION	PRICE
. Color Blast TRX	779.00
Top hat	43.00
. Half top hat	39.00
Egg crate louvers	
Barndoors	

62.00



ITEM

116-000029-00

120-000005-04

120-000009-04

120-000015-04

120-000019-04

120-000025-00

120-000025-01

#### PHILIPS COLOR KINETICS **VAYA LINEAR COLOR**

Horizontal spread lens 36°/50°


Horizontal/vertical spread lens 40°/40°

Integrated power

- Interior/Exterior IP65
- For fixed or dynamic color effects
- · Tilting surface-mount bracket
- Aluminum finish, tempered glass lens
- Auto-ranging 100V-240V, 50/60Hz output
- DMX-512 control/RDM discovery and addressing

ITEM	DESCRIPTION	PRICE
316-000002-08	. 13W 13" fixture, wide 50° beam	271.00
316-000002-09	. 13W 13" fixture, narrow 10°x50° beam	271.00
316-000002-02	.41W 40" fixture, wide 50° beam	519.00
316-000002-03	.41W 40" fixture, narrow 10°x50° beam	519.00





- 16.7 million additive RGB colors; continuously variable intensity
- DMX-512 control/RDM discovery and addressing
- · Chromasic technology integrates auto-addressing, power, communication and control to lower system cost
- Mixing distance of 2" to uniform light
- Available in multiple size and beam configurations

ITEM	DESCRIPTION	PRICE
101-000066-00	12" iColor Cove QLX, 120°x120° beam angle	95.00
101-000066-01	12" iColor Cove QLX, 100°x40° beam angle	95.00
101-000066-02	6" iColor Cove QLX, 120°x120° beam angle	71.00
101-000066-03	6" iColor Cove QLX, 100°x40° beam angle	71.00









# IN THEATERS NOW!

FLEXIBILITY

QUALITY

SOURCE FOUR LED

SETUP

DISTRIBUTION



Source Four L=D CYC



SUPERIOR TOOL FOR LIGHTING CYCLORAMAS SOURCE FOUR LIGHT QUALITY WITH THE FLEXIBILITY OF THE X7 COLOR SYSTEM WORKS WITH ANY SOURCE FOUR LED ARRAY FEWER CYC UNITS NEEDED TO COVER AN ENTIRE CYCLORAMA LIGHT IS EVENLY DISTRIBUTED SEAMLESS BLENDING WITHOUT VISIBLE GAPS HIGHLY TUNED OPTICS



