ACCESSORIES



. ' ' ' O O ' O ' ' ' O O O I .

APHEX COMPELLOR SERIES The transparency of the 320D is derived from the servo-balanced transformerless ins and outs and Aphex's own VCA1001. Its leveling capability provides complete freedom from riding gain while it maintains fast compression and instant peak limiting. It also has digital I/O, and may be used as a D/A or A/D converter.

ITEM DESCRIPTION PRICE 320DCompressor/limiter with digital I/O (AES3)...1299.00



ART PRO VLA II 2-CHANNEL VACTROL/TUBE COMPRESSOR Utilizes a combination of Vactrol[®] and vacuum tube circuitry providing a very musical compressor/limiter design. Using a photocell and light source instead of a VCA for gain reduction allows for more compression without the loss of clarity. Features include VU and LED metering, variable threshold, ratio, attack, release and output controls, +4dBu/-10dBV mode switch, and XLR and I/4" I/O connectors. Also includes a new enhanced link mode so that while in stereo link mode, channel 1 level control acts as a master output level and channel 2 becomes a balance control between them.

ITEM	DESCRIPTION	PRICE
PRO-VLA-II	2-channel tube compressor	269.00

NEW!

ART SCL2 DUAL STEREO COMPRESSOR/ LIMITER, EXPANDER/GATE A highly sophisticated and flexible dynamics processor designed for easy operation and great tone. The unit can be adjusted to provide anything from smooth subtle compression to hard limiting. Noise reduction is provided by a fast solid gate or a subtle expander. The Attack and Release functions allow the user to set the general operating range and then automatically adapt to the audio being processed. A full auto mode is also available.

ITEM	DESCRIPTION	PRICE
SCL2	Dual stereo compressor/	
	limiter, expander/gate	149.00

AVALON 🕕 DESIGN



AVALON VT-747SP TUBE OPTO-COMPRESSOR EQUALIZER Combines a creative stereo tubediscrete Class "A" spectral-opto-compressor with a 6-band program equalizer, L-R output level, gain reduction metering, and internal regulated power supplies all in a 2RU piece. Ideal for high performance DAW input signal conditioning, stereo bus compression/EQ, stereo keyboards, and analog mastering applications.

ITEM	DESCRIPTION	PRICE
VT747SP	.Compressor/EQ	



ASHLY CLX52 STEREO/DUAL PEAK COMPRESSOR/LIMITER This two-channel compressor/limiter uses an "infinite soft-knee" characteristic and timing based on compression ratio. This, combined with a dual release time, allows program density to increase as the input signal increases. The result is a peak controller with very low noise, smooth sound and excellent stereo tracking. It has balanced inputs and outputs on XLR and 1/4" connectors. The CLX-52 is covered by Ashly's exclusive Five-Year Worry-Free Warranty.

ITEM DESCRIPTION CLX52......Stereo/Dual Peak Compressor/Limiter, 1RU..... PRICE 335.00

BBE_® Sound Inc.

and a series of the first series of the

BBE SOUND MAXCOM™ DUAL COMPRESSOR This single-rack space dynamics processor includes 2 independent full-featured compressor/limiters/ gates, each channel having independent controls for Threshold, Compression Ratio, Attack Time, and Release Time. Additionally, the MaxCom[™] linking function allows for phase-coherent tracking of stereo signals and adjustment from the Channel One controls.

ITEM DESCRIPTION PRICE MAXCOM......2-channel compressor/limiter......249.99



PROCESSORS The MDX1600, MDX2600 and MDX4600 all feature Behringer's revolutionary IKA, IGC, IRC and IDE circuitry plus a switchable low-contour filter that prevents pumping. They feature ultra low-noise 4580 operational amps, high-quality ALPS® potentiometers and servo-balanced I/O with 1/4" TRS and gold-plated XLR connectors. The MDX1600 feature set is expander, gate, compressor/limiter with dynamic enhancer, de-esser and low contour filter. The MDX2600 adds tube simulation.

111D/12000 uu	as tube simulati	011.	
ITEM MDX1600-AU1	DESCRIPTION Tocom-prox		PRICE
MDX2600-COI		essor/limiter	119.99
	2-channel comp with tube simula	ressor/limiter ition	129.99
MDX4600-MU	LTICOM-PRX		
	4-channel compre	essor/limiter	149.99
	LTIGA		-
1000	1.000		1
BEHRINGE	R XR4400	MULTIGATE	PRO
4-CHANNE	L EXPANDER	GATE The MUI	LTIGATE
PRO gives vo	ou 4 frequency-o	conscious expand	er/gates
		n feature and par	
		the control signa	
2		vant it to. Thresh	
		ke this unit a ple	
use live or ir	0	· · · · · · · · · · · · · · · · · · ·	

ITEM	PRICE
XR4400-MULTIGATE-PR0	129.99

For expert advice - call: 800-356-5844 M-F: 9:00-5:30 Central



	- 1	
ITEM	DESCRIPTION	PRICE
7720	Stereo compressor	

CHANDLED LIMITED

CHANDLER GERMANIUM COMPRESSOR Features an all Class 'A' amp with transformer-balanced ins and outs, and the compression circuit uses a FET gain reduction element. Some of the most notable additions include a Wet/Dry mix, Comp Curve, Clean/Dirty Comp, and Sidechain Filter. Many of the parameters have been purposely set from studio use and listening vs over-analyzing with test gear. The result is a musical powerhouse ready for tracking, mixing, and mastering. Requires PSU-1 power supply (sold separately).

ITEM	DESCRIPTION	PRICE
GERMANI	UM-COMPRESSOR	
PSU-1	Power supply	





COMPRESSORS, EXPANDERS AND DYNAMIC PROCESSORS



CHANDLED CHANDLER TG12413 ZENER LIMITER 2-CHANNEL LIMITED COMPRESSOR/LIMITER Issued in celebration of the 75th birthday of Abbey Road Studios, the Zener Limiter is based on the vintage EMI circuits used to record The Beatles and Pink Floyd. This version adds new features and flexibility to the powerful and vintage sounding TG limiter circuits. New controls include switchable input impedance for hard or soft driving of the unit, 11-position attack, 21-position release, side-chain filtering, and Comp1, Comp2 and Limit settings. Requires PSU-1 power supply (sold separately).

ITEM	DESCRIPTION	PRICE
ZENER-LIMITER	2-channel compressor/limiter	
PSU-1	Power supply	



limiter from Geoff Daking, built in the US with the same audio path and detector circuits as the single channel Daking FET II limiter. The FET III compressor circuitry and gain stages are all discrete and fully Class 'A' and equal the FET II benchmark plus adding several unique features to improve user control. Features include accurate audio summing, variable Hi-Pass filters from 0 to 200Hz in the detector stage of each limiter channel, pot controls (except for Ratio) for fine-tuning, +24 output level, and THAT CORP differential amps in and out.

ITEM	DESCRIPTION	PRICE
FET-3	Stereo compressor/limiter	

DL241

Drawmer DRAWMER DL SERIES COMPRESSORS The DL Pro Series incorporates many automatic functions, allowing engineers to achieve optimum results with minimum set up time. The DL241 Auto Compressor features an expander/gate with "Programmed Adaptive Expansion" circuitry, a full auto attack/release compressor, zero response time peak level for complete protection from overloads, comprehensive bar graph metering, stereo link, and a fully balanced hard-wire bypass. The DL441 Quad Auto Compressor adds 2 more channels and a peak level limiter, similar to the DL241 but without expander/ gate functions. The DL251 "Spectral Compressor" has the same features as the DL241 without the expander/gate, and incorporates a variable "Dynamic Spectral Enhancement" (DSE) section which eliminates the problems associated with fullband compressors by restoring the high frequency energy lost during the full band compression process. All units feature balanced XLR connectivity in a convenient IRU rackmountable unit.

ITEM	DESCRIPTION	PRICE
DL241	2-channel auto compressor	799.00
DL441	4-channel auto compressor/limiter with peak level limiter,	
	no expander/gate functions	1149.00
DL251	2-channel spectral compressor	1099.00

Empirical Labs



EMPIRICAL LABS DISTRESSOR AUTOMATIC GAIN/VOLUME CONTROL DEVICE This limiter/compressor is digitally controlled and offers a warm sound via a custom-designed gain control circuit. Multiple modes allow the user to warm up digital signals and emulate vintage gain control units.

ITEM	DESCRIPTION	PRICE
EL8-DISTRESSOR	Limiter/compressor	

Follow Us!



link channels 1 and 2 and 3 and 4 for two channels of true stereo compression.

 ITEM
 DESCRIPTION
 PRICE

 1074......Quad gate
 529.95

such as cymbals and pianos, gating hum or buzz from live instruments or recorded

tracks or eliminating headphone leakage into microphones. Stereo Link allows you to

We offer over 700 brands, low prices and outstanding service.

MUSIC

ittilt

COMPUTER AV

VIDEO

LIGHTS

ACCESSORIES

FMR Audio

FMR AUDIO RNC 1773 **STEREO COMPRESSOR**

The Really Nice Compressor (RNC) is a compact, affordable stereo compressor with digital controls and an all-analog signal path, it offers accurate, precise controls, and a clean

tonal character. The RNC provides two modes of operation: normal and SuperNice™ Normal mode allows the RNC to be used for everyday compression tasks, like punchy snare drums or bass guitars, and SuperNice mode provides near-invisible signal compression for sensitive material where compression artifacts are less desirable (like vocals, acoustic guitar or the program bus). I/O features 1/4" unbalanced I/O (TS, or TRS for console inserts); L/R in and out, and TRS sidechain. Controls feature threshold, ratio, attack time, release time, output level bypass and mode select.

TEM	DESCRIPTION
RNC1773	. Stereo compressor
MR AUDIO RNL	A-7239

COMPRESSOR The Really Nice Levelling Amplifier (RNLA) is a com-



PRICE 175.00

pressor with a character that works well with vocals, bass guitar, acoustic guitars

and 2 mix sources. It has a dynamic range of 117dB and features unbalanced inputs/ outputs. It features a gain reduction meter, threshold, ratio, attack, release, and gain controls. It also includes a bypass button, and a "log rel" accelerated release button to help restore some "punch"

	Ferrer	
ITEM	DESCRIPTION	PRICE
RNLA7239	. 1/3-rack compressor	225.00

JDK AUDIO



JDK AUDIO R22 DUAL-CHANNEL COMPRESSOR The R22 features two channels of API's patented award-winning compressor circuit in a rackmount unit with internal power supply. This is the same compressor circuit originally designed for all ATI Paragon mixing consoles. Each channel includes the patented "THRUST" switch to protect the sensitive high frequency content of the audio signal even under the most vigorous of compression ratios. The R22 compressor provides comprehensive easy-to-use control of the audio signal with custom VU metering of both output and gain reduction. It features variable threshold, ratio, and make-up gain controls, switchable metering of output level and gain reduction, above threshold LED indication, switchable hard or soft knee compression, is linkable for stereo operation with true RMS power summing, and fully-balanced XLR and 1/4" inputs and outputs.



ESIG

PRICE . 1015.75

GRACE DESIGN M102 **HIGH FIDELITY OPTICAL** COMPRESSOR From gentle dynamic smoothing

G


D



to full tilt "squash", this unit delivers open, musical dynamic control perfect for any recording chain. Give all your audio tracks easy-to-use compression regardless of how much audio is squeezed – and always end up with a perfect sonic essence. Includes balanced inputs and outputs, both with parallel XLR and 1/4" TRS connectors, along with a 1/4" TRS jack for stereo link or sidechain signal input.

ITEM DESCRIPTION F M102Optical compressor6	
Looking for mic preamps?	Focusrite
See pages 126-132	ISAONE

🛞 HLARK TERTIT **KLARK TEKNIK SQUARE ONE DYNAMICS**



Eight channels of analog dynamics born from the new Midas digital console. Each channel includes a compressor, limiter, expander/gate, intelligent threshold shift and vertically oriented high-intensity LEDs. Features 4 different compression modes, linkable channels for multi-channel operation and solo monitoring of side chain from your console. Includes 8 balanced XLR inputs and outputs, 8 balanced TRS (1/4") jacks and 1 solo bus XLR input/output in a 3RU.

ITFM SQUARE-ONE-DYNAMICS......

PRICE 449.00



MANLEY LABORATORIES, INC. ELOP STEREO ELECTRO-OPTICAL LIMITER Perfect for tracking in ATORIES, INC. the studio, its quick grab tames vocals while the gentle slow release characteristic keeps it natural - like a hand on a fader. Its unique high frequency extension is retained even when digging deep. Features an all-tube audio path with 1/4" I/O and balanced XLR, Hi-Current drive <50 Ohm 1/4" & XLR outputs, BYPASS switches with AUTOMUTE w/warmup delay, stereo link, side-chain high-pass filter (100HZ or 200HZ), and more.

ITEM	DESCRIPTION	PRICE
Melopb	Stereo electro-optical limiter	2970.00
° 0 0	0 0. ININCOM 0 0 0 0	D



MILLENNIA TCL-2 TWINCOM 2-CHANNEL TUBE AND SOLID STATE COMPRESSOR/LIMITER This Twin Topology®

0000

stereo optical compressor/limiter gives you the choice of an all triode 300V vacuum tube or all discrete J-FET solid state signal path. Both topologies are transformerless, high voltage, pure Class 'A', and have only one active gain stage in the audio path. The large VU meters are switchable for gain reduction or output level, channels are stereo linkable, and premium parts are used throughout.

,		<i>'</i>		1	0	
ITEM	DESCRIPTION					PRICE
TCL2	. Stereo optical	tube/:	solid-st	ate compress	or/limiter	3230.99

White Presonus



PRESONUS ACP88 8-CHANNEL COMPRESSOR/ LIMITER/GATE The most powerful dynamics processor in only two rack spaces! It gives you 8 crystal clear compressor/limiters combined with 8 full featured noise gates. Compressor features include: threshold, attack, release, ratio, soft/hard knee and auto mode. Noise gates give you control over threshold, attack and release. Side chain for compressor and gate. Balanced or unbalanced TRS connectors.

ITEM DESCRIPTION PRICE 8-channel compressor/limiter ... **ACP88** 899.95 RUPERT NEVE DESIGNS PORTICO™ 5043 COMPRESSOR/LIMITER DUO RUPERT DESIGNS Features 2 independent compressor-limiters (Channels A and B) in a half rack, 1RU module. Can be used independently or in sequence to provide 2 separate control slopes. Rear panel TRS connections are provided to link multiple 5043s. Features (2) XLR in, (2) XLR out, 1/4" A/B bus in, (2) 1/4" link. Also available in 500 series vertical version. ITFM DESCRIPTION PRICF 5043-H 1795 50

.... Compressor/limiter, horizontal version...... 5211-RM Rack kit for single unit..... 69 95

For expert advice - call: 800-356-5844 M-F: 9:00-5:30 Central



ST - CL2 · · STICK-ON



RADIO DESIGN LABS ST-CL2 COMPRESSOR AND LIMITER A high performance line level com-

pressor/limiter designed to maintain a constant average output level and effective peak control over a wide range of input levels. The I/Os are line level screw terminals and can be wired balanced or unbalanced. Features a soft-knee compression threshold and compression ratio, which automatically adjust to the program material, positive audio level protection, smooth inaudible gain reduction, tight audio peak control, very low noise compressor, multi-stage incremental gain reduction, and fully automatic operation. Two LED indicators cover the incremental ranges of compression, making setting the input level quick and easy. Two can be strapped together for stereo operation. Power supply not included.

ITEM	DESCRIPTION	PRICE
STCL2	Line level compressor/limiter	. 142.92
PS24AS	Power supply	22.23

RADIO DESIGN LABS INLINE MICROPHONE COMPRESSORS The

single-channel EZ-MCP1 includes goldplated contacts, XLR I/O, front panel trim pot and LED indicator as well as automatic

+24V phantom power switching. The dual-channel HR-MCP2 operates as either a mic-level inline compressor, or mic pre with compressor. It features stereo or dual mono operation, balanced mic I/O via XLR and detachable terminal blocks, font panel gain adjustment, switchable -15dB pads and +48V phantom power, 7-segment LED meter, and clip indicators.

ITEM	DESCRIPTION	PRICE
EZ-MCP1	. Single-channel inline mic compressor	154.08
HR-MP2	. Dual-channel inline mic compressor/preamp	343.52
Accessories		

HRRA2..... ... Rackmount chassis for (2) HR-MP2s, 1RU

RADIO DESIGN LABS HR-MCP2 DUAL

MICROPHONE COMPRESSOR A dualchannel microphone compressor with consistent audio output and studio-quality low-noise performance at all settings. Rear-panel switches allow output settings



46.82

to be mic or line level so each channel can be used as either a mic-level NEW! in-line compressor or as a microphone preamplifier with compression. Each channel has a switchable filter for 6 dB/octave low-cut filters with a

-3 dB cutoff at 80 Hz and an input pad for 15 dB attenuation prior to the input stage, increasing the maximum input level to greater than +20dBu. Each channel has two balanced inputs and outputs on a detachable terminal block and XLR. Uses 24VDC power - power supply not included.

ITEM	DESCRIPTION	PRICE
HR-MCP2	Dual-channel microphone compressor	. 484.77
PS24AS	. 24VDC @ 400mA power supply	22.23
HR-HRA1	HR series rack adapter	51.08



gate features variable Threshold control and switchable (fast/slow) release time. Compressor/limiter controls include threshold, ratio, attack, release, and output. The Auto function continuously analyzes the audio input and automatically adjusts attack and release parameters based on changing levels. A key input and key listen feature provide for external triggering or EQ of dynamically processed signals. Servo balanced XLR and 1/4" I/O connectors. S-COM Plus is a 2-channel model which adds an adjustable de-esser feature with dedicated metering.

ITEM	DESCRIPTION	PRICE
S-COM-4	Quad-processor, linkable in pairs, 5-segment LED metering	. 169.99
S-COM-PLUS	Stereo processor with de-esser, 12-segment LED metering	. 149.99

Follow Us!



RADIAL ENGINEERING SPACE-HEATER 8-CHANNEL TUBE SUMMING MIXER A combination of an 8-channel tube drive and summing mixer designed to warm up your digital recordings. I/O is set up as four discrete stereo pairs; choose between 1/4" TRS or D-Sub inputs and send the signals to a stereo mix bus or independently. Each channel is equipped with its own drive control, "heat" switch for sending 25V, 50V or 100V to the tube, and 1/4" inserts. Features 12AX7 tubes and Eclipse transformers to produce a huge bottom end. The Master section features simple level control, headphone amp and XLR or 1/4" outputs. IT

EM	DESCRIPTION		PRIC
PACE-HEATER	8-channel tube summing mixer	COMING	SOON

THERMIONIC CULTURE



THERMIONIC CULTURE – CULTURE VULTURE STEREO TUBE DISTORTION Dedicated "distortion box" for adding valve produced harmonic distortion with no solid state components. It can be used for drum loops, vocals, piano sounds and even a stereo mix. Two inputs per channel (DI at front cuts out LINE in at rear), 2 out per channel (line and low level) - all on standard unbalanced 1/4" jacks. Predominant distortion can be changed from even to odd harmonics with a simple switch. Other controls include drive control, overdrive switch, bias control, low-pass filter, output level and bypass switch. The 15th Anniversary edition includes all the distortion settings of the 11th Anniversary edition, plus an extra presence switch and comes in an eve-catching red.

ITEM	DESCRIPTION	PRICE
CULTURE-VULTURE	. Stereo tube distortion, unbalanced 1/4" I/O,	
	(2) 6AS6 distortion tubes, black	. 2299.00
CV-SUPER-15	. 15th Anniversary edition, presence switch, red	. 3399.00



SI



UNIVERSAL AUDIO 1176LN ALL TRANSISTOR COMPRESSOR/PEAK LIMITER The original Universal Audio 1176LN, designed by Bill Putnam, was a major breakthrough in limiter technology - the first true peak limiter with all transistor circuitry offering superior performance and a signature sound. This Universal Audio classic version of the 1176LN captures all the nuance of the original through obsessive attention to detail and delivers that trademark sound. It features FET gain reduction, ultra-fast attack and release controls, push-button compression ratios, and a Class 'A' line level output amplifier with 50dB of gain. I/O includes Jones barrier terminals and XLR connectors. Stereo interconnection is possible via the 1176SA network accessory. ITFM DESCRIPTION PRICE 1176LN. 1999.00 Limiting amp UNIVERSAL AUDIO 2-1176 TWIN VINTAGE LIMITING AMPLIFIER A true stereo 1176, the 2-1176 builds from the circuit design of UA's hugely successful 6176 channel strip and combines 2 1176 channels from that unit. It retains all the features and trademark sound of its ancestor, and switches easily between dual-mono and stereo link. It features 1176LN output transformers, matched FETs and output transformers, totally independent compression and gain controls in dual-mono mode with the rack

space convenience of two 1176's in a 2U rack design. And yes, it does All-Button!		
ITEM	DESCRIPTION	PRICE
2-1176	. Twin vintage limiting amp	

Our Sales Pros will provide you with the solutions you need.