



DA-LITE IDEA INTERACTIVE CART This mobile interactive cart provides a high-quality image when projected upon, and also doubles as a standard whiteboard. Works with most ultra-short throw projectors and the innovative rear-projection set-up of the cart eliminates any shadows on the screen. The projection surface offers a gain of 1.0 and a generous 60° viewing half angle.



| ITEM | DESCRIPTION | PRICE |
|-------|---|---------|
| 22516 | IDEA interactive cart (80" diagonal for 4:3 image and 73" for 16:9 image) | 2381.96 |

Accessories

| | | |
|-------|-------------------|--------|
| 22518 | Laptop tray | 234.23 |
| 22517 | Power conditioner | 123.35 |



EBEAM EDGE INTERACTIVE WHITEBOARD A full-featured interactive whiteboard system that operates in conjunction with a computer and projector. Combine authentic and relevant text, graphics, photographs and animation on up to a 9' x 5' image area. Control and navigate data from multiple sources and reach all types of learners. eBeam's Scrapbook features a meeting sharing function to export and save options for collaboration, generating ideas, planing projects, reviewing topics and processes between students and colleagues. Multiple formats, including jpg, pdf, and PowerPoint, can be used to save and distribute captured data. Content can be re-used and shared via e-mail and the web and students can self-assess their understanding of concepts with authentic and familiar visual artifacts. Parents and administrators can get a window into the classroom by viewing a virtual version of what happened on the board. Mac and PC compatible.

| ITEM | DESCRIPTION | PRICE |
|---------------|---|--------|
| EDGE-USB | Includes eBeam Edge receiver, interactive 3-button stylus, 15' USB cable, 2 mounting plates, AAA battery, 4 replaceable nibs, eBeam Interact software CD, wrist strap, and handwriting recognition software | 649.00 |
| EDGE-STYLUS | Replacement interactive stylus with 4 spare replaceable nibs, AAA battery | 75.00 |
| FOCUS-150 | Document camera, 6mm to infinity focal distance, swivel head, 1280x960 SXGA | 449.10 |
| INSCRIBE-200E | Wireless tablet, wireless 2.4G RF connection, 30' range, rechargeable Nokia BL5C Li-ion battery | 269.00 |



EBEAM ENGAGE INTERACTIVE WHITEBOARD

Engage adds several interactive multimedia features to eBeam's interactive whiteboard systems including real-time sound and video recording. The Engage System has JBL speakers, a built-in microphone, scroll knob, one-touch recording, and line level audio inputs and outputs. Requires no special tools to install. Includes Engage System, installation template, security key, interactive stylus, pack spare nibs, (2) mounting brackets with spare adhesive, wireless (RF) magnetic mini keyboard with charging cable, keyboard mounting plate, USB cable, power cable, power adapter, AAA battery, and USB storage device with education software (Mac OS X and Windows compatible.)



| ITEM | DESCRIPTION | PRICE |
|--------|--------------------------------|--------|
| ENGAGE | Interactive whiteboard package | 999.00 |



INFOCUS MONDOPAD-KIT-5520A

Present and collaborate on this giant touch PC tablet with participants in the room and around the world. The Mondopad puts everything you need to visually present, capture and share ideas at your fingertips. Using a multi-touch, high-definition 55" display, the Mondopad takes video conferencing to a new level. Other features include digital interactive whiteboard and document annotation, flexibility and expandability with built-in Windows PC, and control options from your tablet or smartphone.



| ITEM | DESCRIPTION | PRICE |
|--------------------|---|-------|
| MONDOPAD-KIT-5520A | 55" Multi-Touch Display Kit, Soundbar & Table Stand | CALL |



KRAMER MASTER ROOM CONTROLLERS

The SL-1 is a master room controller that directs audio components, video components and other room facilities such as lights and screens via Ethernet, K-NET™ and IR and is CTRL™ software compatible. The SL-12 is a more versatile control processor for AV equipment, especially projectors and associated equipment in any room (such as classrooms, boardrooms or auditoriums). It streamlines operations and simplifies control by integrating audio, video and computer-video sources into a centralized system. Features 4 General Purpose I/O ports, 4 Bidirectional RS-232 ports, IR Learning Function and is Site-CTRL™ Compatible.



| ITEM | DESCRIPTION | PRICE |
|-----------------|--|--------|
| SL1-CONTROLLER | Master room controller, Ethernet, IR | 264.00 |
| SL12-CONTROLLER | Master room controller, Ethernet, IR, RS-232 | 600.00 |



LIVESTREAM STUDIO HD500 LIVE PRODUCTION SWITCHER WITH BUILT-IN DISPLAY

Studio HD500 is the ultimate portable live production switcher. Its built-in display and unique form factor will give you flexibility and confidence on the go. Studio HD500 is built with a Blackmagic Design DeckLink Quad and a Blackmagic Design DeckLink Studio to give you 5 inputs from analog and digital sources (HD/SD SDI, HDMI, component, S-Video and composite) or 4 inputs and 1 output for when you need broadcast quality output display. Livestream gives you real-time multiview, cut and fade, graphics overlay, video clip playback and recording (DDR) plus a full audio mixer with cross fade support. Compliant with key SMPTE standards and boasts a 4:2:2 video signal from input to output. For producers who want to stream live video to the web and mobile devices, the built-in Livestream encoder is just a click away.



| ITEM | DESCRIPTION | PRICE |
|----------|--|---------|
| LS-HD500 | Portable live production switcher, 5 inputs, built-in display, carry bag | 8075.00 |



MATROX MONARCH HD PROFESSIONAL VIDEO STREAMER AND RECORDER

This small video streaming and recording appliance is designed for professional video producers. It provides the ability to simultaneously stream a live event and record the master quality version for post-event editing. From a HDMI input, the Monarch HD generates an H.264-encoded stream compliant with RTSP or RTMP protocols. It also simultaneously records a high-quality MP4 or MOV file to an SD card, a USB drive, or a network-mapped drive. Supports HDMI pass through with two tracks of audio. The H.264 encoder supports up 1080i at 30 Mbps (record only mode) or 20Mbps (stream only mode).



| ITEM | DESCRIPTION | PRICE |
|------------|------------------------------|--------|
| MONARCH-HD | HD video streamer & recorder | 995.00 |



AUDIO



Marshall Electronics

MARSHALL ELECTRONICS ENCODERS/DECODERS

The VS-102-HDI and VS-102-HDSDI are high definition IP servers that allow real-time transmission of an SD/HD-SDI, HDMI, or NTSC/PAL composite video signal along with bi-directional AAC encoded high definition stereo audio over standard IP networks and the internet. This allows 50% more compression capacity over an existing IP Network, while providing optimal video transmission quality even in networks with limited bandwidth. Both devices can be configured to operate as a Point-to-Point talent monitoring system on other computers or Marshall decoders connected to the same network can monitor both the audio and video in multiple locations throughout a venue such as dressing rooms, stage manager, or box office at the same time. The VS-11 version is an audio/video encoder/decoder that handles H.264 and H.264/MJPEG dual streaming and can do instant recording/backup (to an optional USB 2.0 port.)



| ITEM | DESCRIPTION | PRICE |
|-------------------|---|---------|
| VS-102-HDI..... | IP video encoder/decoder with HDMI..... | 869.00 |
| VS-102-HDSDI..... | IP video encoder/decoder with HD-SDI..... | 1608.85 |
| VS-11..... | IP H.264 encoder/decoder..... | 299.95 |

MUSIC



NEWTEK 3PLAY MULTICHANNEL HD/SD SLOW MOTION INSTANT REPLAY

These portable units can connect to most switchers and replace up to 8 HD video decks, making it a versatile tool in a wide variety of live production situations. 3PLAY can provide slo-mo instant replay as soon as recording starts, without interrupting video capture. The 425 unit can continuously and synchronously record and display up to 4 video sources, the 4800 version handles up to 8 sources with 4 channels of redundant capture. Organize replays into color-coded lists, play back video at variable speeds from multiple camera angles and export highlight reels of video segments. Control surface features T-bar, jog wheel, speed presets and other keys found on similar compact video record/playback surfaces. 4800 unit has integrated application for real time social media content distribution.

| ITEM | DESCRIPTION | PRICE |
|-----------------|---|-------|
| 3PLAY-425..... | HD/SD slo-mo replay unit, (4) in / (2) out, 2RU rack mount..... | CALL |
| 3PLAY-4800..... | HD/SD slo-mo replay unit, (8) in / (2) out, 4RU rack mount..... | CALL |

VIDEO



Roland®

ROLAND P-10 VISUAL PRESENTER

For a portable visual performance applications, the P-10 employs SD/HC cards for direct capture and playback of video and stills. Fire up visuals with reliable dedicated hardware and a sampler-like interface. It supports both video (motion JPEG) and still images (JPEG), and features a built-in color display for operation without external monitor, Slide Show function to make motion video from still pictures, and analog audio/video input terminal for direct capture. It has 12 trigger pads and dedicated dials for effect controls, and is remote-controllable from external products via V-LINK.



| ITEM | DESCRIPTION | PRICE |
|----------|-----------------------|---------|
| P10..... | Visual presenter..... | 1373.53 |

SONY

SONY AWS-750 ANYCAST TOUCH LIVE CONTENT PRODUCER

With the all-in-one style featuring a double touch-screen, the Anycast Touch enables intuitive, easy operation, and eliminates the cumbersome set-up and signal adjustment process typically required when connecting various devices. Includes a video switcher, streaming encoder, video recorder, audio mixer, clip player, remote camera controller and titler that supports ten languages. The Anycast Touch allows for seamless video mixing between six video sources in a variety of formats. Record ten hours of video and audio on the internal SSD, create and add graphics elements to the image, control connected remote BRC cameras (pan, tilt and zoom), perform multiple effects and wipes to enhance the production and instantly stream the output over a WAN or the Internet. A fully functional five-channel audio mixer is provided for a separate audio mix. Users can also store the setup information of all attached video sources, such as the camera input, title data, and transition effects.



| ITEM | DESCRIPTION | PRICE |
|-------------|--|----------|
| AWS750..... | Anycast Touch Live Content Producer..... | 17495.00 |

COMPUTER AV



QUIET SPEED BY VU® STREAMING SOLUTIONS

This all-in-one live streaming and webcasting turnkey solution is ideal for internet broadcast of sports, religious services, corporate meetings, and other live events. It features Telestream's Wirecast live streaming software and a Matrox VSA capture card integrated into the Quiet Speed Production PC workstation for a complete multi-camera live streaming system. Wirecast supports an unlimited number of camera inputs ranging from web cameras (via USB, firewire) to DV/HDV and SDI cameras. Wirecast Studio features multiple user-definable layers, transitions, titles, chroma key, and custom canvas sizes. The Pro version adds scoreboards, 3D virtual sets, and global audio inspector with sync delay. Use the free Desktop Presenter application for transmitting a computer's desktop across the network into Wirecast. Both streaming solutions include a 3.5GHz Intel Core i7 quad-core processor, 8GB RAM, (3) 1TB hard drives and is available in tower or rack configurations.

| ITEM | DESCRIPTION | PRICE |
|--------------------------|---|---------|
| PRODPC-PRO-TOWER..... | Streaming production PC tower, Telestream Wirecast Pro software..... | 4350.00 |
| PRODPC-PRO-RACK..... | Streaming production PC rack, Telestream Wirecast Pro software..... | 4379.00 |
| PRODPC-STUDIO-TOWER..... | Streaming production PC tower, Telestream Wirecast Studio software..... | 3889.00 |
| PRODPC-STUDIO-RACK..... | Streaming production PC rack, Telestream Wirecast Studio software..... | 3899.00 |

LIGHTS



ACCESSORIES





Ask us about our 2- and 3-year extended warranties!



Follow Us!

Shop anytime. Buy online. Go to fullcompass.com



**NEWTEK TRICASTER™ SERIES
PORTABLE LIVE PRODUCTION TOOLS**



| | TRICASTER 8000 | TRICASTER 860 | TRICASTER 460 | TRICASTER 410 | TRICASTER 40 |
|----------------------------------|--|--|---|---|---|
| VIDEO FORMAT | HD/SD | HD/SD | HD/SD | HD/SD | HD/SD |
| SWITCHER CHANNELS | 24 | 24 | 15 | 15 | 14 |
| EXTERNAL VIDEO SOURCES | 10 | 10 | 6 | 6 | 6 |
| INTERNAL VIDEO SOURCES | 6 | 6 | 5 | 5 | 3 |
| M/E BUSES | 8 | 8 | 4 | 4 | 4 |
| PRODUCTION OUTPUTS (MAX) | 14 | 12 | 9 | 5 | 5 |
| RECORDING CHANNELS (MAX) | 8 | 8 | 4 | 1 | 1 |
| BASE RECORDING CAP. (HRS) | 200 HD | 200 HD | 40 HD | 40 HD | 20 HD |
| STREAMING | Flash/WMV 720p w/archive | Flash/WMV 720p w/archive | Flash/WMV 720p w/archive | Flash/WMV 720p w/archive | Flash/WMV |
| STILL & TITLE BUFFERS | 5 | 10 | 10 | 15 | 0 |
| LIVE VIRTUAL SETS | 30+ | 30+ | 30+ | 30+ | 24 |
| ISOCORDER™ RECORDING | Yes | Yes | Yes | No | No |
| TRANSWARP EFFECTS | Yes | Yes | Yes | Yes | Yes |
| APPLE AIRPLAY SUPPORT | Yes | Yes | Yes | Yes | Yes |
| MULTI-VIEW MONITORING | Yes | Yes | Yes | Yes | Yes |
| REMOVABLE STORAGE | Yes | Yes | Yes | No | No |
| FAIL-SAFE | Hardware & Software | Hardware & Software | Hardware & Software | Hardware & Software | Software Only |
| VIDEO INPUTS | (8 total) HD/SD-SDI, HD/SD comp, Y/C (BNC) or comp | (8 total) HD/SD-SDI, HD/SD comp, Y/C (BNC), CV | (4 total) HD/SD-SDI, HD/SD comp, Y/C (BNC), CV | (4 total) HD/SD-SDI | (4 total) HD/SD comp, Y/C or comp (BNC) |
| VIDEO OUTPUTS | (3) HD/SD-SDI, (3) Analog, (1) HDMI, (2) VGA | (3) HD/SD-SDI, (3) Analog, (1) HDMI | (2) HD/SD-SDI, (2) Comp, Y/C or CV; (1) HDMI | (2) HD/SD-SDI, (1) HDMI | (5 total) (2) Analog BNC comp (2) Y/C + Composite |
| AUDIO INPUTS | (8) SDI, (8) AES/EBU, (8)x2 combo XLR | (8) SDI, (8) AES/EBU, (8)x2 combo XLR | (4) SDI, (1)x2 combo XLR, (3)x2 1/4" | (4) SDI, (1)x2 XLR, (1) x2 1/4" | 1/4" Mono, (2) stereo RCA |
| AUDIO OUTPUTS | (3) SDI, (2) AES/EBU, (8) XLR, (1) 1/4" phones | (3) SDI, (2) AES/EBU, (8) XLR, (1) 1/4" phones | (2) SDI, (1)x2 XLR, (1)x2 1/4", (1) 1/4" phones | (2) SDI, (1)x2 XLR, (1)x2 1/4", (1) 1/4" phones | (2) stereo RCA 1/4" |
| FORM FACTOR | 4U rackmount | 4U rackmount | 2U rackmount | 2U rackmount | Desktop |

| ITEM | DESCRIPTION | PRICE |
|----------------|--|---------|
| TRICASTER-40V2 | Live video production system, 20hrs 1080i recording | 4995.00 |
| TRICASTER-410 | Rackmount HD Live video production system, 40hrs 1080i recording | CALL |
| TRICASTER-460 | Rackmount HD Live video production system, 40hrs 1080i recording | CALL |
| TRICASTER-860 | Rackmount HD Live video production system, 200hrs 1080i recording | CALL |
| TRICASTER-8000 | Rackmount HD Live video production system, 8 channels/200hrs 1080i recording | CALL |

Accessories

| | | |
|------------------|------------------------------------|---------|
| TRICASTER-40CS | Control surface for Tricaster 40v2 | 1995.00 |
| TRICASTER-460CS | Control surface for Tricaster 460 | CALL |
| TRICASTER-860CS | Control surface for Tricaster 860 | CALL |
| TRICASTER-8000CS | Control surface for Tricaster 8000 | CALL |
| LIVETEXT2F | Remote titling software | 995.00 |

AUDIO



MUSIC



COMPUTER AV



VIDEO



LIGHTS



ACCESSORIES



Visit fullcompass.com today!

For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central

