















































# **Panasonic**

### PANASONIC PRO AVCCAM HANDHELD HD CAMCORDER

With 3 megapixel 1/4" progressive 3MOS sensors, this camcorder works well for ENG, event recording and student applications. Capable of taking 10.6 megapixel still images, this lightweight (2.16lbs) unit has a 12x Leica Dicomar zoom lens, Optical Image

Stabilizer, 7-mode gamma functions and a waveform monitor. Delivers a max AVCHD bit rate of 24Mbps and shoots on SDHC

memory cards in HD up to 1080/60i. It also has interval recording and time stamping, HDMI out and USB 2.0 out. Comes with VWVBG260PP8 7.2V battery pack.

ITEM	DESCRIPTION	PRICE
AGHMC40-KIT	. Pro 3MOS AVCCAM HD camcorder with 2-ch XLR mic adapte	r 1799.00
AGMC200G	. Optional XLR microphone	373.52
TS16GSDHC10	. SDHC memory card, 16GB, Class 10 (by Transcend)	15.71
TS32GSDHC10	. SDHC memory card, 32GB, Class 10 (by Transcend)	28.48
VWT4314HPPK	. Tele-conversion lens	224.40
VWW4307HPPK	. Wide-conversion lens	208.80
VWVBG260PP8	. 7.2V, 2640mAh Li-ion battery pack	173.75
VWVBG6PPK	. 7.2V, 5800mAh Li-ion battery pack	187.20

### PANASONIC AG-HMC80 3MP SHOULDER-MOUNT CAMCORDER

This professional AVCCAM shouldermount camcorder uses MPEG-4 AVC/H.264 encoding and features solid state DV and HD recording capabilities. It is also capable of capturing 10.6 MP still photos. Using one 32GB SDHC card, you can record up to 3hrs of 1920x1080

video and audio in PH mode, up to 12 hours of 1440x1080 HD video or 2 hours of DV video. Also offers user-assignable manual focus ring functions (focus/iris/zoom), a standard HDMI out, USB 2.0, composite out, IEEE 1394 out, and a built-in stereo mic, among other features.

ITEM	DESCRIPTION	PRICE
AGHMC80	3-megapixel shoulder-mount camcorder with DV, HD recording	2195.00

**PANASONIC AG-AC90 FULL-HD 3-MOS AVCCAM HANDHELD CAMCORDER** The AG-AC90 AVCCAM combines high image quality, advanced functions and easy operation that professionals demand all in a styl-

speed F1.5 lens extends from 29.8mm (35mm equivalent) wide-angle to 12x optical zoom along with a five-axis image stabilizer for improved handheld shooting. BSI (backside illumination) type 3MOS Image Sensors exhibit high sensitivity, Full-

HD resolution and a high S/N ratio. The AVCHD recorder section supports both PS mode, for Full-HD progressive image production, and pro-use PH mode providing the versatile shooting angles, image quality, and recording formats you need for news gathering and image production. Other professional operating features include Triple Manual Rings (focus, zoom and iris), XLR inputs, and remote terminals.

ITEM	DESCRIPTION	PRICE
AGAC90PJ	Full-HD handheld camcorder with image stabilizer, F1.5 lens	1999.00
CGAD54A/1H	.lithium ion battery, 5400mA	168.72
AGMC200G	.XLR microphone	373.52
SDSDH064GA46	SanDisk 64GB SDXC memory card	69.12

### PANASONIC AG-AC160/AC130 **MEMORY CARD CAMERA RECORDER**

These camcorders each feature a 22x zoom lens with a wide field of view and use the low-noise, highresolution 1/3" 2.2-megapixel U.L.T MOS image sensor. The professional AVCHD PH mode ensures high-quality 1920x1080 recording to

2 SD memory cards. Both also have 18-bit DSP and a 3-postion Gain selector. The AG-AC160 adds slow/quick motion recording, high-quality

LPCM audio and HD-SDI output. I/O for both models includes HDMI, video out,

AGAC160APJ

(2) XLR ins and	headphone jack.	
ITEM	DESCRIPTION	PRICE
AGAC130APJ	AVCCAM camcorder	3680.00
AGAC160APJ	AVCCAM camcorder with HD-SDI output	4579.00
TS32GSDHC10	SDHC memory card, 32GB, Class 10 (by Transcend)	28.48
TS64GSDXC10	SDXC memory card, 64GB, Class 10 (by Transcend)	67.01

PANASONIC AG-AF100A DIGITAL CINEMA CAMCORDER A 4/3" large image camcorder for HD video, the AGAF100A features a micro 4/3" mount that lets you use a variety of still camera, zoom, prime, and film camera lenses with fixed focal lengths. It also offers users a wider field of view and shallow depth of field similar to a 35mm movie camera. Records up to 1080/60i and 720/60p. Also features uncompressed 4:2:2 8-bit HD-SDI and HDMI outputs. 2 card slots offer relay **MYCHD** 

recording onto SL	OHC/SDXC cards.	
ITEM Agaf100apj	DESCRIPTION Micro 4/3" Full HD camcorder, no lens	PRICE 4135.00
Lenses (partial li	st)	
HF007014	Lumix G Vario 7-14mm/F4.0	1199.95
H-VS014140	Lumix G Vario HD 14-140mm/F4.0-F5.8	499.95
HPS14042S	Lumix G Vario 14-42mm/F3.5-5.6	399.95
HH014	Lumix G 14mm/F2.5	399.95
Adapters (partial	list)	
DMW-MA1	4/3 DSLR mount adapter for Lumix G Micro System ca	meras 169.95
MFT-CAN	Canon FD to micro 4/3" (by Novoflex)	211.99
MFT-NIK	Nikon to micro 4/3" (by Novoflex)	292.99
	Rechargeable battery	

# PANASONIC HDC-Z10000 **PROFESSIONAL 3D CAMCORDER** This HD camcorder is designed

for professional 2D and 3D production with independently-mounted large-diameter twin-lenses and a double

3MOS sensor system. Features AVCHD

Progressive compliant recording in Full-HD 1920x1080 to dual SD memory card slots. Also features Crystal Engine Pro II processing for enhanced resolution and noise reduction, 16-bit PCM audio recording and (4) electret condenser mics. I/O include (2) XLR in, HDMI out, headphone out.

ITEM	DESCRIPTION	PRICE
HDC-Z10000PZ	. 2D/3D camcorder	

Provided by CoActiv Capital Partners for Panasonic Broadcast & Television Systems







ish, easy-to-handle design. The high-

# **Panasonic**



You're only as good as the company you keep. So keep your company thriving with Panasonic. Our unique consultative approach is designed to exceed your expectations with custom-built solutions that get to the heart of your challenges. Creating real solutions to the most complex AV and IT challenges is how we're engineering a better world.

SOLUTIONS FOR BUSINESS



800-356-5844 FULLCOMPASS.COM











































# **Panasonic**

PANASONIC AG-AC8PJ AVCCAM FULL-HD CAMCORDER The AG-AC8PJ Full-HD 1080P shoulder-mount camera features a wide angle 28mm/F1.8 lens, 21x optical/50x super-high resolution zoom, and is capable of shooting in 720p @ 8Mbps. Intelligent resolution technology lets you shoot at high zoom rates while preserving the image's resolution. The dual SD card slots allow you to record on both cards simultaneously as the AC8's Relay Auto Switch functionality provides dependable back-up recording, or the ability to switch from one card to the other for extended recording times along with the choice of many recording modes.

ITEM	DESCRIPTION	PRICE
AGAC8PJ	. 1080p camcorder	1200.00
	.SanDisk 16GB SDXC memory card	
CGAD54A/1H	.7.2V battery pack	168.72

PANASONIC P2HD PROFESSIONAL HANDHELD CAMERAS These P2 handheld camera recorders feature a 22x zoom lens for a wide shooting range, a low-noise 1/3"type 2.2-megapixel 3MOS image sensor for low-noise shooting and 3 manual control rings. They support AVC-Intra codecs and feature genlock and timecode. They shoot in full 1920x1080 HD and 10-bit, 4:2:2 full sample, broadcast-quality images. They also record to dual hot-swappable P2 card slots. I/Os include HD/SD-SDI out, HDMI out, video out, 2-channel mic/line inputs. The AG-HPX255, along with the optional AG-EC4GPJ Extension Control Unit allows for remote terminal studio integration.

CE
.00
١LL
.92
.00



是HD



PANASONIC AJPX270 1/3" HD AVC-ULTRA CAMCORDER The AJ-PX270 is the first P2 HD handheld camera recorder with AVC-ULTRA recording and microP2 card slots. In addition to AVC-Intra100, it has AVC-LongG for extended recording and AVC-Intra200 for master level recording. AVC-LongG25 enables extended 1920x1080, 10-bit, 4:2:2 broadcast-quality recording (4x longer than AVC-Intra100). A built-in compact 22x zoom lens covers a wide range (28-616 mm). (3) lens rings (Cam-Type Zoom, Focus, Iris) provide comfortable manual control similar to interchangeable lenses. The high-sensitivity, low-noise 1/3-type 3MOS sensors produce superb images, even in dim light. Simultaneous recording is also possible for backup use.

		· ·				
ITEM		DESCRIPTION				PRICE
AJPX270		.1/3" microP2 HD shoulder-mou	ınt camcorder w	/ 22x zoom	lens	CALL
AJP2M032	AG	.32GB microP2 card				239.26
AJP2M064	AG	.64GB microP2 card				365.67
AJMPD1G.		.USB-powered dual-slot microP	2 card reader			336.32



PANASONIC AGHPX370 1/3" HD SHOULDER-MOUNT CAMCORDER Features a 1/3" 2.2MP 3-chip imager with Ultra Luminance Technology. It offers 10-bit, 4:2:2, full 1920x1080 AVC-Intra recording and a 20-bit DSP. Camera image achieves a high level of sensitivity with a high-sensitivity photodiode and a lownoise pixel translator. Progressive mode features 3D adaptive processing technology that offers highsensitivity and image production comparable to interlace mode. Other features include variable frame rates, Chromatic Abberation Compensation, advanced gamma functions, built-in scan reverse, waveform and vector scope display, focus assist tools, flash band detection, and a Dynamic Range Stretch function.

	DESCRIPTION	PRICE
AGHPX370PJ	. 1/3" P2 HD shoulder-mount camcorder with 17x Fujinon lens	CALL
300STUDIO	. Basic camcorder studio system for AG HPX370/500	CALL
300STUDIO-PLUS	. Advanced camcorder system for AG HPX370/500	CALL
PC005	. Petrol Extra Large Deca Dr. Bag	338.00

### PANASONIC P2 **HD CAMCORDER ACCESSORIES** Accessories for the AG-HXP Series:

ITEM	DESCRIPTION	PRICE
AJP2E016FG	. 16GB F-Series P2 card, 1.2GB/s transfer	384.85
AJP2E032FG	. 32GB F-Series P2 card, 1.2GB/s transfer	485.64
AJP2E064FG	. 64GB F-Series P2 card, 1.2GB/s transfer	693.59
AGMC200G	. Mountable shotgun mic	373.52
AJPCD30PJ	. 3-slot P2 card drive with USB interface	2218.00
AGMSU10	. P2 Media storage unit	2440.48
AJPCD2	. Portable P2 card reader, USB powered	348.00



Panasonic Financing is available on many of these products. Call your Sales Pro for details.







# SONY

SONY PMW-F3 SUPER 35MM XDCAM EX CAMERA With a true Super 35mm image sensor and PL mount that works directly with 35mm cinema lenses, the PMW-F3 delivers full-resolution 1080p60 imagery in a small, compact body. This purebred Sony CineAlta™ camera has 12.5 exposure stops and uses Sony's XDCAM EX™ system that records uncompressed 10-bit 4:2:2 signals to SxS flash media, taking advantage of Sony's post workflow. The RGB output and S-LOG Gamma module, previously an option, is now standard equipment. Has optional 3D-LINK for 3D stereoscopic shooting allowing two PMW-F3 cameras to be controlled by one remote controller.

ITEM	DESCRIPTION	PRICE
PMWF3K/RGB	Super 35mm XDCAM EX Camera with 3 PL lens kit	19890.00
PMWF3L/RGB	. Super 35mm XDCAM EX Camera, no lens	13960.00
BCU2	. 2 slot battery charger	346.50
BPU90	. Lithium-ion battery pack	433.13
SBACUS20	. SxS memory card USB 3.0 reader/writer	303.73









SONY CINEALTA 4K PMW SERIES HD CAMERAS These CineAlta Super 35mm 4K cameras both share the same compact body and accept many of the same accessories, all in a clean, flexible build. PMWF55 is best suited for 4K/2K/HD productions, while the F5 works in the HD/2K arena. Both support 2K/4K RAW and employ an 8.9 megapixel 4K image sensor in HD, 2K or 4K all in 4:2:2 color for higher contrast, rich color reproduction and greater clarity. The intuitive user interface hosts a rich range of controls, with one-touch buttons surrounding a colorful 3.5" LCD display. Compact, modular design incorporates newly developed viewfinders, lenses and a RAW recorder that configures to the shooting style needed. Get connected with 4 HD-SDI outputs, HDMI, USB, DC in, and removable XLR audio and time code/genlock modules. The XLR inputs accept balanced analog signals, provide 48V phantom power and will accept four channels of AES/EBU digital audio (with a free firmware upgrade.) The OLED viewfinder features focus magnification, superb brightness, contrast and response or a higher resolution, higher contrast LCD viewfinder.

	DESCRIPTION	PRICE
PMWF5	CineAlta 4K camera, no lens	16490.00
PMWF55	CineAlta 4K camera, no lens	CALL
PMWF5KCEL	CineAlta 4K camera kit, OLED viewfinder	19500.00
PMWF5KCLCD	CineAlta 4K camera kit, LCD viewfinder	19500.00
AXSR5	F5/F55 RAW recorder	CALL











### **SONY CINEALTA ACCESSORIES**

The compact, modular design of the CineAlta 4K camera platform incorporates newly-developed accessories to create a total system that is easy to configure for your project.

ITEM	DESCRIPTION		PRICE	ITEM	DESCRIPTION		PRICE
AXSR5	. 2K, 4K, RAW recorder for PMW-F5/F55		CALL	BPFL75	Olivine V-mount battery		514.23
SBP128B	SxS Pro+ memory card, 128GB		1456.56	BCL90	V-mount battery charger		819.27
AXS512S24	AXSM memory card, 512GB		1800.00	SCLPK6/F	PL mount lenses, 6 lens kit		CALL
AXSCR1	. High speed, USB 3.0 AXS card reader		550.00	SCLPK3/F	PL mount lenses, 3 lens kit		CALL
DVFL350	. 3.5-inch color LCD viewfinder for PMW-I	F5/F55	3230.00	LCPK3CZ	3 IN 1 PL mount lens case .		419.83
DVFEL100	OLED viewfinder for PMW-F5/F55		4930.00		6 IN 1 PL mount lens case .		
DVFL700	. 7" HD LCD monitor		4141.73	LCF55CZ	Hard case for F5 camera ar	nd accessories	511.66







































































































# SONY

SONY HVR-HD1000U HDV SHOULDER-MOUNT CAMCORDER Features high-definition HDV 1080i recording, and a built-in downconverter for creating DV material. It has a 1/2.9" Clear Vide™ CMOS image sensor, optical 10x zoom Carl Zeiss Vario-Sonnar T\* lens, 2.7" LCD viewfinder, and Super Nightshot™ function. It has a photo mode for taking 6.1-Megapixel, 2848x2136 quality 4:3 images, dual record function for shooting HDV video & 4.6-Megapixel (16:9) photos at the same time. Video is recorded on Digital Master<sup>TM</sup> pro tape, or consumer MiniDV tape. I/O includes component output, composite output, S-video output, HDMI output, IEEE1394 4-pin I/O, audio output, LANC, USB type B terminal, and audio input on 3.5mm jack. An ECM-PS1 external shotgun mic is supplied.

ITEM [	DESCRIPTION	PRICE
HVRHD1000U	HDV shoulder-mount camcorder	1580.02
NPF970	nfoLITHIUM L series battery pack	142.83
RM1BPl	LANC remote controller with variable speed zoom control	236.58
VCLHGA07	0.7x wide-angle conversion lens for 37mm/30mm camcorders	168.00
RM1BPl	LANC remote controller with variable speed zoom control	236.58





SONY PXW-Z100 4K HANDHELD XDCAM CAMCORDER This one-piece handheld camcorder shoots in 4K and is suited for virtually any application seeking to upgrade their resolution standards. The PXW-Z100 shoots in 1080p HD, 4K (4096 x 2160), and 4K TV-friendly Quad Full HD (3840 x 2160). Choose frame rates from 24p to 60p. This camera uses the same XAVC<sup>TM</sup> Intra 4:2:2 codec as Sony's high-end F55 camcorder and has (2) XQD<sup>TM</sup> memory cards slots.

~	· · · · · · · · · · · · · · · · · · ·	
ITEM	DESCRIPTION	PRICE
PXWZ100	4K XDCAM camcorder	CALL
SO-QDS32	E32GB XQD S series card	225.74
MRWE80/E	BC1 XQD card reader	37.83
2NPF970/	BRechargeable lithium-ion battery package	227.50

SONY ENTRY LEVEL LARGE SENSOR NXCAM CAMCORDER The NEX-EA50UH is the first in a new series of affordable, entry-level large sensor NXCAM professional camcorders. With its E-mount interchangeable lens system, Exmor APS HD CMOS sensor, powerful imaging capabilities and flexible semi-shoulder design, the NEX-EA50UH significantly expands creative freedom for Full HD video and 16.1 megapixel high-quality still photo shooting.

ITEM	DESCRIPTION	PRICE
NEX-EA5OUH	NXCAM camcorder, 18-200mm E-mount servo zoom lens, built-in GPS	3333.96
SBS32G1A	Sony SxS-1 32GB memory card	348.75
PC004	Petrol Large Deca Dr. Bag	288.00
HXRFMU128	Optional flash memory unit	693.84



SONY HXR-NX3 PROFESSIONAL AVCHD HAND-HELD CAMCORDER This professional camcorder features G Lens with three control rings, four steps of ND Filters, and switch-type WB presets and gain settings to provide the common operability of conventional professional handheld camcorders. The HXR-NX3 incorporates three 1/2.8-inch Exmor™ CMOS sensors for outstanding image quality. Dual media slots allow simultaneous or relay recording in AVCHD 2.0 (up to 1080/60p) format. There is also a Slow & Quick Motion feature that achieves smooth 2x slow motion. In addition to the 20x optical zoom, Clear Image Zoom with Super Resolution Technology provides an extended 40x zoom range with excellent clarity and detail and virtually no effective pixel loss. A built-in LED light, Wi-Fi/NFC remote control capability, and a larger 3.5" LCD panel add to the versatility of this multi-purpose camcorder.

ITEM	DESCRIPTION	PRICE
HXRNX3	. AVCHD hand-held camcorder with 20x optical zoom	3099.00
2NPF970/B	Rechargeable lithium-ion battery	227.50
ACCL1BP	. Dual battery charger/AC adapter	267.54
	SDHC memory card, 32GB, Class 10 (by Transcend)	
	Unidirectional shotgun micronhone	225 68



# SONY

SONY DIGITAL HD VIDEO CAMERA RECORDER The HXR-NX5U is the first product in Sony's NXCAM generation. It uses AVCHD format and allows long duration recording with 2 memory slots which record on Sony memory sticks or SDHC cards. It also records in both HD and SD formats. The camera has a focal length of f = 4.1 to 82.0mm (equivalent to f = 29.5 to 590 mm at 16:9 mode) and a 20x optical zoom. It has a built-in 3.2", 16:9 XtraFine LCD monitor and a 0.45", 16:9 viewfinder. Features HDSDI and HDMI outputs, 3-pin XLR audio input, and RCA type audio output. Ships with AC adapter/charger, NP-F770 rechargeable battery, AV and USB cables, and microphone.

ITEM	DESCRIPTION	PRICE
HXRNX5U	. Digital HD Video Camera, SD card/memory stick recorder	3735.31
HXRFMU128	. Flash memory unit	693.84
VCLHG0872K	. Wide conversion lens	743.82
RM1BP	. LANC remote commander	236.58
TS16GSDHC10	. SDHC memory card, 16GB, Class 10 (by Transcend)	15.71
TS32GSDHC10	. SDHC memory card, 32GB, Class 10 (by Transcend)	28.48





SONY HXR-NX30 NXCAM PALM SIZE CAMCORDER This light camera uses Balanced Optical SteadyShot™ image stabilization technology and records at full 1920x1080 HD resolution using a Carl Zeiss Vario-Sonnar T\* lens for superb optical quality. The camcorder's 1/2.88" image sensor uses Sony's Exmor R™ CMOS technology to increase low-light performance, speeds image readout, reduces artifacts and enables a range of frame rates. The NX30U records either using flash memory or SDHC cards and also features a built-in projector, detachable audio pod with XLR inputs and phantom power.

ITEM	DESCRIPTION	PRICE
HXRNX30U	. HD compact camcorder, G lens, Infrared NightShot®, 96GB flash memory	1791.93
TS32GSDHC10	. SDHC memory card, 32GB, Class 10 (by Transcend)	28.48
TS64GSDXC10	. SDXC memory card, 64GB, Class 10 (by Transcend)	67.01

SONY HXR-NX3D1U This compact and lightweight 3D/2D camcorder features dual Sony G® Lens System (with real 6-blade iris) and dual Exmor R® 1/4-type sensors. It records in full HD with multiple frame rates to 96GB of internal memory on a Memory Stick or SD card. A 3.5" Xtra Fine LCD display provides glassless 3D viewing. It also has Optical SteadyShot™ and 10x optical zoom. Output video with the HDMI jack and record uncompressed 16-bit audio with two balanced XLR inputs.

ITEM DESCRIPTION PRICE HXRNX3D1U 3D/2D compact camcorder 2754 90





SONY HXRNX70U AVCHD COMPACT CAMCORDER The HXRNX70U is a Handy-type camcorder that records in 1920x1080 full HD at 28Mbps to either 98GB flash memory or a Memory Stick Pro Duo/ SD card. It has an ultra-wide angle 26.3mm G lens and a native 16:9, back-illuminated Exmor R™ CMOS sensor. Other features include a 3.5" XtraFine LCD touchscreen, detachable handle/audio control unit, and GPS Geo Tagging. I/O includes (2) XLR line in, component and composite out, 3.5mm stereo iack, and mini USB.

ITEM	DESCRIPTION	PRICE
HXRNX70U	. Handy-type camcorder, 98GB	2592.85

# SONY SUPER 35MM DIGITAL MOTION CAMCORDERS

These interchangeable lens camcorders feature a large CMOS sensor equivalent in size to Super35mm film cameras. They use a Sony E-mount interchangeable lens system. Cameras are designed to capture fine detail and image texture with high image fidelity and low noise. Records HD or SD and 16-bit audio to SDHC/SDXC card or Memory Stick Pro. Other features include over/under cranking, slow & quick motion, 3.5" LCD viewfinder

and HDMI output with embedded time for 4:2:2 uncompressed digital out. Connections include XLR input, audio output, component output, composite output, 3.5mm headphone output, mic input, and USB mini.

ITEM	DESCRIPTION	PRICE
NEX-FS100U	NXCAM super 35mm camcorder, no lens	3999.00
NEX-FS100UK	As above, with 18-200mm lens	4499.00
NEX-FS700R	4K Sensor High Speed NXCAM Super35 camcorder, no lens	CALL
NEX-FS700RH	As above, with 18-200mm lens	CALL
SEL1855	18-55mm zoom lens, f/3.5-5.6	299.99
SEL50F18	50mm telephoto lens, f/1.8	299.99
NEX-CAN	Novoflex NEX camera to Canon FD lens adapter	211.99
NEX-NIK	Novoflex NEX camera to Nikon lens adapter	292.99
HXRIFR5	Interface to interconnect NEX-FS700 to AXS-R5 RAW recorder	67.01
TS32GSDHC10	SDHC memory card, 32GB, Class 10 (by Transcend)	28.48
TS64GSDXC10	SDXC memory card, 64GB, Class 10 (by Transcend)	67.01





Ask us about our 2- and 3-year extended warranties!







































































COMPUTER AV



































SONY HXR-MC2000U AVCHD CAMCORDER A professional, shoulder-mount AVCHD camcorder that records full-raster 1080i HD AVCHD or DVD quality MPEG-2 SD onto a built-in 64GB solid state drive or to SD/SDHC/SDX, Memory Stick Duo/Memory Stick Pro Duo and Memory Stick PRO-HG Duo memory cards. A 1/4" back-illuminated Exmor CMOS sensor offers greater low-light sensitivity. A wide-angle Sony G Lens is included. Connectors include L and R audio out, Y/Pb/Pr video out, composite video out, HDMI out, headphone jack, mic in, remote jack and USB 2.0. Other features include 12x zoom, quick AF system, assignable lens ring, 2.7" PhotoPlus touchscreen, Optical SteadyShot® Image Stabilization and Active Mode SteadyShot for tenfold camera shake reduction.

o process a come, and	- F				
ITEM		PRICE			
HXRMC2000U	. Shoulder-mount AVCHD camcorder	1702.78			
TS32GSDHC4	. SDHC memory card, 32GB, Class 4 (by Transcend)	26.14			
TS64GSDXC10	. SDXC memory card, 64GB, Class 10 (by Transcend)	67.01			
NPF970	. Rechargeable Lithium-lon battery pack	142.83			
PC206	Protective camcorder bag	193.00			

SONY XDCAM HD422 CAMCORDERS The PMW-100 is Sony's first handheld camcorder that supports the 50 Mbps MPED HD422 codec. With its one 1/3" Full HD Exmor CMOS sensor (1920x1280), the PMW-100 is able to achieve high resolution, high sensitivity, low noise, and wide dynamic range for news gathering and documentary production. The PMW-160 also supports 50 Mbps MPED HD422 codec and MXF recording. With (3) 1/3" Full HD Exmor CMOS sensors (1920x1280), it realizes high resolution (1000 TVI), has high sensitivity (F9@2000 lx) and low noise (54 dB). The PMW-200 has (3) 1/2" Full HD Exmor CMOS sensors (1920x1280), achieves high resolution (1000 TVI), has a high sensitivity (F11@2000 lx), low noise (56 dB), and wide dynamic range. These cameras can be used for SD and HD applications and are also UDF- (Professional Disc) or FAT-compatible (XDCAM EX) and Genlock/TC simplifies multicamera configurations. Cameras come with rechargeable battery, battery charger/AC adapter and utility software.

ITEM		PRICE
PMW100	. XDCAM HD422 camcorder, 10x optical zoom lens	3427.77
PMW160	. XDCAM HD422 camcorder, 20x optical zoom lens	CALL
PMW200	. XDCAM HD422 camcorder, 14x optical zoom lens	CALL
ECMMS2	. Stereo microphone	325.50
BPU60	. Rechargeable Lithium-ion battery pack	282.98
SBS32G1A	. Sony SxS-1 32GB memory card	348.75
	. Optional Wi-Fi adapter (for PMW-160/200)	





SONY PMW-300K1 XDCAM SEMI-SHOULDER MOUNT CAMCORDER This semishoulder mount 14x zoom lens kit model features (3) 1/2"-type Full HD Exmor™ CMOS sensors, Full HD MPEG-2 422 recording up to 50 Mbps, a 3.5" color LCD viewfinder, (2) SxS card slots, multi-camera and remote control operation, iLink I/O, and an interchangeable lens system. Includes (2) +48V selectable line/mic XLR ins, (1) BNC composite out, (2) HD/SD-SDI BNC outs, (1) timecode BNC in/out, (1) genlock BNC in, (2) USB jacks – (1) Type A and (1) Type B, stereo headphone mini jack out, and (1) HDMI Type A out.

ITEM	DESCRIPTION	PRICE
PMW300K1	.XDCAM camcorder with 14x zoom lens	CALL

SONY PMW-400 XDCAM-EX™ SHOULDER-MOUNT CAMCORDER Shoulder-mount camcorders that can record 50Mbps MPEG-2 HD422 video as MXF files on SxS memory cards. The PMW-400 uses three 2/3 inch-type Exmor<sup>™</sup> full HD CMOS sensors each with an effective pixel count of 1920x1080 producing excellent resolution, dynamic range and color reproduction capabilities capturing images with a shallower depth of field. Compact and ergonomically well-balanced, the PMW-400 provides a high level of mobility and comfort in a wide variety of shooting situations. Studio-configurable, with timecode IN/OUT, GENLOCK IN, HD/SD-SDI and HDMI out, and also features a DVCAM recording option. The PMW-400K model offers customers a Lens Package, equipped with a HD lens with 16x zoom and a standard 2/3-inch bayonet lens mount.

37, 1 11				
ITEM		PRICE		
PMW400K	XDCAM EX HD shoulder-mount camcorder w/16x optical lens	CALL		
	XDCAM EX HD shoulder-mount camcorder, no lens			
PMW400KCE	PMW400K with optional CBK-CE01 50pin interface pre- installed	CALL		
PMW400LCE	PMW400L with optional CBK-CE01 50pin interface pre- installed	CALL		
BPGL65A	65Wh Lithium-lon battery	336.17		
ACDN10	AC adapter/charger	723.31		
ECM680S	. Shotgun microphone	914.00		
SBACUS20	SxS memory card USB 3.0 reader/writer	303.73		
CBKWA01//C	Optional USB WiFi adaptor	145.38		
VCT14	Tripod adapter	320.62		





Follow Us!

SONY SXS MEDIA For Sony XDCAM EX camcorders. Standard SxS cards feature a transfer rate of up to 800 Mbps and SxS-1 cards have a speed of 1.2 Gbps. Hoodman kits include an SDHC card and an SxS memory adapter approved for recording in FAT32 file format (up to 35MB/s).

ITEM	DESCRIPTION	PRICE
SBS32G1A	Sony SxS-1 32GB memory card	348.75
SBS64G1A	Sony SxS-1 64GB memory card	642.50
SXSKIT16U1	16GB SDHC and SxS adapter (by Hoodman)	94.99
SXSKIT32U1	32GB SDHC and SxS adapter (by Hoodman)	134.99