



Quadruple Interface Hard Disk For Professional Use


eSATA 3Gb/s | FireWire 800 & 400 | USB 2.0






The Professional Choice

Perfect for digital content creation, audio/video editing, DVD authoring, web animation, etc., the LaCie d2 Quadra Hard Disk can handle multiple demanding professional tasks. It can be daisy-chained via FireWire or connected to your DV camera and is even bootable in FireWire for Mac[®] and in eSATA for Mac/PC. Advanced features include 3-level power management (Auto/On/ Off)* and software RAID 0/RAID 1 potential when daisy-chained with other drives.



High-End Features


With fast burst transfer rates of up to 105-115MB/s** via eSATA, this industry-leading hard disk delivers superior performance. Setup and use is quick and easy; the preloaded LaCie Setup Assistant helps format the hard disk according to your needs. With the LaCie Shortcut Button*, you can easily launch any application with one push such as the included Genie[®] Backup Assistant software with data restore for Windows[®] users or Intego[®] Backup Assistant software with data restore for Mac users.



- Quadruple interface for full PC/Mac compatibility
- Superior burst transfer rates up to 105-115MB/s (eSATA 3Gb/s)
- Space-saving versatility: stack, rackmount or stand upright
- Sturdy, aluminum d2 heat sink design

Perfect All-In-One Solution

The LaCie d2 Quadra Hard Disk provides up to an incredible 1TB capacity in a relatively compact device. Fully loaded with all the best interfaces – eSATA 3Gb/s, FireWire 800, FireWire 400, and USB 2.0 – it offers complete universal connectivity for PC and Mac users. Use it to easily store all of your files or back up your computer or small server regularly, whether at home or the office.



Clever, Advanced Design

The LaCie d2 Quadra Hard Disk's new design is sturdy, compact and versatile, making it ideal for intensive professional use. The unique, fanless aluminum heat sink design with 60% more surface area for heat dissipation keeps it quiet and as safe as possible at all times. The LaCie d2 Quadra can stand upright, be stacked horizontally with other drives or rackmounted to save desktop space.

1 **TB**^{••}=

2 hours of HD video or 70 hours of DVD or 77,500 RAW photos^{*}

Apple[®] Time Machine[®] and Leopard Compatible

The LaCie d2 Quadra Hard Disk is compatible with Mac OS X 10.5 Leopard, including Time Machine, making it an ideal partner for your Mac. Time Machine automatically backs up your Mac's system files, applications, accounts, preferences, music, photos, movies, and documents to an external hard drive and you can easily go back in time to recover anything.

Features

- eSATA, FireWire 800, FireWire 400, and USB 2.0
- Superior heat dissipation
- Triple (Auto/On/Off) power management*
- Stack, rackmount, or stand upright
- Daisy-chainable (FireWire)
- Plug & play
- LaCie Shortcut Button*
- Advanced backup software


Box Content

- LaCie d2 Quadra Hard Disk
- eSATA-to-eSATA cable
- FireWire 800 (9-pin) cable
- FireWire 400 (6-pin) cable
- USB 2.0 cable
- Drive stand for upright use
- External power supply
- Utilities with User Manual (preloaded on the drive):
 - LaCie Setup Assistant
- SilverKeeper for automatic backup and file verification (Mac)
- Genie Backup Assistant software with data restore for Windows XP, Vista, 7
- Intego Backup Assistant software with data restore for Mac OS X 10.5, 10.6
- Quick Install Guide

Minimum System Requirements

- Computer with an eSATA, FireWire 800, FireWire 400, or USB 2.0 port
- Latest version of Windows XP, Windows Vista®, Windows 7/ Mac OS X 10.5, 10.6
- Minimum free disk space: 600MB recommended







Item Number	301440	301442	301425	301500
Capacity***	500GB	1TB	1.5TB	2TB
Interface	1 x eSATA 3Gb/s port 2 x FireWire 800 ports (9-pin) 1 x FireWire 400 port (6-pin) 1 x USB 2.0 port (USB 1.1-compatible)			
Interface Transfer Rates (maximum bus speed)	eSATA: up to 3Gbits/s (300MB/s) FireWire 800: up to 800Mbits/s (100MB/s) FireWire 400: up to 400Mbits/s (50MB/s) USB 2.0: up to 480Mbits/s (60MB/s)			
Read Burst Transfer Rates:** (maximum theoretical bus speed)	eSATA: up to 105-115MB/s FireWire 800: up to 75-85MB/s FireWire 400: up to 35-40MB/s USB 2.0: up to 30-35MB/s			
Rotational Speed	7200rpm			
Cache Size	16MB or greater			
Shortcut Button*	launch any application with one push			
Triple Power Management*	"Auto" for energy efficiency; "On" for instant access; "Off" for data protection			
Dimensions (WxDxH)	60 x 168 x 183 mm / 2.3 x 6.6 x 7.2 in.			
Weight	1.7 kg / 3.7 lbs.			
Warranty	3-year limited			



Premium 3 Year Warranty

The d2 Quadra Hard Disk comes with a 3 Year Limited Warranty. For superior service, it also comes with the LaCie Advance Care Option, which can be purchased separately online within 30 days of the purchase date. Under the Advance Care Option, LaCie will immediately swap out the product without it needing to be returned first for minimal interruption of your workflow. LaCie covers all freight costs. Availability depends on the sales area. See www.lacie.com for details.



*The Shortcut Button and Auto/On/Off features are available via FireWire and USB but are not available from an eSATA bus. **Burst transfer rates vary from one computer to another and may vary slightly from one drive to another. Average speed is usually lower, depending on host configuration. **1TB = 1,000,000,000 bytes. Total accessible capacity varies depending upon operating environment (typically 5–10% less).

***1TB = 1,000,000,000 bytes. Total accessible capacity varies depending upon operating environment (typically 5–10% less).
*Calculations are based on 1080i 60 (8-bit) for uncompressed HD video, NTSC DV 25 standard-definition 720x486, 29.97 fps for digital video; and an estimation of Digital SLR resolution of 10 megapixels for RAW photos of 12MB. These calculations are only estimations and may vary with the codec used.

© 2010, LaCie. The LaCie logo is a trademark of LaCie. Other products and brand names mentioned herein may be trademarks or registered trademarks of their respective owners. Specifications and appearance are given as guidelines and may change without notice. www.lacie.com





USB 2.0