



# Rack Power Distribution

Products for North America

**APC**<sup>™</sup>  
by Schneider Electric

# Introduction

APC by Schneider Electric™ offers a wide array of standardized Rack Power Distribution Units (PDUs) designed to increase manageability and efficiency in your data center. Basic Rack PDUs provide reliable power distribution, while metered and switched solutions provide real-time remote load monitoring of connected equipment. Switched solutions also allow individual outlet control to power cycle outlets, and manage on-off equipment sequencing. User-defined alarms warn IT and data center managers of potential circuit overloads to prevent accidental power loss to critical equipment.

The APC Next Generation Rack PDU platform will help IT and facilities managers more effectively manage power capacity and functionality for critical network, server, and data center equipment. These new units solve rack-level power needs while incorporating intelligent features such as real power measurement and environmental monitoring, all in a space-efficient zero-U form factor. New AP8000 series Rack PDUs include active power metering and remote alarming with volts, amps, real power (kW), and energy (kWh) measurements. New switched with metering-by-outlet Rack PDUs provide greater power management with individual outlet-level power metering and user-resettable energy (kWh) logs for capacity planning and energy efficiency initiatives.





































































# Table of Contents

Product Features by Family/Series	4-5
Basic Rack PDUs	6-7
Metered Rack PDUs	8-9
Switched Rack PDUs	10-11
International Rack PDUs	12-13
Rack ATS	14
Bracket Kits	14
Locking IEC Power Cords	15
Environmental	15
KVM Switches	16
Rack LCD Consoles	17
Rack LCD Consoles with Integrated KVM Switch	17
North American Input Plug Types	18
Extended Warranties	19

























































































# Product Feature by Family / Series

	Basic Rack PDU	Metered Rack PDU		Switched Rack PDU		
		AP7800 Series	AP8800 Series	AP7900 Series	AP8900 Series	AP8600 Series
<b>Design Features</b>						
Ultra low profile, space saving design	X	X	X	X	X	X
Hydraulic-magnetic circuit breakers (in units configured with circuit breakers)	X	X	X	X	X	X
Ultra low profile circuit breakers (for units with breakers)			X		X <sup>(most)</sup>	
Locking IEC receptacles and locking power cord compatible			X		X	X
Environmental monitoring port for external temperature/humidity monitoring			X		X	X
<b>Display and Network Management</b>						
Full featured network management capability via web, SNMP, telnet		X	X	X	X	X
2 digit, 7-segment LED display		X		X		
User interactive LCD display for local access			X		X	X
Field replaceable network management module			X		X	X
Network Flash upgradeable		X	X	X	X	X
Local USB port for easy local firmware updates			X		X	X
<b>Metering Capability</b>						
Active current measurements (amps)		X	X	X	X	X
Active power measurements (Including volts, amps, real power kW, and energy kWh)			X		X	X
User customizable alarms and warnings		X	X	X	X	X
Embedded log memory to record/review/report historic metered data		X	X	X	X	X
Individual outlet power metering						X
<b>Outlet Control</b>						
Individual outlet remote power on/off control				X	X	X
Power on sequencing and time delays with full user customization				X	X	X
Outlet level grouping (multiple outlets in same or multiple units follow single command)				X	X	X
User access control with assignable roles, access levels at device and outlet level				X	X	X
Outlet grouping feature for synchronized control of outlets on multiple Rack PDUs				X	X	X
<b>Maintenance and Upgradeability</b>						
Redundant internal power supply for improved switched Rack PDU reliability				X	X	X
4. Field replaceable network management module			X		X	X







































































# Basic Rack PDUs


Voltage	Mounting U-Space	Input Circuit	Nominal Power	Input Plug Type	Output Receptacles	Cord Length	APC SKU	Notes
120V Input	Vertical, 0U	15A	1.4kW	NEMA 5-15P 	(14)5-15 	12 ft.	AP9567	
	Vertical, 0U	20A	1.9kW	NEMA L5-20P 	(24)5-20 	10 ft.	AP7530	
	Vertical, 0U	20A	1.9kW	NEMA L5-20P 	(14)5-15 	12 ft.	AP9551	
	Vertical, 0U	30A	2.9kW	NEMA L5-30P 	(24)5-20 	10 ft.	AP7532	
	Horizontal, 1U	15A	1.4kW	NEMA 5-15P 	(10)5-15 	12 ft.	AP9562	
	Horizontal, 1U	20A	1.9kW	NEMA 5-20P 	(10)5-20 	12 ft.	AP9563	
	Horizontal, 1U	20A	1.9kW	NEMA L5-20P 	(10)5-20 	12 ft.	AP9564	
	Horizontal, 1U	30A	2.9kW	NEMA L5-30P 	(10)5-20 	12 ft.	AP9560	
208V Input	Vertical, 0U	15A	2.5kW	IEC-320 C14 	(15)C13 	6.5 ft.	AP9568	
	Vertical, 0U	20A	3.3kW	IEC-320 C20 	(15)C13 	8.2 ft.	AP9572	
	Vertical, 0U	20A	3.3kW	IEC-320 C20 	(20)C13 	10 ft.	AP7552	
	Vertical, 0U	20A	3.3kW	NEMA L6-20P 	(20)C13 	10 ft.	AP7540	
	Vertical, 0U	30A	5.0kW	NEMA L6-30P 	(20)C13 	10 ft.	AP7541	
	Horizontal, 1U	20A	3.3kW	IEC-320 C20 	(10)C13 	8.2 ft.	AP9559	
	Horizontal, 1U	20A	3.3kW	IEC-320 C20 	(12)C13 	8.2 ft.	AP9565	
	Horizontal, 1U	20A	3.3kW	NEMA L6-20P 	(12)C13 	12 ft.	AP9566	
	Horizontal, 1U	30A	5.0kW	NEMA L6-30P 	(4)C19 	10 ft.	AP9570	
	Horizontal, 1U	30A	5.0kW	NEMA L6-30P 	(10)C13 	12 ft.	AP9571A	
208V 3-Ph	Vertical, 0U	20A, 3ø	5.8kW	NEMA L21-20P 	(42)5-20 	3 ft.	AP7562	
	Vertical, 0U	20A, 3ø	5.8kW	NEMA L21-20P 	(42)5-20 	10 ft.	AP7592	
	Vertical, 0U	20A, 3ø	5.8kW	NEMA L21-20P 	(21)5-20 	3 ft.	AP7563	
	Vertical, 0U	20A, 3ø	5.8kW	NEMA L21-20P 	(21)5-20 	10 ft.	AP7593	
	Vertical, 0U	20A, 3ø	5.8kW	NEMA L21-20P 	(36)C13 	3 ft.	AP7564	
	Vertical, 0U	20A, 3ø	5.8kW	NEMA L21-20P 	(36)C13 	10 ft.	AP7594	
	Vertical, 0U	50A, 3ø	12.5kW	CS8365C 	(30)C13 	3 ft.	AP7568	
	Vertical, 0U	50A, 3ø	12.5kW	CS8365C 	(30)C13 	10 ft.	AP7598	
	Vertical, 0U	50A, 3ø	14.4kW	CS8365C 	(24)C13 	3 ft.	AP7569	
	Vertical, 0U	50A, 3ø	14.4kW	CS8365C 	(24)C13 	10 ft.	AP7599	
	Vertical, 0U	50A, 3ø	12.5kW	CS8365C 	(3)C13 	6 ft.	AP7567A	
	Horizontal, 1U	50A, 3ø	14.4kW	CS8365C 	(6)C19 	8 ft.	AP7516	
	Horizontal, 2U	30A, 3ø	5.0kW	NEMA L14-30P 	(4)L6-20 	28 ft.	AP7581	
	Horizontal, 2U	30A, 3ø	5.0kW	NEMA L14-30P 	(12)5-20 	28 ft.	AP7582	
	Horizontal, 2U	30A, 3ø	5.0kW	NEMA L14-30P 	(4)L6-30 	28 ft.	AP7584	
415V 3-Ph	Vertical, 0U	20A, 3ø	11.5kW	IEC309 3P+PE 	(36)C13 	10 ft.	AP7557NA	

# Metered Rack PDUs

Voltage	Mounting U-Space	Input Circuit	Nominal Power	Input Plug Type	Output Receptacles	Cord Length	APC SKU	Notes
120V Input	Vertical, 0U	15A	1.4kW	NEMA 5-15P 	(16)5-15 	10 ft.	AP7831	
	Vertical, 0U	20A	1.9kW	NEMA L5-20P 	(24)5-20 	10 ft.	AP7830	
	Vertical, 0U	30A	2.9kW	NEMA L5-30P 	(24)5-20 	10 ft.	AP7832	
	Horizontal, 1U	15A	1.4kW	NEMA 5-15P 	(8)5-15 	12 ft.	AP7800	
	Horizontal, 1U	20A	1.9kW	NEMA L5-20P 	(8)5-20 	12 ft.	AP7801	
	Horizontal, 2U	30A	2.9kW	NEMA L5-30P 	(16)5-20 	12 ft.	AP7802	
208V Input	Vertical, 0U	15A	2.5kW	IEC-320 C14 	(16)C13 	10 ft.	AP7850	
	Vertical, 0U	20A	3.3kW	NEMA L6-20P 	(20)C13  (4)C19 	10 ft.	AP7840	replaced by AP8858NA3
	Vertical, 0U	20A	3.3kW	NEMA L6-20P 	(18)C13  (2)C19 	10 ft.	AP8858NA3	
	Vertical, 0U	20A	3.3kW	IEC-320 C20 	(18)C13  (2)C19 	Inlet	AP8858	
	Vertical, 0U	30A	5.0kW	NEMA L6-30P 	(20)C13  (4)C19 	10 ft.	AP7841	replaced by AP8841
	Vertical, 0U	30A	5.0kW	NEMA L6-30P 	(36)C13  (6)C19 	10 ft.	AP8841	
	Horizontal, 1U	15A	2.5kW	IEC-320 C14 	(8)C13 	6.5 ft.	AP7820	
	Horizontal, 1U	20A	3.3kW	IEC-320 C20 	(8)C13 	8 ft.	AP7821	
	Horizontal, 2U	30A	5.0kW	NEMA L6-30P 	(12)C13  (4)C19 	12 ft.	AP7811	
208V 3-Ph	Vertical, 0U	20A, 3ø	5.7kW	NEMA L21-20P 	(42)5-20 	3 ft.	AP7862	
	Vertical, 0U	20A, 3ø	5.7kW	NEMA L21-20P 	(42)5-20 	10 ft.	AP7892	
	Vertical, 0U	20A, 3ø	5.7kW	NEMA L21-20P 	(21)5-20  (6)L6-20 	3 ft.	AP7863	
	Vertical, 0U	20A, 3ø	5.7kW	NEMA L21-20P 	(21)5-20  (6)L6-20 	10 ft.	AP7893	
	Vertical, 0U	20A, 3ø	5.7kW	NEMA L21-20P 	(36)C13  (6)C19 	3 ft.	AP7864	replaced by AP8861
	Vertical, 0U	20A, 3ø	5.7kW	NEMA L21-20P 	(36)C13  (6)C19 	10 ft.	AP7894	replaced by AP8861
	Vertical, 0U	20A, 3ø	5.7kW	NEMA L21-20P 	(36)C13  (6)C19  (2)5-20 	6 ft.	AP8861	
	Vertical, 0U	30A, 3ø	8.6kW	NEMA L21-30P 	(36)C13  (6)C19  (2)5-20 	6 ft.	AP8865	
	Vertical, 0U	50A, 3ø	12.5kW	CS8365C 	(30)C13  (6)C19 	3 ft.	AP7868	
	Vertical, 0U	50A, 3ø	12.5kW	CS8365C 	(30)C13  (6)C19 	10 ft.	AP7898	
	Vertical, 0U	50A, 3ø	14.4kW	CS8365C 	(24)C13  (4)C19  (2)L6-30 	3 ft.	AP7869	
	Vertical, 0U	50A, 3ø	14.4kW	CS8365C 	(24)C13  (4)C19  (2)L6-30 	10 ft.	AP7899	
	Vertical, 0U	50A, 3ø	14.4kW	CS8365C 	(6)C19 	6 ft.	AP7867A	
	Vertical, 0U	60A, 3ø	16.2kW	IEC309 3P+PE 	(3)C13  (12)C19 	3 ft.	AP7866	
	Vertical, 0U	60A, 3ø	16.2kW	IEC309 3P+PE 	(3)C13  (12)C19 	6 ft.	AP7866A	
	415V 3-Ph	Vertical, 0U	20A, 3ø	11.5kW	IEC309 3P+PE 	(36)C13  (6)C19 	6 ft.	AP8881
Vertical, 0U		40A, 3ø	23kW	IEC309 3P+PE 	(12)C13  (12)C19 	3 ft.	AP7856x563	


# Switched Rack PDUs

Voltage	Mounting U-Space	Input Circuit	Nominal Power	Input Plug Type	Output Receptacles	Cord Length	APC SKU	Notes
120V Input	Vertical, 0U	15A	1.4kW	NEMA 5-15P 	(16)5-15 	10 ft.	AP7931	
	Vertical, 0U	20A	1.9kW	NEMA L5-20P 	(24)5-20 	10 ft.	AP7930	
	Vertical, 0U	30A	2.9kW	NEMA L5-30P 	(24)5-20 	10 ft.	AP7932	
	Horizontal, 1U	15A	1.4kW	NEMA 5-15P 	(8)5-15 	12 ft.	AP7900	
	Horizontal, 1U	20A	1.9kW	NEMA L5-20P 	(8)5-20 	12 ft.	AP7901	
	Horizontal, 2U	30A	2.9kW	NEMA L5-30P 	(16)5-20 	10 ft.	AP7902	
208V Input	Vertical, 0U	20A	3.3kW	NEMA L6-20P 	(7)C13  (1)C19 	10 ft.	AP8958NA3	
	Vertical, 0U	20A	3.3kW	IEC-320 C20 	(7)C13  (1)C19 	Inlet	AP8958	replaced by AP8959NA3
	Vertical, 0U	20A	3.3kW	NEMA L6-20P 	(21)C13  (3)C19 	10 ft.	AP7940	
	Vertical, 0U	20A	3.3kW	NEMA L6-20P 	(21)C13  (3)C19 	10 ft.	AP8959NA3	
	Vertical, 0U	20A	3.3kW	IEC-320 C20 	(21)C13  (3)C19 	Inlet	AP8959	
	Vertical, 0U	30A	5.0kW	NEMA L6-30P 	(21)C13  (3)C19 	10 ft.	AP8641	metered-by-outlet replaced by AP8941
	Vertical, 0U	30A	5.0kW	NEMA L6-30P 	(21)C13  (3)C19 	10 ft.	AP7941	
	Vertical, 0U	30A	5.0kW	NEMA L6-30P 	(21)C13  (3)C19 	10 ft.	AP8941	
	Horizontal, 1U	15A	2.5kW	IEC-320 C14 	(8)C13 	6.5 ft.	AP7920	
	Horizontal, 1U	20A	3.3kW	IEC-320 C20 	(8)C13 	8 ft.	AP7921	
	Horizontal, 2U	30A	5.0kW	NEMA L6-30P 	(16)C13 	10 ft.	AP7911A	
	208V 3-Ph	Vertical, 0U	20A, 3ø	5.7kW	NEMA L21-20P 	(21)C13  (3)C19 	6 ft.	AP8661
Vertical, 0U		20A, 3ø	5.7kW	NEMA L21-20P 	(24)5-20 	3 ft.	AP7960	
Vertical, 0U		20A, 3ø	5.7kW	NEMA L21-20P 	(24)5-20 	10 ft.	AP7990	
Vertical, 0U		20A, 3ø	5.7kW	NEMA L21-20P 	(21)C13  (3)C19 	3 ft.	AP7961	replaced by AP8961 replaced by AP8961
Vertical, 0U		20A, 3ø	5.7kW	NEMA L21-20P 	(21)C13  (3)C19 	10 ft.	AP7991	
Vertical, 0U		20A, 3ø	5.7kW	NEMA L21-20P 	(21)C13  (3)C19 	6 ft.	AP8961	
Vertical, 0U		30A, 3ø	8.6kW	NEMA L21-30P 	(21)C13  (3)C19 	6 ft.	AP8965	
Vertical, 0U		50A, 3ø	12.5kW	CS8365C 	(21)C13  (3)C19 	3 ft.	AP7968	
Vertical, 0U		50A, 3ø	12.5kW	CS8365C 	(21)C13  (3)C19 	10 ft.	AP7998	
415V 3-Ph	Vertical, 0U	20A, 3ø	11.5kW	IEC309 3P+PE 	(21)C13  (3)C19 	6 ft.	AP8981	





































































 AP8000 Series on board user interface



 AP7000 Series on board user interface



# International Rack PDUs

	Mounting U-Space	Input Circuit	Nominal Power	Input Plug Type	Output Receptacles	Cord Length	APC SKU	Notes
<b>Basic 1-Ph Input</b>	Vertical, 0U	10A	2.3kW	IEC C14 	(15)C13 	6.5 ft.	AP9568	
	Vertical, 0U	16A	3.7kW	IEC C20 	(15)C13 	8.2 ft.	AP9572	
	Vertical, 0U	16A	3.7kW	IEC309 16A 	(20)C13 	3 ft.	AP7551	
	Vertical, 0U	16A	3.7kW	IEC309 16A 	(20)C13 	10 ft.	AP7554	
	Vertical, 0U	16A	3.7kW	IEC C20 	(20)C13 	10 ft.	AP7552	
	Vertical, 0U	32A	7.4kW	IEC309 32A 	(20)C13 	10 ft.	AP7553	
	Horizontal, 1U	16A	3.7kW	IEC C20 	(10)C13 	8.2 ft.	AP9559	
	Horizontal, 1U	16A	3.7kW	IEC C20 	(12)C13 	8.2 ft.	AP9565	
	Horizontal, 2U	32A	7.4kW	hardwire	(4)C19 	28 ft.	AP7585	
	Horizontal, 2U	32A	7.4kW	hardwire	(4)IEC 309 32A 	28 ft.	AP7586	
<b>Basic 3-Ph Input</b>	Vertical, 0U	16A, 3ø	11kW	IEC309 16A 3ø 	(36)C13 	3 ft.	AP7557	
	Vertical, 0U	16A, 3ø	22kW	IEC309 32A 3ø 	(3)C13 	6 ft.	AP7555	
	Horizontal, 1U	32A, 3ø	22kW	IEC309 32A 3ø 	(6)C19 	8 ft.	AP7526	
<b>Metered 1-Ph Input</b>	Vertical, 0U	10A	2.3kW	IEC C14 	(16)C13 	10 ft.	AP7850	
	Vertical, 0U	16A	3.7kW	IEC C20 Inlet 	(18)C13 	Inlet	AP8858	
	Vertical, 0U	16A	3.7kW	IEC309 16A 	(18)C13 	10 ft.	AP8858EU3	
	Vertical, 0U	32A	7.4kW	IEC309 32A 	(36)C13 	10 ft.	AP8853	
	Horizontal, 1U	10A	2.3kW	IEC C14 	(8)C13 	6.5 ft.	AP7820	
	Horizontal, 2U	16A	3.7kW	IEC C20 	(8)C13 	8 ft.	AP7821	
	Horizontal, 2U	32A	7.4kW	IEC309 32A 	(12)C13 	12 ft.	AP7822	
<b>Metered 3-Ph Input</b>	Vertical, 0U	16A, 3ø	11kW	IEC309 16A 3ø 	(36)C13 	6 ft.	AP8881	
	Vertical, 0U	32A, 3ø	22kW	IEC309 32A 3ø 	(6)C19 	6 ft.	AP7855A	
	Vertical, 0U	32A, 3ø	22kW	IEC309 32A 3ø 	(6)C13 	3 ft.	AP7856	
	Vertical, 0U	32A, 3ø	22kW	IEC309 32A 3ø 	(6)C13 	6 ft.	AP7856A	
<b>Switched 1-Ph Input</b>	Vertical, 0U	10A	2.3kW	IEC C14 	(16)C13 	10 ft.	AP7950	
	Vertical, 0U	16A	3.7kW	IEC C20 Inlet 	(7)C13 	Inlet	AP8958	
	Vertical, 0U	16A	3.7kW	IEC309 16A 	(7)C13 	10 ft.	AP8958EU3	
	Vertical, 0U	16A	3.7kW	IEC C20 Inlet 	(21)C13 	Inlet	AP8959	
	Vertical, 0U	16A	3.7kW	IEC309 16A 	(21)C13 	10 ft.	AP8959EU3	
	Vertical, 0U	32A	7.4kW	IEC309 32A 	(21)C13 	10 ft.	AP8653	metered-by-outlet
	Vertical, 0U	32A	7.4kW	IEC309 32A 	(21)C13 	10 ft.	AP8953	
	Horizontal, 1U	10A	2.3kW	IEC C14 	(8)C13 	6.5 ft.	AP7920	
	Horizontal, 1U	16A	3.7kW	IEC C20 	(8)C13 	8.2 ft.	AP7921	
	Horizontal, 2U	32A	7.4kW	IEC309 32A 	(16)C13 	10 ft.	AP7922	
<b>Switched 3-Ph Input</b>	Vertical, 0U	16A, 3ø	11kW	IEC309 16A 3ø 	(21)C13 	6 ft.	AP8981	

## Rack ATS













Voltage	Mounting U-Space	Input Circuit	Input Plug Type	Output Receptacles	Cord Length	APC SKU
120V	1	15A	NEMA 5-15P	(8) 5-15	8 ft.	AP7750
	1	20A	NEMA L5-20P	(10) 5-20	8 ft.	AP7752
	2	30A	NEMA L5-30P	(16) 5-20	8 ft.	AP7753
208V	1	15A	IEC C14 Inlet	(12) C13	none	AP7721
	1	20A	IEC C20 Inlet	(8) C13, (1) C19	none	AP7723
	1	20A	NEMA L6-20P	(8) C13, (1) C19	8 ft.	AP7730
	2	30A	NEMA L6-30P	(16) C13, (2) C19	8 ft.	AP7732
	208V 3 Phase	1	20A, 3ø	NEMA L21-20P	(1) L21-20R	3 ft.

## Bracket Kits

Description	APC SKU
Vertical, 0U mounting brackets for Dell and Rittal enclosures	AP7400*
Vertical, 0U mounting brackets for HP enclosures	AP7406*
NetShelter SX, 0U accessory and Rack PDU multiple orientation mounting bracket	AR7711
Horizontal to Vertical, 0U mounting bracket for horizontal 1U Rack PDUs	AR8417

\*Brackets for AP7000 series Rack PDUs only

## Locking IEC Power Cords

PDU Input	Server Input	Cord Length	Cords per SKU	APC SKU		
IEC C14 Straight				IEC C13		
				2 ft.	6	AP8702S
				4 ft.	6	AP8704S
IEC C14 (3 right, 3 left)				IEC C13		
				2 ft.	6	AP8702R
				4 ft.	6	AP8704R
IEC C20 Straight				IEC C19		
				2 ft.	6	AP8712S
				4 ft.	6	AP8714S
IEC C20 (3 right, 3 left)				IEC C19		
				2 ft.	6	AP8712R
				4 ft.	6	AP8714R
		6 ft.	6	AP8716R		



Locking IEC power cords provide a mechanism to secure power cord connections to the Rack PDU when used with any AP8000 series unit. Every AP8000 Rack PDU includes 1 input jack for environmental monitoring probes.



## Environmental

Description	Connector Type	Cord Length	APC SKU
Temp. sensor	RJ-45	13 ft.	AP9335T
Temp. and humidity sensor	RJ-45	13 ft.	AP9335TH



# KVM Switches



## KVM Switches with CAT-5 Type Connection

	APC SKU
16-port digital IP KVM with virtual media, 2 remote users	AP5610
32-port digital IP KVM with virtual media, 2 remote users	AP5615
32-port digital IP KVM with virtual media, 8 remote users	AP5616
16-port analog KVM, 2 local users	AP5602
KVM USB server module	AP5631
KVM PS/2 server module	AP5630
KVM USB server module with virtual media	AP5634
KVM PS/2 server module with virtual media	AP5635
KVM to APC Rack PDU power management cable	AP5641

## KVM Switches with Coaxial Type Connection



	APC SKU
8-port analog KVM	AP5201
16-port analog KVM	AP5202

## Cables for Coaxial Type Connection

	2 ft.	3 ft.	6 ft.	12 ft.	25 ft.
KVM USB cable			AP5253	AP5257	AP5261
KVM PS/2 cable		AP5264	AP5250	AP5254	AP5258
16. KVM Daisy-chain cable	AP5262		AP5263		

# Rack LCD Consoles

## Rack LCD Consoles

	APC SKU
17" Rack LCD console	AP5717
19" Rack LCD console	AP5719


- > Ultra-thin 17" or 19" LCD monitor
- > Integrated keyboard with number pad
- > USB port for external media
- > Space saving 1U design
- > Touchpad mouse
- > Easy to install



## Rack LCD Console with Integrated KVM Switch





























	Cable Length	APC SKU
17" Rack LCD console with integrated 8-port KVM Switch	6 ft.	AP5808
17" Rack LCD console with integrated 16-port KVM Switch	6 ft.	AP5816
KVM USB cable	6 ft.	AP5821
KVM USB cable	10 ft.	AP5822
KVM USB cable	17 ft.	AP5823

\* KVM PS/2 cables available, see cables for coaxial type connection on page 16.



The functionality of a Rack LCD console and an analog KVM switch in one convenient package optimizes U-space in the rack environment and eliminates cable clutter. Daisy-chain with AP5201 or AP5202 for additional ports.

# North American Input Plug Types

Voltage	Amps	Typical Rating	# Wires	Plug Name	Mating Connector
120V	15A	1.44kW	3	NEMA 5-15P 	NEMA 5-15R 
	20A	1.92kW	3	NEMA 5-20P 	NEMA 5-20R 
	20A	1.92kW	3	NEMA L5-20P 	NEMA L5-20R 
	30A	2.88kW	3	NEMA L5-30P 	NEMA L5-30R 
208V	15A	2.5kW	3	IEC C14 	IEC C13 
	20A	3.3kW	3	IEC C20 	IEC C19 
	20A	3.3kW	3	NEMA L6-20P 	NEMA L6-20R 
	30A	5.0kW	3	NEMA L6-30P 	NEMA L6-30R 
208V 3-phase	20A	5.76kW	5	NEMA L21-20P 	NEMA L21-20R 
	30A	8.64kW	5	NEMA L21-30P 	NEMA L21-30R 
	50A	12.5 - 14.4kW	4	CS8365C 	CS8364C, CS8369 
	60A	16.2 - 17.3kW	4	IEC 309 60A, 3P, 4W 	IEC 309 60A, 3P, 4W 
415V 3-phase	20A	11.5kW	5	IEC 309 20A, 3P, 5W 	IEC 309 20A, 3P, 5W 
	40A	23kW	5	IEC 309 40A, 3P, 5W 	IEC 309 40A, 3P, 5W 

## Extended Warranties

APC by Schneider Electric offers extended warranties that provide a continuation of coverage beyond the original factory warranty period. This service extends the security and protection provided by your factory warranty and ensures that your product will be repaired or replaced if necessary, at no additional charge. Extended warranties are available for purchase in one year increments.

This service is available for all Rack PDUs, Rack ATs, Rack LCD consoles, and KVM switches, and includes:

- > Technical support from product-specific support engineers to assist with questions or concerns
- > Next-business-day guarantee of replacement parts or unit
- > Cross shipment of parts or replacement product – no waiting for your critical equipment

Add an extended warranty to your shopping cart on [apc.com](http://apc.com) for new purchases or purchase an extended warranty for your existing product.

**APC** United States | Charge | Search

Home Products Support Services Selectors How to Buy Learning

### Rack PDU Selector

Filter (0 Products Selected)

Type: **Switched Rack PDU**

Output Voltage: **120V**

No. Phases: **1**

Mount Style: **1U**

No. Phases: **1**

Serial PDU: **None**

Price: **\$100 - \$1,400**

E.O.: **None**

Reset

<b>AP7920</b> \$584	<b>AP7900</b> \$589	<b>AP7901</b> \$579
<b>AP7921</b> \$579	<b>AP9550</b> \$749	<b>AP9550L3</b> \$759
<b>AP791A</b> \$784	<b>AP7930</b> \$794	<b>AP7931</b> \$794

Subscribed Feedback  
Use the feedback link to report us of errors or send us suggestions.



The Rack PDU Selector is located at:  
[www.apc.com/tools/selector/pdu](http://www.apc.com/tools/selector/pdu)

**APC** | WEB Testdrive.apc.com | Product Demos | Contact

APC's Web Driven Demos

Welcome

testdrive.apc.com provides the opportunity to APC customers to demo select products.

Access the products through the Product Demos option in the navigation bar, or select the product from the Quick Links menu located on the left. The product's user name and password is APC. If the device is busy, wait a few minutes and try again.

- Management Software
  - APM/Network Center
  - System Management System
- Environmental Management
  - WeatherKit
  - WeatherKit-WeatherKit
  - Network Management System
  - Network Management System
- UPS Management
  - Network Management Card 2
  - APC's 2-in-1 One Monitor
  - APC's 2-in-1 Monitor & Network
  - Power/Link Network Kit
  - Power/Link Network Edition
- Power Distribution
  - Switched Rack PDU (AP7900)
  - Managed Rack PDU (AP7901)
  - Switched Rack PDU (AP7921)
- Server Access Management
  - Network Access
- UPS Demos
  - APC UPS 7500W
  - APC UPS 1500W
  - APC UPS 2000W
  - APC UPS 3000W
  - APC UPS 4000W
  - APC UPS 5000W
  - APC UPS 6000W
  - APC UPS 7500W
  - APC UPS 10000W
  - APC UPS 15000W
  - APC UPS 20000W
  - APC UPS 30000W
  - APC UPS 40000W
  - APC UPS 50000W
  - APC UPS 60000W
  - APC UPS 75000W
  - APC UPS 100000W
  - APC UPS 150000W
  - APC UPS 200000W
  - APC UPS 300000W
  - APC UPS 400000W
  - APC UPS 500000W
  - APC UPS 600000W
  - APC UPS 750000W
  - APC UPS 1000000W

Copyright © American Power Conversion Corp. All rights reserved.

APC.com | Product | 2008 APC  
Contact | Privacy Policy



Test drive a metered or switched  
Rack PDU at [testdrive.apc.com](http://testdrive.apc.com)

132 Fairgrounds Road  
West Kingston, RI 02892  
Phone: 1 401-398-8450  
[www.apc.com](http://www.apc.com)

©2011 Schneider Electric. All Rights Reserved. Schneider Electric and APC are trademarks owned by Schneider Electric Industries SAS or its affiliated companies. 998-4192

**APC**<sup>™</sup>  
by Schneider Electric