

# Pro Cinema 4855WU 1080p 3LCD Projector



# The ideal home theater projector for bright, open spaces.

**3x Brighter Colors,** and reliable performance - 3LCD, 3-chip technology

One measurement of brightness is not enough — look for both high color brightness and high white brightness.

The Pro Cinema 4855WU has:

Color Brightness: 4000 lumens<sup>2</sup> White Brightness: 4000 lumens<sup>2</sup>

**Advanced video processing** — sharp HD images for videos, sporting events and more; features Faroudja DCDi Cinema® technology

**The ideal home cinema experience** — enjoy engaging entertainment, right at home

**Brilliant image quality** — supports Full HD 1080p

Flexible installation and setup — centered lens design with vertical and horizontal lens shift with lens shift lock

**Remotely monitor projector status** — EasyMP® for remote dealer monitoring with shared password

**Watch two HD connections at once** — convenient Split Screen feature<sup>3</sup>

# Pro Cinema 4855WU 1080p 3LCD Projector

# The ideal home theater projector for bright, open spaces.

The Pro Cinema 4855WU home theater projector is the ideal choice for premium home entertainment in large, open spaces with ambient light. Offering 3x Brighter Colors' than competitive models, Epson® 3LCD projectors ensure sharp, vivid images. The Pro Cinema 4855WU supports Full HD 1080p and features advanced video processing for the perfect home cinema experience. This versatile performer can even project content from two HD connections, side by side, with the Split Screen<sup>3</sup> function. A centered locking lens and lens shift make setup easy. And, installers can monitor the projector's status remotely to change internal settings or issue email reminders regarding maintenance.

# 3x Brighter Colors with Epson<sup>1</sup>

Brilliant image quality requires high color brightness (color light output), and Epson 3LCD projectors have 3x Brighter Colors than leading competitive projectors.1

One brightness measurement (lumens) is not enough. A projector's specification needs to show both high color brightness and high white brightness. If color brightness is lower than white brightness, images may be dark, dull and lose detail. If not provided, be sure to ask for a projector's color brightness specification.







# **3LCD** — The #1 projection technology in the world

- All 3LCD projectors have both high color brightness and high white brightness
- All 3LCD projectors have 3 chips
- 25% lower power consumption for lower energy costs4

Mirror

20 years of road-tested reliability

Lens

Screen

Mirror





Dichroic mirror

Dichroic mirror

Lamp







High color brightness and high white brightness

# 3LCD chips Mirro 3LCD, 3-chip technology -

Prism







Color brightness significantly lower than white brightness

Actual photographs of projected images from an identical signal source. Price, resolution and white brightness are similar for both projectors (Epson 3LCD and 1-chip DLP competitor). Both projectors are set to their brightest mode.

# Award-winning Faroudja DCDi Cinema for premium video quality

Faroudja DCDi Cinema is a video enhancement technology that produces exceptional image quality without introducing artifacts. Faroudja developed DCDi (Directional Correlational Deinterlacing) to eliminate jaggy images by using a unique algorithm.

# The best-selling projectors in the world.

Epson offers a wide range of high-quality projectors to meet almost any need. Built with image quality and reliability in mind, Epson high-definition projectors take home theater entertainment to a whole new level, featuring color and detail that's sure to win rave reviews from friends and family alike.





#### Lens shift

Epson lens shift technology enables outstanding installation flexibility with an incredible range of up to + or - 50 percent on the vertical axis and up to + or - 10 percent on the horizontal axis with lens shift lock.

## Centered lens design

Featuring a centered lens design, the Pro Cinema 4855WU makes installation easy to plan. Positioning the ceiling mount, screen and projector can be performed individually and independent of one another.

### Point and arc correction

Adjust each side of a projected image in an arc or barrelshaped way, making it easier than ever to get a perfectly rectangular image.

### Convenient test patterns

The Pro Cinema 4855WU includes nine test patterns including linearity, color reproduction, bleeding and tone production. It even detects distortion.

# **Diverse connectivity**

Connect with virtually any system with HDMI™, DisplayPort, VGA, BNC and LAN connectivity.

# Easy Management®

The EasyMP Monitor tool makes it easy for installers to monitor their customer's projector status, set up email notifications, verify and change internal settings related to maintenance issues, and more, without having to visit the customer's home. The password protection feature ensures only authorized people have access to monitor the projector.

- Monitoring You, or anyone you give access to, can
  monitor the power status (ON/OFF) or see problems or alerts
  requiring attention via icons displayed on EasyMP Monitor.
  You can also check the lamp operating time or detailed
  information such as input sources.
- Controlling You can carry out operations such as switching input sources, or changing the settings in the projector's configuration menu. To save energy, you can use the EasyMP Monitor Schedule function to turn the power on/off, or use Timer Settings for regular or particular timeactivated actions.



# Twice the HD content

Split Screen<sup>3</sup> allows you to watch content from two different HD inputs, simultaneously, on a single screen, using one of three layout options.



Layout Option 1: 50-50% Split Screen



Layout Option 2: Main image on the left



Layout Option 3: Main image on the right

SmartWay
Transport Partner

# **Easy maintenance**

The Pro Cinema 4855WU requires very little maintenance. But when it does, it's easier than ever. The easily accessible filter, which can capture particles as small as three microns, has a recommended 10,000-hour cleaning schedule. The lamp can be accessed through the rear side panel. There are no screws, so the lid can be easily removed without any special tools.

## Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com



## Eco Features

- RoHS compliant
- Recyclable product<sup>6</sup>
- Epson America, Inc. is a SmartWay<sup>™</sup>
   Transport Partner<sup>¬</sup>



# **Pro Cinema 4855WU 1080p 3LCD Projector**

**Product Name** PowerLite® Pro Cinema 4855WU Genuine Epson Lamp Replacement Air Filter

**UPC Product Code** V11H543120MB 0 10343 91299 1 V13H010L77 0 10343 90809 3 0 10343 90810 9 V13H134A45

#### DisplayPort Video Computer 1 LAN RJ-45 HDMI S-Video Audio 10 W Speaker R&L USB (Type B) . · O O O O Audio 1 & 3-BNC Video 000000 Power Audio 2 Control Panel Monitor Out Remote Audio Out RS-232c

## **Specifications**

### **Projection System**

High-aperture Epson 3LCD, 3-chip technology

### **Projection Method**

Front/rear/ceiling mount

### **Product Color**

Black

### **Driving Method**

Epson Poly-silicon TFT Active Matrix

#### **Pixel Number**

2,304,000 pixel (1920 x 1200) x 3

### Color Brightness<sup>2</sup>

Color Light Output: 4000 lumens

### White Brightness<sup>2</sup>

White Light Output: 4000 lumens

### **Native Resolution**

# 1920 x 1200 (WUXGA)

640 x 480, 800 x 600, 1280 x 1024,

### 1400 x 1050

**Aspect Ratio** Supports 4:3, 16:9, 16:10

# **Pixel Arrangement**

Cross stripe

### **Contrast Ratio**

(High Brightness, Dynamic Mode) 5000:1

# with Auto Iris on

**Color Reproduction** Up to 1 billion colors

# Size (projected distance)

50" - 300

### **Lens Shift**

Vertical (Standard lens): ±50 percent

### Horizontal: ±10 percent **Keystone Correction**

Vertical: ±30 percent

Horizontal: ±30 percent

#### **Lamp Type** 260 W UHF

Lamp Life<sup>8</sup> (ECO/Normal mode)

5000/4000 hour

## **Effective Scanning Frequency Range**

# **Pixel Clock**

13.5 MHz – 162 MHz (up to UXGA 60 Hz)

### Horizontal

15 kHz - 92 kHz

# Vertical

50 Hz - 85 Hz

### Video I/O

## Display Performance

NTSC: 480 line PAL: 576 line

(depends on observation of the multi-burst pattern)

# Input Signal

NTSC/NTSC4.43/PAL/M-PAL/N-PAL/ PAL60/SECAM/480i/576i/480p/576p/720p/

#### Pixel works: video chip

3D Y/C separation.

noise reduction motion compensated Interlace-Progressive conversion (2-2, 3-2 film detection)

### Interfaces

HDMI x 1 DisplayPort x 1 Computer: D-sub 15 pin x 1

Video-1: 5-BNC x 1

Video-2: RCA x 1

Composite video: BNC x 1 S-Video x 1

Audio-in: Mini stereo x 3

Audio-in: RCA (L&R) x 1

Network: RJ-45 x 1, 100 Mbps USB Type-A x 1, Type-B x 1

Serial: RS-232c

Hardwire remote jack x 1

# Monitor-Out: D-sub 15 pin x 1 **Standard Projection Lens**

# Type

Manual focus/zoom

#### F-number 1.65 - 2.55

# **Focal Length**

21.28 mm - 37.94 mm

### Zoom Ratio

Optical zoom 1 - 1.8

# **Throw Ratio Range**

1.26 - 2.30

### **Other Features**

## **Operating Temperature**

32 ° to 113 °F (0 ° to 45 °C)

### **Power Supply Voltage**

100 - 240 V ±10%, 50/60 Hz AC

### **Power Consumption**

387 W (Normal Mode) 311 W (ECO Mode)

4.3 W Standby (Communication on) 0.38 W Standby (Communication off)

### **Fan Noise**

38 dB (Normal Mode) 30 dB (ECO Mode)

#### Security

Security cable hole, lens lock, Kensington® lock provision

# **Remote Control**

### **Features**

Power, source search selection, computer, video, A/V mute, freeze, user ID, auto, aspect, color mode, number, page up and down, e-zoom, volume, help, menu, enter, esc and pointer functions

## **Operating Angle**

Right/left:

Front: ± 60 degrees Rear: ± 30 degrees

Upper/lower: Front: ± 20 degrees

### Rear: +10 to +45 degrees **Operating Distance**

# Support

# The Epson Connection<sup>sM</sup>

Pre-sales support U.S. and Canada

800-463-7766

Internet website www.epson.com

# **Service Programs**

Three-year limited warranty, Epson Home Service program, PrivateLine® dedicated toll-free support (U.S. and Canada only) and 90-day limited lamp warranty

### What's In The Box

A PowerLite Pro Cinema 4855WU projector, power cable, computer cable (VGA), projector remote control with batteries, user manual CD. EasyMP software CD. Quick Setup Sheet and lens lock screw. Also sold with (not in the box) a spare lamp and ceiling mount.

# **Dimensions (W x D x H)**

# Including Feet (with standard lens)

18.58" x 13.94" x 6.26

**Excluding Feet, Lens** 

(PC / Mac®)

18.58" x 12.60" x 5.28" Weight with standard lens 14.3 lb

# **Accessory Part Numbers**

Genuine Epson lamp (ELPLP77) V13H010L77 Replacement air filter (ELPAF45) V13H134A45 V12H004L06 Long-throw zoom Middle-throw 1 zoom V12H004M04 Middle-throw 2 zoom V12H004M05 V12H004U01 Short-throw zoom Rear projector wide fixed V12H004R03 Quick Wireless Connect key V12H005M09 (ELPAP09) Replacement remote control 158279900 AP-60 Projector Sound Solution V12H329020 DC-06 Document Camera

DC-11 Document Camera V12H377020 DC-20 Document Camera V12H500020 PixiePlus™ Control System for **Epson Projectors** ELPSP10

V12H321005

AV22300-12

ELPSL01 Kensington Microsaver Security Lock Duet™ screen ELPSC80 Active Speakers (ELPSP02) V12H467020 Belkin Pro Series VGA Cable, 25ft F3H982-25

Belkin PureAV HDMI Cable, 12ft

1 Compared to leading 1-chip DLP business and education projectors based on NPD data, July 2011 through June 2012. Color brightness (color light output) measured in accordance with IDMS 15.4. Color brightness will vary depending on usage conditions

2 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in

accordance with ISO 21118.

3 Consult your user manual for input combinations 4 Data source: ProjectorCentral.com Jan. 2013. Average of 1128 shipping models for which the manufacturers provided lumens and total power data, all resolutions and brightness levels. Energy efficiency was measured as waitage per lumen. It was measured for both 3LCD and 1-chip projectors in each of five brightness segments. 3LCD projectors averaged less required electricity per lumen in each of the five segments. 5 Recommendation based on normal room conditions. Cleaning requirements may vary depending on use, environment and other conditions. Cleaning intervals may be adjusted to accommodate the environment in

which the projector is used.

6 See our website for convenient and reasonable recycling options at www.epson.com/recycle

7 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency. 8 ECO Mode is 5000 hours. Normal Mode is 4000 hours. Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time

Epson America, Inc.

3840 Kilroy Airport Way, Long Beach, CA 90806

**Epson Canada Limited** 185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com www.epson.ca

Specifications and terms are subject to change without notice. EPSON, Easy Management, EasyMP and PowerLite are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future is a trademark of Seiko Epson Corporation. PrivateLine is a registered trademark, Duet is a trademark and Epson Connection is a service mark of Epson America, Inc. Mac is a trademark of Apple Inc., registered in the U.S. and other countries. SmartWay is a service mark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2014 Epson America, Inc. CPD-40040R1 1/14