

# IN 120a (SERIES)



# Value and Versatility

Project all your devices for an incredible low price

# IN120a (SERIES)



## Huge brightness and convenience within reach

Do you need high brightness but only have minimal money to spend? The InFocus IN120a Series has that covered and a lot more.

These value-packed projectors are easy to buy and provide multiple ways to display your content — even without a computer. Plus, their high contrast ratio and BrilliantColor™ technology display outstanding images and its lightweight design makes them easy to move or install.



#### MODELS

#### IN122a

SVGA (800 x 600) 3500 lumens IN124a

XGA (1024 x 768) 3500 lumens

WXGA (1280 x 800) 3500 lumens

#### Why choose the IN120a Series?

- Ultra-low purchase price
- O Brightness of up to 3500 lumens
- O Long life lamp of up to 7,000 hours lowers costs even more
- O High 15000:1 contrast ratio
- Wireless connectivity with optional USB adapter
- Display over HDMI or USB
- O PC-less display from USB drive or 2GB of internal memory
- O Present Office docs, video, audio, photos and more wirelessly from your mobile device
- Blu-ray 3D capable (over HDMI)



#### Connectivity

VGA x 2 **HDMI 1.4** USB-A USB Mini-B Composite Video S-Video RS-232

3.5 mm audio in x 2 3.5 mm audio out Monitor out (VGA)

#### **Easy Display from Any Device**

Built-in apps and optional wireless adapter (SP-WIFIUSB-2) displays files from an Apple or Android notebook, tablet or smartphone. Or display from no device at all and project images, audio and video from the projector's on-board 2GB of memory.

#### **Low Total Cost of Ownership**

The IN120a Series has not only a low purchase price, but also a lamp that can last as long as 7,000 hours, which lowers total cost of ownership even further. There are no filters to replace either. It's an unbeatable value.

#### **3D**

The IN120a series supports multiple forms of 3D - including HDMI, Blu-Ray, 3D broadcasting, video games and PC



connectivity. All your audience needs are 144Hz DLP Link 3D glasses to seamlessly synchronize with the image for an awesome 3D experience.

# IN120a (SERIES)



#### **Upgrade with Optional Wireless**

Connect and present wirelessly from all your favourite devices with the optional wireless network adapter (SP-WIFIUSB-2) and free presentation app (EZ Display). Leave the cables at home!

Present photos, Office documents, PDFs, audio, video, a live camera phone feed, or from your computer, DropBox or the Internet.



#### **Document Annotation**

Free wireless presentation app (EZ Display) lets you annotate on documents you're presenting with a wide variety of coloured pens and shapes and then save the changes.

#### **No Computer Needed**

Present photos, PPT presentations, spreadsheets, PDFs, audio, video, and more directly from a USB thumb drive or from the projectors internal 2GB of memory. Plus, you can control the presentations with your Android or iPhone/iPad with the

free EZ Remote app.







#### **Eco Blanking**

Instantly dim the screen to divert your audience's attention onto you with the Eco Blanking feature on the remote control. Activate this feature when the projector isn't being used and lower the lamp's power usage down to 30%. This saves energy and significantly extends the life of the lamp, which saves you money.

#### **High Brightness and High Contrast**

The image quality of these projectors will not disappoint. 3500 lumens will give you bright, clear images with the lights on and the high 15000:1 contrast ratio adds sharpness with darker blacks and whiter whites.

Preset modes give you the best image quality on a beige wall, whiteboard, blackboard or other surface.

#### **Email Notifications**

Receive automatic projector email notifications regarding the status of your projector.

#### **Networking**

The IN120a Series is Crestron RoomView and AMX Device Discovery ready. Simply use the optional wireless network adapter (SP-WIFIUSB-2) to access these networking features.

Utilize Crestron RoomView Connected to instantly integrate with Crestron systems with no need for a control processor or custom programming.

AMX Device Discovery is also incorporated, which lets an AMX controller dynamically detect the projector and automatically configure it with the correct driver for remote control.



Want an interactive projector option or need wired networking? Check out the InFocus IN2124a and IN2126a projectors.

### **Specifications\***

|                                    | IN122a  | IN124a                  | IN126a                                   |
|------------------------------------|---|-------------------------|--|
| Native Resolution                  | SVGA 800 x 600  | XGA 1024 x 768          | WXGA 1280 X 800                          |
| Maximum Resolution                 |   | WUXGA 1920 x 1200       |  |
| Display Technology                 | DLP 0.55" SVGA, 800x600   | DLP 0.55" XGA, 1024x768 | DLP 0.65" WXGA, 1280x800                 |
| Brightness                         | 3500 lumens Normal Mode (3200 lumens Eco Mode)  |                         |  |
| Lamp Life**                        | 3,500 hours (Normal Mode), 5,000 hours (Low Power), 7,000 hours (Eco Blanking***)   |                         |  |
| Lamp Power                         | 240W (Normal Mode), 190W (Low Power), 72W (Eco Blanking)  |                         |  |
| Contrast Ratio                     | 15000:1   |                         |  |
| Colour Wheel                       | 6 segment, 2x speed   |                         |  |
| Audible Noise                      | 32 dB Normal Mode (30 dB Eco Mode)  |                         |  |
| Internal Memory                    | 2 GB  |                         |  |
| File Formats Supported             | Photo (JPG, JPEG, BMP); Video (at 1080: XVID, MPEG4, H.264, H.263, M-JPEG, WMV3, MPEG-1)  |                         |  |
| - *                                | (at 720: RV3, RV4); Audio (MP1, MP2, MP3, WMA, OGG, ADPCM-WAV, AAC)   |                         |  |
| Documents Supported                |   |                         |  |
| - via USB drive or internal memory | PDF, docs from Office 95, 97, 2000, 2003, 2007, 2010  |                         |  |
| - via EZ Display for Android       | Adobe PDF 1.6 or later, docs from Office 2003, 2007 or 2010   |                         |  |
| - via EZ Display for iOS           | Adobe PDF 1.6 or later, docs from Office 2003, 2007 or 2010, docs from iWork '09 or later   |                         |  |
| Projection Offset                  | 1   | 5%                      | 13%                                      |
| Keystone Correction                |   | +/- 40° vertical        |  |
| Lens Type                          | Manual zoom and focus   |                         |  |
| Lens - Throw Ratio                 | 1.9 - 2.2   | (50"@ 2 m)              | 1.5 - 1.8 (99.6"@ 3.2 m)                 |
| - Zoom Ratio                       | 1.  | 1:1                     | 1.2:1                                    |
| Number of Colors                   |   | 1.07 billion            |  |
| Aspect Ratio                       | 4:3 (Native), Suppo   | rts 16:9, 16:10, Auto   | 16:10 (Native), Supports 4:3, 16:9, Auto |
| Synch - Scan Freq                  | Horizontal: 15 - 91 kHz / Vertical: 24 - 120 Hz   |                         |  |
| Video Compatibility                | SDTV (NTSC, PAL, SECAM, 480i, 576i), ED/HDTV (480p, 576p, 720p, 1080i, 1080p)   |                         |  |
| Audio                              | 2 W mono  |                         |  |
| Input Sources                      | HDMI 1.4, VGA x 2, USB-A (for USB thumb drive or wireless network adapter), USB Mini-B (for display over USB and internal   |                         |  |
|                                    | memory file management), Composite Video, S-Video, 3.5 mm stereo input x 2, RS-232, USB-B (for control and firmware)  |                         |  |
| Output Sources                     | Monitor out (VGA), Audio out (3.5 mm)   |                         |  |
| Control                            | Projector Keypad, IR Remote, RS-232, USB-B for slide advance  |                         |  |
| Product Dimensions - W×D×H         | 292 × 220 × 108 mm  |                         |  |
| Product Weight                     | 3.17 kg   |                         |  |
| Shipping Dimensions - W×D×H        | 330 × 330 × 150 mm  |                         |  |
| Shipping Weight                    | 3.67 kg   |                         |  |
| Maximum Altitude                   | 3,048 m   |                         |  |
| Operating Temperature              | 0 - 40° C   |                         |  |
| 3D                                 | Supports 3D content from Blu-ray, cable boxes, dish services and more (over HDMI) at 144Hz. Also supports PC-based content configured at 1080p running at 120Hz. DLP Link 3D glasses required.  |                         |  |
| Security Features                  | Security lock slot, Security bar, User PIN  |                         |  |
| Ships with - Accessories           | Power cord, VGA cable, Safety instructions, User manual, Remote control   |                         |  |
| Warranty                           | 2 years (product), 6 months (lamp), 90 days (accessories)   |                         |  |
| Menu Languages                     | 24 languages (English, French, German, Italian, Korean, Norwegian, Portuguese, Russian, Simp. Chinese, Trad. Chinese, Spanish, Swedish, Dutch, Polish, Turkish, Danish, Finnish, Arabic, Vietnamese, Indonesian, Persian, Czech, Romanian, Hungarian) |                         |  |
| Approvals                          | UL and c-UL (US/Canada), FCC (US/Canada), CE (Europe), CCC+CECP (China), KCC (Korea), IRAM (Argentina), NOM (Mexico), PCT/CU/EAC (Russia), PSB (Singapore), SABS (South Africa), SASO (Saudi Arabia), CB, Nemco/GS, KC                                |                         |  |

<sup>\*</sup> Product specifications, terms, and offerings are subject to change at any time without notice.

### Wireless Software System Requirements

#### EZ WiFi (download from projector)

Operating System: Windows XP SP3, Vista SP2, Win 7 SP1 and Win 8 (Starter versions not supported; Mac OS X 10.7 and above

CPU: Windows: Dual Core Intel Core i 1.6 GHz or higher (ATOM not supported); Mac: Dual Core Intel Core i 1.4 GHz or higher (PowerPC not supported)
Graphic card: Intel, nVIDIA or ATI graphic card with 64MB VRAM or above

#### EZ Display (free download from Google Play store)

Requires Android 4.0 and up

#### EZ Display (free download from iTunes)

Compatible with iPhone 3GS, iPhone 4, iPhone 4S, iPhone 5, iPod touch (4th generation), iPod touch (5th generation), iPad 2 Wi-Fi, iPad 2 Wi-Fi + 3G, iPad (3rd generation), iPad Wi-Fi + 4G, iPad (4th generation), iPad Wi-Fi + Cellular (4th generation), iPad mini and iPad mini Wi-Fi + Cellular. Requires iOS 5.1 or later. This app is optimized for iPhone 5.

#### **Optional Accessories**

Replacement Lamp (SP-LAMP-087)
Universal Ceiling Mount (PRJ-MNT-UNIV)
Wireless Network Adapter (SP-WIFIUSB-2)
DLP Link 3D Glasses by XPAND
(X103-EDUX3-R1)
Presenter 2 RF Remote (HW-PRESENTER-2)
Soft Carry Case (CA-SOFTVAL-2)
Extended warranties (PROJ-EW1YR-V,
PROJ-EW2YR-V)



www.infocus.com

INFOCUS CORPORATE HEADQUARTERS

13190 SW 68th Parkway Portland, Oregon 97223-8368, USA Phone: (1) 503-207-4700 Toll Free: (1) 877-388-8385

Fax: (1) 503-207-4707

<sup>\*\*</sup> Actual lamp life may vary based on the ambient environment and projector on and off.

<sup>\*\*\*</sup> Eco Blanking hours are determined by a combination of the projector's use in Normal/Low Power modes and while using the Eco Blanking feature.