

# IPS Direct LED

## Full HD Capable Monitor

▶ 60WL30MS-D

60" class (59.5" measured diagonally)

▶ 55WL30MS-D

55" class (54.6" measured diagonally)



### **Features**

#### **TCO** Total Cost of Ownership

The the WL30MS series are Energy Star® 6.0 compliant consuming approximately 40% less energy than non-compliant models. In standby mode, they use less than one watt of power and meet the environmental regulations such as EPA and Erp, while excluding the use of harmful materials (RoHS) and reducing CO2 emissions.

#### **IPS** In Plane Switching

Super IPS accurately display an image's quality and color at 178° ultra wide viewing angle. There is no fall-off in color accuracy and no diversion in contrast ratio at wide angles. From bright sunlight to the most challenging lighting environments these displays are designed to reproduce and maintain the ultimate color temperature for lifelike images.

### Specifications

Native Display Resolution 1920 X 1080 (FHD)

**High Brightness** 400 cd/m<sup>2</sup> (60WL30MS-D), 350 cd/m<sup>2</sup> (55WL30MS-D)

Contrast Ratio 1,000:1 (Typ.), 500,000:1 (DCR)

178°/178° Ultra Wide Viewing Angle

Suitable for Portrait or Landscape Installation

RJ-45 LAN Control

RGB, DVI and HDMI Connection

RS-232C Control

Convenient External Speaker-Out

Energy Star® 6.0 compliant

Bezel Width 13.4mm(T/L/R), 18mm(B), 68.3mm(D) (60WL30MS-D) 13.4mm(T/L/R), 18mm(B), 82.3mm(D) (55WL30MS-D)

USB Playback

8GB Internal Storage Memory Built-in

Low Power Consumption

 $\hbox{\bf 3-Year \ Limited Warranty} \ {\tt Parts/Labor/Backlight}$ 



# Superb Picture Quality

#### NO BLACKENING DEFECT

Display has a built-in temperature control that adjusts to light and heat eliminating dark or blackened areas.



If the outdoor temperature is 86°F the surface temperature of display is  $185^{\circ}F$ 

#### TRUE WIDE VIEWING

Color changes and distortion are eliminated from any viewing angle.



Color change average @ 60° Gamma change average @ 60°

#### PANEL STABILITY

Minimized image distortion when external pressure is applied.



Normal

### Media Player Integrated Solution

The solution integrated with media player foregoes the need for additional media players and allows you to cut down expenses.






Embedded player with 8GB built-in USB memory



Free Software WL30 Series (SuperSign Elite-w lite)


### Portrait & Landscape

Flexible usage with landscape or portrait display according to the display environment.



### Narrow Bezel & Slim Depth

With narrower bezel and slimmer depth than those of conventional, you can save space more efficiently with WL30.







LG is committed to improving product development, manufac-turing and usage to meet the demand for products with environmentally friendlier features. Our televisions have technologies to reduce power consumption and in return increase cost savings per room.

#### **EcoSmart**


- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- Energy Star 6.0 Qualified Meets current reduction requirements of energy consumption.


#### 60WL30MS-D











Rear Jack Panel



 $\bigcirc$ 



### **IPS Direct LED**

# Full HD Capable Monitor

### ▶ 60WL30MS-D

60" class (59.5" measured diagonally)



### ▶ 55WL30MS-D

55" class (54.6" measured diagonally)

PANEL	Model	60WL30MS-D	55WL30MS-D
	Screen Size	60" (59.5" measured diagonally)	55" (54.6" measured diagonally)
	Panel Technology	IPS	
	Aspect Ratio	16 : 9	
	Native Resolution	1920 x 1080 (FHD)	
	Pixels(H x V x 3)	6,220,800	
	Brightness	400 cd/m <sup>2</sup>	350 cd/m <sup>2</sup>
	Contrast Ratio	1,000:1	
	Dynamic CR	500,000 : 1	
	Color gamut	68%	
	Tni	110°C	
	Viewing Angle	178°/178°	
	Color Depth	1.06 Billion → 8bit, 16.7 Million	
	Response Time	9ms (GTG BW)	8ms (GTG BW)
	Surface Treatment	Hard coating(3H), Anti-reflection treatment of the front polarizer (Haze 1%)	
	Orientation	Portrait and Landscape	
VIDEO (PC)	Max Input Resolution	1920 X 1080@ 60Hz(RGB,HDMI/DVI-D,DP)	
	Recommended Resolution	1920 X 1080@ 60Hz(RGB,HDMI/DVI-D,DP)	
	H-Scanning Frequency	30kHz ~ 83kHz (RGB, HDMI/DVI-D,DP)	
	V-Scanning Frequency	50Hz ~ 75Hz (RGB), 50Hz~60Hz (HDMI/DVI-D/DP)	
	Pixel Frequency	148.5 MHz (RGB, HDMI/DVI-D,DP)	
	Sync Compatability	Separate / Composite / Digital	
	Video Input	RGB, HDMI, DVI, DP	
	Picture mode	Vivid, Standard , Cinema, Sports, Game	
	Color temperature	Warm, Medium , Cool	
CONNECTIVITY	Digital	HDMI(1), DVI-D(1), DP(1)	
INPUT (Rear)	Analog	RGB(1)	
	Audio	RGB/DVI-D/Component(3.5Φ 1)	
	External Control	RS232C(1), RJ45(1), IR(1)	
	USB	Yes(1)	
	HDTV Formats	Component : 720p, 1080i , 1080p HDMI : 720p, 1080i, 1080p	
OUTPUT (Rear)	Digital	DVI-D(1)	
	External Control	RS232C(1)	
AUDIO	Balance	Yes	
	Audio Power	20W(10W x 2)	
	Speaker On/Off	Yes	
	Clear Voice II	Yes	
	Sound Mode	Standard, Music, Cinema, Sport, Game	
PHYSICAL SPECIFICATIONS	Color	Carbon Titan	
	Bezel Width	13.4mm(T/R/L), 18.0mm(B)	
	Monitor Dimensions (W x H x D) (head only)	53.3" × 30.8" × 2.7"	49.0" x 28.4" x 3.2"
	Weight (head)	50.8 lbs.	39.8 lbs.

PHYSICAL	Model	60WL30MS-D	55WL30MS-D	
PHYSICAL SPECIFICATIONS (CONT.)	Monitor Dimensions (W x H x D), W/O stand.speaker	53.3" × 30.8" × 2.7"	49.0" x 28.4" x 3.2"	
	Weight (w/Optional Stand)	55.7 lbs.	44.5 lbs.	
	Monitor Dimensions (WxHxD),(w/Optional Stand and Speaker)	53.3" x 33.4" x 11.7"	49.0" x 31.4" x 11.7"	
	Weight (w/Optional Stand and Speaker)	57.5 lbs.	46.3 lbs.	
	Carton Dimensions (W x H x D)	57.7" x 36.7" x 7.5"	53.0" × 34.3" × 7.5"	
	Packed Weight VESA™ Standard	66.1 lbs.	54.0 lbs.	
	Mount Interface	400mm x 400mm (M6)		
SPECIAL FEATURES	Temperature Sensor Tile Mode @Natural Mode	Yes Yes		
	Source Selection	Component, RGB, DVI-D, HDMI, USB, DP, Signage (Internal Memory)		
	Brightness/Contrast/ Backlight	Yes		
	Position/Size	Yes V		
	Auto Config/Phase ISM Method	Yes Normal, White Wash, Orbiter, Inversion		
	Advanced	Dynamic Contrast, Dynamic Color, Clear White, Skin Color, Noise Reduction, Digital Noise Reduction, Gamma, Black Level		
	Time	Clock, On/Off Time, Sleep Timer, Power on Delay, Auto Off, Automatic Standby		
	Information	Model/Type, Software Version, Serial Number, IP Address, MAC Address, Homepage		
	Input Label	Yes(PC/DTV)		
	Auto Power/Source Memory	Yes		
	Key Lock	Yes		
	DPM Select	Yes		
	Energy Saving	Yes (Minimum, Medium, Maxium)		
	Smart Energy Saving File Play with USB	Yes Yes		
	PIP/PBP	Yes		
	Internal Memory	8G		
ENVIRONMENT	Operation Temp.	0°C ~ 40°C		
CONDITIONS	Operation Humidity	10% ~ 80%		
POWER	Power Supply	100-240V~, 50/60Hz		
	Power Type	Built-In Power		
	Power Consumption	180W (Typ.) 150W (Smart Energy Savings) 0.7W		
		Power of	· /	
STANDARD	Safety	UL / cUL / CB scheme / TUV		
CERTIFICATION	EMC	FCC Class "A", VCCI, C-tick, CE, KCC		
	Erp/Energy Star	Yes/Yes (Energy Star 6.0)		
MEDIA PLAYER COMPATIBILITY	External Media Player Attachable	Yes (NC1100 / NA1100 / NA1000)		
SOFTW ARE COMPATIBILITY	SuperSign Elite-w lite / Elite-c	Yes (Editing, Scheduling, Distribution & Play, Control) / Yes		
WARRANTY	3-Year Limited Warran	nty (Parts/Labor/Backlight)		
UPC		7 19192 19187 7	7 19192 19190 7	
ACCESSORIES	Included	Remote Controller (include battery 2ea), Power Cord, IR Receiver, CD (Owner's Manual, SuperSign Program / Manual), ESG, RGB Cable		
	Ontional	ST-550T	(Stand)	
	Optional	SP-2100 (Speaker)		





LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive Lincolnshire, IL 60069

Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com













All screen images are simulated. Dimensions and weights are approximate. Design, specifications, and features subject to change without notice.

© Copyright 2014 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark

ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. In Plane Switching is a trademark of LG Philips LCD Ltd. VESA is a trademark of Video Electronics Standards Association. HDML the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI registered trademarks.

All other product and brand names are trademarks or registered trademarks of their respective companies.

