



Release 6.5.4
The Manual

tightrope media systems 

©Tightrope Media Systems
Documentation on how to use and administrate Carousel
Version 6.5.4 Build 179

Printed January 5, 2016

Contents

I	Introduction and Tour	11
1	Introduction	13
1.1	Welcome to Carousel!	13
1.2	About Tightrope	13
1.3	About This Documentation	15
1.3.1	Turnkey and Software Only Versions	15
1.4	Default Passwords	15
1.4.1	Windows Login	15
1.4.2	FrontDoor Login	15
2	The Essentials of Carousel	17
2.1	Note To Carousel Installers	17
2.2	Note to Carousel's Users and Administrators	17
2.3	What Does Carousel Do?	17
2.4	Displays, Channels, Zones, Bulletins and Media	18
2.4.1	Displays	18
2.4.2	Carousel Players: Adding More Outputs	18
2.4.3	Zones and Channels	19
2.4.4	Zones on Multiple Channels	20
2.4.5	Bulletins	20
2.4.6	Alert and Repeating Bulletins: Interrupting a Zone's Bulletins	21
2.4.7	Full-Screen Alert Zones: Interrupting All of a Channel's Bulletins	21
2.4.8	Crawl Zones	21
2.4.9	Channel Licenses, Display Engines and Players	22
2.4.10	Categorizing Zones with Tagging	22
II	Planning and Setup	25
3	The Setup Plan	27
3.1	Designing Your Channel	27
3.1.1	Planning Tips for Your Zones	28
4	Carousel's Video Capabilities	31
4.1	Carousel Player Software Comparisons	31
4.2	Video File Playback Performance and Resolutions	31
4.3	Crawl Performance	31
5	Introduction to Carousel's User Interface	33
5.1	Logging Into Carousel	33
5.2	The Main Menu	33
5.3	The Status Bar	35

5.4	Quick Links	36
5.4.1	About Menu	36
5.5	Selecting Zones	36
5.5.1	Zones with the Pop-Down Menu	37
5.5.2	Zones with the Tag Selector	37
5.6	The Media Picker	38
5.6.1	Selecting Media With Tags	39
5.7	Common Icons and Their Purpose	39
6	Setup Basics: Step-By-Step	41
6.1	Configuration Menu	41
6.2	Create Your Zones	41
6.2.1	The Zone Properties Form	42
6.3	Define Your Channels	43
6.3.1	The Channel Setup Form	43
6.3.2	The Channel Layout Form	45
6.3.3	The Crawl Properties Form	47
6.3.4	The Date and Time Properties Form	48
6.3.5	The Background Audio Form	49
6.3.6	Adding Background Audio to Carousel	49
6.3.7	Adding a Seamless Background	50
6.4	Previewing Your Channel	50
6.5	Where We Are At	51
7	Configuring Players	53
7.1	Closing the Display Engine	53
7.2	Configuring the Display Engine	53
7.2.1	Carousel Server Settings	54
7.2.2	Time Settings	55
7.2.3	Display Settings	55
7.2.4	Live Video Input	56
7.3	Monitoring Your Players	57
7.3.1	Player Status	57
7.3.2	Micro Player Status	59
7.3.3	Player Alerts	59
7.4	Cached Mode	59
7.5	Loading Zones	60
7.6	Not Licensed Status	60
7.7	TV Video Output	61
7.7.1	Physical Configuration	61
7.7.2	Software Configuration	61
7.8	Adjusting the Video Resolution	62
7.8.1	Standard Resolution Adjustments	62
7.8.2	Setting up a 9x16 Display	63
8	The Zone Settings Menu	67
8.1	The Network Tab	67
8.1.1	Email Settings	67
8.1.2	Other Outputs	68
8.2	Lists	68
8.3	Display Engine	68
8.3.1	Bulletin Pacing	68

8.3.2	Default Transition	68
8.3.3	Bumper Graphic	69
9	The Configuration Menu: The Missing Pieces	71
9.1	Synchronizing Zones	71
9.2	System Configuration Menu	72
9.2.1	Zone Selection Style	72
9.2.2	Administrator Email Setup	72
9.2.3	Zone Tags	73
9.2.4	External Data Source Authentication	73
9.2.5	Proxy Configuration	73
9.2.6	System Information	74
10	Users and Carousel	75
10.1	Permissions	75
10.2	Multiple People, Same Account	75
10.3	Setting Up The Approver	76
III	Making Bulletins	77
11	Making Bulletins	79
11.1	Selecting a Template	79
11.2	Editing and Creating Bulletins	80
11.2.1	Adding Style using HTML Tags	81
11.2.2	Checking your spelling	81
11.2.3	Editing the Template of the Bulletin	81
11.3	Scheduling a Bulletin	82
11.4	Bulletin Properties	84
11.4.1	Bulletin Dwell Time, aka Timing	84
11.4.2	Tracking Bulletin Impressions	84
11.4.3	Bulletin Transitions	84
11.4.4	Sound File	84
11.4.5	Bulletin Description	84
11.4.6	Bulletin Tags	86
11.5	Adding a Bulletin to a Group	87
11.6	Setting the Bulletin Type: Active or Repeating	88
11.7	Duplicating a Bulletin on Multiple Zones	88
11.7.1	Selecting Zones with the Zone Selector	88
11.8	Confirmation	90
12	Making Crawls	91
12.1	Multiple Crawls at the Same Time	91
12.2	Choosing a Crawl Zone	91
12.3	Creating a Crawl	92
12.4	Scheduling and Properties	92
13	Alert and Full Alert Bulletins	93
13.1	Zone Based Alerts	93
13.2	Full Screen Alerts	93
14	Uploading Bulletins	95
14.1	Uploading Video and Pictures	95

14.1.1	Picture Formats	95
14.1.2	Video Formats	95
14.1.3	Notes on Uploaded Pictures and Video	96
14.2	Uploading Flash	96
14.2.1	The Flash Properties Form	97
14.2.2	Flash Animation Timing	97
14.2.3	Audio and Flash	97
14.2.4	Notes on Flash in Carousel	97
14.3	Uploading Bulletin Packages	99
14.3.1	Anatomy of a Bulletin Package File	99
14.3.2	Uploading a Bulletin Package File	99
15	Dynamic Bulletins	101
15.1	The Clock Bulletins	101
15.1.1	Analog Clock	102
15.1.2	Digital Clock	102
15.1.3	Countdown Timer	103
15.2	The Weather Bulletins	105
15.2.1	Select Location and Caption	105
15.2.2	Changing the Backgrounds	106
15.2.3	Editing the Weather's Template	106
15.3	The Weather Crawls	108
15.4	Cable Display Bulletins	109
15.4.1	Setting Cable Display Bulletin Properties	111
15.4.2	Editing the Cable Display Bulletin	112
15.4.3	Scheduling and Standard Properties	114
15.5	The RSS Bulletins	114
15.5.1	Creating an RSS Bulletin	115
15.5.2	Scheduling RSS	117
15.6	The RSS Crawls	118
15.7	Twitter Bulletins	119
15.8	Facebook Bulletins	121
15.9	The Event Schedule Bulletins	122
15.9.1	Creating an EDS Bulletin	122
15.9.2	Setting Up Dean Evans EMS or Ad Astra for EDS	123
15.9.3	Dean Evans EMS Database Entries	123
15.9.4	Editing EMS and Ad Astra Properties	124
15.9.5	Setting Up Resource25 for EDS	124
15.9.6	Setting Up Exchange Server 2007 SP1 and 2010 for EDS	128
15.9.7	Editing EDS Properties	128
15.9.8	Editing an EDS Bulletin	130
15.10	EDS Bulletin Scheduling	131
15.11	Scheduling EDS Within Carousel	131
15.12	The Live Video Input Bulletins	132
15.13	Interactive Bulletins	134
IV	Managing and Extras	137
16	Managing Bulletins	139
16.1	Bulletin Lists	139
16.1.1	Bulletins	140

16.1.2	Filtering By Tags	141
16.1.3	Groups	142
16.1.4	Moving Bulletins or Groups Within a List	142
16.1.5	Copying and Moving Bulletins	143
16.2	My Bulletins	145
16.2.1	My Bulletins as the Administrator	145
16.3	Approving Bulletins	145
16.4	Housekeeping	146
16.5	Reporting	147
16.5.1	Filter by bulletin type	147
16.5.2	Filter by bulletin status	148
16.5.3	Filter by bulletin tags	148
16.5.4	Export CSV Report	148
16.6	Slide Show	149
17	Managing Media	151
17.1	My and Zone Tabs	152
17.2	File Formats	152
17.2.1	File Compatibility	153
17.3	Logos and Irregularly Shaped Pictures	153
17.4	Aspect Ratios	153
17.5	Media Asset Lists	153
17.5.1	Items	154
17.5.2	Form Buttons	154
17.5.3	Copying Media Assets	156
17.6	Media Asset Properties	156
17.7	The Template Editor	157
17.7.1	Editing a Bulletin's Template vs. Permanently Editing a Template	158
17.7.2	Basics of the Template Editor	158
17.7.3	Walking Through the Template Editor Form	160
17.8	Media Tags	172
17.9	Creating a Seamless Background for a Multi-Zoned Channel	172
17.10	Adding Media Packages	174
17.11	Creating Media Packages	175
18	Extras	177
18.1	Screensaver	177
18.2	RSS Output	178
18.3	Public Web Interface	178
V	Appendix	179
A	Installer's Checklist	181
A.1	Carousel Checklist	181
A.1.1	Preperation	181
A.1.2	Setup	182
A.1.3	Verify Display Quality and Content	182
A.1.4	Verify Carousel Communication	183
A.1.5	Clean Up Testing	183
A.1.6	Communicate With the Customer	184

B	Web Page Snapshots	185
C	Limited Template Editor	189
C.1	The Preview Window	192
D	Custom Time Format Chart	195
D.1	Examples	196
E	PowerPoint: How To Import Slides	197
E.1	Saving PowerPoint Presentations As JPEG or PNG files	197
E.2	Making the Zip File	198
E.3	Importing the Slides Into Carousel	198
F	Live TV Input (TVI) Devices	201
F.1	TVOne Hardware	201
F.1.1	Steps to setup TVOne T1-C2-750	201
F.2	AVerMedia Hardware	202
F.2.1	Steps to setup AVerMedia in Carousel	202
F.3	Contemporary Research and AVerMedia Hardware	202
F.3.1	Steps to setup 232-ATSC+ with AVerMedia in Carousel	203
G	Common Alert Protocol (CAP)	205
G.1	Communications	205
G.2	Workflow of CAP	205
H	Remote Data Adaptor	209
H.1	Communications	209
H.2	Workflow of RDA	210
H.3	Elements of CarouselCommand	211
H.4	Elements of CarouselResponse	212
H.5	Schema and Examples	213
H.5.1	CarouselRemoteCommand XSD	213
H.5.2	Command Examples	213
H.5.3	Response Examples	217
H.6	RDA Schema	218
I	Clone Tool	229
I.1	Using the Clone Tool	229
I.1.1	Exporting a Channel	229
I.1.2	Importing a Channel	231
I.2	Advanced Settings	233
I.2.1	Remote SQL servers	233
I.2.2	Remote media storage	234
I.2.3	Command line arguments	234
J	CarouselDetective	235
K	Release History	237
K.1	Carousel 6.5.0 Release Notes	237
K.2	Carousel 6.5.1 Release Notes	238
K.3	Carousel 6.5.2 Release Notes	238
K.4	Carousel 6.5.3 Release Notes	239
K.5	Carousel 6.5.4 Release Notes	240

I. Introduction and Tour

*“I was born not knowing and have had only a little
time to change that here and there.”*

—Richard Feynman

1 Introduction

1.1 Welcome to Carousel!

Thank you for purchasing a Carousel system from Tightrope Media Systems! We have worked hard to make your new system versatile, easy to use and reliable.

Carousel is a family of web-centric digital signage products for common area display networks. Carousel is used every day in schools, businesses, banks, hospitals, religious centers and on television channels. The system displays a series of bulletins in an ordered sequence and on a schedule specified by the bulletins creator. These bulletins are displayed on screens throughout a building or between programs on a television channel.

Tightrope's mission is to design Carousel as a zero-training, zero-administration system. Carousel is *zero-training* because it is designed to be easy enough for anyone to create a bulletin without prior training. It is *zero-administration* because it does not require intervention during normal operation, unless a new bulletin arrives and requires approval¹.

Carousel has a few components that make up the system. The web foundation that the software is built upon is called FrontDoor. All of Tightrope's products utilize this common platform in an effort to provide you with a reliable, easy to use and instantly familiar interface to our system. FrontDoor is what manages the user logins and rights on the system's web interface. For further information you'll want to read *FrontDoor: The Manual*.

It is possible that your Carousel server has Tightrope's Cablecast television automation system. If this is the case, you will want to read the *Cablecast: The Manual* for further information. Using the Cable Display plug-in, described in section 15.4 on page 109, Carousel works with Cablecast in several important ways. You will not want to miss these features!

1.2 About Tightrope

Tightrope Media Systems is a manufacturer of broadcast and digital signage systems. We are the best at developing whole product solutions that deliver a tailored experience and fantastic utility for our customers.

For more information on Tightrope Media Systems, please visit our web site: www.trms.com

Email us at: sales@trms.com

¹ Even here, Carousel automatically emails the administrator when the new bulletin arrives, thus negating the need to check Carousel for new bulletins.

Our Address is:

Tightrope Media Systems
800 Transfer Road, Suite 1B
Saint Paul, Minnesota 55114

For customer service, please contact your dealer or Tightrope Media Systems directly:

Email : support@trms.com

Support Request Form : An online support request form is at www.trms.com/support.

Online Documentation : www.trms.com/support/documentation

Training Videos : www.trms.com/support/training

Blogs : blog.trms.com

Community Forum : <http://getsatisfaction.com/trms>

Phone : (866) 866-4118 / (612) 866-4118



The fastest way to get support is through email or the online support form. The community forum is a great place to share tips and tricks, too.

Throughout this guide, the following conventions will be used:



This is a note. Notes are used to call attention to special information that may be helpful to keep in mind.



This is a tip. Tips show unique ways to use the software, and tricks that have been picked up by other users.



This is a warning. Warnings call attention to actions that may result in unforeseen consequences, such as actions that delete large amounts of data or configurations that might have network security implications.

This is a margin note.

If we want to highlight a section of the text that is critical to a particular topic, we'll insert a margin note, like the one you see next to this paragraph. Margin notes might also include small pictures of the user interface, when a figure would be too cumbersome.



If we need to call special attention to something that is critical, you might see the symbol that you now see to the left.

When the text references a particular menu item, field or label within the software, that text will appear as follows:

Example: Click on the **Record** button.

When we talk about or reference a menu in the software, we use a special style and reference it in the margin. When we reference menus, we leave out the main menu and we separate each menu with a colon (“:”).

Example: To change your channels' names, go to *View: Preferences...: Channels*.

When the text references user input, “this format” will appear.



*View: Pref-
erences...:
Channels*

Example: Enter “1234” into the number field.

When quotes are used to display user input, do not include them in your input unless specifically told to do so.

You’ll notice that we’ve used a couple of ‘Examples:’ in this section. You will see those throughout the text. They highlight...examples.

1.3 About This Documentation

This is the Carousel Guide and is intended for the installer, administrator and user of your Carousel system. This includes:

- Those responsible for installing and configuring Carousel for the first time. We cover these topics in part [II](#) on page [25](#), *Planning and Setup*.
- Those who will adjust Carousel’s settings, approve other’s pages and otherwise have greater control over the system. These topics are covered in part [IV](#) on page [137](#), *Managing and Extras*.
- Those who will use Carousel on a day to day basis. Check out part [III](#) on page [77](#), *Making Bulletins* for information on these topics.

1.3.1 Turnkey and Software Only Versions

Some systems come as turnkey devices—computers and servers with Carousel pre-installed. Others come as a software only solution. To see information on installing a software only solution see the *Carousel Deployment Guide*.

1.4 Default Passwords

When your Carousel Server shipped from our warehouse, the following usernames and passwords were used.



We recommend changing these immediately.

1.4.1 Windows Login

Username : Administrator

Password : trms

1.4.2 FrontDoor Login

Username : Admin

Password : trms

2 The Essentials of Carousel

In this essential chapter we will cover Carousel vocabulary. After reading it, the software's mysteries will be yours and its use and setup will make much more sense. It's required reading if you are in any way involved in Carousel's installation, administration or daily use.

2.1 Note To Carousel Installers

If you are installing Carousel, either for your organization or as a systems integrator, you should probably start this guide by reading Appendix [A](#) on page [181](#), *Installer's Checklist*.

2.2 Note to Carousel's Users and Administrators

If you are a user of Carousel, most of the information in Part [II](#) on page [25](#), *Planning and Setup* will be lost upon you. You'll want to focus most of your attention on Part [III](#) on page [77](#), *Making Bulletins* and Part [IV](#) on page [137](#), *Managing and Extras*. We cover making bulletins and managing the content within Carousel in these parts of the manual.

If you manage the user accounts for Carousel, then be sure that you check out *FrontDoor: The Manual*. That is where we cover *FrontDoor's* features, including adding users to Carousel and changing their permission levels.

2.3 What Does Carousel Do?

Carousel is designed to manage and show bulletins, which are short graphical messages, on common area displays or on your television channel. In order to accommodate the widest variety of installations, Tightrope developed Carousel in such a way that it can be configured to show bulletins in different places on different equipment in different sizes on different displays with different aspect ratios — variety requires a bit of explanation. :)

With that said, *your* need to read every bit of the information within this chapter will depend upon whether or not you own a Carousel Server, or one of its bigger siblings: Carousel Pro or Enterprise. Carousel Server has relatively simple installation scenarios while the Pro and Enterprise editions include components that increase the number of possibilities. We will call out the appropriate edition where the distinction matters.



If you would like to follow along in a live Carousel system while you read this manual, visit our demo website located at <http://demo.trms.com> and login using our predefined administrator account. Pick one of the logins that most closely matches your organization.

2.4 Displays, Channels, Zones, Bulletins and Media

We start by examining the most fundamental concepts of Carousel and how it helps you to organize the content of your display. These building blocks include: *displays*, *channels*, *zones*, *bulletins and media*.

We'll take each, in order, and explain how they are interrelated. By carefully reading this section, you will have a good foundation with which to continue. In fact, you'll see more than a few warnings in this manual that implore you to understand the content that you'll be reading here.


2.4.1 Displays

Your audience will see your system's bulletins on, what we will generically call, a *display*. Displays include televisions, LCD panels, plasmas or anything else that can display the video that the Carousel Player can output.



All current Carousel Players have a computer display output of some kind (VGA, DVI, DisplayPort or HDMI). To achieve a traditional video output (Composite, Component, SD-SDI or HD-SDI) you will need an additional piece of equipment. Speak to your Dealer for more information.

FIGURE 2.1: Monitors can be in 16x9, 9x16 and 4x3 aspect ratios.



Since displays come in a variety of shapes and sizes, we must describe them to Carousel before we use them. For systems where the target is a standard definition television, this is simple: 1024 pixels across by 768 pixels high (hereinafter written as 1024x768). For other displays, the number of choices increase dramatically, but usually they are in a 16x9, 9x16¹ aspect ratio.

2.4.2 Carousel Players: Adding More Outputs

But what happens when you want to display something different on two sets of displays? What happens if you're operating two television channels and you need

¹ Often, especially with LCD panels, you'll replace the 9 with a 10 because computer manufacturers liked 768 pixels vertically instead of 720 or 1200 instead of 1080.

different bulletins on each? What happens if you want one information channel in the lobby and another in the lunch room? The answer depends on your goals.


You could, of course, buy a separate Carousel system and operate it independently, but as we'll see in later sections, this is a limiting proposition.

With a standard Carousel Server, you can add up to 14 additional Carousel Players and Channels, for a total of up to 15 unique displays. With Carousel Pro, the limit is 300 unique displays. The number of unique displays for a Carousel Enterprise system is determined by your server's hardware.

2.4.3 Zones and Channels

Let's look at a single display for a moment. It's easy to imagine what our Carousel's bulletins will look like—each rotating through and looping around to the beginning once they've all had a turn. Imagine the ability to display weather data, standard bulletins and meeting schedule information simultaneously. Since Carousel Version 5.0, we introduced zones, which provide you with the ability to break up the screen into several areas of unique information as seen in figure 2.2.

FIGURE 2.2: Here is an example of a channel layout with five content zones and a crawl.



If you have ever watched a 24-hour news channel, you'll notice crawls and graphic areas on the side of the screen while a dashing anchor delivers the 'news' in the main area. Carousel can be configured in a similar manner.



In fact, you can even put your favorite 24-hour news channel in a corner of the display, provided you have a set-top box and the optional video input card for Carousel.

This magic is made possible by two key features of Carousel: *channels* and *zones*. Channels are like an empty canvas that fills the entire display's screen. You tell Carousel that you want a channel with 1280 pixels across and 720 pixels down. You name it something descriptive, like "Channel 15 CG" or "Tighty Hall - Lobby".

You fill the channel's empty palette with *zones*. Each zone contains lists of bulletins that follow rules laid down by the administrator and the creators of each bulletin.

When you add a zone to a channel, you're adding another information area to the *players* that display that channel in your Carousel system.



Want to use multiple zones on a channel, but have them look like one seamless presentation? Check out section 17.9 on page 172, *Creating a Seamless Background for a Multi-Zoned Channel*, which easily divides a channel-sized picture into individual backgrounds for each zone on your channel.

The term *player* is used to describe any device that is acting as a *display engine* for Carousel. A *display engine* is a piece of licensed software that accesses the main Carousel system, in search of a specific channel of Carousel. Once the display engine has contacted the server, it requests the bulletins for the channel that was selected in the preferences for the display engine. It then retrieves the bulletins that are assigned to the zones on that channel and then displays them accordingly. Hereinafter, we will use the term *player* to describe this device.



Channels and Players are licensed in Carousel. Zones are not licensed and hence there is no limit to the number that can be added to your system.

The simplest channels have one zone, and in this configuration the distinction between channels and zones is almost irrelevant².

More complex configurations might have six or more zones on a single channel, providing the audience with a vast array of information at any given time.

2.4.4 Zones on Multiple Channels

! → In Carousel, you can place a zone on any number of channels.

Example: Imagine that you have a Carousel Server and two different Carousel Players in the same geographic region. In this configuration the system is capable of displaying three different channels. You want to add a zone on each channel that shows weather information. You could create three different zones, one for each channel. A much more efficient configuration would be to create a single zone devoted to weather bulletins and place it on all three channels.

Zones have pixel dimensions and all bulletins created from that zone will use those dimensions. However, when you add a zone to a channel, you're free to stretch it in any way that is needed. Obviously, displaying a zone in anything other than its native resolution will reduce quality, but sometimes this is desirable.

Example: Let's say you have an LCD panel in your lobby that has several zones displayed on its channel. One of the zones is called *General Bulletins*. In the rest of your building, you are displaying that same general bulletin zone solely, using televisions on a RF network. In the lobby, the channel reduces that zone to a smaller size, making more room for the other zones. On the televisions, the full 1024x768 channel is consumed by the zone, which has the same resolution.

2.4.5 Bulletins

Bulletins are single messages created in Carousel. There is a wide variety of bulletins that can be created in Carousel, which can include graphics, text, dynamically updated web pictures, streaming video, data from databases, RSS feeds... the list

² This was the only configuration possibility with releases prior to Carousel Version 5.0.

goes on. In most systems, the majority of bulletins are created by users of Carousel from templates. These templates define areas of a bulletin used for text, graphics or any other media element that might be employed.

! → Bulletins are always created in a zone. That is, you pick a zone in Carousel, and media and templates that are associated with that zone are made available to you. Once you're finished making the bulletin, it's added to that zone's list of bulletins to display.

It is very common in larger systems to have zones that serve the same purpose, but for different audiences—such as two zones that show general bulletins in two different lobbies. This is why Carousel makes it very easy to copy bulletins to any combination of zones.

Example: A bulletin is created for the building's *general bulletin* zone, but you also want the same bulletin to display in different zones. To do this you simply copy the bulletin from the *general bulletin* zone to the desired zone or zones.



When you tell Carousel to share a bulletin with another zone, it automatically resizes that bulletin to the target zone's pixel dimensions. When designing your system, it's nice to size zones to similar dimensions, especially if a lot of sharing is likely to take place.

2.4.6 Alert and Repeating Bulletins: Interrupting a Zone's Bulletins

There are times when the normal flow of things just will not do. Elections, weather conditions, alien invasions—these special events demand special attention and you may want to temporarily interrupt a zone's normal flow of bulletins.

Carousel has two special kinds of bulletins: *active repeating* and *alert* bulletins. Active repeating bulletins insert themselves every n^{th} bulletin that is displayed. Alert bulletins, when active, will interrupt all current bulletins. When the alert bulletin expires or is disabled, the bulletins in the active bulletins will continue their loop.

2.4.7 Full-Screen Alert Zones: Interrupting All of a Channel's Bulletins

When something truly demands attention, a special zone can be used to remove all other zones from a channel: the *full-screen alert* zone. When bulletins are active in this zone, a Carousel Display Engine will automatically remove all other zones³ from the display and show this zone full-screen.

Full-screen alert zones, like regular zones, can be used on multiple channels. A channel can have any number of full-screen alert zone associated with it, which means that you can prioritize these zones on a channel to give you powerful control to override other full-screen alert zones, as well as your channel's bulletins.

2.4.8 Crawl Zones

Carousel has crawl zones that may be attached to a channel. They are invisible until a crawl bulletin is activated. Once active, the channel will reduce all of the zones on the display, providing the room necessary to show the crawl bulletin. The crawl zone may be placed at the top or bottom of the screen.

³ Except crawl zones, which we talk about next.

Only one crawl zone may be added to a channel. However, a crawl zone may be used on any number of channels and may include any number of crawl bulletins.

! → Unlike regular zones, a full-screen alert will not remove a crawl zone.

2.4.9 Channel Licenses, Display Engines and Players

A Carousel system consists of:

The Carousel Server : This is the software/hardware combination that provides the web interface and manages the bulletins for all of the zones. It also runs the database and services that manage Carousel.

Carousel Channel Licenses : A Carousel system comes with one of these and more may be purchased. Every channel defined in Carousel must have a license.

Carousel Player Licenses : Each Carousel Player or Display Engine connected to the server takes one license. You may purchase more Player licenses if you have multiple Carousel Players displaying one channel.

Carousel Micro Player Licenses : Micro Player licenses are a stripped down version of Carousel Player licenses that don't support many multimedia functionalities, such as video. Each Micro Player connected to the server takes one license.

Carousel Display Engine : This is the software that generates the digital signage output on a display. The display engine creates the magic by obtaining data from the server, caching it locally, and then delivering the output to your display.

Multiple display engines may display the same channel; for example a bank with a branch downtown and a branch uptown would each have a display engine per site containing identical content. The determining factor for this configuration is that the banks are at two different physical locations. It is important to note that only one display engine can run on a computer at a time.

Carousel may be packaged in a variety of ways. For example, the Carousel Pro Server includes the server hardware. Purchasing Carousel Pro Server and a Carousel Player would give you everything needed to run a single channel on a single display engine.

Carousel Enterprise is a software only solution that includes one channel license and zero display engines or player licenses. To complete a Carousel Enterprise installation, a combination of server hardware and software display engines, channel licenses and/or Carousel Players will need to be purchased. You may also purchase the channel license/display engine combo for Carousel Pro.

A display engine license may be purchased separately. This is called the *Software Display Engine*. The Software Display Engine is installed on a compatible computer and it addresses an existing channel.

2.4.10 Categorizing Zones with Tagging

Another feature that is important to Carousel is the ability to tag zones. *Tags* are keywords that describe a zone⁴. Example tags might be: Lobby, Cafeteria, Western Region or Common Areas. A zone can have as many tags as you like.

⁴ Tags also describe media, but that's for chapter 17 on page 151.

Example: You might have a zone dedicated to a channel that is used for a display engine in a library's entry way. This zone may be tagged with: Library, Entryway, Common Areas, East Bank, Minneapolis Campus, and General Bulletins. In a system with 300 zones, you may wish to ease locating this zone by selecting the 'Library' and 'Entryway' tags, which filters out zones that don't have both tags.

Tags are also useful when you're creating a bulletin and want it displayed on a specific group of zones. Using the above example, you can drill down to all zones in 'Common Areas' on the 'Minneapolis Campus'. Alternately, you could select all 'Library' zones in the 'East Bank'.

This feature is extremely important in very large installations where there is a need to filter choices in order to quickly find the zone, or zones, that you are looking for. What is nice about this approach is that you can select a specific set of zones according to your needs.

II. Planning and Setup

“A goal without a plan is just a wish.”

—Antoine de Saint-Exupéry

3 The Setup Plan



If you are installing this Carousel system for another user, such as for a customer because you are the systems integrator, you'll need to have the questions that this chapter raises answered before you can perform your installation. Otherwise, you won't know key information, such as the channels' name, zone layouts, etc. As the systems integrator, read this chapter, but understand that only customer is going to be able to answer the questions within. As we mentioned in *The Essentials of Carousel*, you need to use the check list in appendix A on page 181 to guide your installation.

The setup process in Carousel requires that you make decisions about the look and configuration of your displays. You may want to show the weather on all of your displays in one corner and meeting room information in another. Maybe you are a television station and you want your station's schedule always visible in the bottom quarter of the screen with weather and general bulletins in the upper part. If you are running a Carousel system with many channels, you may have some zones that are shared across channels. You may have other zones that are similar in function, but will show different information for different audiences. Carousel can meet all of these needs.

This chapter will help you make decisions about your Carousel system's setup. We hope you consider it time well spent, saving you hours of work, reconfiguring your system after you realize you got it wrong. Alternately, it could be a waste of time. There is risk in everything. :)

3.1 Designing Your Channel

As we discussed in chapter 2, channels contain one or more zones and those zones can be placed on any number of channels. Every display engine tunes to a channel. These facts hold the key to determining how your system will be configured.



For single channel systems, most of your decisions will be very obvious. Just follow along and you'll be able to pick out the parts of this section that apply to you.

Dimensions of channel = your monitor's resolution.

Your first step is to determine the size of the channel and what you want your channels to look like. The size will most often be determined by your display's output. Some common sizes are:

4x3 Standard Definition Television : 800 pixels across by 600 pixels down.

720p High Definition : 1280 pixels across by 720 pixels down.

1080p High Definition : 1920 pixels across by 1080 pixels down.

16x10 : 1280 pixels across by 768 pixels down. (Many LCD monitors use this resolution.)

Other monitors, especially LCD monitors, may have additional resolutions. Check with your monitor's specifications and then test to make sure that the Carousel player can use that resolution. If it can't, you can usually get close enough so that the player and the monitor will agree and display a high quality picture.



In this manual, we talk about a *player* for Carousel. This is any device with the display engine software, including a Carousel Server, or some other device you are using with a display engine.

Remember that *channels*, within Carousel's world, refer to a collection of zones that players can address. Therefore, while you are in the planning process, take time to name your channels. Helpful names might be...

- Blackhawk Middle School
- Corporate HQ Lobby and Lunchroom
- Fennel Hall
- Eagan Office-Room 101b Wall Sign



In the above examples, the difference between zones and channels comes into sharper focus. *Fennel Hall* might have weather, traffic information and general bulletin zones for the audience in the building's hallways. All of these zones are placed on the channel that is being addressed by the players in Fennel Hall. The naming becomes obvious when you understand the differences.

These names might not make sense to you, but remember: You are describing the location of the displays that will be driven by the players that are addressing this channel. You want to be able to identify them in a meaningful way within the software, so choose a name carefully.

In larger installations, remember to make the names unique. If you are managing 25 lobbies, it is not enough to call a channel '*Lobby*'.

Finally, take note of the aspect ratio of your channel. Draw a box on a sheet of paper that has the same aspect ratio¹. This will help you when you determine the zones that will occupy your channel's canvas.

3.1.1 Planning Tips for Your Zones

Single zone channels

Channels must have at least one zone. In single zone configurations, channels show one bulletin at a time, plus any crawls that may be active. In this configuration, you will create one zone for the channel and its resolution will be that of the channel's resolution.



Even if you create only one zone for a channel, you can still add a crawl for that channel. Crawls are special in that you don't leave room for them on your channel. Carousel will 'squish' your zones up or down when a crawl message is activated.

Multiple zone channels

Mixing multiple zones on one display or sharing zones across channels opens an almost endless number of possibilities. You will add a zone to a channel when you want a specific kind of information to always be visible, even while other bulletins are displayed on other parts of the screen (figure 3.1 on the facing page).

¹ That is, it's as square or rectangular as your display is.

FIGURE 3.1: This example has seven zones, five used for regular content and two used for design elements, each updating independently. In a multi-channel system, it is likely that three or four of these zones would be used on other channels.



You must understand zones and channels before you go about creating them within Carousel. If you are wrong and want one zone instead of two or need a zone sized differently, you will be in for a lot of effort duplication. Better to plan first and get it right the first time!

In short, make a zone for a channel when you always want its information on the screen.

Example: Do you want the weather always in one corner of the screen while other messages rotate through? Then make one zone for weather and position it the corner. Do you always want your meeting schedule or your station's programming schedule in the lower part of your screen? Then that would be another zone. Any time that you want bulletins updated separately, you will create another zone for them.

Do not confuse categories of messages with zones.

Do not confuse this with having bulletins of a specific category. That is, do not make a zone just for sports and just for meetings, unless you really want two parts of the screen to always show each category. It's usually the case that you want many different topics of bulletins on the same zone, with specialized zones for very specific applications, like TV guides, meeting room schedules, traffic conditions, weather, etc.

If you want a zone to show on more than one channel, make sure that you plan the size and aspect ratio ahead of time. It's best to keep them the same size on each channel. Otherwise the Carousel Display Engine will resize them for you, which may slightly reduce their quality.

Example: You want the weather in the corner of all of your channels. All of the display engines will be in the same city, so you make a single zone that will be used on all of your channels.

Draw zones on paper before you make them in Carousel

When you are planning the look of a channel, draw boxes for each zone on the channel to give you a visual idea of the look before you set them up in Carousel's interface.

Also, consider situations where you have many zones that are serving a similar purpose. Again, you may want to make sure that they are also sharing similar

dimensions, in case you want users to be able to send bulletins to multiple zones. Carousel will automatically resize the bulletin as it is copied across zones, however zones with a radically different aspect ratios or sizes will not look as good as the bulletin on the original zone (section [2.4.5](#) on page [20](#)).

With multi-channel systems, the most important thing is to plan your zones and channels, deciding what content will be on what zone and what zones will be duplicated on which channels.

Tags for zones are important in large installations.

While you are creating zones, it is important to establish the tags that you will use for your zones, especially in larger installations. Not only do you not want “Lobbies” and “Lobby” as tags, but you also want to consistently apply those tags to all of your zones. If you have channels displayed exclusively in your lobbies, make sure that all of them get that tag. Try to think of all the ways you may want to group displays. You can add or delete tags at any time, it’s just easier to get it right the first time. We introduced this topic in section [2.4.10](#) on page [22](#).

4 Carousel's Video Capabilities

Carousel Players run the Carousel Display Engine. These devices are designed for smooth, attractive playback of a wide range of content. Here are some guidelines to follow:

4.1 Carousel Player Software Comparisons

Carousel has multiple types of Player Software available, each with their own strengths. See figure 4.1 for this information. For information on how to change your Display Engine mode, see section 7.2 on page 53.

FIGURE 4.1: A comparison between the different available Carousel Player software types.

	Display Engine - Simple	Display Engine - Performance	Display Engine - Standard	Player - Micro License
	Low power Windows-based players	Optimized for video playback and low power Windows-based players	For most modern Windows-based player hardware	Low power/Room sign Ubuntu 10 Linux players (Snap Players)
Purpose	Yes	Yes	Yes	Yes
Multi-zone	Yes	Yes	Yes	Yes
Transitions	Cut Only	Fade Only	Effects	Fade Only
Crawl	No	Swoop Up	Horizontal	No
Video	Yes	Yes	Yes	No
Flash	Yes	Yes	Yes	No
Live Video	Yes	Yes	Yes	No
Local Caching of Content	Yes	Yes	Yes	No

4.2 Video File Playback Performance and Resolutions

Carousel supports the following video file formats:

- WindowsMedia 9 and higher (.WMV)
- Quicktime 7 and higher (.QT)
- MPEG 1/2/4 (.MPG,.M4V)
- H.264 (.MOV)
- Standard AVI files supported by a default Windows installation, especially DV (.AVI)

Carousel supports playback of these formats at resolutions up to 1080p/30 (720p/60 in the case of DV).

Also, high performance codecs, such as H.264, may stutter more often than lower performance codecs, such as MPEG-2.

We've had the best luck using the *WMV 9 Advanced* codec and setting the bit rate above 20mb/s. If given the option, keep the size and frame rate at "current".

4.3 Crawl Performance

Carousel supports a crawl ticker, which appears at the top or bottom of the display. Under most conditions, this crawl will not display excessive or distracting stuttering, but occasional stuttering is to be expected.

Stuttering can be minimized by:

- Keeping the display resolution to 720p or lower
- Minimizing playback of video files that use high performance codecs (H.264)
- Minimizing playback of Flash animations with many moving components.

As of Carousel 6.2, a less graphically intensive crawl that “rolls over” has been added to the **Performance** Graphics Manager. See section 7.2 on page 53 for information on changing the Graphics Manager for the Display Engine.

5 Introduction to Carousel's User Interface


This chapter shows you how to log into Carousel and will introduce you to many of Carousel's common user interface features. This chapter is important both as an introduction and as a reference while you read other chapters. Instead of repeating instructions on forms that appear multiple times within the software, we put them here. At this point, some of elements of the user interface may not be relevant to you. Just glance through the later parts of this chapter, knowing that you will return here often as you read through the rest of the manual.

Remember, Carousel is a web application and you access it from your network. There is no need for users to install special software to create and manage bulletins, other than your favorite web browser. So let's get started!

5.1 Logging Into Carousel

Provided that your Carousel system is on the network, you can login by simply typing its IP address or network name into your favorite web browser.

FIGURE 5.1: The FrontDoor login




Once you see something like the picture in figure 5.1, type in the account information for the administrator.



Username: Admin
Password: trms



This is the default password for the administrator account. Once your system is online and ready, it is critical that you change this password.



Once you successfully log into the system, you'll be greeted with the FrontDoor menu. Setting up your FrontDoor server is covered in *FrontDoor: The Manual*, so go read that reference if you're curious about **Server Setup** or **User Management**. For now, go ahead and click on the **Carousel** menu option.

5.2 The Main Menu

A fresh installation, with no channels or zones configured, will look like figure 5.2 on the next page. Carousel Servers or Carousel Pro Servers shipped from Tightrope

FIGURE 5.2: A Carousel System that has not been set up



will come with a free Carousel Creative Channel installed and configured (typically named 'My First Channel'). So your Main Menu will look more similar too figure 5.3.

If you are working on a Carousel Enterprise system with a fresh install you have two options for following along in this chapter:

FIGURE 5.3: The Carousel Main Menu



store.trms.com : Go to the creative store and purchase a professionally designed channel that will add templates, backgrounds, pictures and other content that will look fantastic on your displays!

demo.trms.com : Go to Tightrope's demonstration site and log in using one of the example systems that you'll see. The log in information is included next to each example. Once you've logged in, you'll see a working Carousel system that will be perfect to use

as you follow along in this chapter.



Keep in mind that the zones and channel names used on the demonstration system are probably not what you will eventually choose for your system.

First let's look at the main menu:

New Bulletin : This is where you go to create any kind of bulletin, except *Alert Bulletins*. These include bulletins created by users, uploaded through the web interface or dynamically created by Carousel through data sources.

New Alert Bulletin : When you need to interrupt a zone's bulletins for a special event, such as in an emergency, you can use an *Alert Bulletin*. When active, an Alert Bulletin will suspend all normal bulletins. When they are de-activated, the normal flow of bulletins will resume.

Manage Bulletins : Once bulletins are in the system, you can change their order, move, delete and edit them. The *Manage Bulletins* menu is also where you can approve bulletins from other users and delete stale bulletins whose time has passed.

Media : Carousel utilizes media in bulletins that are created from templates. The *Media* menu includes: backgrounds, pictures, video clips, sound files, templates and media tags. Templates create the outline for a new bulletin, predetermining the placement of text, graphics, video and the bulletin's background.

Event Schedule : The event schedule is for use if you have bulletins that show scheduled information that is entered directly into Carousel. This is covered in section 15.9 on page 122, *The Event Schedule Bulletins*.

Extras : Includes screensaver setup and URL links for RSS feeds and a public web interface for active bulletins see chapter 18 on page 177, *Extras*.

Zone Settings : This is where you establish settings such as who gets emailed when a bulletin is waiting for approval. It also is where you can enable or disable the public web output of carousel.

5.3 The Status Bar

The *Status Bar* at the top of the screen, illustrated in figure 5.4, is an ever-present guide to what's happening and where you are working within the software. Also, in figure 5.4, you can see that we've helpfully labeled some of the bar's features.




FIGURE 5.4: The Status Bar

Zone Tabs : These tabs list all of the zones that are available to the current user. There are three zone types: bulletin zones (labeled ‘Zones’, crawl zones and full screen alert zones. We cover each in part 3, part III on page 77, [Making Bulletins](#).

Current Zone : This label highlights the zone that you are currently working on. It is extremely important to label because everything in Carousel tends to center around the current zone that you are working on.

Current Menu Location : As you navigate through the software, you are presented with different menus. The navigation of these menus is displayed in this label. You’ll notice that the current menu is shown as text, while previous menus are hyperlinked. You can navigate to previous menus by selecting these links.




Do not use the *forward* and *back* buttons in your web-browser while working in Carousel.

Status Message : Carousel uses this area to communicate information such as a warning or the result of an action you took.

Configuration Button : This button is available only from the main menu and only to users that are given permission to change Carousel’s configuration. This is where you are presented with access to all of Carousel’s internal configuration settings. We go into detail on this subject in chapter 6 on page 41, [Setup Basics: Step-By-Step](#).

5.4 Quick Links

FIGURE 5.5: Quick Links



The quick links at the top of the bulletin (figure 5.5) are always with you within Carousel’s interface. They provide shortcuts to many menu items, such as making alert and standard bulletins, managing bulletins and returning to the main menu. In addition, there is a link to log out, return to the main menu and to exit to FrontDoor’s main menu.

5.4.1 About Menu

The *About Screen* is accessible only from the quick links at the top of the screen. If you call in for technical support you may be asked to navigate to this screen which gives you current version information.

5.5 Selecting Zones


There are two ways to select zones within Carousel. One is through the standard menu, shown in figure 5.6 on the facing page. The other is through a tag selector window, shown in figure 5.7 on page 38.



All zones will always be shown in the pop-down zone menu for the built-in administrator account, *admin*. Other user accounts may have limited access to zones, in which case; Carousel customizes the menu according to granted permissions. See *FrontDoor: The Manual* for further details.

5.5.1 Zones with the Pop-Down Menu

FIGURE 5.6: When there are only a few zones, a pop-down menu will appear when you hover over any zone tab that has more than one zone.



The ‘>’ signals the current zone.

Notice that in figure 5.6, the first selection, *Building/Video*, has a greater-than ‘>’ arrow next to it. This is to highlight that this zone is currently selected.

5.5.2 Zones with the Tag Selector


In a system with multiple zones Carousel allows you choose how you view the list of zones. By default, Carousel will display systems with less than 15¹ zones in a pop-down menu and systems with greater than 15 zones in a Zone Selector window. At the start, all of the available tags and zones are listed. When you select a tag on the left side, only zones that include that tag will be shown. In addition, only tags that are also in the remaining zones are shown. That is, if there are no zones that have both the “Minneapolis” and “Saint Paul” tags, then “Saint Paul” would not appear after you selected “Minneapolis”.

The tag selector will appear when you want to switch zones or when Carousel asks if you want to copy a bulletin to other zones. When copying a bulletin, you can use tags to filter down to exactly the combination of zones that you are looking for, instead of having to pick through the entire list.

You can set the threshold for when Carousel uses the pop-down list and when it uses the tag selector. We cover this topic in section 9.2.1 on page 72, *Zone Selection Style*.

¹ This number is defined by the user **Main Menu:Configure:System:Zone Selection Style**

FIGURE 5.7: When you select tags on the left, Carousel will filter out tags *and* zones that don't match the selected tag. You can keep selecting tags until you find the zone(s) that you're looking for.



5.6 The Media Picker





FIGURE 5.8: The Media Picker

There will be times when you need to select a background or picture². When this happens, you can pick one from a pop-down list, or use Carousel's media picker tool, illustrated in figure 5.8.

You get to this screen by clicking the **select** link next to any background or picture pop-down list.



Both the 'My' and zone backgrounds/pictures are unique to that zone. That is, if you switch to another zone, you will see a unique set of backgrounds or pictures


² To keep things simple, in this section picture means the same thing as background and vice-versa, since they are treated the same in the media picker

listed in both the ‘My’ and backgrounds sections. For more info on My versus Zone Media see section 17.1 on page 152

To select a picture when you are using it in a bulletin, click anywhere within the picture’s box.

5.6.1 Selecting Media With Tags

FIGURE 5.9: Selecting media with tags.




One of our favorite features of Carousel is what we call the *tag pile*. The tag pile is... a pile of tags. Actually, it’s an alphabetical list of all of the tags that have been defined for the pictures within a zone. Clicking on a tag will filter out any picture that lacks the selected tag. You’ll see that because you will then be looking at a sub-set of all of the available backgrounds, tags that are no longer valid will be grayed out. As you can see in figure 5.9, there are three colors for tags:

Dark Brown : Tags that you have selected.

Light Brown : Tags that are selectable.

Light Grey : Tags that are not selectable because no pictures or backgrounds match the current filter.



Tags are a great way to drill into a set of pictures and they are especially helpful when you have a large number of pictures to sift through.


If after selecting a tag you decide that you no longer want to include it in your filter, you can click the ☒ next to the list of selected tags at the top of the media picker.













We cover the task of adding tags to backgrounds and pictures in chapter 17 on page 151, *Managing Media*

5.7 Common Icons and Their Purpose

This section includes the common icons that you will see throughout Carousel.

Move Size  : These four arrows are used for two purposes: to move a graphic element or to resize one. When it is used to resize, you resize from the bottom right. Clicking the right arrow widens the element and the bottom arrow makes it taller.

- Remove** : This icon is visible when you are filtering by one or more tags. It appears to the right of the **filter by** label and you click on it to remove the filter that it is next to.
- Copy/Move Bulletin** : Used when you want to copy or move a bulletin, either to another zone or within this zone. It is also used to move a bulletin to the saved or stale bulletins list, which we talk about in chapter 16 on page 139, *Managing Bulletins*.
- Delete Bulletin** : To delete a bulletin completely, use this icon.
- Select All** : This little arrow appears above lists with checkboxes preceding each item. Once you click it, it selects all items in the list. If they are already selected, it will deselect them.
- Edit Bulletin** : Once a bulletin is made, you can edit it by selecting this icon.
- This icon is also used to edit a group of bulletins. You can change the display name for the group and you can change each bulletin's on/off time within the group.
- View Full Screen** : This icon, and another variation of it, appears when you have the option to magnify a preview in another window.
- Refresh** : This appears when a preview may be refreshed. Generally, this happens after you have edited a text box when making a bulletin.
- Spell Check** : Carousel includes a spell checker. Clicking this icon will automatically check the spelling of all fields in the bulletin that you are editing.
- Edit Template** : To edit the template of a bulletin that you are making, you can click this icon. If you would rather make minor edits, you can try the quick-edit palette, described in section 11.2 on page 80, *Editing and Creating Bulletins*.
- Un-group** : When bulletins are grouped together, you can break off each slide in the group by clicking this button.

6 Setup Basics: Step-By-Step

In this section, we walk through the process of configuring your Carousel system.



Sorry to repeat ourselves, but, it is absolutely necessary that you understand channels and zones and how they work on your system. You will make decisions during this section that will take a large amount of time to undo. Read chapter 2 on page 17, *The Essentials of Carousel*, if you have not done so already.

To set up Carousel, you'll have to log in with an account that has full access to Carousel. Typically, the *admin* account is used for this purpose. We covered the login process in section 5.1 on page 33, *Logging Into Carousel*.

Once you are logged in you will most likely be greeted with a menu that looks much like figure 5.3 on page 34.



Systems shipped from Tightrope will have a Creative Channel called 'My First Channel' already installed on them. You may want to follow *some* of the steps listed here to edit that channel (including changing the names of the channel and zones).


6.1 Configuration Menu



Main Menu: Configure

To create a new channel click on the *Configure* button to the right of the status bar.

FIGURE 6.1: Configure Main Menu



6.2 Create Your Zones

Once you have logged in and navigated to the *Configure* menu, your next step will be to create and configure your system's zones.



Main Menu: Configure: Zones

Step 1: Click on the *Zones* menu item.

Step 2: Click the **Add New Zones** button and type in the name of your zone. Select the type of zone that you want to create: Bulletin, crawl or full screen alert. We explained each type in section 2.4.5 on page 20, *Bulletins*. When you're finished, click the add link (figure 6.2).

FIGURE 6.2: Adding Zones

6.2.1 The Zone Properties Form

FIGURE 6.3: The Zone Properties Page

Click the name of zone that you just added and you will see it's properties form, illustrated in figure 6.3. The following steps will help you edit the zones properties:

Step 1: Re-edit the name as needed.



Best practice is to prefix zone names with the channel that they will be on. For example, "Library-". If they will be on multiple channels, another prefix might be appropriate, such as "All Channels-".

Step 2: Tag the zone as needed. If no tags exist or you need a tag that does not yet exist, add it to the **Tags** field and then click the **add** button. You can add more than one tag at a time, by simply entering commas between them

Step 3: Type in a description. This should describe the purpose of the zone and, if known, where it will be seen.

Step 4: For bulletin and full-screen alert zones, choose the size of the zone, in pixels. *This step is incredibly important to get right!* This is where all of your planning comes into play as knowing the correct dimensions of the zone will determine the size of all of the media and templates that are created within it. If you get it wrong, then you will have to redo everything or resize all of the media within, which may reduce quality.



Crawl zones don't have dimensions. They go on the top or bottom of a channel. The channel determines the fonts and colors for any zones that appear. See section 6.3.3 on page 47, [The Crawl Properties Form](#) to learn how to adjust the crawls appearance on a specific channel.

Step 5: If you're walking through these steps for the first time, the **resize media** link will be of no help. It is for when you mess up the size of a zone, add a bunch of media, reset the size of the zone and now want to make all of the media conform to the new size.

Step 6: The **Use server's time settings** check box locks this zones time settings to that of the Carousel server. If the zone is in another time zone, then uncheck this box and choose the time zone for the geographic location that these zones will be displayed in. That is, if your zone is used in the lobby of the Bangalore, India office, go ahead and select "5:30+".

Step 7: The items hidden by the **Show Zone Synchronization Settings** tab are outside of this walk-through. See section 9.1 on page 71, [Synchronizing Zones](#) for detailed information on synchronizing zones.

Step 8: When you're finished, click the **Save** button.

Step 9: Add additional zones by going back and repeating from section 6.2 on page 41 until you are finished.

6.3 Define Your Channels



Main Menu: Configure:
Channels

Now that all of your zones have been created, we're ready to define the channels that your system is licensed for.

Navigate back to the main configuration screen by clicking on the *Configuration* link at the top of the screen, or click the *Configuration* button on the status bar of Carousel's main menu. Then click the *Channels* menu item.


Step 1: Click the **Add Channel** button to start the configuration of a channel.

Step 2: Your new channel will be called "New Channel" with a handy star "*" after it, to let you know that this is the one that was just created. Click the title, which is a link, which opens the **Channel Setup Form**.

6.3.1 The Channel Setup Form

In *Channel Configuration*, you'll see the menu in figure 6.4 on the next page. We'll start with the first menu item and click *Channel Setup* to edit your channel.

FIGURE 6.4: The Channel Configuration Editing Menu



Step 1: You will see the form in figure 6.5. Name your channel in the **Name** field. Remember to name it something that will remind you of the location of the displays that are addressing this channel.

FIGURE 6.5: The Channel Setup Form

 The image shows a "Channel Setup" form. It has a "Name:" label followed by a text input field containing "DEMO-K-12 2010". Below this is a "Subscribe to Crawls from zone:" label followed by a dropdown menu showing "Crawl". Underneath is a "Subscribe to Full Alert bulletins:" label followed by a blue hyperlink that says "Click here to configure subscriptions". A note below the form states: "Note: crawls do not work on channels that run in portrait mode." At the bottom are "Save" and "Cancel" buttons.

Step 2: If this channel is to have a crawl zone associated with it, then choose that crawl zone in the pop-down labeled **Subscribe to Crawls from zone**.

Step 3: If the channel is to have one or more full-screen alert zones, click on the **Click here to configure subscriptions** link.

Substep A: Any full-screen alert zone that you may wish to add to this channel may done on this form, shown in figure 6.6 on the next page. Select all of the zones from the pop-down list and click the **Add** button. Keep repeating until all of the full-screen alert zones have been added.

Substep B: Full-screen alerts are prioritized from top to bottom. That is, if both the first and the second zones have bulletins in them, then the bulletins in the first zone in this list will be shown, but not any of the zones beneath. Just drag each item around on the list as needed to re-order the list.

FIGURE 6.6: Adding full-screen alert zones to this channel.





FIGURE 6.7: You can re-order the list by dragging and dropping the items.



This way, you can have a special full-screen alert zone that is used for emergencies and other zones that you use just to override the normal display. If an emergency happens, even the other full-screen alert zone's bulletins will be overridden.

Substep C: If you've added a zone that you didn't mean to, just click the checkbox next to the name and click the **Delete** button.

Substep D: When you're done, click save and the new settings for the full-screen alerts on this channel will take effect.

Step 4: To save your changes for the channel's setup, click the **Save** button on the *Channel Setup* form.

6.3.2 The Channel Layout Form



Main Menu: Configure:
Channel Configuration:
Editing <Channel Name>:
Channel Layout

Next, we will edit the channel's layout, which defines the placement of each zone that will use this channel. To begin, click the *Channel Layout* menu item from the *Channel Configuration* (figure 6.8 on the following page) menu and follow the steps below:

Step 1: First, choose the channel's resolution, which will match the video output of the Carousel player(s) that are addressing it in the **Output Display** fields. Common resolutions are entered by clicking on the shortcuts just below the fields.

When you are setting up a *portrait* display, then you will want to remember to flip the width and height dimensions from what would be considered *landscape*. For example, "1280x720" becomes "720x1280".

Step 2: Next, we'll add one or more zones to our empty display. Pick one from the **Available Zones** pop-down list and click **Add**.

Step 3: You'll see a zone properties form appear, like in figure 6.9 on the next page. Also, you'll see the preview window update to show you the default position where your new zone will appear.

FIGURE 6.8: The Channel Layout Menu





FIGURE 6.9: Zone Properties Form in Channel Layout



FIGURE 6.10: A zone added to the preview



Step 4: Reposition and size your zones with the **Size** and **Position** fields. If you place your zone outside of the channel's boundaries or overlap another zone, you'll get a warning message. Correct these conditions before continuing.



You can select a zone to edit from the preview window by clicking on the box the represents its size and position.

Step 5: Keep adding zones until you are finished by going back to step 2 on page 45. Once you are finished, click the **Save** button.



Make sure that you don't see any black on your channel's display. This would denote a hole in the channel's canvas. You want to be sure that all zones touching all edges of the channel or another zone.

6.3.3 The Crawl Properties Form



Main Menu: Configure:
Channel Configuration:
Editing <Channel Name>:
Crawl Settings

If you've specified a crawl zone for this channel, select the *Crawl* menu item from the *Channel Configuration* main menu. The **Crawl Settings** form adjusts the display properties of the crawl for this channel. Review figure 6.11 as you read through this section.

FIGURE 6.11: The Crawl Settings Menu

By default, the crawl will appear on the bottom of the display. To make it appear on the top, click the **Top** radio button.

The speed is adjusted by the **Speed** radio buttons. There is no hard and fast rule as to how fast a particular player will display a crawl. The middle selection is generally considered readable. Faster speeds may result in some jerkiness on some displays.


The **Font** items adjust the color, font and size of the text. Click the color wheel button to reveal a palette of colors. Alternately, enter a specific color in the field below the color wheel, using the Hex color code.

The background of the crawl is a solid color, adjusted by the **Background** color wheel.


To adjust the number of pixels separating the edge of the monitor and the crawl, enter a value into the **Offset** field. The default value of “5” pixels is a pretty good starting point for most LCD or Plasma monitors. NTSC/PAL television screens may need a value as high as “15”.

Once you are finished with the **Crawl Settings** form, click the **Save** button to save your changes.

6.3.4 The Date and Time Properties Form

 Main Menu: Configure:
Channel Configuration:
Editing <Channel Name>:
FIGURE 6-12 Date and Time Settings
Menu

Carousel can display the date and time as an overlay on your channel. We can adjust the properties of this display from the *Date and Time* item in the *Channel Configuration* menu.



Date and Time Display: ☒ Enabled

Show on: All Bulletins

Placement: Cycle

Font: Arial Black 20

Color: #FFFFFF

Format: Friday Jan. 1, 2005 | 12:30 pm Custom

Background Rectangle: Color: #FFFFFF Opacity: 40%

Background Rectangle Outline: ☒ Enabled Width: 1 Pixels Opacity: 100% Color: #000000

Text Outline: ☒ Enabled Opacity: 100% Color: #000000

Horizontal Offset: 15 Pixels

Vertical Offset: 15 Pixels

Save Cancel

To turn the date and time overlay on, click the **Enabled** checkbox at the top of the form. This is enabled by default.

The **Placement** pop-down will determine where the time/date display appears.



Cycling is a nice option if you are worried about monitor burn-in.

Adjust the font's typeface, size and color within the **Font** section of the form.

The **Format** fields offer some control over the format of the time and date. Pick from the presets offered or click the **Custom** option. If you pick **Custom** review appendix D on page 195, *Custom Time Format Chart*.

The **Background Rectangle** section is used to adjust the appearance of the backdrop of the time and date.



If you don't want a rectangle behind your time and date, then set the **Opacity** to "0%".

In the **Background Rectangle Outline** section, you may enable and adjust the appearance of an outline around the backdrop. The settings are self explanatory.

In the **Horizontal Offset** and **Vertical Offset** field, you are adjusting the distance from the edge that the time and date box will appear. The default value is pretty good for most circumstances.

6.3.5 The Background Audio Form



Main Menu: Configure:
Channel Configuration:
Editing <Channel Name>:
Background Audio Set-
tings

If you are going to use the background audio feature of Carousel then you will want to configure the audio settings. From the **Channel Configuration** menu select the *Background Audio* menu item.

To play out whatever is coming from the player's line input, leave it at the default settings. To loop through items in the system's background audio list (next step), then select the **Background Audio List** radio button.

6.3.6 Adding Background Audio to Carousel



Main Menu: Configure:
Channel Configuration:
Editing <Channel Name>:
Background Audio List

If you selected the *Background Audio List* option from the previous section, then you will want to add audio to that list. Click the *Background Audio Playlist* item from the *Channel Configuration* menu. To add music to the list, follow these steps:

Step 1: Click the **add** button to add a new file. You'll be taken to a screen where you can upload audio files.

Step 2: Click the **Choose File** button, and the browse menu will appear. Select a single audio file to upload, and click the **Upload** button.



Acceptable file formats are listed in section 17.2 on page 152, *File Formats*.



Have a bunch of files to upload? Add them all to a .zip file, and upload the zip file!

Step 3: Once you have added a few tracks, you can alter the playback order by dragging the song's title up and down the list.



Prefer to have the songs randomized? Select the **Randomize Order** radio button.

Step 4: To remove a song from the list, click the **Delete** button.

Step 5: When you have finished, click **Save**.

6.3.7 Adding a Seamless Background


A seamless background is a background uploaded into Carousel that covers the entire channel. Once it is uploaded, Carousel cuts it up to fit in the zones that are placed within that channel, saving the slices for use in templates within those zones.

We cover this process in section 17.9 on page 172, *Creating a Seamless Background for a Multi-Zoned Channel*.

6.4 Previewing Your Channel

After you have designed your channel, you can preview it directly in your web browser. Head back to the Channel list in the configuration screens, and click the preview icon next to the channel name, as shown in figure 6.13.

FIGURE 6.13: The channel list, with preview buttons.



A new browser window will open, and you will see the entire channel, with each zone in its correct place as depicted in figure 6.14 on the facing page.



Certain bulletin types cannot be displayed in the web-based channel preview due to network bandwidth concerns. Specifically, you will not be able to see Video, Flash or Crawl bulletins. Also, the preview will stretch to fill the browser window.

FIGURE 6.14: Example of the web-based channel preview.



6.5 Where We Are At

If you have followed along through this chapter then, at this point, your system is as set up as it needs to be in order to begin adding content to the system. However, we are lacking backgrounds and we haven't exactly set up the display output of our players. So while we are done with the **Configuration** menu, for now, we are not quite *"ready for prime-time"*.

The next chapter, *Configuring Players*, will guide us through the process of configuring the video display for your system.

7 Configuring Players

Every Carousel has system has at least three major parts to it: the web interface, the Carousel Service¹ and one or more Carousel Display Engines. This chapter covers the configuration of those players that are running on Windows. If you are making your own Carousel Players from a Carousel Software Display Engine, then setting the resolution and TV output options of your display may be different.



Remember, Carousel Pro and Enterprise Servers do not include a display engine, and other 3rd Party Players (such as BrightSign) are configured in other ways.

7.1 Closing the Display Engine


When the Carousel player is turned on, it will eventually load the Display Engine. If you are quick, you can click the *Cancel* button before it loads (figure 7.1). You will want to close the display engine before it starts so that you can perform the steps described in this chapter.

FIGURE 7.1: Closing the Display Engine before it loads



If you missed your chance to close the display engine, you can close it while it is running by *double-clicking* repeatedly until it closes. The other, more dignified method, is to hold the *Esc* key down until it disappears.

7.2 Configuring the Display Engine




When you double click on the Carousel Display icon, you will see the *Loading Carousel* splash screen appear. (figure 7.1) Before the *Configuration* button counts down to 0, click it. This will load the *Display Engine Configuration Form*, illustrated in figure 7.2 on the next page.

In the following sections, we'll explore each of the four quadrants of this form: *Carousel Server Settings*, *Display Settings*, *Time Settings* and *Live Video Input*. By

¹ This turns pages on and off and controls Carousel Players

doing so, you will learn all there is to know about configuring a display engine for use in your system.

FIGURE 7.2: The Display Engine Configuration Form




7.2.1 Carousel Server Settings

The first field, *Server Settings*, is where you can type the address of the Carousel Server. If it is the local machine, such as with a Carousel Server or when a Carousel Solo is acting in stand-alone mode, then “localhost” will be the appropriate setting.

If your display engine is receiving data from a remote Carousel server, then you may type the IP address or network name of that server. To check the connection, type the server’s address and then click the ☒ button to the right of the field. The Display Engine network diagnostics screen will appear and run through a series of tests to determine if a connection to the server you entered will be successful.


The connection diagnostic tests will look something like figure 7.3. You’ll find a list of each test that was performed, plus a green check for each test that passes. At the bottom of the screen, you’ll find a short description of the test results. In this case, all of our tests succeeded, so we should have no problems with our Carousel system.

FIGURE 7.3: Successful connection tests



If one or more of the tests fail, you'll see a screen similar to figure 7.4. If you read the test results at the bottom, you'll see several possible reasons for why the test failed, and some possible solutions you can try to get it passing.

FIGURE 7.4: Connection tests with failures and possible solutions



In the case of figure 7.4, the Carousel Service wasn't running on the server. After starting the Service, all the tests passed, and the Display Engine ran as expected.



For help on networking and a listing of required ports for Carousel servers and players, please review the *FrontDoor Manual*.

Once you have entered an address for your server and verified its connection, you will see a list of channels that this display engine can address. Choose the desired channel from the list.

7.2.2 Time Settings

There are two settings in this section. The first is a checkbox labeled *Synchronize Time*. This instructs the Display Engine to synchronize its clock with the Carousel server. If the player is a part of a windows domain, or is otherwise receiving time synchronization, leave this unchecked. Otherwise, you can check it and the display engine will keep its time in synchronization with the Carousel server.

The second label is *Offline Hours*. You can tell Carousel to go off line, refusing all updates during a period of time each day. If your network is congested during the day and you do not want Carousel to update this Display Engine during those hours, you can enter a *from* and *to* value by moving the radio button to the *from* option. In this mode, the Display Engine will not update it while the time is *outside* this range.

7.2.3 Display Settings

This section covers advanced setup options that are used only in specific circumstances.

The first, *Displays* refers to the configuration in a dual head configuration (rare).

There are couple of important notes on this feature:

1. *Monitor Offset* is not supported by Tightrope's technical support department. This is because the official policy is that computers that are running the Carousel Display Engine should be dedicated to that task to optimize processor performance.
2. The Display Engine is a real-time program that demands a lot from the computer's processor and graphics card. It's not engineered to coexist with other applications.
3. The Display Engine will do everything it can to hide your mouse and otherwise annoy while you try to use it.

If you do not want the task bar or cursor hidden, you may uncheck the two checkboxes to the left of the *Monitor Offset* field.

4. All graphics cards will accelerate video in a way that makes your primary monitor show the video correctly while your secondary monitor will show a black hole where the video would be if it were shown on the primary display.
5. You must have the monitor that the Display engine uses on to the left of the monitor that will display the desktop.

The second label is *Graphics Manager*. As of this writing, there are three:

Standard : This is the most advanced setting with all of the acceleration and transitions enabled. It requires Microsoft's DirectX 9.0 Pixel Shader 2.0 feature on the computer's graphics card.

Simple : This mode is for hardware that lacks Pixel Shader 2.0. It is mostly for older hardware which is running newer software.



The *Simple* mode is not thread safe. This means that it is not compatible with dual processor machines or with processors that have Intel's Hyper Threading technology.

Performance : This mode only supports cross-fade transitions and uses a less graphically intense crawl that "rolls over" to give the best visual performance.

Diagnostic Mode : This runs the display engine in a window with a list of diagnostic information that is helpful to our support department when resolving problems.

In the future, there will be additional modes added to the Carousel Display Engine. Part of the elegance of its design is that more can be added for specialized applications and as new technology is developed.

7.2.4 Live Video Input

If your computer has a video input option, such as Tightrope's *CAR-TVI*, you may select it from the *Device* pop-down list. Once you select the device, Carousel will test for compatible input options, including *Composite*, *S-Video* and *Tuner*. You will see them listed to the right of the pop-down list.


If a player has more than one audio device, you may select it as the audio input in the *Audio* field.

7.3 Monitoring Your Players

For larger Carousel installations, managing several dozen Carousel Players can get a bit tricky. It's hard to know which channel they're displaying or even if they're running at all unless you're standing in front of the display. This is why we have Player Status Monitoring!

There are three ways to keep tabs on your Carousel Players: Player Status, Micro Player Status and Player Alerts. From Carousel's Configure menu, click on **Players**. (figure 6.1) You'll be presented with the Player Status, Micro Player Status and Player Alert options as in figure 7.5.

FIGURE 7.5: Player Status and Player Alerts



7.3.1 Player Status

In figure 7.6 on the following page, you can see four players that are registered with Carousel, including their hostname, IP address, and the Carousel channel that each player is “tuned” to. Additionally, you can see the version of the Display Engine software, and the last time that the Display Engine checked in with the server. (Under normal circumstances, the Display Engine will check in with the server approximately once every minute.)

As you can see, this system is having some trouble. The “Main Lobby” player hasn’t checked in since 2 AM this morning, the “Conference Room” player is running an old version of the software, and although the “Hallway” player *has* checked in recently, it taking a little longer than usual for the next check in to occur. Thankfully the “Back Office” player is running smoothly. Looks like there needs to be some investigation.

After plugging the network cable back into “Main Lobby” (perhaps an overnight maintenance person accidentally unplugged it), and installing the latest software on the “Conference Room” player, things are up and running once again according to figure 7.7 on the next page. Looks like there was just a network glitch with the “Hallway” player, because it has checked in again without any intervention.

FIGURE 7.6: Player Status list with some troubled players





FIGURE 7.7: Player Status list with healthy players



7.3.2 Micro Player Status

The Micro Player Status screen is almost identical to the Player Status screen, except that it won't flag versions different from the server as being invalid. This is because Micro Players can run on different types of hardware and software, and don't need to adhere to version numbering as strictly.

7.3.3 Player Alerts

But what if you're not at your desk to view the player status list and a player gets its power cord kicked out? Enter "Player Alerts." You can tell Carousel to send you an email (or even a text message to your cell phone) whenever a player goes AWOL. Head over to the Alert Settings section, seen in figure 7.8.

FIGURE 7.8: Adjusting the Player Alerts settings distribution list.




Here you can adjust the amount of downtime before Carousel decides there's a problem with a player. This is the same setting used to determine if there should be a "red X" in the Player Status screen (see figure 7.6 on the preceding page). Once this period of time elapses without a check in from a player, Carousel will send an alert email to the list of email addresses you've specified on this screen. And if you know the SMS email address for your cell phone, you can enter that address here as well and be alerted anywhere, anytime, without needing to be next to a computer.

7.4 Cached Mode

When Carousel cannot contact the Carousel Service, it will continue to operate from its cached pages. This is called *Red Bar Mode*, due to the red bar that the system puts as a warning at the top of the screen, shown in figure 7.9.

FIGURE 7.9: The red bar at the top of the display notes that Carousel cannot connect with the Carousel Service. It will run cached pages until it reconnects.




Carousel will automatically try to reconnect with the Carousel Service, so there is no need to manually restart the display engine once the network comes back online.

7.5 Loading Zones

When Carousel loads zones for display, it does one by one, as you can see in figure 7.10.

FIGURE 7.10: The Carousel Display Engine loading zones



If you forget to populate your channel with zones, or you leave a hole in the channel's palette, you can easily detect that by watching Carousel move through the process.

7.6 Not Licensed Status

Occasionally, you may see that when the display engine starts it may complain that it is *NOT LICENSED*. Typically this happens because on the Carousel server, the service started but the database has not yet caught up with it. If you wait a few moments, this condition may resolve itself.

If after a few minutes you still see the message, the system is unable to retrieve a license from the server. This might happen if you change a player's IP address and try to reconnect it before Carousel drops its registration. To fix this:

- Step 1:** Log into Carousel as the administrator.
- Step 2:** From the main menu, click **Configure** from the right of the status bar.
- Step 3:** Click **Players** and then click **Player Status**.
- Step 4:** Click the checkbox next to the Display Engine that you would like to unregister.
- Step 5:** Click the **Delete** button.



This simply “undoes” the registration with the server, making a empty registration spot available for the next player that connects to the server.



Adding any additional hardware/accessories to your machine will often invalidate the license code therefore causing a the system to become *NOT LICENSED*.

7.7 TV Video Output

The Carousel hardware does not have a natively built in TV output. Instead, an external ConvertDVI hardware unit provides both a composite and SDI video output. The configuration needed is quite simple!

7.7.1 Physical Configuration

Step 1: Plug in the Display Port to DVI adapter.

Step 2: Plug the white Matrox cable into that DVI as well as into a USB port.

Step 3: If you plan to use embedded audio (SDI) through the ConvertDVI, Plug the mini in on the white Matrox cable into the green line out jack on the back of the Carousel unit.



We tell you to use the Display Port as it can only output DVI and can not be converted to VGA whereas the DVI on the video card can be converted to VGA (for KVM/dual display use).

7.7.2 Software Configuration


You will first need to set the output resolution to the unit.

You will want to set the output running to the ConvertDVI to 800x600 and make sure it is set as the primary monitor.

At that point all that is left to do is make sure that the Convert DVI control panel has the correct settings. This menu is launched from the task bar near the system clock. Look for the purplish circle icon.

The output type should be set to whatever output you running out of the Convert DVI unit.

FIGURE 7.11: The ConvertDVI Control Panel



7.8 Adjusting the Video Resolution

This section covers two major topics: adjusting the video resolution for plug and play monitors and adjusting the resolution for monitors that do not provide accurate settings for the graphic card driver.

If you are operating your system with a standard television monitor in 4x3 mode, then the default setting (800x600 pixels) is the best for this configuration.

If you plan to operate your system in 16x9 mode, then you will have to consult with your monitor's guide for the display's optimum resolution. If you plug your monitor into Carousel and it does not allow you to select the correct resolution using the Windows *Display Properties* resolution slider, you will have to hand enter your monitor's resolution and sync rates.

7.8.1 Standard Resolution Adjustments




Generally, if you are running Carousel in 4x3 mode there is no need to adjust the display's resolution. It runs in 800x600 and this is optimal for all applications.

Before you proceed, be sure that your display is *directly* plugged into the Carousel system. Do not plug it in through an active balun, routing switcher or other video distribution system.

If you need to adjust Carousel's screen resolution, you may do so by right-clicking

FIGURE 7.12: Select *Display Properties* from the player's desktop



on Carousel's desktop² and clicking on *Properties*.

This opens the *Display Properties* dialog box. Click and drag the *Screen Resolution* slider until the native resolution of your display appears, as shown in section 7.13 on the following page.

7.8.2 Setting up a 9x16 Display

Carousel may be configured for 9x16 display, where the LCD or plasma monitor is put on its side for a portrait display.

To accomplish this, simply navigate to the *NVRotate* menu from the *Advanced* settings in *Display Properties* (figure 7.14 on page 65).

Use the arrows to rotate the display until the illustration matches the way your monitors will be mounted. After you click *OK* the video output will be adjusted so that everything will appear right-side up when the monitor is rotated.

² If the display engine is running, double-click until it closes.

FIGURE 7.13: Loading the Display Properties Dialog






FIGURE 7.14: Rotating the display



8 The Zone Settings Menu



There is a separate set of zone settings, apart from those found in the **Configuration** menu. It is available from the main menu and it is called the **Zone Settings** menu. This menu addresses the day-to-day settings of a zone and some of its visual properties.

Once you click on this menu option, you will see three tabs at the top of the form. They help to categorize some of the options within this menu.

8.1 The Network Tab

The items in this tab relate to emailing administrators for notification and alternate zone outputs.

8.1.1 Email Settings

If some of your contributors will need to have their bulletins held for approval before being published, you may want to have Carousel send an email to the person that is in charge of approving bulletins.

FIGURE 8.1: Email approval can be for one or more person. Just separate their names with a comma.

A screenshot of a web form titled 'Email Settings'. At the top, there is a checkbox labeled 'Notify the following people of new messages:' which is checked. Below this is a text box labeled 'Email addresses:' containing the following text: 'jane.schmoe@trms.com, jack.public@trms.com, homer.simpson@trms.com'. Below the text box is a hint that says 'Use a commas to seperate multiple addresses'. At the bottom of the form are two buttons: 'Save' and 'Cancel'. A mouse cursor is pointing at the 'Save' button.

To access this menu:

- Step 1:** Select **Zone Settings** from the main menu.
- Step 2:** Be sure the **Network** tab is selected.
- Step 3:** Select **Email Setup**.
- Step 4:** Add one or more email addresses to the **Email addresses** text box. (figure 8.1)
- Step 5:** Click the **Save** button.

We cover adding that access right in *FrontDoor: The Manual*. We cover approving messages in section 16.3 on page 145.

8.1.2 Other Outputs

In addition to the Display Engine, Carousel can display messages on a public web site. To enable this feature for this zone, click on the **Enabled** checkbox. From this screen you also have the ability to disable the public output of any RSS bulletins for any specific zone.



To see the URL for this zone, go to the main menu and click **Extras**. You'll see the address for the current zone at the bottom of the list.

Pro/Enterprise Editions: Carousel Pro and Enterprise are also able to display messages on a screensaver client, which can be downloaded from the **Extras** menu.

8.2 Lists

The **Lists** tab includes lists of fonts, transitions and excluded words that you don't want your RSS reader display.

The first two are lists with checkboxes next to them. Simply uncheck the fonts or transitions that you do not want available for this zone.

For RSS words, type all of the words that you want the RSS reader to filter when it filters items. Any item with that word will not be displayed.



You may consider some words objectionable and others embarrassing and therefore not appropriate. For example, you do not want your audience learning that Ford just came out with an awesome new car if your system is installed in a Chevrolet dealership.

8.3 Display Engine

The items within this tab relate to adjusting the Display Engine's behavior.

8.3.1 Bulletin Pacing

Carousel will automatically count the number of words on a page and hold the bulletin for an appropriate length of time. You can also set the minimum number of seconds a bulletin will hold on the screen.

8.3.2 Default Transition

Carousel will use an effect to transition from one bulletin to the next. If you would like to pick a specific transition, choose it from the **Default Transition** pop-down list. The "Random" choice results in a random transition being displayed.



When a several bulletins use the same background, as often is the case with schedules, and zones dedicated to an RSS feed, it's best to pick a wipe or a fade transition to make it appear as though the text is changing while the background is static.

FIGURE 8.2: Bulletin Pacing Form

Pace	Minimum display time
Slower	<input type="radio"/> 20 seconds
	<input type="radio"/> 15 seconds
	<input checked="" type="radio"/> 10 seconds
	<input type="radio"/> 7 seconds
Faster	<input type="radio"/> 5 seconds

Save Cancel

8.3.3 Bumper Graphic

FIGURE 8.3: The Bumper Graphic Form

☐ Show bumper page

☒ Automatic timing

☐ Manual timing, show for second(s)

Save Upload Cancel

The bumper graphic is a graphic that appears once a loop. It is a welcome message that lets people know who the zone belongs to; usually a logo. Think of it like a *station identification* on television or radio.

By default, this feature is turned on. You can turn it off by clicking the **Show bumper page** checkbox.

To have the bulletin appear for the minimum amount of time, a setting we adjusted in section 8.3.1 on the facing page, set it to **Automatic timing**. Otherwise, **Manual timing, show for...** will allow you to enter a specific amount of time.

To change the display engine graphic¹, click the **Upload** button at the bottom of the form. You will be asked to upload a picture file. Make sure it is either a JPEG or PNG file and it is always best to match the zone's aspect ratio and resolution.

When you are done adjusting these settings, click the **Save** button.

¹ Especially if your system has the default Tightrope *Scary Eye* or yellow swoosh.

9 The Configuration Menu: The Missing Pieces

We have yet to cover every nook and cranny in Carousel's **Configuration** menu, most of which was covered in chapter 6 on page 41, here are the rest of the pieces.

To start, navigate to the main menu and click the **Configure** button on the far right, located in the status bar.

9.1 Synchronizing Zones

Imagine that you have multiple players displaying content in close proximity to one another, such as in a triptych¹ display. For effect you would like to build each channel with one large zone and synchronize each display so that every message is the same across all three monitors.

This effect is accomplished by setting the zone's configuration form, located within the **Zones** area. This feature will hold each zone's bulletins until they are all ready to advance. Additionally, Carousel will hold each zone on the last message of its cycle until all of the zones cycles have completed.

Example: If there are 30 bulletins in two zones and 31 in another and they are all synchronized together, Carousel will hold the first two zones on the last page of their cycle while the third zone shows its extra message. That way, when the zones loop back to the beginning, they will all be showing their first slide in the sequence.



In order for this feature to work, the zones must be on separate channels. That is, you cannot have two zones on the same channel that transition at the same time. Sorry about that! It's just how Carousel was made. :)

Select your zone, then click the **Show Zone Synchronization Settings** link. This will display the form shown in figure 9.1.

FIGURE 9.1: The Zone Synchronization Menu

Synchronize with other Zones : ☐ This setting will override normal page pacing.

Page Length Timeout: (secs)* This value must be longer than the longest possible *single page* duration (including etc.).

Cycle Length Timeout: (secs)* This value must be longer than the longest possible *full page cycle* duration.

*These timeouts are system wide. They will affect all Zones.

*These timeouts are system wide. They will affect all Zones.

¹ Art consisting of a painting or carving (especially an altarpiece) on three panels (usually hinged together). In this case, three LCD panels with graphics are considered art.

The first checkbox, **Synchronize with other zones**. This enables the feature and Carousel will wait for all other zones that also have this feature enabled before it will advance slides.

The **Bulletin length timeout** field sets the maximum duration for a single slide. If a slide goes past this length, Carousel will automatically advance all of the zones.

The **Cycle length timeout** field is the amount of time that should pass before Carousel gives up on a zone's cycle. That is, if all of the pages take longer than the value in this field to display, Carousel will reset all of the zones back to the beginning.

The *Page* and *Cycle* values work to eliminate possible problems related to misbehaving slides in a presentation. It stops the zones from being permanently locked up on a particular slide.



Carousel can only support one of these configurations per system. That is, you cannot have one set of four zones that are synchronized together and another set of three synchronized independently.

9.2 System Configuration Menu

First, let's navigate to the **Configuration: System** menu. This will be the home for this section. In here we will configure some of Carousel's more esoteric settings.

9.2.1 Zone Selection Style

FIGURE 9.2: The zone picker.

The instructions for the single field in this form are pretty clear. If your system has more than the number of zones in the **Switch to Zone** field, you'll see the zone picker appear. If not, the standard pop-down list of zones appears.

9.2.2 Administrator Email Setup

In section 8.1.1 on page 67 you can define who is emailed when a bulletin is waiting for approval on a specific zone. This is handy if you have multiple administrators,

each in charge of specific sets of zones. If you're the only one approving bulletins for a multi-zone system, however, it can be a pain to enter your email address on each an every zone.

This area of the system setup allows you to enter a set of email address that are notified anytime a bulletin is waiting for approval *on any zone in the system*.

9.2.3 Zone Tags

Tagging zones is extremely important in large systems where you want to be able to easily select a zone by filtering out ones that do not meet a certain criteria. They are also handy when you want to copy a bulletin to many zones of a specific type or you want to give a user access to a set of zones and you don't want to list them individually.

We covered how and why to tag zones in section 2.4.10 on page 22. To add a zone here, click the **add** button. To delete one, click the **delete** button after selecting the tag's checkbox.


If a zone tag has zones that use it, you will see them listed beneath the tag's name.



9.2.4 External Data Source Authentication

This menu is where you manage authentication for external data sources, such as Twitter and domain-wide RSS feeds.

FIGURE 9.3: The external data source authentication menu



To add a new data source, select the type of data source you'll be connecting to from the drop-down box and click **add**. The next steps depend on which data source you've chosen.

RSS : Enter a name for the RSS Feed, along with a domain, username, and password. Click "Save" when done. Credentials entered here will always be the default for new RSS bulletins, unless they are set otherwise in an individual bulletin.

Twitter : Follow the link provided to complete authentication with an existing Twitter account.

9.2.5 Proxy Configuration

This Carousel server (both the Web UI and Carousel Service) needs to access the internet to download content for certain dynamic bulletins, such as weather bulletins (which access <http://api.wxbug.net/webservice-v1.asmx>), Facebook bulletins (which access <https://www.facebook.com/> and <https://carousel-facebook-proxy.herokuapp.com/index.html>), Twitter bulletins (which access <https://api.twitter.com/>),

web pictures, web snapshots and RSS bulletins. Additionally, players may need a proxy to download their media from the Carousel server over HTTP. (Interactive bulletins will always use the Internet Explorer proxy settings for the user the player software is running under.)

FIGURE 9.4: The proxy configuration menu

The screenshot shows a proxy configuration window. At the top, there are three radio buttons: "No Proxy" (selected), "Use default proxy", and "Use system proxy". Below these is a text box explaining that the system proxy will use Internet Explorer settings for the application user (ASP.NET v4.0 Classic@IIS APPPOOL). Below this is a checkbox for "Use proxy server or script:" followed by an empty text field. Underneath is a checkbox for "Use authentication for proxy:". If selected, it offers two options: "Default credentials for the application user (ASP.NET v4.0 Classic@IIS APPPOOL)" and "Use specific credentials:". The "Use specific credentials:" option has three input fields for "User:", "Password:", and "Domain:" (with "(if required)" next to it). At the bottom, there is a checkbox for "Also use these proxy settings for players". At the very bottom are "Save" and "Cancel" buttons, and a status bar showing "29A6" and "C9UC6".

Some sites require the server and, possibly, players to use a proxy to access the internet. This menu is where you tell Carousel about the specifics of your site's proxy, if one is needed to access the internet.

It is a good idea to discuss these settings with your IT staff to make sure you get the right options configured or maybe they can configure the firewall to have exceptions for the necessary sites so the server has direct access.

9.2.6 System Information

The system information form provides a wealth of interesting information, including the amount of disk space consumed by all of the media in your system. It also displays version information for all software, memory usage and processes currently running on the machine. It is extremely helpful information when troubleshooting your system.

10 Users and Carousel

You do not need to create and configure user accounts within Carousel to begin using it, as the built-in administrator account can serve that purpose. User accounts are something that you should concern yourself with if you will want additional contributors to the system—not everyone should have full access to every part of Carousel.

We cover creating user accounts, adjusting permissions and roles within *FrontDoor: The Manual*. We're just going to cover some topics that relate to Carousel within this chapter.

10.1 Permissions

The built-in administrator account, *admin*, always has full access to every part of the Carousel system. Other accounts may be created with any level of access that is needed. Additionally, an account can have varied roles for different zones within Carousel.

Example: A person can have the ability to create a message on a general bulletin zone without having it approved by anyone. At the same time, and because of a different role applied to a second zone, they may also have their messages held for approval when sent to a zone that appears on all of the displays throughout the organization.

These roles are assigned to users and applied to either zones or *zone tags*. When a role is applied to a zone tag, the user is given a specific level of access to any zone which shares that tag. If you have a tag called '*Public Spaces*' and you add a Carousel player that has a new zone with that tag, then the user would be automatically given the assigned permission to that zone, if they had a role applied to the '*Public Spaces*' zone tag.

10.2 Multiple People, Same Account

It is common to have people share the same account, especially within a department. When this happens, it is not possible to discern the exact person that made the message.



In environments with a lot of turn over, assigning a single password to a group of people is a convenient way grant access. When someone leaves, or every 6 months or so, you can change the password on that account, leaving the new group of people access with little fuss.

When two people share the same account, they may both log in at the same time without issues. Carousel is able to separate each login's session without confusion.

10.3 Setting Up The Approver

When you think about users, you may want to allow some of them to make bulletins, but hold them for approval before they appear. We cover setting this permission in *FrontDoor: The Manual*.

Carousel has a feature that sends an email whenever bulletins that must be approved are created. To tell Carousel the email addresses that should receive those emails, follow the steps in section [8.1.1](#) on page [67](#).

III. Making Bulletins

“Good communication is as stimulating as black coffee, and just as hard to sleep after.”

—Anne Morrow Lindbergh, *Gift From The Sea*

11 Making Bulletins

→ section 2.4.5 on page 20, *Bulletins*

There are several ways to make bulletins in Carousel. You can upload pre-made bulletins and videos or create them from external data.

By far, the most common way to create a bulletin in Carousel is to create one through a template. Templates are a bulletin starting point with a background and areas for a combination of text, pictures, rectangles and video.



The template editor is covered section 17.7 on page 157.

In this chapter, we focus on making a bulletin from a template. However, apart from selecting and using the template, the process for creating a bulletin is nearly identical, no matter what type you are making. Therefore, we reference this chapter heavily when making other types of bulletins.

11.1 Selecting a Template

The first order of business is to select the zone from which you would like to create a bulletin. Do that by selecting one of the main tabs at the top and, for now, avoiding any crawl zones¹.



Not only will choosing a zone determine where the message will appear, it also changes the templates and media that you will be able to use, as these are specific to zones.

From the desired zone tab select **New Bulletin** from the **Main Menu**. Provided that the **Standard** tab is selected, a list of templates will appear (figure 11.1).





FIGURE 11.1 Picking a Template



Choose a template based on the type of message that you intend to write. Templates, generally, are designed with a purpose and include a graphic layout designed to assist in creating a specific message, such as an important date or the lunch

¹ The second tab over, if you forgot what you read in chapter 2 on page 17.

menu. Templates can also be used as a starting point. You can change the background, picture elements and text blocks, remaking the template into whatever you want.

In figure figure 11.1, we chose *Column and Image with Title* from the default set of templates.

11.2 Editing and Creating Bulletins

FIGURE 11.2: The Edit Bulletins Form

The next screen to appear is the bulletin editing form. It includes all of the elements that are a part of the chosen template. In figure 11.2 we can see a good example of what to expect with a template.

First, notice that on the left is a form with text and pop-down fields that define the message. On the right is a preview and properties section. Looking carefully at the preview picture, you can see that the fields on the right are represented in the preview, although the text is a bit small.

To create your message, fill out the form on the left. You will notice that the pop-down lists correspond to either a video or a picture, depending on the field. You can make a new selection by using the pop-down selector or by clicking the **select** button, which brings up Carousel's media picker. We covered the media picker in depth in section 5.6 on page 38.



If you're putting text in a multi-line text box, you can resize the box by clicking on the little icon in the lower right corner (⚙) and dragging it.

Notice the preview palette on the right hand side, illustrated in figure 11.5. The biggest feature of this palette is the preview of your message. As you are editing your bulletin, you can update this thumbnail representation by clicking the **Update Preview** icon (🔄) just above the preview.

If you would like a closer look at your bulletin, click the **Full Screen Preview** icon (🔍) to open a larger view.

FIGURE 11.3: Adding HTML tags to some bulletin text

```
This is some text. <b>Now it's bold</b>. Now it's  
<b><i>bold and italicized</i></b>. Let's make a  
<font color="red">red</font> word. Let's  
<s>not</s>.
```

11.2.1 Adding Style using HTML Tags

Some tags are supported in Carousel's bulletin text boxes:

`...` : Bold text.

`<i>...</i>` : Italicized text.

`<u>...</u>` : Underlined text.

`<s>...</s>` : Strike out text.

`...` : Change the color of a font.

An example of this in action is shown in figure 11.3, which made the bulletin in figure 11.4.

FIGURE 11.4: Example of HTML tags in action

This is some text. Now
it's bold. Now it's *bold
and italicized*. Let's make
a red word. Let's not.



If you mess up by not closing out a tag (``) or use a tag that is not supported, none of the text in that block will be shown.

11.2.2 Checking your spelling

In case you might have made an unintentional spelling error, you can check it by clicking the **Spell Check** icon

11.2.3 Editing the Template of the Bulletin

To edit the template for this bulletin and *this bulletin only*, click the **Edit Template** icon . When editing the template from a message, you are only modifying that template for *this bulletin*. If you need to permanently modify the template, then edit it from the **Media** menu before you make the bulletin.

Quick edit makes quick changes to bulletins.

By default, the area below the preview is taken up by a listing of some of the general properties for this bulletin. If you click on an element within the preview, such as a picture or a block of text, a limited set of tools to edit the layout or attributes of

FIGURE 11.5: The Quick Edit Palette



the selected element will appear. For example, you can change the font color, size and position of a text box by clicking on it in the preview. The Quick Edit palette, shown in figure 11.5, provides these tools.



You can limit a user's ability to edit bulletins in two ways. You can stop them from being able to add or edit templates and you can stop them from using the Quick Edit tools. This is important if you are trying to control the look of your communications, otherwise known as *your brand*.

When you are finished, click the **Continue** button.

11.3 Scheduling a Bulletin

Every bulletin in Carousel can be scheduled using the form illustrated in figure 11.6 on the facing page. Simply click the start day (on the *from* calendar) and then choose the end day (from the *to* calendar). If you need to specify the exact time of day that these bulletins will appear/dissappear, you can enter that into the fields

labeled **at** directly below the calendars.

FIGURE 11.6: Scheduling Bulletins

When would you like this bulletin displayed?

From:							To:						
Feb 2007							Feb 2007						
S	M	T	W	T	F	S	S	M	T	W	T	F	S
28	29	30	31	1	2	3	28	29	30	31	1	2	3
4	5	6	7	8	9	10	4	5	6	7	8	9	10
11	12	13	14	15	16	17	11	12	13	14	15	16	17
18	19	20	21	22	23	24	18	19	20	21	22	23	24
25	26	27	28	1	2	3	25	26	27	28	1	2	3
4	5	6	7	8	9	10	4	5	6	7	8	9	10

at 12:00 AM at 11:59 PM

☐ Until Manually turned off

During the above period, but only on:

☐ ☒ ☒ ☒ ☒ ☒ ☐
Sun Mon Tues Wed Thurs Fri Sat

And only between:

1:00pm and 5:00pm

If you want a bulletin to be on “forever”, then click the **Until Manually turned off** checkbox. This will result in Carousel ignoring your calendar input.



Remember, unless you are scheduling an *alert* bulletin, the schedule does not mean that your bulletin will appear at exactly the start time and date period that you have activated. It merely means that this bulletin is *active* during this time. If you have 30 bulletins in your active bulletins list, and this is an active bulletin, then it is simply number 31.

With or without the **Until Manually turned off** checkbox, you can still choose to filter active times by periods of the day and/or days of the week. Simply uncheck the days of the week that you do not want your bulletin to be active. To filter times of the day, pick the span of time that you want the bulletin active for in the fields below the **And only between** label.

At this point, you can click the **Finish** button to complete your bulletin. Clicking the **More...** button allows us to add more bulletins in a group, edit some of the advance properties or play with the frequency of display within Carousel’s bulletin loop. For most bulletins, the default settings are appropriate. If you are following along in this chapter, you will click the **More...** button.

11.4 Bulletin Properties

If you want to edit some of the details of a bulletin (figure 11.7 on the next page), you can do so in the **Bulletin Properties Form**, which you can access by clicking the **More...** button on the **Bulletin Schedule** form.

11.4.1 Bulletin Dwell Time, aka Timing

At the top, Carousel asks us **For how long would you like to display this bulletin?**. The default, **Let the system decide**, instructs Carousel to hold the bulletin for an amount of time determined by the value set in section 8.3.1 on page 68.² Switch the radio button to the second option to override this setting.

11.4.2 Tracking Bulletin Impressions

If you would like to keep track of how many times this bulletin has been displayed (across your entire Carousel digital signage network), be sure to enable the “Track impression count” checkbox. With this setting enabled, the Carousel Display Engines will contact the server each time they display this bulletin, and a counter will be incremented. A simple calculation based on the number of impressions and the dwell time (specified in section 11.4.1) will also be made to give you a reasonable estimate on the total amount of on-screen time.

To view the statistics for a bulletin, navigate to the active bulletins list (see chapter 16) for the zone the bulletin is scheduled on. Bulletins that have impression tracking enabled will have an extra attribute which reports the total number of impressions plus the approximate on-screen time, as seen in figure 11.8 on page 86.³

11.4.3 Bulletin Transitions

Carousel will use the zone’s default transition unless you change it under the **How would you like to transition into this bulletin?** label. A helpful preview adorns the right side of this pop-down list.

11.4.4 Sound File

Below the transition list, you can choose a sound file for this bulletin. If the right file is not yet loaded, click the **upload** button.



If you specify a sound file and you have background audio playing on Carousel, the system will automatically fade the background audio while your bulletin’s audio plays. If Carousel is playing the background audio, as opposed to passing an external audio source through, it will even pause the audio while your bulletin’s clip plays.

11.4.5 Bulletin Description

Next, Carousel asks **What is the description of this bulletin?** This description is used within the web interface to label the bulletin and, more importantly, to describe

² Carousel will slightly adjust this value based on the number of words on a page. If a video clip is present, then the time will be the length of the clip.


³ For more information about bulletin impression tracking, see <http://blog.trms.com/john/2008/03/carousel-52-bul.html>.

For how long would you like to display this bulletin?

☒ Let the system decide
☐ For second(s)
☒ Track impression count

How would you like to transition into this bulletin?

☐ Let the system decide
☒



Would you like to play a sound clip with this bulletin?

☒ No Sound
☐ [Upload](#)

Should background audio be faded down for this bulletin?

☒ Yes
☐ No

What is the description of this bulletin?

Do you want this bulletin to display on the web site?

☒ Display on web site
☐ Do not display on web site

Bulletin Tags:

FIGURE 11.7: The Bulletin Properties Form

FIGURE 11.8: Viewing Bulletin Impression statistics





FIGURE 11.9: Choosing a sound



the bulletin in RSS feeds and HTML output. It defaults to all of the text fields, in order, separated by semicolons.



If you do change the description and you are using Carousel's RSS output, covered in section 18.2 on page 178, then you'll want to make the description more verbose and appropriate for readers that will not see the graphic image. Both the RSS and HTML output provide the image, but not all readers will bother to load it.

To exempt this bulletin from being displayed on any alternate output, such as HTML or RSS, choose the **Do not display on web site** option.

If you are finished, click the **Finish** button. If not, click **More...**

11.4.6 Bulletin Tags

You can filter bulletins by tags, covered in section 16.1.2 on page 141, *Filtering By Tags*, and use tags with Carousel's RDA feature, which is covered in chapter H on page 209, *Remote Data Adaptor*.

To add a tag to the bulletins, just type the tag into the **Bulletin Tags** field. Click the **Add** button when you're done. To add multiple tags at once, separate them by commas. (figure 11.11 on the facing page)


Example: "this, adds, four, tags"

As you type a tag that is already in use, you'll see Carousel helpfully display the existing tag, as we show in figure 11.10 on the next page. Just arrow down to the desired tag to use it.



This feature helps eliminate duplicate tags that happen from misspelling and the use of plurals. Use this feature to guard against these problems and your tags will be much cleaner.

FIGURE 11.10: Existing tags will appear as you type




To delete a tag, hover over the doomed tag and click, as we show in figure 11.12. You'll see a minus  appear as you hover over the tag to indicated that clicking will delete it.

FIGURE 11.11: Adding four bulletin tags at once




FIGURE 11.12: Deleteing a bulletin tag

11.5 Adding a Bulletin to a Group

You can add another bulletin to the one you just created. This creates another bulletin using the *same template* as the one you just created. There is no practical limit to the number of bulletins that you can add by clicking the **Yes** button, illustrated in figure 11.13.




If you want to group bulletins that use different templates, you can create them separately and group them together in the list that is home to your bulletin (Active Bulletins, Active Repeating...). We cover this in section 16.1.3 on page 142.

You can set a unique schedule and edit the properties for this bulletin, separate from any previous.

When you are finished adding bulletins to your group, click the **No** button.


FIGURE 11.13: Adding Another Bulletin



Would you like to add another bulletin that would appear after this bulletin in a group?

No Yes Cancel

11.6 Setting the Bulletin Type: Active or Repeating



How often would you like this bulletin displayed?

Every 15 bulletins


Continue Cancel

Standard bulletins show once a loop. To repeat them more often, choose the second option, **Active Repeating Bulletin**. After clicking **Continue**, you will be asked to enter the frequency of the bulletin.



Active repeating bulletins will interrupt grouped bulletins.

FIGURE 11.14: Selecting the bulletin type.



What bulletin type would you like to make this bulletin?

☒ Active Bulletin - to be displayed when scheduled

☐ Active Repeating Bulletin - to be displayed when scheduled and repeated at a certain interval during each cycle

☐ Create as a 'saved' bulletin

Continue Cancel

To create this bulletin as a *saved* bulletin, click the **Create as a 'saved' bulletin** checkbox. Regardless of the schedule, this bulletin will not be activated. This is handy when you have not finished with the content of the bulletin and need to revisit it.

When finished, click **Continue**.

11.7 Duplicating a Bulletin on Multiple Zones

This section highlights an extremely powerful feature of Carousel, which is the ability to send bulletins to multiple zones.


Figures 11.15 and 11.16 show the two styles of zone selection that are possible within Carousel. The *zone list* is used when a smaller number (usually less than 15 or so) of zones are available to choose from. When more are present, Carousel automatically switches to the *Zone Selector* in figure 11.16 on page 90. Since the zone list is straightforward, we will focus on the *Zone Selector*.

11.7.1 Selecting Zones with the Zone Selector

The *Zone Selector* features a list of available zone tags⁴ on the left. As you select tags from the left, zones are filtered out on the right. To clear the selection, click the **Clear** link above the tag list.

⁴ ... explained in section 2.4.10 on page 22 and established in section 6.2 on page 41...

FIGURE 11.15: Sending bulletins to multiple zones using the zone list.



Would you like to submit this bulletin to other zones?

- ☐ Organization Wide
- ☐ Twin Cities Weather
- ☒ Twin Cities - Traffic
- ☒ Non-Campus News/RSS
- ☐ Fennel Hall - Meetings
- ☒ Borlaug Hall - General
- ☐ Borlaug Hall - Meetings
- ☐ Borlaug Hall - Sponsors
- ☐ Mariucci Arena - Entryways
- ☒ Mariucci Arena - Locker Rooms
- ☐ Mariucci Arena - Sponsorship
- ☐ Ames Library of South Asia
- ☐ Ames Library of South Asia - Meetings
- ☐ Mathematics Library - General
- ☐ Mathematics Library - Meetings

When you get the selection you are looking for, you can select individual zones by selecting their checkbox, or you can select all of the zones selected by your filter by clicking the **Select All** arrow ▼ above the **Zones Matching** list.

As you select zones from the list on the right, you will notice them being added to the list labeled **Currently Selected Zones**. You remove individual zones from this list by clicking their checkbox, or you can clear them all by clicking the **Clear** link.



Notice that the zone you are currently on is automatically selected and cannot be deselected. If for some reason you wanted to create a bulletin from a zone and copy it to others without displaying it on the zone you created it from, you could just delete it from your zone and the bulletin would remain on the others.

Click **Continue** when you are finished.

FIGURE 11.16: Sending bulletins to multiple zones using the zone picker.

Would you like to submit this bulletin to other zones?

Currently selected tags: Clear	Zone matching Non-Org
Informaiton (4)	Informaiton:
Public (4)	<input type="checkbox"/> Borlaug Hall - Sponserhips
Twin Cities (4)	<input checked="" type="checkbox"/> Mariucci Arena - Sponserhip
East Bank (3)	<input type="checkbox"/> Non-Campus News/RSS
Saint Paul (3)	<input type="checkbox"/> Twin Cities - Traffic
Advertising (2)	
Minneapolis (2)	
RSS (2)	
West Bank (2)	
Athletics (1)	
Borlaug Hall (1)	
Mariucci Arena (1)	
Student Union (1)	
Traffic (1)	

Currently selected Zones: Clear
<input checked="" type="checkbox"/> Mariucci Arena - Sponserhip
<input checked="" type="checkbox"/> Ames Library of South Asia
<input checked="" type="checkbox"/> Mariucci Arena - Entryways

[Continue](#) [Cancel](#)

11.8 Confirmation

When you are finished, Carousel gives you a quick summary of your accomplishments. Click **Ok** to create your bulletin.

FIGURE 11.17: Bulletin Confirmation

You are about to add this bulletin to the system:

	<p>Date On: Sat 2/10/2007, 12:00 AM Date Off: Sat 2/10/2007, 11:59 PM</p> <p>Edit this bulletin</p>
---	---


[OK](#) [Cancel](#)

12 Making Crawls



Carousel's approach to crawls is different than previous versions where the Crawl was associated with the channel. In Carousel, a crawl zone is just like a bulletin zone in that one can be placed on any combination of channels. We cover this in section 2.4.8 on page 21.

FIGURE 12.1: Example Crawl
(Free 'kudos' if you name the band that wrote these lyrics.)




Making a crawl in Carousel is just like making a standard bulletin, but with fewer choices. Whereas a standard bulletin can be made from a template, a crawl is just text that is placed in a line that 'crawls' across the bottom or top of the screen (figure 12.1). The attributes that determine the speed and look of the crawl is established in the **Configuration: Channel Configuration: Editing Channel Name : Crawl Settings** menu, which we covered in section 6.3.3 on page 47.

12.1 Multiple Crawls at the Same Time

If you schedule two crawls to appear at the same time on the same zone, Carousel will append the text of the two bulletins, separating them with a dash (—). You can change the order in which they appear by re-ordering them in the active bulletins list, which we talk about in section 16.1.4 on page 142.

12.2 Choosing a Crawl Zone


FIGURE 12.2: Choosing a Crawl Zone




The first step is to choose the crawl zone you would like to use, keeping in mind that this is how you determine *where* the crawl will be seen. You pick the zone from the second tab at the top of the menu, shown in figure 12.2. If you have only one crawl zone, the second tab will show the zone's name instead of the word *Crawls*.

12.3 Creating a Crawl

FIGURE 12.3: Making a Crawl Bulletin




First, click **New Bulletin** from the main menu and select **Create a Crawl**, the first menu option.

The form, shown in figure 12.3 will appear. Type your message in the text area and check your spelling with the **Spell Check** icon . When finished, click the **Continue** button.

12.4 Scheduling and Properties

Scheduling a crawl is just like scheduling a regular bulletin, an activity we learned in section 11.3 on page 82. In fact, the rest of the properties for creating a crawl are the same as for a regular bulletin, with some exceptions:

- The following items from the **Bulletin Properties** form have no effect:
 - Bulletin timing
 - Bulletin Transitions
 - There can be no sounds
- You cannot create a group of crawls.
- You cannot create an active repeating or alert crawl.



Once you are finished, you will see the confirmation screen. You can always go back and re-edit your bulletin by clicking on the **Edit this bulletin** link.

13 Alert and Full Alert Bulletins


Alert bulletins remove the currently playing bulletins until they expire. You can have any number of Alert bulletins active at any time. We discussed how they are used in section 2.4.6 on page 21 and section 2.4.7.

Full Screen alert bulletins are just like alert bulletins, except that they are created on a special zone. When they are active, any channel that uses them will remove all of the normal zones from the display, showing only the full screen alert until all of its pages are expired. Channels can subscribe to any number of full screen alert zones. Priority is given to the highest zone in the channel's subscribed zones, so the highest priority full screen alert zone for that channel will override any other zone's bulletins.



That way you can use full screen alert zones to announce important things that are not emergencies, but also have a full screen alert zone that overrides these special bulletins, as well as any other bulletins in your channel's layout.

13.1 Zone Based Alerts



Any bulletin zone may have an alert bulletin created by clicking on **New Alert Bulletin** from the main menu. From there, creating the page is exactly the same process as a standard bulletin, a topic covered in chapter 11 on page 79.

When an alert page is active, no other bulletin from that zone will be displayed until *all* of the alert bulletins have expired.

13.2 Full Screen Alerts



The third tab from the top will show either the name of the full screen alert zone on your system, or **Full Screen Alerts**, if you have more than one of these zones.





Once you select a full screen alert zone, the system will switch to that zone and you may create and manage the zone like any other. The one exception is that you may only create an alert bulletin from this zone, by activating a bulletin from this zone removes all other bulletins from the channels that use it.



Remember, full screen alert zones appear on one or more channels. A channel can have any number of these zones.

14 Uploading Bulletins

In chapter 11 on page 79 we covered the process of creating a bulletin in Carousel by using a template. In this chapter, we cover uploading pre-made bulletins. There are four options for accomplishing this task, all in the **New Bulletin** menu under the **Uploaded** tab.

- Picture**  : Use this to upload a bulletin that was created in a program outside of Carousel, such as Adobe Photoshop. See section 14.1.
- Flash**  : You can upload Adobe Flash animations directly into Carousel. See section 14.2 on the following page.
- Video**  : Carousel can play back Apple QuickTime, Windows Media, and MPEG-1,2, and 4 files. When uploaded here, they take up the entire zone. See section 14.1.
- Bulletin Package**  : You can import bulletins from a previous version of Carousel or from another system. See section 14.3 on page 99.

14.1 Uploading Video and Pictures

Uploading a picture or a video as a bulletin in Carousel is simply a matter of finding it on your hard drive and clicking the **Upload** button.

It is important to consider the size of the video or picture, in order to achieve the maximum quality that is possible. Carousel will automatically shrink, expand or stretch your content, but if you can create it at the same dimensions as your zone, Carousel will have less processing to do on the image.

14.1.1 Picture Formats

For pictures, Carousel supports BMP, GIF (non-animated), JPG/JPEG, PNG, PSD, TIF/TIFF.

For the purposes of uploaded bulletins, Carousel will ignore any alpha channel settings in these pictures.

14.1.2 Video Formats

For video, all Carousel editions support MPEG-1, 2, and 4, QuickTime, Windows Media, and AVI files. This includes DV, AVI, and QuickTime DV files, although you must set the QuickTime file to play back in high quality mode in order for it to play back correctly. See QuickTime documentation for details.

Start and end videos with black. For best effect, all videos should fade up and fade down to black, as Carousel will transition to black before showing and before leaving the video bulletin. Starting and ending with black hides this limitation.



The maximum allowed file size for an uploaded video is 1 gigabyte.

Select an image file to be uploaded as new bulletin.
For optimal quality, upload a graphic that is 627px by 470px



14.1.3 Notes on Uploaded Pictures and Video

First, with an uploaded picture, the **Description** field, covered in section 11.4 on page 84, *Bulletin Properties*, will be set to the picture's name. You will want to change this if you are using the RSS or HTML output of Carousel.

Also, remember that Carousel will start the bulletin in black and end it in black, so any transition that you choose will be from black to and from the video.



Finally, Carousel does not show video on the screensaver output. It shows that there is a video on the HTML and RSS output, but it does not provide a link to or show the video in any way.



14.2 Uploading Flash

The ability to play flash animations is a powerful feature of Carousel. With it, you can incorporate all of the power of Adobe Flash, including existing material that you may already be using on your web site.

14.2.1 The Flash Properties Form

Uploading Flash is as simple as browsing to the SWF file on your computer and clicking the **Upload** button.

Once the Flash animation is uploaded, Carousel asks a number of questions of you, in order to optimize playback.

The first field allows you to name the animation. It defaults to the file name.

14.2.2 Flash Animation Timing

The second option controls how Carousel treats the length of the animation. If your animation is controlling the playback length through Flash's Action Script, Carousel will not be able to decipher the end of the animation. In that case, choose the **Play for...** option and enter the number of seconds that the Flash animation should play.

If the animation's main timeline has a real length and ends after a number of frames, then Carousel can accurately detect the end of the animation and you can pick the first timing option, which is to base it off the time line and is much more accurate.

14.2.3 Audio and Flash

If the animation has audio that you would like to include in Carousel's output, select **Yes** in answer to the audio question on the bottom of the form. Carousel will then fade the background audio and include the animation's.

14.2.4 Notes on Flash in Carousel

BrightSign Players connected to a Carousel Server are unable to playback any Flash content.

It is best fade the animation up from and down to black because this will hide the fact that Carousel will show black in the beginning or end of Flash animations.

When building Flash for Carousel, it is best to place a background layer that covers the entire canvas and spans the duration of your video. This will eliminate any unintended see-through problems with your zone.

Carousel will resize and stretch your animation to fill the entire zone. With Flash, it is critical that you build the animation to the exact size of the zone, as dynamically resizing the animation will always result in a pixel or two of overlap.

Carousel will provide playback for HTML output, but will not show Flash content on any screensaver client or in an RSS feed.

! → Interactivity within will cause issues with Flash playback. In short, you want to build or modify your flash animation for unattended playback and you want to avoid Action Script commands that will affect timing.

FIGURE 14.2: Flash Bulletin Properties

Your flash file has been uploaded.

What would you like to name this bulletin?

Note: Loops will be disabled during playback

Flash animation timing:

☒ Play based on the flash animation's main timeline (not controlled by action scripts)

☐ Play for: seconds

Does this Flash animation have audio in it?

☒ Yes

☐ No

FIGURE 14.3: Insert a background in Flash to avoid a black background.



14.3 Uploading Bulletin Packages

A bulletin package is a *zip* file that includes all of the information that Carousel needs to play the bulletin or bulletins. These packages are handy when you are importing a series of pictures into Carousel (such as from PowerPoint) or transferring bulletins from an older system.

14.3.1 Anatomy of a Bulletin Package File

If you're importing a bulletin package, which we show how to create in section 16.1.5 on page 144, *Creating a Bulletin Package*, Carousel will insert all manner of cryptic files which are not necessary to understand.


You can make a bulletin package by putting a bunch of JPEG or PNG files into a zip file. Carousel will import them, *in alphabetical order*, except that Carousel automatically interprets numbers correctly...

Example: "...08, 09, 10, 11" is the same as "8, 9, 10, 11" and either one would show in the expected order.

14.3.2 Uploading a Bulletin Package File

Once you locate the zip file and upload it to Carousel, it confirms the upload with the number of slides that it found, as you can see in figure 14.4.

FIGURE 14.4: Bulletin Upload Confirmation



If you click **Save**, the bulletins will be added to your active pages list, one after another. If you click **Save To Group**, all of the bulletins will be added as a single group, which can be deleted and managed en masse.

You can then re-edit and reschedule them as needed. If the bulletins were scheduled in the past, be sure you go to the stale pages list and re-activate your pages.

15 Dynamic Bulletins

Carousel features special types of bulletins called *Dynamic*. In short, these are bulletins that are driven by data and require special forms in order to be created.

If the current zone is a crawl zone, then you will see the choices for dynamic bulletins limited to those that use the crawl and listed below the **Create a Crawl** menu item.

Here is a brief description of each type:

- Clock Bulletin :** Display the current time in a variety of formats, including analog, digital, and a countdown timer. See section [15.1](#).
- Cable Display Bulletin :** This option appears if you have Cablecast active on your system. It renders bulletins before and after shows, displays the schedule and holds a static slide during programming. See section [15.4](#) on page [109](#).
- Weather Bulletin :** This will retrieve and display weather data based on your zip code. See section [15.2](#) on page [105](#).
- Weather Crawl :** This bulletin is the same as the Weather Bulletin, except in crawl form. You will see this option when a crawl zone is active. See section [15.3](#) on page [108](#).
- RSS Bulletin :** RSS bulletins display items that are published by RSS feeds. See section [15.5](#) on page [114](#) for how to make them and a definition of RSS.
- RSS Crawl :** This is the crawl version of RSS Bulletins, seen when a crawl zone is active. See section [15.6](#) on page [118](#).
- Twitter Bulletin :** This bulletin will show information from a public Twitter search, or from a specific Twitter account with the correct authorization.
- Facebook Bulletin :** This will pull information from a public Facebook page.
- Event Schedule Bulletin :** These bulletins are a part of the *Event Display System* (EDS). This plug-in is great at reading event information and displaying it in intelligent ways. See section [15.9](#) on page [122](#) for information on creating EDS bulletins. See section [15.11](#) on page [131](#) to learn how to schedule events for use with EDS from within Carousel.
- Live Video Feed :** This bulletin opens a link to a Windows Media stream or will pull video from the optional TV Input card. See section [15.12](#) on page [132](#).
- Interactive Bulletin :** This bulletin lets you define or upload a web site that can be used for an interactive display¹. See section [15.13](#) on page [134](#).

15.1 The Clock Bulletins

Carousel supports three ways of displaying time; Analog clocks, digital clocks, and a countdown timer. To pick between clock styles, select your preferred style in the **Style** dropdown menu.

¹ A touchscreen display device is required and is sold separately.

15.1.1 Analog Clock

Carousel’s analog clock simulates a wall clock complete with hands for the hour, minute, and second. You can select a variety of “hand styles,” and you can upload your own backgrounds for a variety of clock faces. The analog clock setup screen is shown in figure 15.1.

FIGURE 15.1: Analog Clock Properties

What style would you like for the clock?

Style:

Clock Color: #FFFFFF

Opacity:

Clock Background: [Select|Upload](#)

Duration: second(s)

Note: If this clock bulletin will be the sole bulletin on a zone, it will be displayed continuously regardless of the duration setting.

Options: Seconds: ☐ Show Second Hand

Hand Style:

Preview:

Analog Clock Options

Here are the options for the analog clock.

Clock Hand/Text Color : Sets the color for the clock’s hands.

Opacity : Allows you to make the clock’s hands semi-transparent.

Clock Background : Sets the background for the clock.

Duration : Determines how long this clock should be displayed on the zone before transitioning to the next bulletin in the cycle. If the clock is the only bulletin in the zone, it will be displayed continuously.

Show Second Hand : Allows you to turn the second hand on or off.

Hand Style : Sets how the clock’s hands should be drawn. Select from “Square”, “Round”, or “Pointed”. A small preview of the hands is shown.

15.1.2 Digital Clock

Carousel’s digital clock displays the current time (and optionally date) within a zone. The digital clock setup screen is shown in figure 15.2 on the next page.

FIGURE 15.2: Digital Clock Properties

What style would you like for the clock?

Style:

Clock Color: #FFFFFF

Opacity:

Clock Background: [Select|Upload](#)

Duration: second(s)

Note: If this clock bulletin will be the sole bulletin on a zone, it will be displayed continuously regardless of the duration setting.

Options:

Caption:

Format: Custom

Font:

Digital Clock Options

Here are the options for the digital clock.

Clock Hand/Text Color : Sets the color for the clock text.

Opacity : Allows you to make the clock text semi-transparent.

Clock Background : Sets the background for the clock.

Duration : Determines how long this clock should be displayed on the zone before transitioning to the next bulletin in the cycle. If the clock is the only bulletin in the zone, it will be displayed continuously.

Caption : Allows you to pre-pend some text to the clock. (Example: “The time is now:”)

Format : Lets you adjust exactly what is shown. A number of preset time formats are available in the drop-down menu. If you’d prefer to customize the display even further, you can select “Custom” from the dropdown list, and enter a custom format string into the “Custom” text box. For a list of formatting options, click the “Show Legend” link that appears when you have “Custom” selected. To create a line break, use the | (pipe) character.

Font : Allows you to select the font that the digital clock will use.

15.1.3 Countdown Timer

The countdown timer will display the time remaining (or since) a specific point in time. This is perhaps best described by example or two.

Example: Your office is throwing a party to celebrate a new product release scheduled for the first of next month. You can create a countdown timer to display the days/hours/minutes remaining until the official release. Now everyone will know exactly when they can pop the champagne.

Example: You're a principal at a high school that has 6 class periods every day. You can create and schedule six countdown timers that each count down to the start of a new period. Students won't have any excuse as to why they were late to class. You can even let the timer go negative, or, "into the red," so students know exactly how late they are.

The countdown timer setup screen is shown in figure 15.3.

FIGURE 15.3: Countdown Timer Properties

What style would you like for the clock?

Style:

Clock Color:

Opacity:

Clock Background: [Select|Upload](#)

Duration: second(s)

Note: If this clock bulletin will be the sole bulletin on a zone, it will be displayed continuously regardless of the duration setting.

Options:

Caption:

Font:

Seconds: ☐ Show Seconds

Countdown until: ☒ a certain time each day ☐ a specific date and time

Date:

Please Enter a valid date.

Alternate Color: ☒ After event, change clock to a different color

Color:

Opacity:

Countdown Options

Here are the options for the countdown timer.

Clock Color : Sets the color for the countdown text.

Opacity : Allows you to make the countdown text semi-transparent.

Clock Background : Sets the background for the countdown.

Duration : Determines how long this countdown should be displayed on the zone before transitioning to the next bulletin in the cycle. If the clock is the only bulletin in the zone, it will be displayed continuously.

Caption : Allows you to pre-pend some text to the countdown. (Example: "Time until class begins:")

Font : Allows you to select the font that the countdown will use.

Seconds : Lets you turn the seconds display on or off.

Countdown Until : You can either countdown to (and subsequently back up from) a specific date and time, or, you can count down to a certain time every day (resetting the countdown at midnight every day).

Date : This is the date and/or time that this timer will countdown to.


Alternate Color : This option lets you change the color of the timer text *after* the specified date/time has elapsed. (Example: Once class has started, you may want to turn the timer text red so students know they're late.)

15.2 The Weather Bulletins

The weather bulletin is a very popular feature. It uses WeatherBug² for forecast and current conditions based on your zip code.

15.2.1 Select Location and Caption

FIGURE 15.4: Choosing the location for weather information

The screenshot shows a web form for selecting a location for weather information. It includes input fields for 'Location' (containing '55114'), 'Caption' (containing 'At TRMS'), and 'Outlook Length' (containing '3'). A 'Find' link is next to the location field. Below the inputs is a WeatherBug logo and the text 'Weather data provided by WeatherBug'. At the bottom are 'Continue' and 'Cancel' buttons. A small text box explains that the weather outlook is divided into time periods and that the user should enter the number of time periods to display.

The first order of business is to enter your desired location in the **Location** field. This can be either a Zip Code in the US or your latitude and longitude. The weather plugin will find the nearest WeatherBug station and use it to gather weather data.



If you're using a web browser that supports finding your location, a **Find** link will appear next to the **Location** field. Clicking this will allow your browser to determine your location for you.

The **Caption** field sets the words that precede the text of the bulletin. You will definitely want to change this from the defaults. For example, if you are creating a weather bulletin for a school, you might choose to set the caption as "Conditions at Springfield Elementary".


Finally, the **Outlook Length** field lets you set how much forecast data to display in your weather bulletin. Enter the number of days of forecast you'd like to see. For example, entering "3" will display the forecast for today, tomorrow, and the following day.

² Thanks to <http://www.weatherbug.com> for providing this data.

Click **Continue** when you are finished.

15.2.2 Changing the Backgrounds

FIGURE 15.5: The Weather Templates




The next form, shown in figure 15.5, displays all of the different bulletins that might appear as a part of running this plug-in. You can see that all of them, except **Unknown**, relate to a possible condition that might happen. Carousel automatically adjusts the background to the current conditions. If it catches an unknown condition, it then uses the **Unknown** background.

If the default background is fine, then just click the **Continue** button at the bottom of the page. If not, click the **upload** link underneath the pictures and upload your new backgrounds.

15.2.3 Editing the Weather's Template

The next page will let you adjust the look of your weather bulletin slightly. Click on any text inside the bulletin to change some properties, such as text color, size, position, etc.


For more advanced control, you can edit the weather bulletin using the full-featured template editor. Just click on the **Edit Template**  button above the preview.

Once you are in the template editor, whose operation we cover in section 17.7 on page 157, you can add or remove blocks, change the text, etc.

! → You will notice that some fields have the “#” symbol before and after a word. These strings are called *data fields*, and when Carousel comes across one of these, it will replace the field with the corresponding weather data.

To see a list of all the available data fields and their current values, click the **show/hide** link next to **Available Data Fields**. You will see options to display

FIGURE 15.6: The Default Weather Template



various temperature data in both Celsius and Fahrenheit along with numerous other options. You can use any of these data fields in your weather bulletin.



Make sure the “outlook” field has plenty of space because, unlike the other fields, there are typically multiple lines of text that fills this field. You can control the amount of data using the **Outlook Length** property described in section [15.2.1](#) on page [105](#).



You can split the *outlook* and *current conditions* into two slides by making two weather bulletins, one with the outlook and the other with everything else. For the outlook bulletin, make all of the backgrounds in section [15.2.2](#) on the facing page the same because the current condition will determine what is used, which may look odd if there is a dramatic change in the weather.



You may want to check the **Until Manually turned off** checkbox on the schedule form for all of your weather bulletins. This will leave these bulletins on until you manually remove them. Carousel will automatically update the weather data as it changes.

15.3 The Weather Crawls

Weather Crawls are made using the same method used to create a weather bulletin. The crawl options screen is shown in figure 15.7.

FIGURE 15.7: Weather crawl options

Enter your desired zip code in the **Zip Code** field. The weather plugin will find the nearest WeatherBug station and use it to gather weather data.

The **Weather Format** field lets you alter how your weather crawl is displayed. It uses the same *data field* concept from the standard weather bulletins. Whenever Carousel comes across one of the magic data fields, it will replace that field with the corresponding data from the weather station. To see a list of the available data fields for your weather crawl, click the **show/hide** link next to **Available Data Fields**.


To preview what your crawl will look like after Carousel parses the **Weather Format** string, click the **Preview** button, as seen in figure 15.8 on the facing page.

When you are happy with your weather crawl, click **Continue** and schedule the bulletin as usual. The bulletin will appear as a crawl on your channel, using the settings for the crawl properties for that zone. You can adjust these settings by following the steps in section 6.3.3 on page 47.



Typically, the weather crawl is pretty long. Therefore, if you would like to use your crawl for important information, you may want to refrain from using the weather crawl. It will make it unlikely that people will notice your crawl.

FIGURE 15.8: Previewing the weather crawl




15.4 Cable Display Bulletins

This section is about Cable Display for Carousel, a plug-in that reads television schedules from Cablecast and displays the information as a bulletin in Carousel. If you do not have Cablecast, feel free to skip it.







Let's explore the splendor of the Cable Display for Carousel plug-in, which we get to from **New Bulletin** on the **Main Menu**, **Dynamic** tab for **Schedule** bulletins or from **New Alert Bulletin**, **Dynamic** tab and then selecting **Cable Display** for **Coming up next**, **Interrupt** and **See it again** bulletins as well as the schedule bulletin.

FIGURE 15.9: Selecting a new Alert Cable Display Bulletin Type.



The first form that you see, shown in figure 15.9 on the preceding page, will ask you **What type of Cable Display bulletin would you like to create?** There are five types:

<p>Coming up next</p>	<p>Displays before a show, typically to advertise the show's title and any other information the viewer may find relevant.</p>	 <p>Coming Up Next...</p> <p>10:30 am City Council Meeting 2/14/2001</p> <p>channel 34</p>
<p>Interrupt</p>	<p>This is a slide that shows during the program. It works well with confidence monitoring equipment in that this is the graphic that will air on your channel in the event of a technical difficulty.</p>	 <p>You're Watching...</p> <p>TIGHTROPE[™] MEDIA SYSTEMS</p> <p>channel 34</p>
<p>See it again</p>	<p>These slides display after a show is done, typically to advertise the times the show will repeat or any other information the viewer might find interesting, like where to get a dub of the program.</p>	 <p>See it Again...</p> <p>The program: City Council Meeting 2/14/2001</p> <p>Will be repeated: Sat. 8/4 - 4:30 pm Tues. 8/7 - 10:30 pm Mon. 8/6 - 4:30 pm</p> <p>channel 34</p>
<p>Schedule</p>	<p>This is for showing lots of scheduling information across one or multiple bulletins.</p>	 <p>Sunday June 16...</p> <p>1:00p City Council Meeting - 2/14/2001 2:45p Crime Time - 2/15/2001 4:30p Bloomington Today - 2/15/2001 5:30p Show Case Special 7:00p MN Valley Wildlife Refuge 7:35p Author Author 9:00p Expanding Horizons 9:30p Planning Commission - 2/16/2001 11:00p Park and Rec Extra</p> <p>channel 34</p>

Interrupt, *Coming up next*, and *See it again* bulletins are all automated alert bulletins. That is, they are inactive alert pages until the Cable Display plug-in activates them at the appropriate time. So they can only be created when creating an Alert Cable Display Bulletin.

Example: Forty five seconds before a show airs, three *Coming up next* bulletins are activated. The first advertises the show's title. The second gives it's V-Chip rating and the third advertises producer contact and dub request information. The first two bulletins are set for a dwell time of 15 seconds while the last has a dwell time of 30 seconds. Since Carousel will automatically disable these alert pages after 15 seconds, the last page only appears for 15 seconds, just like the other two bulletins.



Carousel is always multitasking. It tries to display bulletins exactly as you program it too, but sometimes it's too busy doing other important things, like playing a video and what not. This is why we give it extra time on the last bulletin, so that it doesn't try to loop back around to the first *Coming up next* slide.

Cable Display updates bulletins automatically.

Remember, each bulletin that you create in the Cable Display plug-in will automatically update itself. Once you create a schedule bulletin, Cable Display will walk through the schedule without your intervention. If you make a change to your schedule, all bulletins affected will automatically update themselves. This is the magic of the Cable Display Plug-in.

15.4.1 Setting Cable Display Bulletin Properties

After you select the type of Cable Display bulletin that you would like to create, you will be presented with a properties form that is specific to your choice. Some of the details will be unique to your bulletin. Look at the form and read the descriptions below, ignoring those that are not applicable for your bulletin. Pay close attention to the timing of *Coming up next* and *See it again* graphics, found in the second item:

FIGURE 15.10: Cable Display Bulletin Properties for Multiple Bulletin Schedule

Which Cablecast Channel should this CableDisplay bulletin use?

What schedule information would you like to display?

Show ☒ **days** ☐ **bulletins** worth of schedule information

How many schedule records would you like to display per bulletin?

How would you like the date and time displayed?

Date:

Time:

Which Cablecast Channel... : This pop-down list selects the Cablecast channel that Carousel should retrieve data from for its scheduling information.

How long would you like to display... : You are choosing the time frame that Cable Display will allocate for *all bulletins of this type*. That is, if you have one bulletin that is a *Coming up next* graphic, then that bulletin will be displayed for the amount of time that you depict here. If you have five bulletins of the *Coming up next* variety, then Cable Display will allocate the amount of time you enter in this field for all five bulletins. You can adjust each bulletin's dwell time in that bulletin's standard properties form, after you schedule it.

Pay close attention to Cablecast's *interstitial length* setting.

The sum of this value for *Coming up next* and *See it again* should be a few seconds longer than Cablecast's interstitial length. The interstitial length is an amount of time, in seconds, that Cablecast forces between two shows. If two shows are back-to-back, then there should be just enough time to get through both (sets of) bulletins before the next show airs.

This field only applies to *Coming up next* and *See it again* bulletins.



If you have multiple bulletins of the same type, you can enter unique values for each bulletin, but the implications are too mindboggling to even fathom, especially if earlier version have a lower number than later bulletins. Instead, when it comes to this field, bulletins of the same type should have the same value.

What schedule information... : For *Multiple bulletin schedule*, you need to specify the *total quantity* of shows that you would like to display. You can limit this number by either *days* or *bulletins*. Cable Display will only show one day per bulletin.



Because Cable Display only shows one day per bulletin in a *Multiple Bulletin schedule*, you only need to show the date once, displaying only the time next to the show's run.

How many schedule records... : In *Single bulletin* and *Multiple bulletin schedules*, Cable Display needs to know how many shows will appear on each bulletin. For *Single bulletin schedule*, this will be the total number of shows to display. For *Multiple bulletin schedules*, each bulletin will have this maximum number of shows *per* bulletin.

How would you like the date... : We are choosing the date and time format for our bulletin. We can get fancy by choosing the custom option. A table and examples of custom formatting are provided in appendix D on page 195.

15.4.2 Editing the Cable Display Bulletin

Accepting a few added features, editing a Cable Display bulletin is the same as a standard bulletin, which we cover in chapter 11 on page 79.


The key differences in Cable Display bulletins are the special text fields that we can add. A list of the available fields is provided below the standard forms. Simply include the “#” symbols before and after the desired field to tell Cable Display to insert the text at that spot.

Example: To insert the time and date that a program will repeat, enter “#RunRepeat#” into one of the fields.

Conditional Text

Sometimes you would like to include text in a bulletin, but only if a particular field has data. After all, what sense does, “This producer can be reached at for

FIGURE 15.11: Editing Cable Display Bulletins



Run Time:

Run Title:

DateHeader:

Background: [Select](#) | [Upload](#)

Available Cablecast fields:
#ShowID#, #LocalID#, #CGTitle#, #Length#, #EventDate#,
#Category#, #ProducerName#, #ProducerPhone#,
#ProducerAddress#, #Custom1-8#, #ZoneName#, #RunDate#,
#RunTime#, #RunRepeat#

Note: Enclose conditional text in { } curly braces.

more information.” make? To accommodate conditional text, enclose it in curly braces {}.

Example: “{This producer can be reached at #ProducerPhone#.”}

In the above example, only when there is a phone number will this information be displayed.

Repeating Fields and Headers

For most Cable Display bulletins, fields will need to repeat. You do this by setting the **Block Options** for the template’s block that holds the CableDisplay information. We discuss the settings in section 17.7.3 on page 171, *Repeating Blocks in Dynamic Bulletins*.

If you are using an older web browser, enter the word “Header” after the template’s fields name.

Example: a “#RunDate#” entered into a template field called “Date” would appear for each listed show. If it were entered into a template field called “DateHeader”, it would only appear once.

Repeating fields will repeat all by themselves. Simply enter the repeating field into the template at the spot where you want the list to start. Cable Display will automatically insert the next item below the previous.

Editing The Look of your Cable Display Bulletin

It is extremely important that you edit the look of your Cable Display bulletin, at least changing the background, which includes *Tightrope’s* logo and a channel designation of 34.



The example bulletins are a great starting point. Use them as a guide to see how basic information is entered into the type of Cable Display bulletin that you are creating. Pay special attention to how certain fields are entered, such as “DateHeader” fields, which do not repeat.

You may add or delete fields to your Cable Display bulletin, which is especially useful when creating non-standard bulletins, such as *Coming up next* bulletins with V-Chip or producer information.

Edit your bulletin using the template editor. We cover this process in section 17.7 on page 157.

15.4.3 Scheduling and Standard Properties

Scheduling a Cable Display bulletin is accomplished using the same method outlined in section 11.3 on page 82. Cable Display bulletins have a unique purpose and therefore you'll want to keep some things in mind.

First, it is probably best to check the **Until Manually turned off** option, as you will always want these bulletins active and Cable Display will automatically update them with current Cablecast information.



If you want to change the look of your bulletins, such as for a season or special event, you can make a copy of the them and change the old ones to a status of saved. When the event or season is over, just delete the special versions and re-activate the saved bulletins. We cover saved bulletins in section 16.2 on page 145. We cover copying bulletins in section 16.1.5 on page 143.

Second, when working with *Coming up next* and *See it again* bulletins, you do not need to adjust the dwell time, found in the standard properties form after the scheduling form, unless there are multiple bulletins. In that case, each bulletin will need only its share of the value that you entered back in section 15.4.1 on page 111, **How long would you like to display...** Set the dwell time for the last bulletins that it goes a little past this value.

Example: If you have three *See it again* bulletins and the total amount of time given to these graphics is 45 seconds, then set the first two's dwell time to "15" seconds and the last bulletin's to "20" seconds, for a total of 50 seconds. That way if there is any delay in Carousel's timing, it won't loop back to the first *See it again* bulletin.

15.5 The RSS Bulletins

RSS stands for *Really Simple Syndication*³. It's an XML specification that publishers and data providers use to syndicate summary information. This *information* could be a news story, word of the day, the latest production data or anything else that you could dream up. What is more, RSS data can come from a web site, database or any other application. In fact, Carousel publishes its bulletins in RSS, making it possible to see a summary of bulletins using any RSS reader.

→ section 18.2 on page 178, *RSS Output*



There are different flavors of RSS in the wild. Carousel supports RSS and Atom feeds that are well formed. If Carousel doesn't display a feed, it is most likely non-standard, in which case, Carousel will not display it.

An RSS feed has a channel with many items, while an Atom feed contains a feed with many items. If you're not familiar with the specifics of RSS and Atom feed creation, information on both is widely available online. When you create an EDS page, fields from RSS and Atom feeds are mapped to EDS placeholders.

³ <http://en.wikipedia.org/wiki/RSS>

Carousel will detect the available fields from your chosen feed and list the available placeholders to you. There can be other data within an RSS feed, but Carousel can display data from the list of placeholders it gives you.

Carousel will make one or more bulletins using the RSS data. You can format the information in a variety of ways, specifying the information you want to show, the number of items per page and number of pages that you want to display.



Verify that you have licensing permission to show the information that you are displaying. Different web sites have different policies regarding the use of their RSS information. Some limit viewing to personal use, which is not compatible with most digital signage applications.

15.5.1 Creating an RSS Bulletin

To create an RSS bulletin, choose **Make a New Bulletin** from the main menu, click the **Dynamic** tab and choose **RSS Bulletin**.

FIGURE 15.12: Editing the RSS properties

The screenshot shows a web form for editing RSS properties. The fields and their values are as follows:

- RSS Feed URL:** Username: Password: (optional)
- OR Upload RSS File:** No file chosen
- Limit to:** ☒ unlimited bulletins
☐ 0 total bulletins
☐ 0 total items
- Max Items Per Bulletin:** (use 0 to put as many as can fit)
- Item Sort Order:**
- Character Limit:**
- Shorten long URLs:** ☒
- Item Spacing:** pixels
- Time Per Bulletin:** seconds
- Excluded Word List:** [Show/Hide List...](#)

At the bottom, there are **Continue** and **Cancel** buttons, and a faint status bar at the very bottom showing **Continue** and **Cancel** again.

Before we can edit the presentation of the RSS information, we must tell Carousel how we would like it processed. The first form that we see is the one shown in figure 15.12. We'll explore each field from top to bottom.

RSS Feed URL : This is where you type the address of the RSS feed that you would like to reference.

Example: "http://blog.trms.com/trms/rss.xml"



Is it *RSS* or *XML*? XML is a generalized way to present *any* kind of data. By specifying what is in your data and how it should be presented, you can create a common way to handle certain kinds of information with multiple programs. RSS is an XML specification and the information in an RSS feed is represented in XML. In this section, we'll talk about an XML file with RSS data in it, which is the most accurate way to represent what is happening.

Username and Password : Some RSS feeds require a login to view them. If you are using a RSS feed that requires this, simply enter your username and password into these fields. Carousel will use *Basic*, *Digest*, or *NTLM authentication*.



This is a useful feature for people trying to access Microsoft SharePoint RSS feeds.

If your RSS feed is not authenticated, then leave these fields blank.

OR Upload RSS File : If instead you would like to upload an RSS file into Carousel, you can do so by clicking the browse button and selecting the file. Again, this must be a valid XML file with RSS data.

Limit to : Some feeds have hundreds of items. You may want to limit the number that you display and you can do so, either by bulletin or by total number of items.

Max Items Per Bulletin : Carousel needs to know ahead of time the number of items that will appear. Enter that number here.



The number of items will depend on the size of your zone, the font that you select and the maximum number of characters that you allow for a specific item.

Item Sort Order : You can sort the items in a feed by any of the fields in this pop-down list. The **Feed Default** option instructs Carousel to maintain the item order found in the XML file.

Character Limit : This is the maximum number of characters for the item's description. Carousel will attempt to truncate the item at the end of a sentence. If this is not possible, then it will pick the last word and add an ellipsis (...). A value of "0" will impose no limit on the number of characters.

Shorten long URLs : When checked, bulletins will shorten URLs whenever possible and appropriate to display just a domain name, such as trms.com. This will prevent a long URL from taking up a lot of space on a bulletin.

Item Spacing : This will insert "padding" between the items in the RSS feed. This value is in pixels, so to insert 10 pixels of space between the RSS items, enter the number "10".

Time Per Bulletin : This adjust the dwell time for each bulletin.

Excluded Words : You can exclude items that contain certain words by adding them to this list. Separate each word with a comma.



If the item includes any of the words in this list, the *entire item* is omitted! That is, not just the word is excluded, but the entire item.



In addition to offensive words, you may also want to consider excluding words that are not appropriate to your environment, such as competitor's names or words associated with violence.

FIGURE 15.13: Editing an RSS Bulletin

#ChannelTitle#: #ChannelTitle#

#ChannelPubDate#: #ChannelPubDate#

#ChannelCopyright#: #ChannelCopyright#

#ItemTitle#: #ItemTitle#

#ItemDescription#: #ItemDescription#

Background: (Template Specific) [Select|Upload](#)

Available fields:

#ChannelPublicationDate#, #ChannelCategories#, #ChannelCopyright#, #ChannelDescription#, #ChannelGenerator#, #ChannelImageURL#, #ChannelLink#, #ChannelManagingEditor#, #ChannelRating#, #ChannelTitle#, #ChannelWebmaster#, #ItemAuthor#, #ItemCategory#, #ItemPublicationDate#, #ItemTitle#, #ItemDescription#, #ItemLink#

Note: Enclose conditional text in { } curly braces.

[Continue](#) [Cancel](#)

Bulletin Properties

Display for: 15 seconds

Transition: System

Date and Time: 8/26/2008 12:00 AM until: 8/26/2008 11:59 PM

When you are finished editing this form, click **Continue**. You will see the standard form used to edit a bulletin (figure 15.13). You will also notice that every field in the default RSS bulletin starts and ends with a ‘#’ sign. As in editing a weather bulletin, editing an RSS bulletin involves placing special words between ‘#’ signs, telling Carousel where to place the text. For a list of the various words that are available, look to the list labeled “Available fields”. All of the fields that are available for use from the RSS feed will be listed.

→ section 11.2 on page 80, *Editing and Creating Bulletins*
Display images in your RSS bulletins!

Each field is self explanatory. You can delete, move or otherwise edit each of the fields as you see necessary by either using the Quick Edit palette or the template editor, covered in section 17.7 on page 157.

Some RSS feeds contain links to images⁴. In Carousel 5.2, you can display these images in your RSS feed. Look for a keyword called “#ItemImageURL#”. This keyword should contain a URL to the image. To display these images, edit the RSS bulletin’s template and add a Web Picture block. (See section 17.7.2 for more information on Web Picture blocks.) You can then add the #ItemImageURL# keyword to the URL field of the Web Picture block, and the images will be displayed⁵.

Item titles and descriptions automatically repeat.

The “#ItemTitle#” and “#ItemDescription#” fields will automatically repeat until the maximum number of items is reached, set in section 15.5.1. Simply enter the first item and its description and Carousel will create the rest immediately below. You can see an example of this in figure 15.14 on the following page.

15.5.2 Scheduling RSS

The rest of the RSS bulletin creation process is identical to that of a standard bulletin. You simply schedule it and modify the bulletin as you would one that you created with a template. Check out section 11.3 on page 82 for further information.




You may want to check the **Until Manually turned off** checkbox on the schedule form. This will leave this bulletin on until you manually remove it. Carousel will automatically update the RSS data as it changes.

⁴ For example, Flickr (<http://flickr.com>) publishes photosets as an RSS feed that contains links to each photo.


⁵ For more information, see <http://blog.trms.com/john/2008/06/carousel-52-ima.html>

FIGURE 15.14: The second item was automatically added after the first.



15.6 The RSS Crawls

FIGURE 15.15: RSS crawl creation



The process of creating an RSS crawl is similar to creating an RSS bulletin. You select **Create an RSS Crawl** from the **New Bulletin** menu option of your favorite crawl zone. Once you do, you will be able to edit the properties of your RSS feed using the form in figure 15.16 on the facing page.

From the top:

RSS Feed URL : This is the address of the feed.

Username and Password : Some RSS feeds require a login to view them. If you are using a RSS feed that requires this, simply enter your username and password into these fields. Carousel will use *Basic*, *Digest*, or *NTLM authentication*.



This is a useful feature for people trying to access Microsoft SharePoint RSS feeds.

Header Format : Enter the text that you would like to appear at the beginning of this crawl. Surround RSS fields with the “#” character. A list of available RSS fields is below the text entry field.

FIGURE 15.16: The RSS Crawl Properties Form

What information would you like to appear in the crawl?

RSS Feed URL:

Username: Password: (optional)

Header Format:

Item Format:

Item Limit:

Excluded Word List: [Show/Hide List...](#)

Footer Format:

Available Fields: #FeedUpdatedOn#, #FeedCategories#, #FeedSubtitle#, #FeedLink#, #FeedAuthors#, #FeedTitle#, #ItemAuthors#, #ItemCategory#, #ItemPublishedOn#, #ItemSummary#, #ItemContent#, #ItemLink#, #ItemTitle#

Preview:

Tightrope Media Systems (6/7/2010)Announcing Carousel 6.0.3 and FrontDoor 5.3.4: We are excited to announce the release of Carousel 6.0.3 and FrontDoor 5.3.4. Continue Reading ... infoComm 2010: The formula for success in digital signage is on display all over InfoComm this year. With Carousel winning systems interactive awards and hundreds of visitors large and small across the

Item Format : Each item will include the text in this field. Again, a list of available RSS fields is below the text entry field.

Item Limit : You can limit the number of items that will be included in this crawl. A limit of “0” will remove the limit and display all available items.

Excluded Word List : Items that contain these words will be excluded from the display.

Footer Format : The text within this field will be displayed at the end of the feed.

Preview : You can test the feed by clicking preview icon



This is a good way to see if your RSS link is working. It is also a good way to see if you are displaying a feed with too much information. If there are too many items, then you can set the **Item Limit** field to a lower number and refresh the preview to see if it worked.

The process of scheduling and editing the properties of an RSS crawl is identical to that of a standard crawl. We cover that in section 12.4 on page 92.



You may want to check the **Until Manually turned off** checkbox on the schedule form. This will leave this bulletin on until you manually remove it. Carousel will automatically update the RSS data as it changes.

15.7 Twitter Bulletins

These bulletins pull information from Twitter based on a series of criteria you enter.

Search Twitter for : Enter your search phrase for Twitter in this box. You can use a variety of search techniques to narrow your results, but note that Twitter only indexes tweets up to about one week in the past. Search examples are shown below the text entry box.

Twitter Authentication : Select the form of Authentication to use with Twitter from this box. Twitter bulletins can not pull data until authentication has been set up. Authentication is configured under “External Data Source Authentication” located in the **System Configuration** menu, and is covered in section 9.2.4 on page 73.

FIGURE 15.17: Editing Twitter properties

The screenshot shows a web form for editing Twitter properties. The form includes the following fields and options:

- Search Twitter for:** A text input field containing "Tightrope Media Systems". Below it, a note says: "e.g. #hashtag, these search words, cow OR horse, from:trms, dog -cat or 'cat picture'" and "Twitter only indexes tweets up to about a week ago for searches."
- Twitter Authentication:** A dropdown menu showing "twitter.com".
- Items to fetch:** A text input field with the value "5" and the label "maximum item(s)".
- Limit to:** Two radio button options: "unlimited bulletins" (selected) and "0 total bulletins".
- Max Items Per Bulletin:** A text input field with the value "1" and the label "(use 0 to put as many as can fit)".
- Shorten long URLs:** A checkbox that is checked.
- Item Spacing:** A text input field with the value "2" and the label "pixels".
- Time Per Bulletin:** A text input field with the value "15" and the label "seconds".
- Excluded Word List:** A link labeled "Show/Hide List..."
- At the bottom, there are "Continue" and "Cancel" buttons.

Items to fetch : This controls the number of items to fetch from Twitter when a request is made. The larger this number, the longer it will take to communicate with Twitter.

Limit to : Here you can limit the number of bulletins that are created and displayed from the data feed.

Max Items Per Bulletin : Carousel needs to know ahead of time the number of items that will appear. Enter that number here.

Shorten long URLs : When checked, bulletins will shorten URLs whenever possible and appropriate to display just a domain name, such as trms.com. This will prevent a long URL from taking up a lot of space on a bulletin.

Item Spacing : This will insert “padding” between the items in the Twitter feed. This value is in pixels, so to insert 10 pixels of space between the Twitter items, enter the number “10”.

Time Per Bulletin : This adjust the dwell time for each bulletin.

Excluded Words : You can exclude items that contain certain words by adding them to this list. Separate each word with a comma.

When you are finished editing this form, click **Continue**. You will see the standard form used to edit a bulletin. You will also notice that many fields in the default Twitter bulletin starts and ends with a ‘#’ sign. As in editing a RSS bulletin, editing a Twitter bulletin involves placing special words between ‘#’ signs, telling Carousel where to place the text. For a list of the various words that are available, look to the list labeled “Available fields”. All of the fields that are available for use from the Twitter feed will be listed.

Each field is self explanatory. You can delete, move or otherwise edit each of the fields as you see necessary by either using the Quick Edit palette or the template editor, covered in section 17.7 on page 157.

→ section 11.2 on page 80, *Editing and Creating Bulletins*

15.8 Facebook Bulletins

These bulletins pull information from Facebook based on a series of criteria you enter.

FIGURE 15.18: Editing Facebook properties

The screenshot shows a configuration window for Facebook bulletins. It includes a search bar for a Facebook page, radio buttons to select the type of posts to display, input fields for the number of items to fetch and the limit on the number of bulletins, a checkbox for shortening long URLs, input fields for item spacing and time per bulletin, and a link to show or hide an excluded word list. At the bottom are 'Continue' and 'Cancel' buttons.

Facebook Page: Tightrope Media Systems

☒ Show posts by page
☐ Show all posts to page (includes posts by other users)

Items to fetch: 5 maximum item(s)

Limit to: ☒ unlimited bulletins
☐ 0 total bulletins

Max Items Per Bulletin: 0 (use 0 to put as many as can fit)

Shorten long URLs: ☒

Item Spacing: 2 pixels

Time Per Bulletin: 15 seconds

Excluded Word List: [Show/Hide List...](#)

Facebook Page : This will allow you to search and display posts from a page selected from your search criteria. Enter the page name you are looking for and click the “Search” button. You can select the specific page you want to display from the drop-down list, or you can click “Back to search” to try another search term.

Select the radio button to select which posts to display from the selected page.

Show posts by page : When this is selected, only posts made by the page itself are displayed.

Show all posts to page : This option shows all posts to a page, including those made by other users.

Items to fetch : This controls the number of items to fetch from Facebook when a request is made. The larger this number, the longer it will take to communicate with Facebook.

Limit to : Here you can limit the number of bulletins that are created and displayed from the data feed.

Max Items Per Bulletin : Carousel needs to know ahead of time the number of items that will appear. Enter that number here.

Shorten long URLs : When checked, bulletins will shorten URLs whenever possible and appropriate to display just a domain name, such as trms.com. This will prevent a long URL from taking up a lot of space on a bulletin.

Item Spacing : This will insert “padding” between the items in the Facebook feed. This value is in pixels, so to insert 10 pixels of space between the Facebook items, enter the number “10”.

Time Per Bulletin : This adjust the dwell time for each bulletin.

Excluded Words : You can exclude items that contain certain words by adding them to this list. Separate each word with a comma.

When you are finished editing this form, click **Continue**. You will see the standard form used to edit a bulletin. You will also notice that many fields in the default Facebook bulletin starts and ends with a '#' sign. As in editing a RSS bulletin, editing a Facebook bulletin involves placing special words between '#' signs, telling Carousel where to place the text. For a list of the various words that are available, look to the list labeled "Available fields". All of the fields that are available for use from the Facebook feed will be listed.

→ section 11.2 on page 80, *Editing and Creating Bulletins*

Each field is self explanatory. You can delete, move or otherwise edit each of the fields as you see necessary by either using the Quick Edit palette or the template editor, covered in section 17.7 on page 157.



Facebook Bulletins receive their information from an external data source setup by Tightrope Media Systems. The Carousel server will need to have access to the following address to function correctly: <https://carousel-facebook-proxy.herokuapp.com>

15.9 The Event Schedule Bulletins

The *Event Display System* (EDS) is a component of Carousel that is adept at showing meeting information for one or more meeting rooms. EDS can read scheduling information from Ad Astra, Dean Evans' Event Management System (EMS), Resource25, iCal⁶ feeds, Exchange Server 2007 SP1 or 2010, and Carousel's own built-in schedule.

15.9.1 Creating an EDS Bulletin

FIGURE 15.19: EDS bulletin creation



To create an EDS bulletin, click **New Bulletin** from the **Main Menu**, click the **Dynamic** tab and select **Event Schedule Bulletin**.

You'll be asked about the location of the scheduling data. If you select **Carousel** from the first pop-down list, then you will choose the zone that contains the scheduling data.



Each zone in Carousel may contain a schedule for EDS. You do not have to select the current zone's schedule. This lets you create a single schedule, and have bulletins on multiple zones all display the same schedule.

If you select **iCal**, you'll be asked to enter the URL to the iCal feed.

⁶ <http://en.wikipedia.org/wiki/ICalendar>

FIGURE 15.20: Selecting a Database for EDS

SQL Server:

SQL Authentication: ☐ NT Authentication
☒ SQL Authentication

Username:

Password:

Database: [Reload](#)

15.9.2 Setting Up Dean Evans EMS or Ad Astra for EDS

If you select **DEA EMS/proxy** or **Ad Astra**, then you will see the database properties form in figure 15.20.

SQL Server : This is the name of the SQL server, which is hosting the database that the event management software is using. This might be a server name or an IP address.

Authentication : Some servers use *NT Authentication* and others use the SQL server's authentication. Either way, choose the authentication method and then enter the username and password into the correct fields.

Database : Once the authentication information is entered, you might see the list of databases in the **Database** list. If you do not, click the **Reload** link, then select the event management database from the list.

Regardless of the source of your data, you may choose from three methods of grouping scheduled events:

Ungrouped : Each item will be listed by the time the event will happen.

By Room : All events will be listed by the room in alphanumeric order and then by time. The room will be listed and then each event will be listed below.

By Time : A time will be listed and each event that matches that time will be listed beneath. This is useful when events happen at exactly the same time, like in a classroom situation.

15.9.3 Dean Evans EMS Database Entries

The following are a list of the entries found in Dean Evans EMS and where that information populates into Carousel:

tblBooking.EventName : #Event#

tblBooking.TimeEventStart : #Date# and #Time#

tblBooking.TimeEventEnd : #EndTime#

tblRoom.Description : #Room#

tblBuilding.Description : #Building#

tblStatus.Description : #Status#

tblEventType.Description : #Type#

tblGroup.GroupName : #Group#

15.9.4 Editing EMS and Ad Astra Properties

FIGURE 15.21: The EMS and Ad Astra Bulletin Properties Form

If you are creating an EDS bulletin from an Ad Astra or EMS database, then you have some additional options that are not applicable to those creating a bulletin using Carousel’s scheduler. These properties are displayed in figure 15.21.

! → The top section of the form asks **What events would you like to display?** Each multi-select box represents a filter. Within each box, you may select as many of the items that you wish. Only those items that match an item in *all three* boxes will be displayed.

Example: Looking at figure 15.21, you can see that an event in room “101” with a status of “Tentative” that is of a type “Athletic” will *not* be displayed, because “Tentative” is not selected as an event that will appear.

You may display canceled events so that people know when they arrive that the event is not taking place. If you would like to display canceled events, then select the relevant statuses from the multi-select that is labeled, **What statuses do you want to display as canceled?** We can select one or more statuses from this list. Next, pick a color for these events and add some text to precede the event’s title.

When you are finished, click the **Continue** button.

15.9.5 Setting Up Resource25 for EDS

Carousel uses the Resource25 XML API to pull data through a HTTP connection. We have tested the integration with version 10 of R25.

Carousel pulls the *r25:space_reservations* namespace. In most cases this is found at an address that looks something like:

Example: “`http://myserver.edu/ws10/wrd/run/rm_reservations.xml?space_query_id=1694999`”

Here is an example of the XML data Carousel is looking for:

```
<?xml version="1.0" encoding="utf-8"?>
<r25:space_reservations xmlns:r25="http://www.collegenet.com/r25"
    xmlns:xl="http://www.w3.org/1999/xlink" pubdate="2010-06-17T12:16:46-05:00" >
<r25:space_reservation xl:href="reservation.xml?rsrv_id=12713412" >
  <r25:reservation_id>12713412</r25:reservation_id>
  <r25:reservation_type>1</r25:reservation_type>
  <r25:reservation_start_dt>2010-06-17T00:00:00-05:00</r25:reservation_start_dt>
  <r25:reservation_end_dt>2010-06-17T23:59:00-05:00</r25:reservation_end_dt>
  <r25:act_head_count>0</r25:act_head_count>
  <r25:shared>F</r25:shared>
  <r25:reservation_state>1</r25:reservation_state>
  <r25:spaces xl:href="space.xml?space_id=58" >
    <r25:space_id>58</r25:space_id>
    <r25:space_name>Conference Room</r25:space_name>
    <r25:related_space_id/>
    <r25:related_space_name/>
  </r25:spaces>
  <r25:layout_id>3</r25:layout_id>
  <r25:layout_name>Meeting</r25:layout_name>
  <r25:reservation_comment_id/>
  <r25:reservation_comments/>
  <r25:space_instruction_id/>
  <r25:space_instructions/>
  <r25:registration_url/>
  <r25:event xl:href="event.xml?event_id=522375" >
    <r25:event_id>522375</r25:event_id>
    <r25:event_locator>2010-TRMS</r25:event_locator>
    <r25:event_name>Code Review</r25:event_name>
    <r25:event_title/>
    <r25:event_type_name>Development</r25:event_type_name>
    <r25:organization_id xl:href="organization.xml?organization_id=889" >889</r25:organization_id>
    <r25:organization_name>Dev Team</r25:organization_name>
    <r25:pre_event_dt>2010-06-17T00:00:00-05:00</r25:pre_event_dt>
    <r25:event_start_dt>2010-06-17T00:00:00-05:00</r25:event_start_dt>
    <r25:event_end_dt>2010-06-17T23:59:00-05:00</r25:event_end_dt>
    <r25:post_event_dt>2010-06-17T23:59:00-05:00</r25:post_event_dt>
    <r25:profile_id>1229356</r25:profile_id>
    <r25:profile_name>Rsrv_1229356</r25:profile_name>
    <r25:expected_count>0</r25:expected_count>
    <r25:registered_count>0</r25:registered_count>
  </r25:event>
  <r25:last_mod_user>R25DMUser</r25:last_mod_user>
  <r25:last_mod_dt>2010-03-11T13:48:06-06:00</r25:last_mod_dt>
</r25:space_reservation>
</r25:space_reservations>
```

Enter the URL to `rm_reservations` xml data, and the username/password you would like Carousel to connect with. Carousel will use *Basic*, *Digest*, or *NTLM* authentication.

FIGURE 15.22: An example configuration for Resource25

You can add any additional query string parameters you need to filter this dataset down to what you want. For example, you would want to restrict this URL to only pull reservations for a particular room or building. Refer to your Resource25 administrator on creating the correct query arguments. An example restriction is illustrated in figure 15.23.

FIGURE 15.23: Here we are restricting the space to a specific ID number.

In section 15.9.7 on the following page, when you create an EDS page, you'll be mapping information in the Resource25 database to the Carousel page. The following fields from the XML in Resource25 are mapped to the EDS placeholders:

```
#Time# = r25:event/r25:event_start_dt
#EndTime# = r25:event/r25:event_end_dt
#Event# = r25:event/r25:event_name
#Description# = r25:event/r25:event_title
#Organization# = r25:event/r25:organization_name
#Room# = r25:spaces/r25:space_name
```

Because the queries on R25 requests can be taxing on the R25 server, we have added a special configuration to the Carousel service to limit the frequency that the service updates the R25 data. Carousel will still expire and remove old events from the bulletins, this only adjusts how often we fetch the data from R25.

To turn this feature on, you will need to modify a file on your Carousel server, which is located in the following directory:

```
D:\TRMS\Services\Carousel\TRMS.Services.Carousel.exe.config
```

You'll want to change the value in the following key, where the entry in *value* is in minutes:

```
<add key="EDS_R25_UpdateInterval" value="15" />
```

15.9.6 Setting Up Exchange Server 2007 SP1 and 2010 for EDS

Carousel can connect to Microsoft Exchange servers to get calendar information. This feature is compatible with Exchange 2007 SP1 and 2010. Carousel uses the Exchange Web Services (EWS) to communicate the Exchange server.



Make sure your server is configured to support EWS!

Carousel pulls the list of private and public calendars associated with your account, as shown in figure 15.24.

FIGURE 15.24: In this screen shot, there are no calendars, but you can see that this is what setting up an Exchange server within carousel looks like.

Carousel maps the following fields from the Exchange appointment to the EDS placeholders:

```
#Time# = appointment.Start
#EndTime# = appointment.End
#Event# = appointment.Subject
#Description# = appointment.Body
#Room# = appointment.Location
```

Use these symbols when creating an EDS page in section 15.9.7.

15.9.7 Editing EDS Properties

Carousel can treat EDS data in a number of different ways. You decide these parameters with the EDS properties form, figure 15.25 on the next page.

From the top:

How much schedule... : You can limit the type, number of days, hours or bulletins to display.

Display active or current events only : Active or current events will only display events currently happening. Events scheduled for later in the day won't be shown until their start time has been reached.

Display X hour(s) : This will show all events that start within the next X hour(s).

FIGURE 15.25: EDS Properties

How much schedule would you like to display?

☐ Display active or current events only

☐ Display 12 hour(s)

☒ Display 1 day(s)

☐ Display 3 bulletin(s)

How many events per bulletin would you like displayed?

2 maximum

How much space would you like between events?

2 pixels

How would you like the date and time displayed?

Date: 1/1/05

Time: 12:30 pm

What would you like displayed if there are no events scheduled?

☐ No page

☒ Text: There are no events scheduled

Continue Cancel

Display X calendar day(s) : Calendar days are defined as the time between 12:00AM and 11:59PM. If you select one calendar day, it will only show events through 11:59 tonight.

Display X bulletin(s) : This will show as many events as will fit on X bulletin(s). The total number of events displayed depends on the template design and text sizes assigned.

How many events per bulletin... : Carousel needs to know the number events to display per bulletin. This will depend on the dimensions of the zone, the font used and the length of each event's title and room information.

How much space between... : You can set a gap between each event. This number is given in pixels.

How would you like the date... : You can set the format of the date and time with these pop-down lists.

What would you like displayed if... : If no events are listed you can choose to have a message appear or to simply not show the bulletin. If this bulletin is on a zone dedicated to it, you'll want to show a message. If it is on a zone with other bulletins, then removing the bulletin is an acceptable option.

When you are finished with this form, click **Continue**.



Want EDS to “take over” a zone when there are events scheduled? Create it as an Alert bulletin (chapter 13 on page 93) and check the “No Page” option so that the bulletin isn’t shown when there are no events scheduled. Now, EDS will be the *only* bulletin shown while there is schedule data, and when the schedule runs out, your regular bulletin cycle will resume.



You can use EDS to function as a digital room sign. Create an EDS bulletin as an alert bulletin (chapter 13 on page 93), select “Display Active or Current events only”, and select “No Page” so the bulletin isn’t shown when there are no active events. Now, whenever an event occurs, Carousel will create an alert bulletin for that event that interrupts your regular cycle for the duration of the event. When the event is finished, your regular cycle will resume. No more taping handwritten pieces of paper the wall!

15.9.8 Editing an EDS Bulletin

FIGURE 15.26: Editing an EDS Bulletin

Editing an EDS bulletin is just like editing a standard bulletin, except that EDS information is enclosed in “#” symbols.

Example: Whenever you want to show the time of an event, simply place “#Time#” somewhere in one of the fields.

Field names that start with “Header” show once.

If you want to show a field one time, and not repeat it with every event, then make the template’s name start with “Header”.

Example: You can see in figure 15.26 that the template’s first field is labeled “HeaderDate”. If we removed the word “Header” then the date would repeat down the page with each event. In our example, it is obvious that one bulletins that showed a single day of scheduling would work for this configuration. We see an example of this in figure 15.27.

FIGURE 15.27: You can see that the date in this EDS bulletin shows only once, whereas *The Simpson’s* inspired events repeat down the bulletin.



If you enclose text within curly braces {}, you make it conditional on any fields that are within that text.

Example: If you type “{This event ends at #EndTime#}””, and the event does not include an end time, the entire sentence will be omitted.

15.10 EDS Bulletin Scheduling

EDS bulletins are scheduled like any other bulletin. In fact, all of the properties of an EDS bulletin behave the same as for a regular bulletin created from a template. We cover these properties in section 11.3 on page 82.

However, you'll want to remember that Carousel is dynamically updating the data in EDS bulletins, expiring the old events as they pass. If you check the **Until Manually turned off** box in the scheduling form, then this bulletin will run forever, automatically updating the scheduling information without intervention from you or your staff.

15.11 Scheduling EDS Within Carousel

FIGURE 15.28: The Event Schedule Form

Start Time	End Time	Room	Event
6:00 pm	7:30 pm	A101	Mothbaling Your Battleship
6:30 pm	8:00 pm	A102	Here Comes The Metric System!
8:00 pm	9:30 pm	A101	Lead Paint: Delicious But Deadly
9:05 pm	10:00 pm	A103	Two Minus Three Equals Negative Fun!

Each zone has an event schedule. Select **Event Schedule** from the **Main Menu**.

At the top of the form, you will find tools to help you with the events that you create.

Update : This refreshes the form, interpreting the start and end time and sorting accordingly. Any time that you hit the *Enter* key on your keyboard, you will be effectively clicking this link.

New : Click this link to create a new event.

Delete : To delete one or more items, select the according box and then click the delete link. To delete all items on the form, click the select all arrow ▼ and then click the **Delete** link.

Copy : To copy links in to the copy buffer, click this link.

Paste : To paste items from the copy buffer, click this link.

The Date : This is the day that you are looking. You may enter a new day directly into this field.

Ellipsis (...) : Clicking this link reveals a handy calendar, show in figure 15.29 on the next page. With it, you can select a new date to schedule.

Minus (-) : Use this to decrement the day.

t : Use this link to go directly to today's date.

Plus (+) : Use this to increment the day.

Below these tools is the schedule, awaiting your entries. Each column is a link, which you can click on to sort the list by that item. Clicking the column again will toggle ascending/decending sorts.

FIGURE 15.29: The EDS Calendar Tool

2/16/2007

...

-

t

<<

February 2007

>>

S	M	T	W	T	F	S
28	29	30	31	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	1	2	3
4	5	6	7	8	9	10

Today

Enter the start and end time of the event into the **Start Time** and **End Time** fields.



You can type “1:00pm”, “1.00p”, “1.00+” or “1+”. To Carousel, these are all the same. “1-” means “1:00 AM”.



Enter a room and event description into the next two fields. Be sure that the room information is entered accurately and consistently so that Carousel can group the rooms together, if that option was selected.



Do not close the web browser or navigate away from this page using the browser’s navigation buttons without clicking the **Update** link. You will lose any changes that were made.

15.12 The Live Video Input Bulletins

Carousel works with optional hardware to overlay an external video feed. These feeds might be terrestrial or cable television, DVD players, a camera or some other source video source. They may also be a Windows Media stream on the network. To

FIGURE 15.30: The Live Video Form

FIGURE 15.31: Live video bulletin creation

create one of these bulletins, click **New Bulletin** from the **Main Menu** and select the **Dynamic** tab. Choose **Live Video Feed**.

Your first choice is to pick the source of your video. If you are using video input hardware that has been installed on all of the Carousel players that show this zone, you can use the **Video Input Card** option. Select the input type from the **Input** pop-down list. If the signal is coming from a cable or terrestrial channel, enter the channel number in the **Channel** field.

If you are using a streaming source, choose the **URL** radio button and enter the link for the source. Carousel is compatible with Windows Media streaming, MPEG-4 and H.264.

Next, select the **Audio** option if there is audio accompanied with the video. If there is, Carousel will automatically fade the background audio while this bulletin is active. Otherwise, choose the **No audio** option.

Finally, you may upload a graphic that will be used to fill the zone while there is no video source to replay. This is primarily useful when working with streaming media, as it is difficult to sense video loss with an external source.

From here, scheduling a live video feed is just like scheduling a regular bulletin created from a template, which we covered in section 11.3 on page 82. One thing to keep in mind, however, is that often you will want to specify the start and end time for these bulletins, as you may want a zone to go to a television channel during lunch and back to bulletins at all other times of the day.

15.13 Interactive Bulletins

Interactive bulletins allow Carousel users to upload or link to interactive content. This interactive content is displayed on a Carousel player and allows the viewer to interact with the digital signage. There are several different applications for interactivity including way finding, digital directories, and many more.



You will need a touch panel display for interactivity to work properly.

The Carousel Display Engine composites Internet Explorer together with the rest of the digital signage channel. This allows you to place interactive bulletins into any zone, alert bulletin, or full screen alert. You can also schedule different interactive content just like you would schedule any bulletin in Carousel. This is powerful and simple. Because Carousel is using Internet Explorer, the interactive content can be anything a standard web browser can display; web pages, dynamic web pages, flash animations, etc. Carousel is not locked into any proprietary technologies.



Carousel does not allow you to create interactive content, it just displays it. We decided using web standards for interactive content was a more powerful and flexible option for content creators.



Interactive bulletins are designed to be the only bulletin in a zone. They will not work like you expect if there are multiple bulletins in the zone.

To specify the interactive content you can either enter the Interactive URL which is a link to a the interactive content or Upload a file. This interactive content can be any web page, flash animation, or web element. The uploaded file is a .zip archive of content. This archive is extracted then hosted on the Carousel server and served the players with Internet Information Server (IIS).

FIGURE 15.32: Interactive bulletin options

The screenshot shows a configuration window for an interactive bulletin. It has three main sections: 'Interactive URL:' with a text box containing 'http://'; 'OR Upload a file:' with a 'Choose File' button and the text 'no file selected'; and 'Inactivity timeout:' with a text box containing '30' and the word 'seconds'. Below the 'Inactivity timeout' section is a note: '*Note: A value of 0 will disable the inactivity timeout'. At the bottom are 'Continue' and 'Cancel' buttons.

The Inactivity timeout allows you to set a duration of inactivity before Carousel will reset this bulletin. After there has been a specified time of inactivity Carousel will either go to the next bulletin in the rotation or navigate back to the Interactive URL. This will 'reset' the interactive content back to the main screen.



If the Inactivity timeout is set to “0” (zero) the Interactive Bulletin will never time out. This is used if your interactive content has it's own timeout routine, or it is not desired to reset the display.



The Carousel Display Engine will normally exit if you double-click the mouse or hold the Escape key. When there is interactive content double-clicking is disabled so users can't accidentally close the display. To exit the Display Engine you will have to hold the Escape key.

Carousel sets the web browser to the size of the zone that is displaying the content. As you create content make sure you target the resolution of that zone. Carousel may crop the web site if it is not designed to fit in the zone. Carousel disables the built in scroll bars and navigation buttons, so that functionality will need to be built into the content if it extends past the zone resolution. For more tips on creating interactive content, check out our blog⁷ and forum⁸.

⁷ <http://blog.trms.com>

⁸ <http://forum.trms.com>

IV. Managing and Extras

*“The reasonable man adapts himself to the world;
the unreasonable one persists in trying to adapt
the world to himself. Therefore all progress de-
pends on the unreasonable man.”*

—George Bernard Shaw

16 Managing Bulletins

Managing bulletins is a part of the everyday process of administering a Carousel system. In this chapter, you will learn about the different bulletin lists, how to move bulletins between and within those lists, how to approve pages, run reports, and how to “clean house”.

Carousel simplifies this process by keeping to a few common interfaces that will guide you through any management process.

All of the activity in this chapter takes place in the **Manage Bulletins** menu.

16.1 Bulletin Lists

There are several lists of bulletins within Carousel, all of them presented within the Carousel interface in a similar fashion. There are lists for Active, Active Repeating, and Alert bulletins. On top of that, there are sub-lists for every user of Carousel for each of those categories, plus a list for everyone’s Saved and Stale bulletins. Finally, there is a list of bulletins that are waiting for approval. All of them present bulletins in the order that they will appear on the display, with special rules for alert and Active Repeating bulletins.

Let’s review the meaning and purpose of each type of list:

Active : An Active bulletin is queued in the Carousel loop at the current time. It is either scheduled to be displayed *right now* or will be at some point in the future. Specifically, we say that a bulletin is *active* when it is a part of the pages that will display (once Carousel gets around to it). We might be more specific and specify a particular bulletin as *waiting for its on date and time* when the bulletin will be skipped over by the display engine because the current time and date do not line up with the bulletin’s schedule, even though it will display at some point in the future.

Example: One bulletin is scheduled for all day, from today until next Wednesday. Another has no end date and is on from 3:00 PM to 5:00PM on weekdays. It’s currently 2:00 PM on a Saturday. Even though the first bulletin is active now and the second will be active in 49 hours, they are both in the **Active Bulletins** list.

Active Repeating : Active Repeating bulletins follow the same scheduling rules as active bulletins, except that they are inserted *between* active bulletins. The frequency is determined by a value set when the bulletin was created. We covered this in section 11.6 on page 88.

Alert : When an alert bulletin is active (and not waiting for its on date and time), it temporarily removes any other bulletin that is scheduled on that zone, until its disabled.

Saved : Users may save bulletins that are already active, or add them to the saved list during the creation process.

Stale : When a bulletin's schedule expires, it is automatically moved to this list. Bulletins in this list may be reactivated or deleted by using the **Housekeeping** menu, covered in section 16.4 on page 146.


Waiting : A user may be able to make a bulletin for a zone, but they are held for approval by Carousel. These bulletins will sit in this list until they are approved or deleted.



In versions prior to Carousel Release 5, crawls would be in the same list as bulletins. Now, they are separated because they are in separate zones.


Whenever you see a list of bulletins, you'll see something like that in figure 16.1.


FIGURE 16.1: A List of Bulletins





16.1.1 Bulletins

You can see three bulletins in figure 16.1. They each have control icons in a column along their left side, which we described in section 5.7 on page 39. Across the top of each bulletin you'll notice the title, which defaults to the text of the bulletin or the video/picture's name. In the right corner there is a status dot, which changes color depending on the status of the bulletin.

Active Bulletin  : The green dot signifies that these bulletins are active because they are queued in the Carousel loop at the current time. They may not be displayed right this second, but will be once Carousel loops around to their position in the list.

Waiting Bulletin  : The yellow dot signifies bulletins that are scheduled for some point in the future, but are not yet activated because their schedule doesn't fall within the current time and date.

Pending or No Content  : When a bulletin icon is gray, it has been submitted by a user that does not have automatically approved bulletins, then their bulletins are held in this status, even though they appear in the list that they were created for (Active, Active Repeating, etcetera). Or for some Dynamic Bulletins, there is no content available for display.

Corrupt  : Hopefully, you'll never see this red icon. If there is trouble with a bulletin, Carousel will keep it in the list with this status icon.



If you don't want to clutter up your list with pages that aren't currently active, then click the **Hide queued/waiting bulletins** icon  from the top of the list.

Examine one of the bulletins in figure 16.1 on the facing page. Within its frame, you will see a preview picture of the bulletin. For bulletins made within Carousel using a template or uploaded pictures, you'll see a preview of the actual bulletin. For other types, you'll see a stand-in icon. You can drag this preview into other positions within the list to move the bulletin, a topic covered in section 16.1.4 on the next page.


To the right of the preview, there is a summary of the bulletins properties, including the author, its schedule, the method used for making it and the transition setting. Active Repeating bulletins will have their frequency listed next to their type.

Example: Type: Standard bulletin, repeating every 4 bulletins.

16.1.2 Filtering By Tags


If you click on the **Filter view by tags** link at the top, shown in figure 16.2, the available tags for this zone will appear.

FIGURE 16.2: Filtering by tags



Click on any of the tags and you'll see bulletins that contain that tag. Click the **Clear** link to deselect all tags and see the full list again. To select more than one tag, like we do in figure 16.3, hold down the shift key when you select additional tags.



FIGURE 16.3: Select two tags by shift-clicking



16.1.3 Groups

Bulletins that are grouped are contained in a group frame, shown in figure 16.4. A group has control icons on the upper right of its frame, which we covered in section 5.7 on page 39.

FIGURE 16.4: Bulletin Groups







To save screen realstate, you can collapse a group by clicking on the small plus sign  next to the group's folder icon .




To *really* save realstate, click the **Contract all groups** icon at the very top of the list.

Edit a group to change all of its bulletins' schedule.

You can use the **Ungroup This Group** icon  to break the group apart. If you want to edit the group, you can click on the **Edit this Group** icon , which opens a form to change the groups name or to reset each bulletin's start and end date to a single setting. To move a group to another zone or to another list, click the **Copy/Transfer/Send** icon  in the. Click the **Delete this group** icon  to be forever rid of all of the bulletins within the group.



To delete bulletins enmasse, group them together (explained in section 16.1.4) and click the **Delete this Group** icon  on the far right.



Carousel has no undo function for delete bulletins or groups. Be careful that you are not unintentionally throwing valuable bulletins away! Remember, you can always opt to transfer a bulletin to your stale or saved bulletins list, which allows you to recall them at a later date.

16.1.4 Moving Bulletins or Groups Within a List



You can move bulletins and groups to another location in the list by clicking on their preview picture or folder icon  and then clicking between the gaps of two bulletins, illustrated in figure 16.5 on the next page.

FIGURE 16.5: Moving a bulletin between two bulletins. You can also move a bulletin into another bulletin to create a group.



In Carousel, you can view a list of bulletins that belong only to you, which are located in the **My Bulletins** tab. In this view, you cannot move bulletins or groups between two bulletins. You *can*, however, group bulletins together from within this list. This limitation is due to the fact that you cannot see all of the bulletins that are within the list. This prevents bulletin placement ambiguity when reordering from this list.


To group one bulletin to another bulletin, or to another group, click in the bottom portion of a bulletin. Be sure to wait for the blue bar to appear, figure 16.5, as this tells you that you've hit your target.



When you group bulletins together from within a list, they retain their schedule. If you want them to have the same schedule, edit the new group by clicking the **Edit this Group** icon and following the directions.

If you want to be fancy, you can drag the the bulletin's preview to the spot that you want it to appear, as shown in figure 16.6. In some browsers, moving past the visible window in your browser is not a precise endeavor, requiring some finesse with the mouse to get it to scroll the page as you hit the edge of what is visible. Usually, it's easy to just click the preview and mouse over the desired target and then click, even though it's not as cool.

FIGURE 16.6: You can alternately drag your preview into its target location.



16.1.5 Copying and Moving Bulletins

You can make copies of bulletins and groups of bulletins by clicking on the **Copy Or Move This Bulletin** icon.

FIGURE 16.7: Move/Copy Bulletins Form

Move this bulletin to:

☐ Another Zone

☐ My Alert Bulletins

☐ My Saved Bulletins

☐ My Stale Bulletins

☐ Admin Account's ▾ Active Bulletins

Copy this bulletin to:

☐ This Zone (duplicate bulletin)

☐ Another Zone

☐ Zone Default Template

☐ A bulletin package

Continue Cancel

There are two groups of radio buttons: **Move this bulletin to** and **Copy this bulletin to**.

Three selections require further explanation:

Moving a Bulletin to Another User's Account

The last selection under the **Move this bulletin to** label has a pop-down list with all of the user accounts provides a way to move a bulletin to another user's account. This is handy when you want to create a bulletin for a user and then give them control over it as though they made it within their account. They can then edit the bulletin, save it or delete it. Also, when the bulletin goes stale it goes into their stale pages list.

Creating a Bulletin Package

Selecting the **A Bulletin Package** option under the **Copy this bulletin to** label will instruct Carousel to create a bulletin package that you may download.

A bulletin package is a zip file with the bulletins that you've selected in side. To create a bulletin package with more than one bulletin, you must first group the bulletins within the bulletin list, an process covered in section 16.1.3 on page 142.

You can import bulletins within the **Media: Channel: Bulletin Package** menu, covered in section 17.10 on page 174.

Zone Template

Copying a bulletin to a zone template will create a new template with the characteristics of the current bulletin. If the selected bulletin is dynamic, this option will be named "Zone Default Template". This will cause all future dynamic bulletins of that type to display like the original bulletin.


16.2 My Bulletins

All users can see the **My Bulletins** tab in the **Manage Bulletins** menu. Any user can edit their bulletins and see the bulletins that Carousel has expired and placed in the **Stale Bulletins** list. Over time, a user might stash bulletins for reuse in the **Saved Bulletins** list. Saved or stale bulletins can be edited and rescheduled.

- ! → When you reschedule a stale or saved bulletin, Carousel will automatically activate it if the new schedule is set to display. If you move a stale or saved bulletin to the Active bulletins list, Carousel will automatically ask you to reschedule it.


16.2.1 My Bulletins as the Administrator

As the administrator, you may access all bulletins regardless of the list they are in or the user that created them. You can view their stale and saved bulletins, edit them, or re-activate them.

Remember, you can use the **Copy/Send/Transfer**  to move a bulletin to another user's list. If you want to move a stale bulletin into a user's saved list, then you must first move it to the *current* user's saved list and then transfer it. We cover copying and moving bulletins in section 16.1.5 on page 143.

16.3 Approving Bulletins


FIGURE 16.8: A Bulletin is Waiting for Approval



When a user without permission to auto-authorize, makes a bulletin, it will be held for approval before it is added to Carousel's Active Bulletins list. Whether or not a bulletin has to be approved is determined for each user and is configurable for each zone for which they have bulletin creation permission. See *FrontDoor: The Manual* to learn about how to set these permissions.

To find the list of waiting bulletins, go to the **Waiting Bulletins** tab within the **Manage Bulletins** menu.


FIGURE 16.9: A bulletin is waiting for approval.





When a new bulletin arrives from one of these users, Carousel is able to send an email to designated people, a process we demonstrated in section 8.1.1 on page 67.

Typically, these addresses would include people charged with the duty approving bulletins, but they could be any valid email address. An example email is shown in figure 16.9 on the preceding page.

FIGURE 16.10: The Waiting Bulletins List




The Waiting Bulletins list has some unique buttons that aid in the process of approving bulletins. The **Approve all waiting bulletins** icon  does just what it says. The **Approve all waiting bulletins to a single group** icon  does the same thing, except that all of the new bulletins will be grouped together, making it easier for you to find them later.

Each bulletin may be individually approved by clicking on the **Approve** link to the right of the bulletin's title.

16.4 Housekeeping

FIGURE 16.11: The Housekeeping Menu




The **Housekeeping** tab, figure 16.11, allows you to delete bulletins en mass based on a specific set of criteria. Bulletins may be deleted by type (Active, Stale, Saved,

or Waiting), by User or All Users, and for All Zones or the Zone that you are operating from. Once the criteria has been selected and you click on the Delete button, a summary page will display allowing you a preview of the bulletins marked for deletion. If the list is correct click on the Delete button on the summary page for permanent deletion.

16.5 Reporting

FIGURE 16.12: Bulletin Reporting



The **Reporting** tab, figure 16.12, allows you to select a list of all bulletins on a zone based on the bulletin type, status, and tags. You can then export a CSV report of the bulletins, which includes all of the metadata about the bulletins, including impression tracking information.

Initially, all Active and Current bulletins on the zone are shown in the list. To select which bulletins are included in the report, you can adjust the bulletin filters as needed.

16.5.1 Filter by bulletin type

The bulletin type filter allows you to select between Active, Alert, or Repeating bulletins, or any combination of the three. Click on a type to select it, and shift-click to select multiple types.

For example, selecting **Alert** will limit the report to just Alert bulletins, and selecting **Active** and **Repeating** will include both Active and Repeating bulletins in the report.

16.5.2 Filter by bulletin status

The bulletin status filter allows you to select between Current, Queued, Waiting, Saved, or Stale bulletins, or any combination thereof. Click on a status to select it, and shift-click to select multiple statuses.

For example, selecting **Queued** will limit the report to just Queued bulletins, and selecting **Current** and **Stale** will include both Current and Stale bulletins in the report.

16.5.3 Filter by bulletin tags

If you have tags defined on any bulletin in the zone (see section 11.4.6 on page 86, *Bulletin Tags*), you'll see a filter for bulletin tags. The filter will not appear if there are no tagged bulletins in the zone.

Selecting a tag will limit the report to only include bulletins with that tag. You can shift-click multiple tags to add additional tags to the filter. In contrast to the type and status filters, selecting multiple tags will limit the report to bulletins tagged with *all* of the selected tags.

For example, in figure 16.12 on the preceding page, if you were to select both the **sponsor** and **sports** tag, the report would only include the third bulletin, as it is the only one with *both* sponsor and sports tags.

16.5.4 Export CSV Report

Once you have filtered the bulletin report, you can click the **Generate CSV Report** link to download a CSV file containing metadata about each bulletin in the report.

The CSV report contains the following fields for each bulletin:

PageID : The ID (guid) of this bulletin.

Type : Bulletin type (Active, Alert, Repeating).

Status : Bulletin status (Current, Queued, Waiting, Saved, Stale).

Description : The bulletin's description.

ObjectType : The object type of this bulletin.

DateTimeOn : When the bulletin becomes active.

DateTimeOff : When the bulletin becomes inactive (stale).

CycleTimeOn : What time of day should the bulletin start while it is active.

CycleTimeOff : What time of day should the bulletin stop while it is active.

ManualDuration : If true, the bulletin is always active, ignoring DateTime/CycleTime settings.

DwellTime : How many seconds the bulletin should be on screen. If set to -1, the system will choose the dwell time based on number of words in the bulletin. If set to 0, dwell time cannot be calculated for this bulletin type.


Days : Description of which days of the week the bulletin is scheduled for.

Owner : User account that owns the bulletin.

- ImpressionCount** : Number of times the bulletin has been shown on any Display Engine.
- ImpressionSeconds** : Estimate of number of seconds the bulletin has been on screen. Calculated by multiplying ImpressionCount by DwellTime.
- RepeatInterval** : For Repeating bulletins, the number of bulletins to wait before repeating this bulletin.
- SoundEnabled** : True if sound is enabled for this bulletin, false otherwise.
- WebEnabled** : True if this bulletin can be shown on the public web interface, false otherwise.
- WordCount** : Number of words found in the bulletin.
- PreviewURL** : URL to a preview image of this bulletin.
- Tags** : A comma delimited list of tags set on this bulletin.

16.6 Slide Show

FIGURE 16.13: The Slide Show



Carousel includes a little slide show utility under the **Slide Show** tab. The slide show gives you a small preview of what this zone's output will look like.

This slide show utility can only display certain bulletin types, due to bandwidth concerns. You will not be able to preview Video, Flash, or Powerpoint bulletins.

17 Managing Media

In this chapter, we will explore the menu items and features found within the **Media** menu, which you access from Carousel's **Main Menu**.

In Carousel, *media*, or *media assets*, means anything that gets added to a template, a process that we cover in section 17.7 on page 157, *The Template Editor*. Media assets include:

Backgrounds : Every bulletin has a background. You can add backgrounds to zones and use them in bulletins. You may also upload a background that is automatically split into several backgrounds for all of the zones on a channel, which creates a single seamless background on that channel. We show how to upload seamless backgrounds in section 17.9 on page 172, *Creating a Seamless Background for a Multi-Zoned Channel*.

Pictures : Pictures are graphic files that are placed on top of the background.

Video Clips : Like pictures, these videos are placed on top of a background within a template.

Sounds : Sound files within this menu are exclusively for bulletins made from a template. They are not included in the **Background Audio** list, a topic covered in section 6.2 on page 41, *Create Your Zones*.

Templates : Templates are where everything else comes together to create a bulletin. The above media elements are gathered and arranged into blocks next to text that is entered by the bulletin's author.

Media Tags : Tagging media helps people sort and organize. As the number of files that you manage grows, you will appreciate the time spent adding these keywords to your files. We cover the application of these tags in section 17.8 on page 172.

Add media package : Exclusive to the zone view (section 17.1 on the next page), this option allows you to import media from a *zip* file.

In addition, you can even import bulletins from another Carousel system. This is handy for sharing between two Carousel Solos or when upgrading from an older system.


When you sum the items in this list, you get the bulk of the resources for creating bulletins within Carousel. Everything within your **Media** menu, with the exception of importing bulletins from other Carousel systems, is the exclusive domain of bulletins created using templates.

All media, regardless of its type, is managed the same way within Carousel. We will cover the deleting, copying, tagging and editing of all media assets in this chapter.

17.1 My and Zone Tabs

Carousel makes a distinction between media files available to everyone that creates a bulletin within the zone and those assets that belong only to your account. You will find two tabs that separate these categories: **My** and **Zone**.

FIGURE 17.1: The My and Zone Tabs: Put media assets in the **My** tab when you want to hide it from other users.



If you upload a media asset during the process of creating a bulletin, it is added to the **My** tab. You may copy these bulletins to other zones while creating the message, but only within the **My** tab, thus making the addition unavailable to other users of Carousel.

Within the **Media** menu, however, you are free to copy a media asset anywhere you wish. You can make another copy on the current zone, add it to other zones under either the **Zone** or **My** tabs. We cover this in section 17.5.3 on page 156, *Copying Media Assets*.

It is important to note that the list of bulletins available within your private list is unique for each zone. If you have a background tucked away in your **My Backgrounds** stash, it will not be available to you when you go to another zone. Again, this is where copying media comes into play and we cover that in section 17.5.3.

17.2 File Formats

For backgrounds and pictures, Carousel supports:

- Portable Network Graphics (PNG)
- JPEG
- BMP

For sound files:

- WAV
- MP3
- Unprotected WMV

Finally, Carousel supports the following video formats:

- MPEG-1/2/4
- AVI (any properly configured codec, including Microsoft DV)
- QuickTime (any properly configured codec, including QuickTime DV and H.264)
- Windows Media 9

17.2.1 File Compatibility

Carousel does a nice job of detecting invalid picture and background files. However, there is no verification for video and audio files. Be sure that you are using standard formats with codecs that are installed on all of your players.




We cover more details on specific hardware capabilities, including high definition playback, in section 4.2 on page 31, [Video File Playback Performance and Resolutions](#).

17.3 Logos and Irregularly Shaped Pictures

The PNG format is especially useful for logos or any irregularly shaped picture, as Carousel can “cut a hole” for the image using its *alpha channel*.

An alpha channel is a gray scale image with the same dimensions as the visible picture. Where the alpha image is white, the picture will show. Where it is black, the background will show through. Grey areas will blend the picture, as you can see in figure 17.2.

FIGURE 17.2: Alpha Channel
Example: The first version is the picture without an alpha channel. The second is the alpha channel while the third is the result of applying it to the picture.



17.4 Aspect Ratios

Note that when you upload videos and backgrounds into Carousel, the system will stretch them to fill the block or zone that you are using. That is, a background will be stretched to fill a zone and the video will stretch to fill the hole carved out for it in the template. It is best to design the background or video with its Carousel target in mind.

Pictures are not affected by aspect ratios. They are shown pixel-for-pixel and evenly resized if needed, retaining the original look of the picture.



When you upload a picture into Carousel, it does not resize it, like it does for a background. Therefore, take care not to upload a huge image file when a medium or small one would do. Carousel will resize just about any image, but you could be needlessly taxing the system.

17.5 Media Asset Lists




Media

Whenever you click on any of the *Media* menu's items, except **Media Tags** and **Add Media Package**, you will be greeted with a list of items that are in that zone.

FIGURE 17.3: A List of Backgrounds



Figure 17.3 is a view of the top of a background list populated with some of the default backgrounds included with Carousel. Let's examine some of the features.

First, notice that in our example, we have filtered the backgrounds by the “Natural” tag, which means that only backgrounds with that tag can be seen. We can erase this by clicking on the blue remove icon .

Next, notice that “Buds” and “Flower” have been selected. We can select any combination of items by clicking on them. Take note, if you click on the item's hyperlink, the item's properties form will appear. We cover editing a media asset's properties in section 17.6 on page 156, *Media Asset Properties*.

If you would like to un-select items you've clicked on, click the **Unselect All** link at the top of the list. If nothing is selected, you'll notice the link says **Select All** instead.

17.5.1 Items

Examine the item in figure 17.4 on the next page. Notice that the name of the item is a link. As we mentioned in section 17.5 on the preceding page, clicking on it brings up the items properties (section 17.6 on page 156). If we click on the item, it selects it.

Below the item's name is a list of the tags that are attached to this item.

17.5.2 Form Buttons


At the bottom of the media asset list will be a collection of buttons. Let's examine each:

Add Tag : After selecting one or more items, you can add tags to them with this button. If you already have media tags in your system, matching tags will appear in a box below the **Add Tag** field (figure 17.5 on the facing page). If your entry doesn't match any existing tag, a new one will be created.

FIGURE 17.4: Items and the Buttons at the Bottom of a Media Asset List



FIGURE 17.5: Adding a Tag



Clear All Tags : This button clears the tags off of any selected items. This button is not available for templates as they do not have tags.

Auto Tag : Carousel will look at the name of each selected item and tag create a tag for each word. This works well when you name the files for this purpose. Obviously, using this feature on a file named “A Pretty Flower In The Woods” will have poor results. This button is not available for templates.

Add : Brings up a form that allows you to upload a new item.

Delete : Deletes the selected items. If you delete an asset that has been copied to other zones, you will be asked if you would like to delete it from there as well. Carousel keeps track of assets that are copied so that you can later delete them in one step.


Copy : Brings up the **Copy** form, where you select the targets for copying the selected items. We detail this in section 17.5.3 on the next page, *Copying Media Assets*.

Export : This appears only for templates. Clicking it will turn the selected templates into a media package, which you can download and import into another Carousel system.

17.5.3 Copying Media Assets

To copy one or more assets, click on them and then click the **Copy** button at the bottom of the list. You will see the form pictured in figure 17.6.

FIGURE 17.6: Copying a Media Asset

A screenshot of a web-based dialog box titled "Please select the destinations to which you would like to copy this background:". In the top right corner, there is a small thumbnail image of a red and blue background. Below the title, there is a section labeled "My Zone" containing a list of zones with checkboxes: "Corporate" (checked), "Weather" (unchecked), "Traffic" (unchecked), "News/RSS" (checked), "Meetings" (unchecked), and "CH2 MAIN ZONE" (checked). At the bottom of the dialog, there are two buttons: "Copy" and "Cancel". A mouse cursor is pointing at the "Copy" button.

By default, Carousel selects the current zone in the current mode (**My** or **Zone**). This will create a duplicate of the asset.

If you check a box for another zone, Carousel creates a duplicate that is linked to the original. That way, when if you delete one of the copies, Carousel knows to ask you if you want to delete all of them, or just the version in the current zone.

17.6 Media Asset Properties

When you click on a media asset's hyperlinked name, shown in figure 17.4 on the previous page, the properties form will appear for that item.

Backgrounds and pictures will have all of the controls that you see in figure 17.7 on the facing page. Video clips and sounds will be missing the image control features listed at the bottom. If you are editing a template, then you are in the wrong section. Skip ahead to section 17.7 on the next page, *The Template Editor*.

The **Name** and **Preview** sections have obvious purposes. The **Tags** multi-select list provides another method to select tags for this asset. If you'd like to add a new tag, type the new tag into the field below the list and click the **Add** button.

Use the **Effect** options to alter the appearance of an image when editing pictures or backgrounds.

Just choose the effect from any of the pop-down lists and click the **Update** button to the right.

The **Effect** pop-down list has a secondary pop-down that includes options like **+A Little** and **-A Lot**. This refers to the strength of the effect. For **Brightness** and **Contrast**, the negative values will apply each effect in negative directions. They have no effect on other choices.

FIGURE 17.7: The Properties Form of A Media Asset

The screenshot shows a web-based form for editing a media asset. At the top, there is a text field labeled 'Name:' containing the text 'Leaf 1'. Below this is a 'Preview:' section showing a close-up image of a green leaf. Under the preview is a 'Tags:' section with a list of categories: Blue, Natural (highlighted), Food and Drink, Abstract, Weather, Technical, Office, Party and Events, Brown, Buildings, Outside, and Information. There is an 'Add' button next to the list. Below the tags are several settings: 'Effect:' set to 'Blur' with a '+ A Little' dropdown and an 'Update' button; 'Flip:' set to 'Horizontal' with an 'Update' button; 'Colorize:' set to 'Grayscale' with an 'Update' button; and 'Revert to Original:' with an 'Update' button. At the bottom of the form are 'Save' and 'Cancel' buttons. Below the main form area, there are two small buttons labeled '29A8' and 'C8UC6'.

The **Update** button labeled **Revert to Original** resets the picture or background to the original version that was first uploaded. The image will return to its original state regardless of the amount of time that has passed since you made the alterations.




If you copied this asset to another zone and edit this version, it will *not* change on the other zone. The two will still be linked, however, and deleting one will prompt Carousel to ask you if you want to delete the other.

17.7 The Template Editor

When you create a bulletin, you can upload it in its entirety and display it on Carousel's Display Engine as a picture or video that has the message already baked in. It's more common to type some text and add some pictures directly within Carousel. The placement of the pictures and text and the style of each are predefined by something called a *template*. Templates are a starting point for a bulletin that combines media into one message. To create and edit these templates, we use Carousel's *Template Editor*.

The Template Editor provides an interface to select a background and place message


FIGURE 17.8: In this bulletin, the red arrows point to elements placed with the template editor.



Media: Templates

elements on the screen. Once the template is created from Carousel's *Media: Templates* menu, you may access it when you create a standard bulletin. The Template Editor is also used when creating certain dynamic bulletins and when changing the look of a bulletin that is being created.

17.7.1 Editing a Bulletin's Template vs. Permanently Editing a Template

When you create a bulletin, you can edit the template using the Quick Edit palette, covered in section 11.2 on page 80, *Editing and Creating Bulletins*. You can also edit the message using the Template Editor by clicking on the **Edit Template** icon .

! → When you edit templates during the process of creating a message, *you are only editing the template for that bulletin*. When you edit the template from the *Media: Template* menu, you are permanently changing the template. Those changes will be applied to all *future* bulletins that use that template. Existing bulletins will remain unchanged.

17.7.2 Basics of the Template Editor

Like most things Carousel, a template originates from a zone. Therefore, a template shares the dimensions of the zone it was created from and all of the pretty things that make that template up are placed within these dimensions.



If you copy a template to another zone, Carousel will stretch it to fit that zone, if it doesn't have the same dimensions of the original.


Blocks: Elements of a Template

Let's go over all of the things that are in a template.

First, every template has a background, which is in back of everything that you see in your bulletin. You can change that background when you are making a message, but the background that is associated with the template is the first choice that the user will see.

In addition to a background, templates contain *blocks*, which are elements of the message that may be placed on the template. Templates may have any combination of the following blocks:

Text : Each text box has font, color, size and placement properties. Carousel will automatically wrap text as needed, provided that the area given to the text box is large enough to support additional lines of text.



Picture : A picture contains a single graphic element, usually a *PNG* or *JPEG* file. Carousel will automatically resize the image so that it fills the provided area either horizontally or vertically. Carousel can maintain the picture's aspect ratio, which means that it may not fill the entire area, if that area does not share the picture's aspect ratio. This is an option that you can set.




Web Picture : A web picture is just like a picture, except that instead of loading an image into Carousel, you give it the web address of a picture. This is often used to display dynamic weather maps or traffic cameras.

Video : Carousel can place a video clip into a block. Unlike a picture block, Carousel will stretch the video to fill the rectangle, regardless of the video's original aspect ratio.

Simple Rectangle : Every element can have a backdrop and outline defined for its area. You may find the need to define a rectangle that is outside of any given element's dimensions. In those cases, you can use a rectangle block.

Simple Ellipse : You can add circles and ellipses to your template with this block type.

FIGURE 17.9: The yellow outline is around a *simple rectangle* block. In this case, the box is surrounding multiple text fields.



17.7.3 Walking Through the Template Editor Form

Let's make a brand new template together! We'll walk through creating a text block on your template. By doing this, we'll be able to see the vast majority of the features of the template editor. What we don't cover, we will pick up at the end.

Making a Text Block in a Template



Media: Zone (Tab):
Templates

Step 1: In a Carousel system that has a channel and zones already created within it, navigate to *Media: Zone (Tab): Templates*.

Step 2: At the bottom of the list of templates available for the current zone, you'll see an **Add** button. Click it. This will bring up the **Edit** form for a new template, which is illustrated in figure 17.10.




FIGURE 17.10: Making a New Template

Step 3: In the **Template Properties** section, name your new template, as "New Template" is a terrible name for your creation!



Media: Back-
grounds: Zone
(tab)




Step 4: Next, you select the default background for this template in the **Background** pop-down list. A user may change this at creation time, but they will see this selection first. If you want a background in your template that you don't already have available in your zone, you'll need to upload it first. To do that, you'll have to skip over to *Media: Backgrounds: Zone (tab)* and we cover adding it in section 17.5 on page 153, *Media Asset Lists*.



If you want to leave it blank for now, you can choose the “Template Specific” option.

We'll skip over the **Select Block** and **Block Name** fields for now. Before we can use these fields, we need to add a block.

Step 5: Once you change your background, you'll see it update in the preview window on the left. If you want, you can instruct Carousel to make the preview window match the size of your zone by clicking the **Full Size Preview** checkbox. As you edit this template, you can check/uncheck this option as needed.




Step 6: Next, click the **Blocks** option, which will expand the options for creating a block.

Step 7: Click the **New** button to create a brand new block.

Step 8: You'll notice that a whole bunch of menu options just appeared! That's because a block has a bunch of options and you're currently editing the new block you just

created. Also, Carousel has helpfully suggested that you name your block and give it one of the types we enumerated back in section 17.7.2 on page 158.



Pick a name that is helpful to the person using your template:

Example: “Title” or “Address” or “Body of Message”.

For this walkthrough, make sure that you set the **Type** pop-down list to “Text”.


Step 9: Next, let’s move and resize our creation. There are three ways to do this. First, by dragging and dropping the block in the preview window:

Substep A: In the preview window, click on your block and drag it. Make sure that you click and drag somewhere within the block, but not near the edges, as shown in figure 17.11.



This is a good time to click the **Full Size Preview** checkbox in the **Template Properties** section.


FIGURE 17.11: Dragging a block



Substep B: To resize a block, just drag one of the yellow dotted corners on the right or the bottom-right corner, as in figure 17.12 on the next page.

If you need to get pixel accurate, you can do this two ways. One way is to click on the **Size and Position** section.

FIGURE 17.12: Resizing a block in the preview window.



Step 10: Another way to get pixel perfect adjustments with blocks is to use some keyboard shortcuts. Select any block then use the following keys:

up/down/left/right arrow keys : These keys move the selected block by 1 pixel.


shift + arrow keys : Move the selected block by 10 pixels.

page up/page down : Use these keys to snap the block to the top or bottom of the template.

home : Snaps the block to the top left of the template.

end : Snaps the the block to the bottom right.

Step 11: With text blocks, you can set how the block appears in the preview window and in the form where the user will edit the text for the bulletin.



The **Default Value** field sets the text that appears first on the bulletin. You might provide the user with an example of what was intended for this block.



The *Default Value* field is limited to 511 characters in length.

If you're allowing the user to enter a great deal of text, such as multiple sentences, you might select the **Multi-line Field Size** radio button. For short bits of text such as titles, the **One-Line** option might be more appropriate.

Similarly, the size of the field that they type in is controlled by the **small/medium/large** pop-down list.


To limit the amount of text that can be entered in a text block, select the *Limit Length* check box and enter the maximum number of characters allowed in the available box.

The **Text Color** and **Text Opacity** control the color and transparency of the text. You can see the value's effect in the preview after your adjustments. See section 17.7.3 on page 168 for notes about picking colors.

Step 12: The font controls (figure 17.13 on the next page) affect the entire block of text. You can use these controls to adjust the appearance of all of the text in this block.



FIGURE 17.13: Font controls



To have the text automatically size to fill the block, chose the **Size Text to Fit**. If this checkbox is used, the font size pop-down list has no effect.


To change the style, use the the style buttons.



When you create a bulletin in Carousel, you have the ability to override some font settings, such as color, bold, and italics. You can even make lists! We cover these capabilities in section 11.2.1 on page 81, [Adding Style using HTML Tags](#).

Step 13: The **Text Alignment** controls align the text and control text wrapping for the block.

FIGURE 17.14: Text Alignment controls




Step 14: To apply a gradient to your text, use the controls in the **Text Gradient** (figure 17.15 on the next page) controls. The **Gradient Color** field controls color for the end of the gradient. The beginning of the gradient is controlled by the **Color** field in the **Text** properties.

You may also adjust the gradient's opacity. Like the color, you're only affecting the end of the gradient. The **Text** properties is where to change the beginning.

Step 15: **Text Outline**, **Text Shadow** and **Text Glow** all operate in the ways that you would

FIGURE 17.15: Text Gradient controls



expect. If you have doubts, try the different controls out to see their effects.

Step 16: While the controls that begin with *Text* modify the look of the text within the block, the controls that start with *Block* control the rectangular area that surrounds the block. You can put a gradient, shadow, and outline around your text block, in addition to adding these properties to the text itself.



When you've changed the data in a field and would like to update it quickly, you can use the "TAB" key.

A Note About Reflections

Perhaps the only control requiring explanation is the **Block Reflection** control, shown in figure 17.16 on the facing page. It adds a fading reflection of the block and its contents below the borders of the block.

These controls are available for any block, but require special attention in text blocks because the reflection looks best when it touches the bottom of the text, which usually requires playing with the **Offset** slider. When it's set correctly, you'll see something like what is shown in figure 17.17 on the next page.

When it is not, the reflection text will either overlap or be too far away. Sometimes, the reflection will be so far away that you won't see it at all. This is because the **Hight** slider is set to something less than "100%". If the reflection is far down enough, it will be beyond the visible part of the reflection. For this reason, slide **Hight** to "100%" while you're adjusting the offset and then set it to what looks good when you're done.



Keep in mind that if your text is auto sizing, the offset value will be different for different text, requiring the user to go into the template and edit the value when they create their bulletin.

Also, when rotating blocks, text or otherwise, the same adjustment requirements

FIGURE 17.16: The Block Reflection controls





FIGURE 17.17: A reflection example.



FIGURE 17.18: The reflection collides with the picture



will apply. Take a look at figure 17.18 on the preceding page. Notice how the reflection collides ugly¹ into the rotated picture. In figure 17.19, the problem was solved with an **Offset** of “72” pixels.


FIGURE 17.19: In **Block Reflection**, an offset of “72” pixels was added to take away the collision.



A Note About Picking Colors

You'll notice that when changing colors, you may not see any difference in the preview. This is probably because you have black selected. Changing the hue won't have any effect until you add sum luminance to your selection. Notice the red arrow in figure 17.20. It points to the luminance selector. The higher the value the more luminance.

FIGURE 17.20: Add luminance to the color in order to see a change when you select a new hue.



If the luminance selector is all the way down, you'll get a completely black color, no matter the hue.

Picture Blocks

When you create a picture block, you'll have access to the picture block properties, shown in figure 17.21 on the next page.

You can adjust the opacity of the picture with the **Opacity** slider. You can also instruct Carousel to maintain the pictures aspect ratio. Notice the example in figure 17.22 on the facing page. The Carousel logo on the left is in a picture box with the **Maintain aspect ratio** checkbox *off*. The logo on the right has the checkbox *on*, which means that it looks correct, even though the dimensions of the block are much wider than the actual logo. Leave **Maintain aspect ratio** on when you want your picture to remain as tall as it is wide, relative to the original picture. When you want it to completely fill the block, turn it off.

¹ New Word: Ugily: In a way that is ugly.

FIGURE 17.21: Picture block properties





FIGURE 17.22: The logo on the left has **Maintain aspect ratio** deselected.



Web Picture Addresses

If you make a web picture block, the **Picture** properties will give you the option to enter an address of a picture (figure 17.23), which defaults to a picture located on Carousel and may be changed to any address of any picture.

FIGURE 17.23: Web picture address



This is just the default value. The user of the template will most likely change the picture address when they create their bulletin.

Changing the Blocks Depth or Z-Order

Each block is layered in a particular order on top of the background. As you create a new block, it “goes on top” of any other block you may already have within the template. Notice how in figure 17.24 the Carousel logo is in front because its z-order is higher. In figure 17.25, the Carousel logo is in back because the z-order is lower, or another way to put it, the Carousel logo was drawn first.

FIGURE 17.24: Carousel logo has a higher z-order






FIGURE 17.25: Carousel logo has a lower z-order




You can change the order that blocks are drawn by dragging **Blocks** properties, which we demonstrate in figure 17.26.

FIGURE 17.26: Changing the z-order of blocks



If you want to move a block all the way forward or back, you can use the **Bring to Front** or **Bring to Back** buttons in **Block Options**, shown in figure 17.27.


FIGURE 17.27: **Bring to Front** and **Bring to Back** in **Block Options** properties



Repeating Blocks in Dynamic Bulletins

With dynamic bulletins, Carousel can repeat blocks for multiple items of data, such as room numbers, RSS items and shows for Cablecast's schedule.

FIGURE 17.28: **Repeat blocks** pop-down list in **Block Options** properties



With a block that is repeated, you may use one of four different settings that you'll find in the **Repeat blocks** pop-down list in **Block Options**:


- None** : The block is drawn where you set it. This is the default setting and is what is used for non-dynamic bulletins. There is no special behavior here.
- Header** : This actually gets treated the same as the **None** option
- Footer** : A footer is drawn where it is placed, but Carousel uses the upper bounds of this block as a “*don't go past here*” marker for blocks that repeat.
- Repeat** : This setting is used for the items that get repeated in the bulletin.



Dynamic bulletins have templates that cannot be saved. When you create one of these bulletins, you modify the template for that bulletin only. Therefore, the settings in the **Repeat blocks** pop-down list are not applicable to any templates that you make in the *Media: Templates* menu.

17.8 Media Tags

FIGURE 17.29: The Media Tags List



Media tags are used for all of the media for the entire Carousel system. That is, they are not specific to any given zone.

Simply click the **Add** button to add a new tag or delete tags that no longer make sense. Multiple tags may be added by separating them with a comma, rather than adding them one at a time.

17.9 Creating a Seamless Background for a Multi-Zoned Channel

When you have a channel in Carousel that uses multiple zones, sometimes it looks nice when the backgrounds used for those zones have edges that blend into each

other, making a seamless background. You can do this manually in your favorite paint program, but Carousel has a way to do it for you automatically.


Carousel takes a background and stretches it to fill a channel. Then it cuts the image apart, using the edges and position of each zone that is used in that channel. Finally, it saves that image as a background in that zone, prepending the word ‘(Seamless)’.



configuration: Channels: <channel name>:
Add Seamless Channel
Background

To access this feature, go to the *configuration: Channels: <channel name>: Add Seamless Channel Background* form, shown in figure 17.30.

FIGURE 17.30: The *Add Seamless Background* form.



Step 1: Click the **Choose File** button to select the background file that you want to upload.



Remember, this file is going to be stretched to fill the current channel that you have selected. It's best if the file matches the channels total resolution.

Step 2: Click the **Upload** button and your background will be processed.

Step 3: You'll see a form like the one in figure 17.31 on the next page.


Step 4: A background of the name listed in the **What would you like to name this background?** field will be created for each of the zones that are checked below the **To which zones would you save this background?** label.

Step 5: You can see a preview of the backgrounds that will be created to the right.

Step 6: You may change the name of the background to anything that you like.

Step 7: If you uncheck any of the zones in the list, the background will not be created for that zone.

FIGURE 17.31: Splitting a background



Your background has been uploaded.

What would you like to name this background?

(Seamless) Background2

To which zones would you like to save this background?

- ☒ DEMO-Public Access-Banner
- ☒ DEMO-Public Access-Community
- ☒ DEMO-Public Access-Facility Info
- ☒ DEMO-Public Access-Additional Info

Save Cancel



When creating a channel that uses seamless backgrounds, very often you'll only use backgrounds that *are* seamless. You won't want users putting their own backgrounds in any of their messages and you won't want any of the generic backgrounds that come with Carousel in any of the zones that are in use for those channels.

17.10 Adding Media Packages


Media packages are zip files created by Carousel that contain any combination of templates, backgrounds, pictures, sounds, videos and Carousel bulletins.



For information on creating media packages, see section 17.11 on the facing page, [Creating Media Packages](#).

When you upload Carousel bulletins, the original schedule is retained.

FIGURE 17.32: Uploading Media Packages



The package "Templates-2-23-07-122031.zip" has been uploaded. There are:

2 Templates

Would you like this package copied to other Zones?

- ☐ Organization Wide
- ☐ Twin Cities Weather
- ☐ Twin Cities - Traffic
- ☐ ...
- ☐ Twin Cities - Traffic
- ☐ Twin Cities Weather
- ☐ Organization Wide


After a successful upload, Carousel gives you a confirmation, noting the items that it found. Check the zones that you would like the items copied to and Click **Save** to import them.

17.11 Creating Media Packages

The zip files that are uploaded into Carousel follow a special file structure to inform Carousel what type of media they are (backgrounds, templates, pictures, etc.). Complete the following steps to create a media package.

Step 1: Create a folder called “Media Package”.

Step 2: Within the **Media Package** folder create a folder entitled “Media”



Step 3: Within the **Media** folder create a folder entitled with the type of media that it contains (i.e. “Backgrounds”). The following “keywords” may be used:

- Backgrounds
- Pictures
- Sounds
- Templates
- Videos



For information on acceptable file formats see section [17.2](#) on page [152](#).



You can create multiple folders inside the “Media” folder to upload several different types of media at once.



Media: Zone
tab: Add Media
Package

Step 4: Zip the **Media Package** folder.

Step 5: From the Carousel web interface, head into the *Media: Zone tab: Add Media Package*.

Step 6: **Browse...** to the **Media Package** zip file and **Upload**.

Step 7: Choose if you’d like these files copied to any other zones and choose **Save**.

Your uploaded media is now in the system and able to be used for future bulletin creation.

18 Extras

Carousel includes alternate output capabilities that are available from the **Main Menu** by clicking on **Extras**.

FIGURE 18.1: The Extras Form

The screenshot shows a web form titled "Extras" with a list of links and options. The first section is "Screensaver:" with links for "Windows", "Macintosh", and "Macintosh (64-bit for MacOS X 10.6 or later)". The second section lists several URLs for RSS feeds and web interfaces, each preceded by a bullet point. The third section is a "Web Preview" section with a link to a web preview for the current zone.

- Screensaver:
 - [Windows](#)
 - [Macintosh](#)
 - [Macintosh \(64-bit for MacOS X 10.6 or later\)](#)
- An RSS feed of the active bulletins on this Zone can be found at this URL:
<http://10.0.1.95/Carousel/Public/PublicSiteRSS.aspx?ZoneID=4>
- The Public web interface for Carousel (for all zones) can be found at this URL:
<http://10.0.1.95/Carousel/Public/>
- The Public web interface for the current zone *Spring-4x3-Community* can be found at this URL:
<http://10.0.1.95/Carousel/Public/Frameset.aspx?ZoneID=4>
- The web preview for this zone can be found at this URL:
<http://10.0.1.95/Carousel/Public/WebDisplay.aspx?ZoneID=4>

The bottom section, "Web Preview", contains a link to a web preview for the current zone, which is <http://10.0.1.95/Carousel/Public/WebDisplay.aspx?ZoneID=4>.

18.1 Screensaver

Carousel Pro and Carousel Enterprise include a screensaver option. This feature will run a specified channel's bulletins as a bouncing display when installed on your desktop computer. Video, Flash, Crawls, and audio are not included in the screensaver presentation.

The **Windows** and **Macintosh** hyperlinks provide the installers for Apple's Mac OS X and Microsoft's Windows operating systems.

Download these installers and run them on the computers that you desire. Go to the operating system's screen saver and select *Carousel Screensaver*. From within the settings menu enter the URL of the server as well as the Channel you'd like to display.

If you're planning on deploying the screensaver to a large number of systems, a generalized config file may be created to install on each system. Create a file named `CarouselScreenSaver.cfg` and save it in the same directory as the `CarouselScreenSaver.scr` file. This is usually the `System32` or `SYSWOW64` folder, depending on your version of Windows. The config file only needs the following two lines within it:

Channel = <ChannelID>

URL = <Server IP or Name>

18.2 RSS Output

All Carousel systems include the ability to export their bulletins as an RSS feed. Clicking on the link will open the feed in your web browser. Copy the link into any software that can consume RSS.



This is a great way to integrate Carousel into other software, including other web applications.


18.3 Public Web Interface

Carousel can display a zone on a publicly available web link, which is displayed here. Simply click on this link to see this web interface. You may also link to it from another website.



A bit of web master speak here: IFrames come in in handy here. Just plunk this link into an IFrame inside your website and you're done! Your web visitors can see the Carousel bulletins and still navigate your site.

FIGURE 18.2: The Public Website



Be sure to visit section 8.1.2 on page 68 to learn how to enable the public website output for the desired zones.

V. Appendix

“I have spent my life learning incredible amounts of disparate, disconnected, obscure, useless pieces of knowledge, and they have turned out to be, almost all of them, extremely useful.”

—Chandler Burr

Appendix A Installer's Checklist

If you are installing Carousel for your self or as a paid systems integrator, it will be helpful to use this chapter as a starting point for a checklist. When you turn the system over to the users and administrators of Carousel, you will want to be sure everything is working as expected and that they feel like they are ready to go!

A.1 Carousel Checklist

A.1.1 Preperation

- ☐ Do you have everything that was ordered?
 - ☐ Do you have all of the Carousel equipment from Tightrope?
 - ☐ Do you have all of the required license keys? (Usually only needed for software only installations, such as Enterprise installs.)
 - ☐ Do you have all of the required mounting hardware for Carousel, including equipment rack accessories, behind-the-monitor mounting brackets, etc?
- ☐ Do you know where all of the monitors are going?
- ☐ Do you know which monitors are going where and how they will be oriented?
- ☐ Do you know how your are getting video/audio to each display and do you have all of the required equipment for that?
- ☐ Do you have everything that you need from IT?
 - ☐ A static IP address for your Solo/Server
 - ☐ Any required open ports to or from the internet. See *FrontDoor Manual*.
 - ☐ Any domain permissions, policies or virus software that needs to be installed on the players or server.
- ☐ Do you know the channel names for each of their channels and where each channel is being loaded?
- ☐ Did they purchase andy Tightrope Creative Channels (store.trms.com)?
 - ☐ Have they decided which ones they are?
 - ☐ Have you downloaded them?

A.1.2 Setup

- ☐ All Carousel equipment is properly mounted, provided with power and KVM access where required.
- ☐ All monitors are safely mounted.
- ☐ All video distribution hardware is properly connected to the players and their monitors.
- ☐ Any television control hardware that may be required has been installed. (serial cables, IR blocks, etc)
- ☐ Servers have been configured to operate on the network.
 - ☐ They have been joined to the domain, if required
 - ☐ The Carousel server has a static IP address.
 - ☐ Any Carousel Players have access to the Carousel Server. See port information in *FrontDoor Manual*.
 - ☐ Carousel has access to the outside internet, if required. See port information in *FrontDoor Manual*.
- ☐ Carousel's Server software is configured correctly.
 - ☐ It has the latest version.
 - ☐ It is configured with the correct licensing, including any plug-ins and all required channel licensing.
 - ☐ All purchased Tightrope Creative Channels have been added and installed. See the documentation that came with the Creative Channel.
 - ☐ All purchased channels have been added to Carousel and named correctly.
- ☐ All Carousel Players have been configured correctly.
 - ☐ All Players are on the latest version.
 - ☐ All Players are pointing to the correct channel on the Carousel Server. (chapter 7 on page 53, *Configuring Players*)
 - ☐ Any TV Input devices are installed and configured correctly in the Carousel Display Engine. (section 7.2.4 on page 56, *Live Video Input*)
 - ☐ All Players have their resolution and screen aspect ratio set correctly and optimized for the display that is plugged into it. (section 7.2.3 on page 55, *Display Settings*)

A.1.3 Verify Display Quality and Content

- ☐ A basic zone setup has been created for each channel *or* Tightrope Creative Channels have been loaded on to each channel.

- ☐ All channels are running content and you can see them on each monitor.
- ☐ Each monitor is precisely showing the Carousel output, with no black borders on any side of any monitor.
- ☐ The picture settings are adjusted correctly and the monitors look attractive.
- ☐ Each player is showing the correct bulletins.

A.1.4 Verify Carousel Communication

- ☐ You are able to access Carousel from all areas of the facility where access is expected.
- ☐ Each player is showing the correct bulletins.
- ☐ You are able to create a bulletin on a zone on each channel and verify that it appears.
- ☐ You are able to delete a bulletin on a zone on each channel and verify that it disappears.
- ☐ You are able to create full-screen alert bulletins for each channel that has a full screen alert zone assigned to it.
- ☐ Full screen alert zones appear in a timely fashion (under 10 seconds) on each channel.
- ☐ Full screen alert zones disappear, in a timely fashion, when you disable them, for each channel.

A.1.5 Clean Up Testing

- ☐ You delete any test bulletins that you made.

If they did not purchase Tightrope Creative channels or you otherwise created fake zones and/or channels to test the system:



Only delete fake information. If there is customer supplied information on these systems, skip the following steps, as required.

- ☐ You removed all of the zones off of the system.
- ☐ You removed any media that you uploaded into the system
- ☐ You deleted any channels in Carousel. (Only within Carousel. Do not remove any licenses from FrontDoor.)
- ☐ The server and players do not have any USB keys, keyboards or mice that were used for software updates and installation still attached to them.
- ☐ The server and player do not have any left over icons, zip files or installers on their desktops that were a part of the any software updates or configuration.

A.1.6 Communicate With the Customer

- ☐ The customer knows which channels are displaying on which monitors.
- ☐ The customer knows the address of the server and of the players, if the players do not have dynamic addresses.
- ☐ The customer knows the user name and password of the system.
- ☐ The customer is properly registered with Tightrope Media Systems for support and warranty purposes.
- ☐ The customer has a copy of the Carousel Manual and any other supplied documentation
- ☐ The customer knows when training is scheduled.
- ☐ The customer is satisfied with the installation and has no further questions.


Appendix B Web Page Snapshots

Carousel's Web Page Snapshot feature allows you to capture a portion of a web page and display it inside a Web Picture block within a bulletin. Here's how it works:

Step 1: Select a new bulletin that has a "Web Picture" block in it¹.


Step 2: Click "Select webpage" next to the Web Picture block (figure B.1).

FIGURE B.1: Selecting a template with a Web Picture block

A screenshot of a web application dialog box for configuring a Web Picture block. The dialog has a title bar and a close button. It contains several input fields: "Title" with the value "Event Title", "Information" with a text area containing "Additional Information", "Web Picture" with a URL field containing "http://", and "Background" with a dropdown menu showing "(Template Specific)". To the right of the "Web Picture" field is a button labeled "Select webpage" which is highlighted with a yellow rectangle. To the right of the "Background" dropdown is a button labeled "Select|Upload". At the bottom of the dialog are two buttons: "Continue" and "Cancel".

Step 3: Enter the URL of a web site you'd like to capture (figure B.2). If you need to delay the snapshot by a few seconds to allow time for dynamic content to load, enter the number of seconds in the available box.

FIGURE B.2: Enter the URL of the page you'd like to include in the bulletin, and enter a delay if needed

A screenshot of a "Select a webpage" dialog box. The dialog has a title bar with a "close" button. It contains a text area with the text "This utility allows you to take a snapshot of a web page and have it displayed as a picture within Carousel. The snapshot will be periodically refreshed automatically." Below this is a question: "What is the URL of the web page you would like to convert?" followed by a text input field containing "http://www.trms.com". Below that is another question: "Does this web page require a delay for dynamic content to load or scripts to run? (if you don't know, leave it set to 0)?" followed by a text input field containing "0" and the word "seconds". At the bottom is a button labeled "Continue...".

Step 4: Crop the page as needed (figure B.3 on the next page).

Step 5: Click the finish button at the bottom and you are done! See figure B.4 on the following page for the final output.

The web snapshot will update in Carousel every 15 minutes, so the data on that page will always be up to date.

¹ For more information on Web Pictures, see section 17.7.2 on page 158.

FIGURE B.3: Crop the page as needed




FIGURE B.4: The final result





Due to their complexity, Tightrope Media Systems cannot guarantee that Web Page Snapshots will work behind a proxy server.

Potential uses:

- Grab a snapshot of a stock chart from a financial web site.
- Display manufacturing output data from an intranet report page.
- Highlight sales forecasting information from your company sales site.

Appendix C Limited Template Editor

If you are using an older web browser, such as Internet Explorer Version 6, Carousel will automatically provide you with the older-style template editor. This template editor is much more limiting and cumbersome to use, so we do recommend using a more modern web browser, if that is possible.

What follows is a walkthrough of the classic template editor in Carousel.

FIGURE C.1: The Template Editor Form

Template Name: A Title and Body

Description:

Background: (Template Specific) Select

Select Block: Title Delete Move Up Move Back

Block Name: Title Update

Field Style: EditField Medium Update

Add a Block: Text Add

Preview

Position: by: 5 px

Block top: 31 px

Block left: 25 px Update

Size: by: 5 px

Block Width: 750 px

Block height: 97 px Update

Rotate: 0 degrees Update

Default Text: Title

Font: Arial Black

Color: #FFFFFF

Opacity: 100%

Style/Alignment: Bold Italic Underline Strikeout

Sizing: 6 AutoSize Wrap Text

Shadow: On 2 px

Color: #000000

Opacity: 80%

Outline: On

Color: #000000

Opacity: 100%

Backdrop: On

Color: #000000

Opacity: 10%

Backdrop Outline: Off 1 px

Color: #000000

Opacity: 100%


Save Cancel

250K

Step 1: The first order of business will be to name the template and give it a description. The description helps the user determine the original purpose of the template.

Step 2: Next, you select the default background for this template in the **Background** pop-down list. A user may change this at creation time, but they will see this selection first.

FIGURE C.2: Naming a Template



We'll skip over the **Select Block** and **Block Name** fields for now. Before we can use these fields, we need to add a block.

Step 3: In the **Add a Block** pop-down, select the type of block that you would like to create and click the **Add** button.


Step 4: Once you create a block, it will be the selected block, shown in the **Select Block** field. Rename this field to something descriptive, like "Title" or "Message Body" then click the **Update** button.

Step 5: If you've added a text item, you will notice a pair of **Field Style** pop-down lists. The first list denotes the *style* of the entry form that the user will use to enter text. An *edit field* is a single line of text while a *text area* is a multiple line text box. Choose a size that matches the purpose of the block.

The second pop-down next to the **Field Style** label is used to set the size of the field. This does not limit the user from entering more or less text into the field, it only acts to suggest the amount of text by limiting expanding viewable area of text. You can see an example of this in figure C.3.

When you are finished selecting the block's text field size, click the **Update** button to save your changes.

FIGURE C.3: In this example, you can see that the **Title** field was set to **EditField** and **Small**. The **Body** field was set to **TextArea** and **Large**.



Step 6: If you've added a video, picture or web picture block, then you'll see a selection section appear below the preview window. This is where you can select the default file or location (in the case of web pictures) that will be selected when the user first loads this template.

For picture blocks, you'll also find the **Opacity** pop-down, which defaults to **100%**. Adjust this as desired.



Step 7: For all blocks, the **Position** and **Size** tools, figure C.4. You may use the arrow icons  to position and size the block.

FIGURE C.4: The Position and Size Tools



The **Block Top** and **Block Left** fields show the current position of the block, as seen from the upper left corner of the block. The **Block Width** and **Block Height** fields are self explanatory. Changing them will change the dimensions of the block, holding the upper left corner in its place while the lower right corner moves to resize to the new settings.

When you use the **Size** arrow icons  Carousel will resize from the lower right. That means that to heighten a block, you actually need to select the *down* arrow. To widen it, click the *left* arrow.



This is probably the most important tip of the Carousel manual: When you are trying to resize or position a text or picture block, turn on the outline of the block, even if you do not want an outline in the final template. This will show you the outer bounds of the block and save you from endless hours of guessing. Of course, when you're finished, you may turn the outline off if it is not a part of the design.

Step 8: For text blocks, an entire section devoted to the style of the text will appear. At the top, you will see a **Default Text** box. This will initially be set to the name of the block, but you may change it to a more suitable entry.

FIGURE C.5: Text Editing Properties



Everything else in this area of the form is devoted to the style of the text and is organized in rows by **Font**, **Style/Alignment**, **Sizing**, **Shadow** and **Outline**. Everything should be pretty straight forward, with a couple of notable features.

First, Carousel can optionally size a text block based on the block's size and the

amount of text. When **Auto Size** is selected, Carousel ignores the value in the **Sizing** pop-down list and resizes the text to fill the block.

Second, if you do not check the **Wrap Text** checkbox, Carousel will allow text to run off of the side of a block, unless you have **Auto Size** selected. In that case, your text will get very small very quickly. Make sure that the field that you are defining is going only have text that will fit.

Step 9: The last section of the Template Editor form is devoted to the backdrop and outline.

As we mentioned before, it is useful to turn either one of these on while you are getting the block's size and position nailed down. In that role, they can act as visual placement guides.


FIGURE C.6: Editing the Backdrop and Outline


The screenshot shows the 'Backdrop' and 'Outline' settings in the Template Editor. The 'Backdrop' section has a 'Backdrop' dropdown set to 'On' and a 'Backdrop Outline' dropdown set to 'Off' with a '1 px' width. The 'Outline' section has an 'Outline' dropdown set to 'Off' and a '1 px' width. The 'Color' and 'Opacity' settings for both the backdrop and outline are shown, with the backdrop color set to black (#000000) and 10% opacity, and the outline color set to black (#000000) and 100% opacity.

C.1 The Preview Window

As you make changes to your template, the preview window will update automatically. You can force an update by clicking on the refresh icon 🔄. If you click on a block within the preview picture, Carousel will select that block and you can begin editing its properties.

FIGURE C.7: Template Editor's Preview Window



If you would like see a larger example of your template, click on the **Full Screen Preview** icon .

Appendix D Custom Time Format Chart

Format Pattern	Description	Example
d	The day of the month. Single-digit days will not have a leading zero.	7
dd	The day of the month. Single-digit days will have a leading zero.	07
ddd	The abbreviated name of the day of the week: Sun, Mon, Tue, Wed, Thu, Fri, and Sat.	Thu
dddd	The full name of the day of the week: Sunday, Monday, Tuesday, Wednesday, Thursday, Friday and Saturday.	Thursday
M	The numeric month. Single-digit months will not have a leading zero.	8
MM	The numeric month. Single-digit months will have a leading zero.	08
MMM	The abbreviated name of the month: Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec.	Aug
MMMM	The full name of the month: January, February, March, April, May, June, July, August, September, October, November, December.	August
y	The year without the century. If the year without the century is less than 10, the year is displayed with no leading zero.	0
yy	The year without the century. If the year without the century is less than 10, the year is displayed with a leading zero.	00
yyyy	The year in four digits, including the century.	2000
h	The hour in a 12-hour clock. Single-digit hours will not have a leading zero.	4
hh	The hour in a 12-hour clock. Single-digit hours will have a leading zero.	04
H	The hour in a 24-hour clock. Single-digit hours will not have a leading zero.	16
HH	The hour in a 24-hour clock. Single-digit hours will have a leading zero.	16
m	The minute. Single-digit minutes will not have a leading zero.	32
mm	The minute. Single-digit minutes will have a leading zero.	32
s	The second. Single-digit seconds will not have a leading zero.	32
ss	The second. Single-digit seconds will have a leading zero.	32
t	The first character in the AM/PM.	P
tt	The AM/PM designator.	PM
z	The time zone offset (+ or - followed by the hour only). Single-digit hours will not have a leading zero. For example, Pacific Standard Time is -8.	-8
zz	The time zone offset (+ or - followed by the hour only). Single-digit hours will have a leading zero. For example, Pacific Standard Time is -08.	-08
zzz	The full time zone offset (+ or - followed by the hour and minutes). Single-digit hours and minutes will have leading zeros. For example, Pacific Standard Time is -08:00.	-08:00

D.1 Examples

MMMM dd, yyyy : September 15, 2002

M/d/yy : 9/15/2002 (or for the 5th, 9/5/2002)

ddd MMMM dd, yyyy: h:mm:ss tt : Sun. September 15, 2005: 5:27:13 PM

Appendix E PowerPoint: How To Import Slides



New Bulletin: Upload:
Upload a Bulletin Package

As of version 6 of Carousel, directly importing Microsoft PowerPoint presentations is no longer possible. This is because Microsoft has eliminated the features that Carousel depended on for importing and playing slides.

The good news is that we've added features to the *New Bulletin: Upload: Upload a Bulletin Package* menu that makes importing JPEG versions of your slides a breeze.



PowerPoint transitions and videos will not work with the new method of importing presentations.

E.1 Saving PowerPoint Presentations As JPEG or PNG files

The key to importing a PowerPoint presentation is to export all of the slides as JPEG or PNG images. Accomplishing this is very simple:


Step 1: In PowerPoint, choose the **Save As...** option from the **File** menu or the **Office** icon.



If you click on the arrow to open the sub-menu, you'll have to pick the **Other Formats** option. Otherwise, just click on the **Save As** option.

Step 2: Choose either "JPEG File Interchange Format" or "PNG Portable Network Graphics Format", as we do in figure E.1.

FIGURE E.1: Saving a presentation as a list of PNG files




Step 3: The dialog box in figure E.2 on the following page will appear. Choose the **Every Slide** option to export every slide of your presentation.



If you want only a sub-set of slides, delete the excluded slides and save. You can always undo this action when you're done exporting the slides.


FIGURE E.2: Have it save every slide



E.2 Making the Zip File

Step 4: Find the folder that was created, which has the name of the presentation and contains all of the slides.

FIGURE E.3: Make the folder into a ZIP file



Step 5: Right-click on the folder and choose **Send To -> Compressed (zipped) Folder**. (figure E.3) This will be the file that Carousel will import.

E.3 Importing the Slides Into Carousel




New Bulletin:
Uploaded: Upload a Bulletin Package

Step 6: In Carousel, go to *New Bulletin: Uploaded: Upload a Bulletin Package*

Step 7: Choose the zip file that you created in step 5.


Step 8: Click the upload button. (figure E.4)

FIGURE E.4: Importing a zip file as a bulletin package




Step 9: Carousel will confirm that your bulletins were processed, as you can see in figure E.5. It's a great idea to use the **Save To Group** feature, which clumps all of your slides into one group, ordered by slide number.

FIGURE E.5: *Upload Bulletin Package Confirmation* form. **Save To Group** is a nice way to organize your PowerPoint presentation within Carousel



If you chose the **Save** option instead, your slides will be placed individually and in order, but will be harder to delete and otherwise manage the presentation.

FIGURE E.6: The presentation imported as a group



Appendix F Live TV Input (TVI) Devices

This appendix describes how to configure and add (if needed) supported TVI input devices to a Carousel Player.

F.1 TVOne Hardware

Here we go over how to add and configure an external TVOne T1-C2-750 scaler box (figure F.1) to a Carousel Player.

FIGURE F.1: The TVOne hardware



The T1-C2-750 is an external scaler that composites (picture in picture or PIP) the Carousel output with other HD video sources. These instructions assume you are familiar setting up the T1-C2-750 unit, for more information go to the TVOne website at <http://www.TVOne.com>. While Carousel will only turn on, turn off, and position the PIP window it assumes that other settings have been pre-configured in the TVOne.



Tightrope can not help you configure the TVOne unit, if you do not know how to use TVOne products please contact TVOne tech support.

F.1.1 Steps to setup TVOne T1-C2-750

- Step 1:** Connect Carousel into **DVI-I 1**
- Step 2:** Connect your HD video source into **DVI-I 2**
- Step 3:** Connect the **HD/PC SCALED OUT** to your monitor or distribution equipment
- Step 4:** Connect the **RS232** port to the serial port of the Carousel unit
- Step 5:** On the TVOne using the onscreen menus or the **C2 Control Panel** software, configure the following...
- Step 6:** Configure the **Output resolution** in the **Output** tab is the same resolution as the Carousel unit's output resolution
- Step 7:** Configure **Window A** in the **Windows** tab to **Input Source DVI-I 1** aka the Carousel input
- Step 8:** Configure **Window B** in the **Windows** tab to **Input Source DVI-I 2** aka the HD video source
- Step 9:** Launch the **Carousel Display Engine** shortcut on the desktop and click the **Configure** button.

Step 10: In the configuration window, look for the **Live Video Input: Device** section and select the TVOne T1-C2-750 on the appropriate COM port



Remember: Carousel only sets to on/off state and position of the PIP window. To make setup easier, you can turn on the PIP window and position it manually to verify that both sources are working correctly then let Carousel fine tune the positioning. Furthermore, any other settings/processing you manually configure stay active during Carousel control.


F.2 AVerMedia Hardware

Here we go over how to configure the internal AVerMedia capture card which is an option in the 300-series models of Carousel hardware. The AVerMedia capture card is capable of taking in Composite, Component, S-Video, and HDMI signals.

F.2.1 Steps to setup AVerMedia in Carousel

- Step 1:** Connect your video source to the AVerMedia card in the Carousel machine using the included breakout cable plugged into the port labeled **AV IN** or by plugging HDMI directly into the port labeled **HDMI**.
- Step 2:** Next, launch the **Carousel Display Engine** shortcut on the desktop and click the **Configure** button.
- Step 3:** In the configuration window, look for the **Live Video Input: Device** section and select the **AVerMedia** device.

FIGURE F.2: Configuring the Display Engine



At this point, your hardware and software are now configured. See section 15.12 on page 132 for information on creating Live Video bulletins using the TVI box.

F.3 Contemporary Research and AVerMedia Hardware

This appendix describes how to configure the Contemporary Research 232-ATSC+ along with the internal AVerMedia capture card which is an option in the 300-series models of Carousel hardware. The 232-ATSC+ allows the tuning of channels via a RS-232 connection, and must be connected to the AVerMedia card via component cables.



You **MUST** connect the 232-ATSC+ to the internal AVerMedia card via component a connection, all other connections will not work.

F.3.1 Steps to setup 232-ATSC+ with AVerMedia in Carousel

- Step 1:** Connect power and a signal wire (ATSC or Cable) to the Contemporary Research 232-ATSC+.
- Step 2:** Use a female to female null modem RS-232 cable to connect the Carousel hardware to the 232-ATSC+.
- Step 3:** Connect your 232-ATSC+ to the AVerMedia breakout cable using a component cable.
- Step 4:** Next, launch the **Carousel Display Engine** shortcut on the desktop and click the **Configure** button.
- Step 5:** In the configuration window, look for the **Live Video Input: Device** section and select the **Contemporary Research on Port 1** device as you see in figure F.2 on the preceding page

At this point, your hardware and software are now configured. See section 15.12 on page 132 for information on creating Live Video bulletins using the TVI box.

İzE

Appendix G Common Alert Protocol (CAP)

Carousel 6.3 and up support the Common Alert Protocol (CAP). It provides an XML interface for creating bulletins. Using this feature, it is possible to integrate external systems, such as alarm systems, using simple programs developed in the field.



This chapter is not a primer on XML or programming. It is intended for those that are already somewhat familiar with such technology and are seeking to integrate Carousel into data systems.

CAP is implemented by sending a properly formed XML-based command to the Carousel server, which will reply with a JSON hash with any errors and bulletins affected.

G.1 Communications

Communication between CAP applications and Carousel is initiated with a HTTP POST containing raw XML targeted to:

```
<server>/Carousel/Public/cap.aspx?token=<token>&tags=tag1,tag2
```

The Carousel server will listen for a *CAPPOST* command to be sent to this address. Upon receiving a well-formed command, the server will process it and return a *JSON hash* response containing any errors and bulletins affected. If you do a GET on the URL above, you can see a form to paste XML into for testing.

The *token* variable in the above address is the security token for authentication. This is stored in the TRMS\Web\Carousel\web.config file under the *CAPTToken* key, and is empty by default which disables CAP. Enter a string for *CAPTToken* in the web.config to enable CAP, and use this value as your *token* variable when communicating with CAP in Carousel. The *tags* variable determines what Carousel bulletin tags are affected by the incoming *CAPPOST* command.

G.2 Workflow of CAP

First, we find all bulletins on any zone that are tagged with any tag specified in the query string. Next, we look for blocks in the bulletins that have names that match tags in the CAP XML. Specifically, anything under the info tag inside alert will get mapped to a block (i.e. category, severity, etc.). The *eventCode* tag contents get interpreted as a separate name -> value mappings (i.e. alertCategory -> Emergency Alert). Each value in the mapping gets inserted into a text block's text or web picture block's URL and then the bulletin gets re-rendered. We then activate the bulletin by setting all of the days in the schedule to be *on*.

If the /alert/info/event or /alert/info/description values are "CLEAR", we will deactivate the bulletin.



In Carousel 6.3 we did this by setting all the days of the week to off.
In Carousel 6.4 and up we set the status of the bulletin to be disabled (represented by a grey status dot).

Care should be taken with bulletins that are intended to be used for CAP so that they are tagged properly. This means when creating a new bulletin for use in CAP all of the days of the week on the schedule screen should be unchecked. Unless you have different CAP bulletins for different days of the week. In this case you would want to immediately move your new CAP bulletin into the Stale Bulletins area after creation.

See below for an example of CAPPOST command XML data.

```
<?xml version="1.0" encoding="UTF-8"?>
<alert xmlns="urn:oasis:names:tc:emergency:cap:1.1">
<identifier>255</identifier>
<sender></sender>
<sent>2011-07-05T17:46:09+00:00</sent>
<status>Actual</status>
<msgType>Alert</msgType>
<scope>Public</scope>
<info>
<category>Safety</category>
<event>Important Alert from UTEP</event>
<urgency>Unknown</urgency>
<severity>Unknown</severity>
<certainty>Unknown</certainty>
<audience>127.0.0.1</audience>
<eventCode>
<valueName>alertCategory</valueName>
<value>Emergency Alert</value>
</eventCode>
<headline>Important Alert from RSAN</headline>
<description>Test Test Test Test</description>
</info>
</alert>
```

İzE

Appendix H Remote Data Adaptor

Carousel Pro and Carousel Enterprise include a special feature called the Remote Data Adaptor (RDA). It provides an XML interface for creating bulletins. Using this feature, it is possible to integrate external systems, such as databases and building systems, using simple programs developed in the field.



This chapter is not a primer on XML, XSD, database integration, or programming. It is intended for those that are already somewhat familiar with such technology and are seeking to integrate Carousel into data systems.

RDA is implemented by sending a properly formed XML-based command to the Carousel server, which will reply with an XML-based response. XML commands are validated against the *CarouselRemoteCommand* schema, which is illustrated later on in section [H.5](#) on page [213](#).

H.1 Communications

Communication between other applications and Carousel is initiated on a TCP/IP socket connection using port 56906. The Carousel server will listen on this port for a *CarouselCommand*. Upon receiving a well-formed command, the server will process it and return a *CarouselResponse*.

Using the *CarouselCommand*, your application will have the tools to dynamically create bulletins and crawls. Using the information that Carousel returns in *CarouselResponse*, you also have the ability to manage those bulletins.




FIGURE H.1: An application or script sits between your data and Carousel. It communicates on TCP port 56906 and sends Carousel a *CarouselCommand* XML data structure. Carousel returns a *CarouselResponse*, which is a status or error.

H.2 Workflow of RDA

Generally, applications that interact with Carousel through RDA will follow a standard workflow. Bulletins and crawls are created and controlled by the RDA using a valid FrontDoor user account, just as if you were creating and controlling bulletins through Carousel's web interface. By establishing a user account and templates specifically for RDA, you can construct remarkably powerful applications with very little hassle.

A *CarouselCommand* consists of one of many unique commands. If your application wishes to create a bulletin on Carousel, it would first construct a *CreatePage* command, specifying the template it wants to use and the text it wants to place within the template. The application would then send the command to Carousel, and assuming success, Carousel responds in kind with a success message with a unique identifier for the new bulletin.

This Global Unique Identifier (*GUID*) is used so your application can later send a command that references that specific bulletin, either to delete it, deactivate it, or otherwise change its status.

Example: Someone passes through a security gate. An application looks up the person in the company's database then sends a *CarouselCommand* to create a new bulletin, using a special template that welcomes the person by name. Fifteen seconds later,

the application sends a *delete* command that includes the GUID, so that Carousel knows to delete that bulletin.

Example: A fire alarm is tripped and a special application interacts with Carousel to inform people of the appropriate exit plan. First, the application sends a *deactivate* command, which deactivates all current alert bulletins on the target zones. Then it creates a series of alert bulletins on those same zones using the *CreateAlertPage* command. Each zone, unique to specific parts of the building, then displays 4 or 5 bulletins that give relevant exit information, based on the alarm that was triggered and the location of the display. When the alarm is canceled, the application sends another *deactivate* command.

As you read through the rest of this chapter, you will get an idea of how Carousel's *CarouselCommand* structure and the information contained in the *CarouselResponse* help create a powerful tool for integrating Carousel with external systems.

H.3 Elements of CarouselCommand

The following commands are available in the *CarouselCommand* data structure:

CreatePage : Creates a bulletin from a template.

CreateCrawl : Creates a crawl bulletin.

ChangePageStatus : Get the status of bulletins that you create with your application.

DeletePage : Changes a bulletin's status.

ArchivePage : Moves a bulletin to the users "saved" folder.

SetPageStatus : Sets the status of a particular page. Current=1, Queued=2, Hold=4, Saved=8, Stale=16.

DeleteAllUserPages : Deletes all of a user's bulletins.

DeactivateAllAlertPages : Deactivates all alert bulletins on a specified zone.

UpdatePage : Updates a current bulletin.

GetPlayerStatus : Returns an array of status messages for all of the players on your Carousel system.

GetBulletinList : Returns an array of bulletins that are in a zone.

GetTemplateList : Returns an array of templates that are in a zone.

GetZoneList : Returns an array of zones that a user has access to.

GetVideoList : Returns a list of video elements that contain a name, value (GUID), and URLs for a preview image.

GetPictureList : Returns a list of picture elements that contain a name, value (GUID), and URLs for a preview image.

When creating an application that sends data to Carousel, you will include some or all of the following information in your *CarouselCommand*:

Username : This is the username that was created in FrontDoor that the application will use to authenticate. Bulletins created via RDA will be owned by this user. Generally, this will be an account used exclusively by the RDA plug-in.

Password : This is the password associated with the above username that the application will use to authenticate.



Think twice before using a “real-life” user account with RDA. By using a new account specifically for RDA, you won’t run the risk of programmatically deleting someone else’s bulletins!

GUID : This is a bulletin’s unique identifier. When you create a page using RDA, Carousel will return a success code that includes this GUID. Your application should save this information so that it can later manipulate it through RDA.

SelectBulletinTags : Instead of referring to bulletins via their GUIDs, you can select bulletins to update using Bulletin Tags. An example of this is shown in section [H.5.2](#) on page 215.

ZoneSet : A list of Carousel zones on which the bulletin you are creating is to be displayed. Inside of a ZoneSet you can refer to zones by their ZoneID, their ZoneName, or by specifying a ZoneTag (all zones with that ZoneTag will be used).

Template Name : This is the name of the template Carousel will use to render the bulletin.

Blocks : This is a list of the blocks (referenced by name) within the above specified template. Each block has a value that will be used to render the text for that block.



To determine the ZoneID, visit the **Main Menu : Extras** page for the Zone of interest. In the links for the RSS feeds and Public site, you should see a “ZoneID=X” parameter. The “X” is your Zone ID.

Additionally, the Blocks command noted above now also returns a “type” field, along with the original “value”. You can specify the block type when updating a bulletin, but this is not required. (It will keep the block type it is currently using.) The Block types are:

TRMSTextBlock : The specified value will be the text of the block.

TRMSWebPictureBlock : The value specifies a URL for an image.

TRMSPictureBlock : The value specifies a GUID for an image (see GetPictureList).

TRMSVideoBlock : The specified value will be a GUID for a video media item (see GetVideoList).

TRMSVideoURL : The value specifies a URL for a live stream video bulletin.

TRMSRSSURL : The value specifies a URL for the feed in an RSS bulletin or crawl.

There are several other parameters to each of the *CarouselCommands*. For more details, see section [H.5.2](#) on the next page, [Command Examples](#).

H.4 Elements of CarouselResponse

After sending a *CarouselCommand*, a response will be generated indicating the result of the command. Common response data includes:

Result : Either “Success” or “Error” depending on whether the associated command has successfully executed.

Description : A short message describing what happened as a result of the command. If the result was an error, the message will state what went wrong.

GUID : If bulletins were created, there will be a GUID listed for each bulletin.

PlayerStatusList : If you set a `GetPlayerStatus` command, this will contain a list of player statuses for all of the players in your Carousel system.

For examples, see section [H.5.3](#) on page 217.

H.5 Schema and Examples

This section contains the full `CarouselRemoteCommand` XSD, plus an example of each command.

H.5.1 CarouselRemoteCommand XSD

The XSD file for RDA can be found living in the same directory as the Carousel Service. Typically, this will be:

`"D:\TRMS\Services\Carousel\CarouselRemoteCommand.xsd"`.

H.5.2 Command Examples

In this section, we'll demonstrate RDA's power through some examples.

CreatePage

Here's a *CreatePage* command, filled with descriptive comments

```
<?xml version="1.0" encoding="utf-8" ?>
<CarouselCommand xmlns="http://www.trms.com/CarouselRemoteCommand">
  <CreatePage>
    <!-- Login info -->
    <UserName>John</UserName>
    <Password>trms</Password>

    <!-- This page will run on ZoneID 1. -->
    <ZoneSet>
      <ZoneID>1</ZoneID>
    </ZoneSet>

    <!-- This page will run on a schedule, defined below. -->
    <AlwaysOn>false</AlwaysOn>

    <!-- Start running the page on Oct 26 at midnight -->
    <DateTimeOn>2005-10-26T00:00:00</DateTimeOn>

    <!-- Stop at the last second of Oct 29th -->
    <DateTimeOff>2005-10-29T23:59:59</DateTimeOff>

    <!-- Only run the page from 8am... -->
    <CycleTimeOn>08:00:00</CycleTimeOn>

    <!-- ...to 5pm on the above days -->
    <CycleTimeOff>17:00:00</CycleTimeOff>

    <!-- Display this page for 30 seconds each cycle. -->
    <DisplayDuration>30</DisplayDuration>
```

```

<!-- Show the page every day -->
<Weekdays>127</Weekdays>

<!-- Allow the page to be seen on the web -->
<WebEnabled>>true</WebEnabled>

<!-- An optional description of this page. -->
<Description>This is a sample page that we created
via the remote command system.</Description>

<!-- This is a standard page, not an alert page -->
<PageType>Standard</PageType>

<!-- Use the "Title Body" template -->
<PageTemplate>
  <TemplateName>Title Body</TemplateName>
  <!-- Stick "Hello" into the Title block -->
  <Block Name="Title" Value="Hello" />
  <!-- Stick "World" into the body block -->
  <Block Name="Body" Value="World!" />
</PageTemplate>
</CreatePage>
</CarouselCommand>

```

CreatePage: Same bulletin on multiple zones with ZoneTagging

Here's a *CreatePage* command that will create the same bulletin on several zones using the *ZoneSet* element:

```

<?xml version="1.0" encoding="utf-8" ?>
<CarouselCommand xmlns="http://www.trms.com/CarouselRemoteCommand">
  <CreatePage>
    <UserName>John</UserName>
    <Password>trms</Password>

    <!-- List the zones to which this bulletin should be sent -->
    <ZoneSet>
      <ZoneTag>EastCampus</ZoneTag>
      <ZoneID>4</ZoneID>
      <ZoneID>5</ZoneID>
      <ZoneTag>Libraries</ZoneTag>
      <ZoneName>Classroom320</ZoneName>
      <ZoneID>4</ZoneID>
      <ZoneName>MiddlebrookHall</ZoneName>
    </ZoneSet>

    <AlwaysOn>true</AlwaysOn>
    <PageType>Standard</PageType>
    <PageTemplate>
      <TemplateName>Title Body</TemplateName>

```

```

        <Block Name="Title" Value="Hello" />
        <Block Name="Body" Value="World!" />
    </PageTemplate>
</CreatePage>
</CarouselCommand>

```

UpdatePage: Updating existing Bulletins with SelectBulletinTags

```

<?xml version="1.0" encoding="utf-8" ?>
<CarouselCommand xmlns="http://www.trms.com/CarouselRemoteCommand">
    <UpdatePage>
        <UserName>John</UserName>
        <Password>trms</Password>
        <SelectBulletinTags>
            <Tag>DailyAnnouncement</Tag>
        </SelectBulletinTags>
        <Block Name="Title" Value="Today's announcement" />
        <ExclusiveAlertOn>true</ExclusiveAlertOn>
    </UpdatePage>
</CarouselCommand>

```

CreateCrawl

Here's a sample *CreateCrawl* command:

```

<?xml version="1.0" encoding="utf-8" ?>
<CarouselCommand xmlns="http://www.trms.com/CarouselRemoteCommand">
    <CreateCrawl>
        <UserName>John</UserName>
        <Password>trms</Password>
        <CrawlText>This is the text I'd like to see
at the bottom of the screen.</CrawlText>
        <ZoneSet>
            <ZoneID>3</ZoneID>
        </ZoneSet>
        <AlwaysOn>false</AlwaysOn>
        <DateTimeOn>2005-10-26T00:00:00</DateTimeOn>
        <DateTimeOff>2005-10-29T23:59:59</DateTimeOff>
        <Weekdays>127</Weekdays>
        <WebEnabled>true</WebEnabled>
    </CreateCrawl>
</CarouselCommand>

```

ChangePageStatus

Here's how to change a bulletin's status using the *ChangePageStatus* command:

```

<?xml version="1.0" encoding="utf-8" ?>
<CarouselCommand xmlns="http://www.trms.com/CarouselRemoteCommand">
    <!-- This command will set the status of
the specified page to on. -->

```

```

    <ChangePageStatus>
      <UserName>John</UserName>
      <Password>trms</Password>
      <GUID>77c0592c-e13e-46de-b2dc-5617e119452a</GUID>
      <Status>on</Status>
    </ChangePageStatus>
  </CarouselCommand>

```

DeletePage

Deleting bulletins is easy, as long as you know the GUID of the bulletin you want to remove:

```

<?xml version="1.0" encoding="utf-8" ?>
<CarouselCommand xmlns="http://www.trms.com/CarouselRemoteCommand">
  <!-- This command will delete the specified page,
        assuming that the user John has permission to do so. -->
  <DeletePage>
    <UserName>John</UserName>
    <Password>trms</Password>
    <GUID>77c0592c-e13e-46de-b2dc-5617e119452a</GUID>
  </DeletePage>
</CarouselCommand>

```

DeleteAllUserPages

The *DeleteAllUserPages* command deletes all bulletins associated with a particular user. If you use a specific account for creating all RDA bulletins, this command is a quick way to clear them all out.

```

<?xml version="1.0" encoding="utf-8" ?>
<CarouselCommand xmlns="http://www.trms.com/CarouselRemoteCommand">
  <!-- Sending this command will permanently
        delete ALL pages created by John -->
  <DeleteAllUserPages>
    <UserName>John</UserName>
    <Password>trms</Password>
  </DeleteAllUserPages>
</CarouselCommand>

```

DeactivateAllAlertPages

If you have alert bulletins running the *DeactivateAllAlertPages* command will turn them all off at once:

```

<?xml version="1.0" encoding="utf-8" ?>
<CarouselCommand xmlns="http://www.trms.com/CarouselRemoteCommand">
  <!-- Sending this command will turn off all
        alert pages on a Zone. -->
  <DeactivateAllAlertPages>

```



```

        <UserName>John</UserName>
        <Password>trms</Password>
        <Zone>all</Zone>
    </DeactivateAllAlertPages>
</CarouselCommand>

```

H.5.3 Response Examples

Here's a typical response after sending a *CreatePage* command:

```

<?xml version="1.0" encoding="utf-8" ?>
<CarouselResponse xmlns="http://www.trms.com/CarouselRemoteCommand">
    <Result>Success</Result>
    <Description>Pages were sucessfully created.</Description>
    <GUID>77c0592c-e13e-46de-b2dc-5617e119452a</GUID>
</CarouselResponse>

```

And here is a typical error response:

```

<?xml version="1.0" encoding="utf-8" ?>
<CarouselResponse xmlns="http://www.trms.com/CarouselRemoteCommand">
    <Result>Error</Result>
    <Description>The specified page GUID does not exist.</Description>
</CarouselResponse>

```

Here is a sample response to the *GetPlayerStatus* command:

```

<?xml version="1.0" encoding="utf-8" ?>
<CarouselResponse xmlns="http://www.trms.com/CarouselRemoteCommand">
    <Result>Success</Result>
    <PlayerStatusList>
        <PlayerStatus>
            <HostName>PLAYER1</HostName>
            <HostAddress>192.168.0.1</HostAddress>
            <HardwareID>XXXX</HardwareID>
            <VersionStatus>OK</VersionStatus>
            <PlayerVersion>6.0.0</PlayerVersion>
            <CheckinStatus>OK</CheckinStatus>
            <LastCheckinUTC>2009-06-17T00:00:00</LastCheckinUTC>
            <SubscribedChannelName>Channel1</SubscribedChannelName>
        </PlayerStatus>
        <PlayerStatus>
            <HostName>PLAYER2</HostName>
            <HostAddress>192.168.0.2</HostAddress>
            <HardwareID>XXXX</HardwareID>
            <VersionStatus>OK</VersionStatus>
            <PlayerVersion>6.0.0</PlayerVersion>
            <CheckinStatus>OK</CheckinStatus>
            <LastCheckinUTC>2009-06-17T00:00:00</LastCheckinUTC>
            <SubscribedChannelName>Channel2</SubscribedChannelName>
        </PlayerStatus>
    </PlayerStatusList>
</CarouselResponse>

```

```
</PlayerStatusList>  
</CarouselResponse>
```

H.6 RDA Schema

This section contains the RDA Schema. If you are familiar with XML, this may be helpful information for you.

```

[obeytabs=true, tabsize=4]
<?xml version="1.0" encoding="utf-8"?>
<xs:schema id="CarouselRemoteCommand" targetNamespace="http://www.trms.com/CarouselRemoteCommand" elementFormDefault="qualified">
  <xs:element name="CarouselCommand">
    <xs:annotation>
      <xs:documentation>
        A Carousel Command consists of exactly one of the following commands:
        - CreatePage
        - CreateCrawl
        - ChangePageStatus
        - DeletePage
        - DeleteAllUserPages
        - DeactivateAllAlertPages
        - GetPlayerStatus
        - UpdatePage
        - GetZoneList
        - GetTemplateList
        - GetBulletinList
        - GetPictureList
        - GetVideoList
        - ArchivePage
        - SetPageStatus
        Definitions of the commands are described later.
      </xs:documentation>
    </xs:annotation>
    <xs:complexType>
      <xs:sequence>
        <xs:choice>
          <xs:element name="CreatePage" type="ctCreatePage" />
          <xs:element name="CreateCrawl" type="ctCreateCrawl" />
          <xs:element name="ChangePageStatus" type="ctChangePageStatus" />
          <xs:element name="DeletePage" type="ctDeletePage" />
          <xs:element name="DeleteAllUserPages" type="ctDeleteAllUserPages" />
          <xs:element name="DeactivateAllAlertPages" type="ctDeactivateAllAlertPages" />
          <xs:element name="GetPlayerStatus" type="ctGetPlayerStatus" />
          <xs:element name="UpdatePage" type="ctUpdatePage" />
          <xs:element name="GetZoneList" type="ctGetZoneList" />
          <xs:element name="GetTemplateList" type="ctGetTemplateList" />
          <xs:element name="GetBulletinList" type="ctGetBulletinList" />
          <xs:element name="GetPictureList" type="ctGetPictureList" />
          <xs:element name="GetVideoList" type="ctGetVideoList" />
          <xs:element name="ArchivePage" type="ctArchivePage" />
          <xs:element name="SetPageStatus" type="ctSetPageStatus" />
        </xs:choice>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="CarouselResponse">
    <xs:annotation>
      <xs:documentation>
        After sending a CarouselCommand, expect a CarouselResponse.
      </xs:documentation>
    </xs:annotation>
  </xs:element>
</xs:schema>

```

- The Result will be either "Success" or "Error".
- The optional Description field will contain any details.
- The optional GUID fields will contain the GUID of pages created via a CreatePage or CreateCrawl command.
- The optional PlayerStatusList field will contain a list of player statuses if this is a response to a Get

```

</xs:documentation>
</xs:annotation>
<xs:complexType>
  <xs:sequence>
    <xs:element name="Result" type="xs:string" maxOccurs="1" minOccurs="1" />
    <xs:element name="Description" type="xs:string" maxOccurs="1" minOccurs="0" />
    <xs:element name="GUID" type="xs:string" maxOccurs="unbounded" minOccurs="0" />
    <xs:element name="PlayerStatusList" type="ctPlayerStatusList" minOccurs="0" maxOccurs="1" />
    <xs:element name="Zone" type="ctZone" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="Template" type="ctTemplate" maxOccurs="unbounded" minOccurs="0" />
    <xs:element name="Bulletin" type="ctBulletin" minOccurs="0" maxOccurs="unbounded" />
    <xs:element name="Media" type="ctMedia" maxOccurs="unbounded" minOccurs="0" />
  </xs:sequence>
</xs:complexType>
</xs:element>
<xs:complexType name="ctChangePageStatus">
<xs:annotation>
  <xs:documentation>
    This command allows you to make a user's page active or inactive.
    For example, after creating a page to run every day all day for the next month, let's say
    you decide that it shouldn't be run for the next few hours. Use this command to set it's
    status to "off" until you're ready for it to go back on the air, at which point you'd set
    it's status back "on."
  </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:choice maxOccurs="1" minOccurs="1">
    <xs:element name="GUID" type="xs:string" />
    <xs:element name="SelectBulletinTags" type="ctBulletinTagList" />
  </xs:choice>
  <xs:element name="Status" type="xs:string" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctDeletePage">
<xs:annotation>
  <xs:documentation>
    This command allows you to delete a particular page (owned by UserName) from the system. This deletion is
    If you'd rather turn the page off for some time, use ChangePageStatus.
  </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="GUID" type="xs:string" />
</xs:sequence>
</xs:complexType>

```

- UserName is a valid user in FrontDoor.
- Password is UserName's password.
- GUID is the identifier for the page you wish to modify, which was returned when you created the page. This page must be owned by UserName.
- Status is either "on" or "off".

```

This page must be owned by UserName.
</xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="GUID" type="xs:string" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctDeleteAllUserPages">
<xs:annotation>
  <xs:documentation>
    This command will delete all pages created by the specified UserName.
    - UserName is a valid user in FrontDoor.
    - Password is UserName's password.
  </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctDeactivateAllAlertPages">
<xs:annotation>
  <xs:documentation>
    This command allows you to deactivate all alert pages on a Zone. Note that the alert pages aren't
    deleted. Instead, their expire time is set to now. They will then be automatically moved to the Stale page
    of the user who created the alert page.
    - UserName is a valid user in FrontDoor.
    - Password is UserName's password.
    - ZoneSet restricts the deactivation to a certain set of Zones. Alert pages on Zones not in the ZoneSet are
    - (Zone is deprecated. Use ZoneSet instead.)
  </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:choice maxOccurs="1" minOccurs="1">
<xs:element name="Zone" type="xs:string" />
<xs:element name="ZoneSet" type="ctZoneSet" />
  </xs:choice>
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctCreateCrawl">
<xs:annotation>
  <xs:documentation>
    This command will create or update a crawl on the system.
    - UserName is a valid user in FrontDoor.
    - Password is UserName's password.
    - UpdateGUID is the optional identifier for the crawl you wish to update. If not specified, this will become
    - SelectBulletinTags when used instead of UpdateGUID will be used to send this command to multiple crawls
    - CrawlText is the text you'd like to crawl.
  </xs:documentation>

```

- ZoneSet specifies the zones on which this crawl should run. See the documentation for ctZoneSet.
- (Zone is deprecated. Use ZoneSet instead.)
- AlwaysOn sets the crawl to always run until manually deleted or turned off.
- DateTimeOn sets the date and time that the crawl will become active. (Overridden if AlwaysOn=true)
- DateTimeOff sets the date and time that the crawl will deactivate. (Overridden if AlwaysOn=true)
- CycleTimeOn sets the time that the crawl will start beign shown on any given day. (Overridden if AlwaysOn=true)
- CycleTimeOff sets the time that the crawl will stop being shown on any given day. (Overridden if AlwaysOn=true)
- Weekdays is a byte determining which days of the week the crawl will be show. (Overridden if AlwaysOn=true)
- WebEnabled determines if this crawl should be displayed on Carousel's public web site. If not supplied, default is false.
- Description is an optional text-based description for the crawl.

```

    </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:choice maxOccurs="1" minOccurs="0">
    <xs:element name="UpdateGUID" type="xs:string" />
    <xs:element name="SelectBulletinTags" type="ctBulletinTagList" />
  </xs:choice>
  <xs:element name="CrawlText" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:choice maxOccurs="1" minOccurs="1">
    <xs:element name="Zone" type="xs:string" />
    <xs:element name="ZoneSet" type="ctZoneSet" />
  </xs:choice>
  <xs:element name="AlwaysOn" type="xs:boolean" maxOccurs="1" minOccurs="1" />
  <xs:element name="DateTimeOn" type="xs:dateTime" maxOccurs="1" minOccurs="0" />
  <xs:element name="DateTimeOff" type="xs:dateTime" maxOccurs="1" minOccurs="0" />
  <xs:element name="CycleTimeOn" type="xs:time" maxOccurs="1" minOccurs="0" />
  <xs:element name="CycleTimeOff" type="xs:time" maxOccurs="1" minOccurs="0" />
  <xs:element name="Weekdays" type="xs:byte" maxOccurs="1" minOccurs="0" />
  <xs:element name="WebEnabled" type="xs:boolean" maxOccurs="1" minOccurs="0" />
  <xs:element name="Description" type="xs:string" maxOccurs="1" minOccurs="0" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctCreatePage">
</xs:complexType>
</xs:annotation>
<xs:documentation>
  This command will create or update a page on the system.
  <xs:documentation>
    - UserName is a valid user in FrontDoor.
    - Password is UserName's password.
    - UpdateGUID is the optional identifier for the page you wish to update. If not specified, this will become a new page.
    - SelectBulletinTags when used instead of UpdateGUID will send this command to multiple bulletins matching the specified tags.
    - ZoneSet specifies the zones on which this bulletin should run. See the documentation for ctZoneSet.
    - (Zone is deprecated. Use ZoneSet instead.)
    - AlwaysOn sets the page to always run until manually deleted or turned off.
    - DateTimeOn sets the date and time that the page will become active. (Overridden if AlwaysOn=true)
    - DateTimeOff sets the date and time that the page will deactivate. (Overridden if AlwaysOn=true)
    - CycleTimeOn sets the time that the page will start beign shown on any given day. (Overridden if AlwaysOn=true)
    - CycleTimeOff sets the time that the page will stop being shown on any given day. (Overridden if AlwaysOn=true)
    - DisplayDuration forces the page to be displayed for a given number of seconds. If not specified, the system default is 30 seconds.
    - Weekdays is a byte determining which days of the week the page will be show. (Overridden if AlwaysOn=true)
    - WebEnabled determines if this page should be displayed on Carousel's public web site. If not supplied, default is false.
  </xs:documentation>
</xs:documentation>

```

- Description is an optional text-based description for the page.
- PageType is either "standard" or "alert". Any active alert pages will override all active standard pages
- PageTemplate determines which Carousel template this page should use. If you are updating a page, you may

```

    </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:choice maxOccurs="1" minOccurs="1">
<xs:element name="Zone" type="xs:string" />
<xs:element name="ZoneSet" type="ctZoneSet" />
  </xs:choice>
  <xs:element name="AlwaysOn" type="xs:boolean" maxOccurs="1" minOccurs="1" />
  <xs:element name="DateTimeOn" type="xs:dateTime" maxOccurs="1" minOccurs="0" />
  <xs:element name="DateTimeOff" type="xs:dateTime" maxOccurs="1" minOccurs="0" />
  <xs:element name="CycleTimeOn" type="xs:time" maxOccurs="1" minOccurs="0" />
  <xs:element name="CycleTimeOff" type="xs:time" maxOccurs="1" minOccurs="0" />
  <xs:element name="DisplayDuration" type="xs:int" maxOccurs="1" minOccurs="0" />
  <xs:element name="Weekdays" type="xs:byte" maxOccurs="1" minOccurs="0" />
  <xs:element name="WebEnabled" type="xs:boolean" maxOccurs="1" minOccurs="0" />
  <xs:element name="Description" type="xs:string" maxOccurs="1" minOccurs="0" />
  <xs:element name="PageType" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="PageTemplate" maxOccurs="1" minOccurs="1" type="ctTemplate" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctTemplate">
<xs:annotation>
  <xs:documentation>
A template is identified by the TemplateName, which corresponds to the list of templates
in the Carousel Web Interface. In a template, there can be several blocks of text. If you
want to enter text in a particular block, it must be listed here.
You can set the text of 0 or more blocks, regardless of the number of blocks in the template.
An attempt to set the text of a block that cannot be found inside the template will be ignored.
</xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="TemplateName" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="Block" type="ctBlock" minOccurs="0" maxOccurs="unbounded" />
  <xs:element name="PreviewImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
  <xs:element name="TinyImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
  <xs:element name="ThumbnailImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
  <xs:element name="FullImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctBlock">
<xs:annotation>
  <xs:documentation>
Each block inside a template has a unique Name. To set the text in a block, provide
the text in the Value attribute.
</xs:documentation>
</xs:annotation>
<xs:attribute name="Name" type="xs:string" use="required" />

```

```

<xs:attribute name="Value" type="xs:string" use="required" />
<xs:attribute name="Type" type="xs:string" use="optional" />
  </xs:complexType>
  <xs:complexType name="ctZoneSet">
<xs:annotation>
  <xs:documentation>
A ZoneSet is used to represent a collection of Zones in the system.
You can specify zones by their ID or Name, or you can specify a Zone Tag and all zones with that tag will be returned.
You can use as many ZoneID, ZoneName, and ZoneTag elements as you'd like, and you can specify them in any order.
  </xs:documentation>
</xs:annotation>
<xs:choice minOccurs="1" maxOccurs="unbounded">
  <xs:element name="ZoneID" type="xs:int" />
  <xs:element name="ZoneName" type="xs:string" />
  <xs:element name="ZoneTag" type="xs:string" />
</xs:choice>
  </xs:complexType>
  <xs:complexType name="ctGetPlayerStatus">
<xs:annotation>
  <xs:documentation>
This command will return a ctPlayerStatusList containing an array of ctPlayerStatus elements representing the status of all registered players.
All the registered players on the system will be returned. See the documentation for ctPlayerStatus for a detailed description of the fields.
  </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="UserName" type="xs:string" />
  <xs:element name="Password" type="xs:string" />
</xs:sequence>
  </xs:complexType>
  <xs:complexType name="ctPlayerStatus">
<xs:annotation>
  <xs:documentation>
After calling GetPlayerStatus, you will receive a response containing array of ctPlayerStatus elements, each containing the following information:
- HostName: The DNS host name of the player
- HostAddress: The IP address of the player
- HardwareID: The Carousel HardwareID of the player
- VersionStatus: Will either be "OK" if the player's version matches the Carousel server, or "ERROR" if the player's version is out of date
- PlayerVersion: The version of the Carousel Player software installed on this player
- CheckinStatus: Will either be "OK" if the player has checked in recently, or "ERROR" if this player's last checkin was more than 30 days ago
- LastCheckinUTC: The time of the last checkin from this player, specified in UTC.
- SubscribedChannelName: The name of the Carousel channel that this player is currently subscribed to (at the time of the last checkin)
  </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="HostName" type="xs:string" />
  <xs:element name="HostAddress" type="xs:string" />
  <xs:element name="HardwareID" type="xs:string" />
  <xs:element name="VersionStatus" type="xs:string" />
  <xs:element name="PlayerVersion" type="xs:string" />
  <xs:element name="CheckinStatus" type="xs:string" />
  <xs:element name="LastCheckinUTC" type="xs:dateTime" />
  <xs:element name="SubscribedChannelName" type="xs:string" />

```



```

</xs:sequence>
  </xs:complexType>
  <xs:complexType name="ctPlayerStatusList">
<xs:annotation>
  <xs:documentation>
Simply a container for the ctPlayerStatus objects.
  </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="PlayerStatus" type="ctPlayerStatus" maxOccurs="unbounded" />
</xs:sequence>
  </xs:complexType>
  <xs:complexType name="ctBulletinTagList">
<xs:annotation>
  <xs:documentation>
A list of Tag elements which should contain bulletin tags. Bulletins matching all of the specified tags w
- Tag: The name of a bulletin tag.
  </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="Tag" type="xs:string" maxOccurs="unbounded" minOccurs="1" />
</xs:sequence>
  </xs:complexType>
  <xs:complexType name="ctUpdatePage">
<xs:annotation>
  <xs:documentation>
This command will create or update a page on the system.
- UserName is a valid user in FrontDoor.
- Password is UserName's password.
- UpdateGUID is the optional identifier for the page you wish to update. If not specified, this will become
- SelectBulletinTags when used instead of UpdateGUID will send this command to multiple bulletins matching
- ZoneSet specifies the zones on which this bulletin should run. See the documentation for ctZoneSet.
- (Zone is deprecated. Use ZoneSet instead.)
- AlwaysOn sets the page to always run until manually deleted or turned off.
- DateTimeOn sets the date and time that the page will become active. (Overridden if AlwaysOn=true)
- DateTimeOff sets the date and time that the page will deactivate. (Overridden if AlwaysOn=true)
- CycleTimeOn sets the time that the page will start beign shown on any given day. (Overridden if AlwaysOn=
- CycleTimeOff sets the time that the page will stop being shown on any given day. (Overridden if AlwaysOn=
- DisplayDuration forces the page to be displayed for a given number of seconds. If not specified, the syst
- Weekdays is a byte determining which days of the week the page will be show. (Overridden if AlwaysOn=true
- WebEnabled determines if this page should be displayed on Carousel's public web site. If not supplied, de
- Description is an optional text-based description for the page.
- PageType is either "standard" or "alert". Any active alert pages will override all active standard pages
- PageTemplate determines which Carousel template this page should use. If you are updating a page, you may
  </xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
  <xs:choice maxOccurs="1" minOccurs="1">
<xs:element name="UpdateGUID" type="xs:string" />
<xs:element name="SelectBulletinTags" type="ctBulletinTagList" />

```

```

</xs:choice>
<xs:element name="AlwaysOn" type="xs:boolean" maxOccurs="1" minOccurs="0" />
<xs:element name="DateTimeOn" type="xs:dateTime" maxOccurs="1" minOccurs="0" />
<xs:element name="DateTimeOff" type="xs:dateTime" maxOccurs="1" minOccurs="0" />
<xs:element name="CycleTimeOn" type="xs:time" maxOccurs="1" minOccurs="0" />
<xs:element name="CycleTimeOff" type="xs:time" maxOccurs="1" minOccurs="0" />
<xs:element name="DisplayDuration" type="xs:int" maxOccurs="1" minOccurs="0" />
<xs:element name="Weekdays" type="xs:byte" maxOccurs="1" minOccurs="0" />
<xs:element name="WebEnabled" type="xs:boolean" maxOccurs="1" minOccurs="0" />
<xs:element name="Description" type="xs:string" maxOccurs="1" minOccurs="0" />
<xs:element name="PageType" type="xs:string" maxOccurs="1" minOccurs="0" />
<xs:element name="Block" maxOccurs="unbounded" minOccurs="0" type="ctBlock" />
<xs:element name="ExclusiveAlertOn" type="xs:boolean" maxOccurs="1" minOccurs="0" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctGetZoneList">
<xs:sequence>
<xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctGetTemplateList">
<xs:sequence>
<xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="ZoneID" type="xs:int" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctZone">
<xs:sequence>
<xs:element name="ZoneID" type="xs:int" />
<xs:element name="ZoneName" type="xs:string" />
<xs:element name="ZoneType" type="xs:string" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctGetBulletinList">
<xs:sequence>
<xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="ZoneID" type="xs:int" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctBulletin">
<xs:sequence>
<xs:element name="Description" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="CrawlText" type="xs:string" maxOccurs="1" minOccurs="0" />
<xs:element name="Block" type="ctBlock" minOccurs="0" maxOccurs="unbounded" />
<xs:element name="AlwaysOn" type="xs:boolean" maxOccurs="1" minOccurs="1" />
<xs:element name="DateTimeOn" type="xs:dateTime" maxOccurs="1" minOccurs="1" />
<xs:element name="DateTimeOff" type="xs:dateTime" maxOccurs="1" minOccurs="1" />
<xs:element name="CycleTimeOn" type="xs:time" maxOccurs="1" minOccurs="1" />
<xs:element name="CycleTimeOff" type="xs:time" minOccurs="1" maxOccurs="1" />

```

```

<xs:element name="Weekdays" type="xs:byte" maxOccurs="1" minOccurs="1" />
<xs:element name="WebEnabled" type="xs:boolean" maxOccurs="1" minOccurs="1" />
<xs:element name="PageType" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="DisplayDuration" type="xs:int" maxOccurs="1" minOccurs="1" />
<xs:element name="PreviewImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
<xs:element name="TinyImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
<xs:element name="ThumbnailImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
<xs:element name="FullImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
<xs:element name="GUID" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="ObjectType" type="xs:string" />
<xs:element name="PageStatus" type="xs:string" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctGetPictureList">
<xs:sequence>
<xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="ZoneID" type="xs:int" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctGetVideoList">
<xs:sequence>
<xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="ZoneID" type="xs:int" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctMedia">
<xs:sequence>
<xs:element name="Name" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="Value" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="PreviewImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
<xs:element name="TinyImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
<xs:element name="ThumbnailImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
<xs:element name="FullImagePath" type="xs:string" maxOccurs="1" minOccurs="0" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctArchivePage">
<xs:sequence>
<xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="GUID" type="xs:string" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>
<xs:complexType name="ctSetPageStatus">
<xs:sequence>
<xs:element name="UserName" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="Password" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="GUID" type="xs:string" maxOccurs="1" minOccurs="1" />
<xs:element name="Status" type="xs:int" maxOccurs="1" minOccurs="1" />
</xs:sequence>
</xs:complexType>

```

</xs:schema>

Appendix I Clone Tool

The Clone Tool is a simple, yet powerful application used to replicate and implement a channel. The basic function of this tool allows you to export and import a channel out of or into Carousel, including all of the zone settings and media associated with the channel. The end product is an exact duplicate of the original channel, hence the term Clone Tool.

There are two common scenarios when the Clone Tool comes into play. The first scenario being anytime that you want to duplicate an existing channel, perhaps after adding a new channel to your Carousel configuration. Imagine that the new channel will have the same layout and basic content as the initial channel, with minor adjustments making it unique to its purpose. The second scenario being after you purchase a Channel Design Package from Tightrope Creative¹.

I.1 Using the Clone Tool

Before we start using the Clone Tool we need to verify the following:

- You must be running Carousel version 5.2.1 or above. The Clone Tool was introduced in version 5.2.1, prior versions do not contain this functionality.
- Every channel in Carousel must have a license. If you are not replacing an existing channel, an additional channel license is required. To verify the number of available channel licenses, select the **Configure** button from the **Main Menu** of Carousel, then click on **Channels**. The number of available channel licenses will display under the channel list².
- As a precaution we recommend that you back up your database before using the Clone Tool. For instructions on backing up your Carousel database please reference *FrontDoor: The Manual*.
- Lastly, you will need remote or physical access to your server and an internet connection.




If there are no additional channel licenses available, you will be asked if you would like to overwrite a channel. If you choose to overwrite the original channel, the setup will be replaced with the new setup, however, your zones, bulletins, and media will remain intact. If you have an additional channel license, the Clone Tool will add the channel without overwriting anything.

I.1.1 Exporting a Channel


Step 1: From the *Tools* directory on the Carousel server, double click on **Clone.exe** to launch the application.

¹ For more information about Tightrope Creative, please visit our website: <http://store.trms.com>


² If necessary, additional channel licenses should be purchased through your dealer.



Step 2: From the Clone Tool splash screen select **Export**. Select a channel you would like to export and click **OK**.



Step 3: Specify a location for it to be saved.




Step 4: The Clone Tool will report its status while it exports. The tool will provide you with a *<Your Channel Name>.csl* file³ in the location that you specified.


I.1.2 Importing a Channel

Step 1: Take the *<Your Channel Name>.csl* file that you exported from Carousel or downloaded from Tightrope Creative and copy it to the desktop of the Carousel server to which you are importing the channel. Double click on the the *<Your Channel Name>.csl* to launch the tool. Click on the **Yes** button to confirm the import. If the channel you are importing is unique to the system, the Clone Tool will close once completed and the your channel will be in the system. If the channel that you're importing already exists in your system and you are simply duplicating the channel, please move on to Step 2.


³ Channels larger than 4 gigabytes will have a .csxl extension and cannot be imported into Carousel versions 5.2.4 or below.



Step 2: When duplicating a channel, Clone will ask you to rename the channel. By default it will append a number to the name if it is the same. Rename the channel and click **OK**.



Step 3: Now you are asked to rename the zones, giving you control over how the channel is setup. If you're planning on sharing the same content on both the original channel and the duplicate channel, you should map the duplicate channel's zones to the original zones, which is the tool's default. The benefit being that bulletins would only have to be created in one zone, which would serve multiple channels. Note that each zone is independent so if you need a zone unique to your duplicate channel, simply uncheck **Map to Existing Zone** for that zone and give it a new name. If you want to make a true copy of the channel, including all of the zones, uncheck **Map to Existing Zone** for each zone, enter a new unique name for each zone and click **OK**.



Step 4: The Clone Tool will report its status while it imports. Once finished, depending on how the tool was launched it will close or report the process complete, signaling a successful import.



Visit our help page for detailed instructions and video tutorials at <http://store.trms.com/pages/help>.

I.2 Advanced Settings

If you're running Carousel on an enterprise system provided by your organization, there is a chance that Carousel has been configured to use an advanced configuration such as a remote SQL server or media directory. Further information on enterprise setup and configuration can be found in the *Carousel Deployment Guide*. We'll go over the possible scenarios below.

I.2.1 Remote SQL servers

To interface with a remote SQL server, you'll need to edit the Clone Tool's config file. If we don't, the Clone Tool won't know how to contact the SQL server database!

Step 1: Modify **D:\TRMS\Tools\Clone.exe.config** using your favorite text editor. You need to add the login connection string in the `<connectionStrings>` area.

Example: Connection string login into a remote server with SQL authentication might be:

```
<add name="FrontDoorConnectionString" connectionString="Data Source=MyServer;
    UserID=MyUser; Password=MyPwd; Initial Catalog=FrontDoor50;" />
<add name="CarouselConnectionString" connectionString="Data Source=MyServer;
    UserID=MyUser; Password=MyPwd; Initial Catalog=Carousel50;" />
```



Be sure to set both of the connection strings! FrontDoor and Carousel each have their own line, and need to be updated.

I.2.2 Remote media storage

To set your remote media storage location, click on the ... icon located in the top-right corner of the Clone Tool window. In this window you're also given the option for the Clone Tool to set folder and file permissions at Launch. Disabling this can increase the speed of the Clone Tool for large installations, but you must ensure that folder permissions are set correctly.

I.2.3 Command line arguments

The Clone Tool will accept the following command line arguments:

Export a channel to a file:

```
clone.exe export <Channel Name> <Path>...
```

Import a channel from a file:

```
clone.exe <Path>... [/force]
```

Display the help message


```
clone.exe help
```

Appendix J CarouselDetective

The CarouselDetective is a tool that can be run on your Carousel server to check some common settings to make sure everything is operational. It is similar to the connection tester in the DisplayEngine, but for server configuration instead of player communication.

It can be found in the Tools directory of your server, typically *C:\TRMS\Tools* or *D:\TRMS\Tools*.

FIGURE J.1: The CarouselDetective application window upon opening.




The top of the tool shows several options which usually don't need to be touched. It will look at common locations (D:\TRMS, C:\TRMS) to find your Install Path and beneath that for your Media Path. If you have customized these, it is possible you may have to click the link to set the correct path. Also, our servers don't normally use SSL or a port other than port 80 for the web server, but if you have configured IIS differently (not recommended), it is possible to test with that setup.

At the bottom of the tool there is a big empty box when you run it, this is where it may put a helpful explanation if things go wrong with certain tests that might need more detail than fit in the result summary. Then, in the bottom right there is a **Run Tests** button that you click to run the tests (you can do this repeatedly while you are making fixes to see if you're on the right track).

That leaves the center of the tool, this is where the good stuff is, a big table of statuses, test names and their results. When running them, you'll see the status icon change from a blue circle to a green arrow, then to a result of a green checkmark if everything is okay, a **do not enter** if the test is skipped due to a feature not being present or a red X (which you hopefully don't see).

FIGURE J.2: The CarouselDetective application window after a failed test.



These tests won't hurt anything by running them. They make sure some of the player communication works (firewall settings, web server configuration), make sure the database is configured properly, nothing is wrong with your media directory (permissions, file integrity), that your server can reach the internet to access information such as weather, etc.

Appendix K Release History

Tightrope makes frequent revisions to Carousel. Below is a detailed list of those changes from the beginning of Carousel Release 6.

K.1 Carousel 6.5.0 Release Notes

- Bug 8370 : Live video bulletin now adheres to dwell time** Fixed an issue where Live Video Bulletins with an RTP or RTSP stream would not play for the expected duration
- New 8437 : Zone tags are now included in the JSON API** Players that use the JSON API now have access to zone tags
- Bug 3949 : Picture block stacking order in an RSS bulletin is now obeyed** The z-order of the picture blocks is now maintained for items of an RSS bulletin
- Bug 8119 : Improved handling of invalid data when processing CAP messages** Fixed an error where CAP would give a dictionary error if certain XML elements were missing
- Bug 8318 : Excluded word list handling improved** Improved detection of excluded words for dynamic bulletins
- New 8276 : Clock bulletins now have option to save to zone default template** You can now copy a clock bulletin to the zone's default template from Manage Bulletins
- Bug 8605 : CAP can affect bulletins found in the Saved bulletins section** CAP will only affect stale, current, queued or no-content bulletins and no longer activate bulletins out of the saved list
- Bug 8123 : Removed dot files from uploaded interactive zip archive** Files such as .DS_Store and .htaccess will be removed to avoid security issues and other rogue behavior
- New 8541 : Updated default weather template for new data provider(s)** The weather template has been updated to provide attribution that is required by some of our data providers.
- Bug 8124 : Interactive URL is changed to include a valid index file if it exists** If uploaded interactive zip archive has an index.html file, "index.html" will be appended to the URL of the interactive bulletin to avoid web server configuration issues
- New 8487 : Bulletin tags are now included in the JSON API** Players that use the JSON API now have access to bulletin tags
- New 8531 : Optimized rendering of bulletins** Performance of bulletin rendering is significantly improved most notably of dynamic bulletins; this also addresses alignment issues that were seen in previous Carousel releases
- New 8728 : Display engine doesn't indicate when a compatible D3D version is not installed on the system** The display engine diagnostic screen now includes a Graphics Driver check.

- Bug 3855** : **EDS alert bulletins no longer incorrectly reactivate when they are stale or saved** Fixed an issue that caused EDS alert bulletins to remain active even when they should be stale or saved
- New 7862** : **RDA allows multiple alert bulletins to be enabled by a single tag** UpdatePage RDA command will now process multiple tagged bulletins when processing ExclusiveAlert
- Bug 8290** : **Better error message when FaceBook token expires** Corrected message when token expires
- Bug 8312** : **Redundant sound clips no longer appear in the available sound list** Sound clips copied to other zones will no longer come up as redundant selections when adding a sound clip to a bulletin
- New 8346** : **CableDisplay Bulletins now use Cablecast's API** CableDisplay now is more reliable and includes more data via the API
- New 8434** : **Updated EDS and RSS templates** Added new design from Tightrope Creative
- Bug 8203** : **UTF-16 RSS feeds are now properly interpreted** RSS feeds now obey text encoding
- New 8732** : **Add CarouselDetective diagnostic tool** There's now a tool that checks various server options to make sure it is fully operational.

K.2 Carousel 6.5.1 Release Notes

- Bug 8755** : **Number of events per bulletin can exceed set amount** Carousel once again honors the number of items per page setting for Event Display bulletins.
- New 8814** : **RDA displays Spanish characters accurately** Carousel RDA now uses UTF-8 instead of ASCII, to properly display characters.
- Bug 8850** : **Event Display bulletins that use Carousel as a source do not work with remote SQL instances** Carousel now uses the correct database connection string when using Carousel as an Event Display data source when the database is hosted on a different server.
- Bug 8739** : **Event Display bulletins error rendering iCal feeds for group items** Key list is cached prior to modifying the collection to group items.
- Bug 8754** : **Event Display bulletins ignore requested pixel spacing between events or items** Carousel once again honors the setting for number of pixels between items in Event Display bulletins.

K.3 Carousel 6.5.2 Release Notes

- Bug 8843** : **Crawl Weather bulletin gives error that weather.trms.com could not be resolved** Fixed dynamic crawls so that error messages would be cleared when data becomes available again.
- Bug 8817** : **Facebook Changes Require Functionality Modifications to Facebook Bulletins** Keyword searches for posts are no longer supported by Facebook and have been removed from Carousel. Page searches remain and may be sorted by posts made by the page or all posts to the page. User authentication is no longer required for Facebook bulletins.

- Bug 8885 : RSS Crawl does not work** Fixed dynamic crawl placeholder replacement.
- Bug 8963 : Facebook posts with more than 25 likes or comments only show a count of 25.** Facebook bulletins now show the correct number of Likes and Comments even if there are more than 25.

K.4 Carousel 6.5.3 Release Notes

- Bug 9053 : When an RSS Feed, Crawl or Bulletin, Had No Items in It, It Would be Treated as an Error Instead of No Content** When we introduced the new 'error' state for bulletins, we missed some cases where things were not errors, but intended behavior. This was one of those spots.
- Bug 9064 : Previews For Dynamic Bulletins Display, Page Has Not Been Rendered Yet, Instead of Rendering Last Image** When previewing a Dynamic bulletin with no content, we will show the most recently rendered JPG if it's available, with a notice above indicating its not current.
- New 9163 : Add tblGroup.GroupName to DeanEvans EMS** Added the GroupName to the available fields in an EDS bulletin when connecting to Dean Evans's EMS systems.
- Bug 9065 : Clone Tool Will Not Import Channel Without Deleting a Channel** The Clone Tool no longer enforces channel licensing.
- Bug 9142 : Unhandled Exception in Service When RabbitMQ is Not Responding** Dynamic bulletins would stop updating content if RabbitMQ went down, until the Carousel service was restarted. Now we retry until the Rabbit comes back.
- Bug 9197 : CableDisplay Schedule Bulletins Sometimes Include Currently On-Air Shows** CableDisplay bulletins no longer include currently on-air shows that cross twelve AM/PM.
- Bug 9143 : CAP Request Results in Server Error Invalid Column Name 'PageStatus'** We added a bulletin status filtering feature in 6.5.0 and accidentally broke the entire thing. Sad panda.
- Bug 8671 : Dynamic Bulletins Displaying Erratically and Not Consistently Updating** Some dynamic bulletins, notably Twitter and CableDisplay bulletins, were not updating. In most cases they appeared to become 'stuck' where they did not update until the Carousel service was restarted.
- Bug 8758 : Twitter Bulletins Error with "Not Authorized"** We reduced the number of calls to Twitter to reduce the likelihood of this error. Twitter limits the frequency of data requests, by number of request within a limited time frame.
- Bug 9199 : CableDisplay Schedule Page Doesn't Cross Midnight Boundary** We have been page breaking on the midnight boundary in 6.5.0 for the unified schedule type, which doesn't make sense if the page limit is 1. We now wrap to the next day if the bulletin is limited to one page, and continue to break on the boundary if there is more than one page available. We also restored the functionality of getting an extra day of schedule when limited by number of days, allowing a switch to the next day, if the current day has no shows left.
- Bug 9210 : Carousel Service Outputs Constant NullReference From DataCache and Fills Log** Checkpoints were added to prevent inconsequential data from filling the log.

- Bug 9037 : WebPicture Blocks Error on Conditional Dynamic URLs** We changed the check for a dynamic URL to account for conditionals.
- Bug 9048 : When Facebook Page Search Fails to Find Anything, the Back to Search Option Does Not Function** Errors were resolved preventing the 'Back to Search' option from functioning. We also added text explicitly stating that no results were found in the search.
- Bug 9005 : Installer Does Not Configure Windows Firewall and Internet Explorer For Optimum Carousel Use** The Carousel installers now run scripts to configure the Windows Firewall and Internet Explorer for Carousel usage. These scripts are installed to TRMS/Tools/LocalConfiguration/ for future use should it be needed.
- Bug 9027 : Facebook Bulletins Result in Excessive Calls to the Facebook API** Caching was added to Carousel, to reduce the number of calls to the Facebook API.
- Bug 9038 : WebPicture Blocks Won't Render URL's That Use SSL** We're getting with the times! Secure images for all.
- Bug 9060 : Dates Do Not Display in RSS Feeds Unless the Day of the Week is Contained in the Feed** RSS bulletins and crawls are now more flexible with valid RFC822 dates for publish dates.
- Bug 9017 : Some RSS Feeds Give a 403 Forbidden Error** Some web servers would not serve the RSS data out to us. We set the Accept Header of the request to (application/rss+xml,application/xml,*/*).
- Bug 9039 : Facebook Bulletins May Contain Less Posts Than Expected if There are Excluded Posts in the Feed** We now decide whether a post should be excluded before adding it to the list rather than making a list first and then removing excluded items from it.

K.5 Carousel 6.5.4 Release Notes

- Bug 9415 : Remote Command Server Fails to Resolve 'Localhost' if IPv6 is Enabled** Fixed an issue that prevented the Remote Command Server check in the DisplayEngine configuration screen from passing if IPv6 was enabled.
- Bug 9331 : Change Default Search Criteria for Twitter Bulletins** Twitter bulletins using the default template will now search for "from:ap" so they will show current tweets from the Associated Press.
- Bug 9616 : Cablecast Custom Fields whose Names Contain Parentheses lead to an Invalid Regular Expression Error in CableDisplay Bulletins** We now properly handle special characters in custom field names.
- Bug 9400 : Web Pictures can Fail to Render if they have Spaces in Their URL** We fixed an issue where URLs containing spaces would result in a "could not load image" error when rendering a Web Picture.
- Bug 9676 : CableDisplay Schedule Bulletins Sometimes get set as Alert Bulletins When they Shouldn't** CableDisplay schedule bulletins are now treated as active instead of alert bulletins.
- Bug 9413 : CableDisplay Schedule Bulletins don't Display when there is a Limited Programming Schedule** Resolved an issue that was preventing CableDisplay bulletins from being displayed.

- Bug 9282 : Bulletins with Web Pictures Fail to Update on Players** Resolved an issue that could prevent bulletins from updating on players after Web Pictures were updated on the server.
- Bug 9271 : Certain Characters can Cause Bulletins to Display with No Text** Fixed an issue which certain characters could cause text to disappear when rendering a bulletin.

List of Figures

2.1	Monitor Varieties	18
2.2	Channel Layout	19
3.1	Multi Zone Example	29
4.1	A comparison between the different available Carousel Player software types.	31
5.1	The FrontDoor login	33
5.2	A Carousel System that has not been set up	34
5.3	The Carousel Main Menu	34
5.4	The Status Bar	35
5.5	Quick Links	36
5.6	Selecting Zones with Pop-Down Menus	37
5.7	Selecting Zones with the Tag Picker	38
5.8	The Media Picker	38
5.9	Selecting media with tags.	39
6.1	Configure Main Menu	41
6.2	Adding Zones	42
6.3	The Zone Properties Page	42
6.4	The Channel Configuration Editing Menu	44
6.5	The Channel Setup Form	44
6.6	Adding full-screen alert zones to this channel.	45
6.7	You can re-order the list by dragging and dropping the items.	45
6.8	The Channel Layout Menu	46
6.9	Zone Properties Form in Channel Layout	46
6.10	A zone added to the preview	46
6.11	The Crawl Settings Menu	47
6.12	The Date and Time Menu	48
6.13	The channel list, with preview buttons.	50
6.14	Example of the web-based channel preview.	51
7.1	Closing the Display Engine before it loads	53
7.2	The Display Engine Configuration Form	54
7.3	Successful connection tests	54
7.4	Connection tests with failures and possible solutions	55
7.5	Player Status and Player Alerts	57
7.6	Player Status list with some troubled players	58
7.7	Player Status list with healthy players	58
7.8	Adjusting the Player Alerts settings distribution list.	59
7.9	Red Bar Mode	59
7.10	The Carousel Display Engine loading zones	60
7.11	The ConvertDVI Control Panel	62
7.12	Select <i>Display Properties</i> from the player's desktop	63

7.13 Loading the Display Properties Dialog	64
7.14 Rotating the display	65
8.1 Email Approval List	67
8.2 Bulletin Pacing Form	69
8.3 The Bumper Graphic Form	69
9.1 The Zone Synchronization Menu	71
9.2 The zone picker.	72
9.3 The external data source authentication menu	73
9.4 The proxy configuration menu	74
11.1 Picking a Template	79
11.2 The Edit Bulletins Form	80
11.3 Adding HTML tags to some bulletin text	81
11.4 Example of HTML tags in action	81
11.5 The Quick Edit Palette	82
11.6 Scheduling Bulletins	83
11.7 The Bulletin Properties Form	85
11.8 Viewing Bulletin Impression statistics	86
11.9 Choosing a sound	86
11.10 Existing tags will appear as you type	87
11.11 Adding four bulletin tags at once	87
11.12 Deleting a bulletin tag	87
11.13 Adding Another Bulletin	88
11.14 Selecting the bulletin type.	88
11.15 Sending bulletins to multiple zones using the zone list.	89
11.16 Sending bulletins to multiple zones using the zone picker.	90
11.17 Bulletin Confirmation	90
12.1 Example Crawl (Free 'kudos' if you name the band that wrote these lyrics.)	91
12.2 Choosing a Crawl Zone	91
12.3 Making a Crawl Bulletin	92
14.1 Uploading a picture or video	96
14.2 Flash Bulletin Properties	98
14.3 Insert a background in Flash to avoid a black background.	98
14.4 Bulletin Upload Confirmation	99
15.1 Analog Clock Properties	102
15.2 Digital Clock Properties	103
15.3 Countdown Timer Properties	104
15.4 Choosing the location for weather information	105
15.5 The Weather Templates	106
15.6 The Default Weather Template	107
15.7 Weather crawl options	108
15.8 Previewing the weather crawl	109
15.9 place	109
15.10 Cable Display Bulletin Properties	111
15.11 Editing Cable Display Bulletins	113
15.12 Editing the RSS properties	115
15.13 Editing an RSS Bulletin	117

15.14RSS Bulletin Example	118
15.15RSS Crawl Creation	118
15.16The RSS Crawl Properties Form	119
15.17Editing Twitter properties	120
15.18Editing Facebook properties	121
15.19EDS bulletin creation	122
15.20Selecting a Database for EDS	123
15.21The EMS and Ad Astra Bulletin Properties Form	124
15.22An example configuration for Resource25	127
15.23Here we are restricting the space to a specific ID number.	127
15.24In this screen shot, there are no calendars, but you can see that this is what setting up an Exchange server within carousel looks like.	128
15.25EDS Properties	129
15.26Editing an EDS Bulletin	130
15.27An Example of an EDS Bulletin	130
15.28The Event Schedule Form	131
15.29The EDS Calendar Tool	132
15.30The Live Video Form	133
15.31Live video bulletin creation	133
15.32Interactive bulletin options	134
16.1 A List of Bulletins	140
16.2 Filtering by tags	141
16.3 Select two tags by shift-clicking	141
16.4 Bulletin Groups	142
16.5 Moving a Bulletin In a List	143
16.6 Dragging a Bulletin In a List	143
16.7 Move/Copy Bulletins Form	144
16.8 A Bulletin is Waiting for Approval	145
16.9 Waiting Bulletin Email	145
16.10The Waiting Bulletins List	146
16.11The Housekeeping Menu	146
16.12Bulletin Reporting	147
16.13The Slide Show	149
17.1 The My and Zone Tabs	152
17.2 Alpha Channel Example	153
17.3 A List of Backgrounds	154
17.4 Items and the Buttons at the Bottom of a Media Asset List	155
17.5 Adding a Tag	155
17.6 Copying a Media Asset	156
17.7 The Properties Form of A Media Asset	157
17.8 Bulletin Made from Template	158
17.9 The yellow outline is around a <i>simple rectangle</i> block. In this case, the box is surrounding multiple text fields.	160
17.10Making a New Template	160
17.11Dragging a block	162
17.12Resizing a block in the preview window.	163
17.13Font controls	165
17.14Text Alignment controls	165
17.15Text Gradient controls	166
17.16The Block Reflection controls	167

17.17	A reflection example.	167
17.18	The reflection collides with the picture	167
17.19	In Block Reflection , an offset of “72” pixels was added to take away the collision.	168
17.20	Add luminance to the color in order to see a change when you select a new hue.	168
17.21	Picture block properties	169
17.22	The logo on the left has Maintain aspect ratio deselected.	169
17.23	Web picture address	169
17.24	Carousel logo has a higher z-order	170
17.25	Carousel logo has a lower z-order	170
17.26	Changing the z-order of blocks	170
17.27	Bring to Front and Bring to Back in Block Options properties	171
17.28	Repeat blocks pop-down list in Block Options properties	171
17.29	The Media Tags List	172
17.30	The <i>Add Seamless Background</i> form.	173
17.31	Splitting a background	174
17.32	Uploading Media Packages	174
18.1	The Extras Form	177
18.2	The Public Website	178
B.1	Selecting a template with a Web Picture block	185
B.2	Enter the URL of the page you’d like to include in the bulletin, and enter a delay if needed	185
B.3	Crop the page as needed	186
B.4	The final result	186
C.1	The Template Editor Form	189
C.2	Naming a Template	190
C.3	Template Field Size Example	190
C.4	The Position and Size Tools	191
C.5	Text Editing Properties	191
C.6	Editing the Backdrop and Outline	192
C.7	Template Editor’s Preview Window	192
E.1	Saving a presentation as a list of PNG files	197
E.2	Have it save every slide	198
E.3	Make the folder into a ZIP file	198
E.4	Importing a zip file as a bulletin package	198
E.5	<i>Upload Bulletin Package Confirmation</i> form. Save To Group is a nice way to organize your PowerPoint presentation within Carousel	199
E.6	The presentation imported as a group	199
F.1	The TVOne hardware	201
F.2	Configuring the Display Engine	202
H.1	RDA Diagram	210
J.1	The CarouselDetective application window upon opening.	235
J.2	The CarouselDetective application window after a failed test.	236