

BenQ Projector Reference Guide

4TH QUARTER 2015



5 & 6 Series



- MS504**
- Native SVGA (800x600) Resolution
 - 3,000 ANSI Lumens, 13,000:1 Contrast Ratio
 - Throw Ratio 1.86-2.04 (53" @ 2m)
 - Projection Offset: 120% ±5%
 - SmartEco™ Power Saving Technology
 - New 3D Ready
 - Spare Lamp Kit P/N: 5J9R05.001
 - 3D Glasses P/N: 5J9H25.001
 - Remote Control P/N: 5J6L06.001
 - 1 Year Parts/Labor; 1 Year or 2000 Hours of Lamp Life



- MS504A**
- Native SVGA (800x600) Resolution
 - 3,200 ANSI Lumens, 13,000:1 Contrast Ratio
 - Throw Ratio 1.86-2.04 (53" @ 2m)
 - Projection Offset: 120% ±5%
 - SmartEco™ Power Saving Technology
 - PC 3D Ready
 - Spare Lamp Kit P/N: 5J9R05.001
 - 3D Glasses P/N: 5J7L25.002
 - 1 Year Parts/Labor; 180 Days/500 Hours of Lamp Life



- MS524**
- Native SVGA (800x600) Resolution
 - 3,200 ANSI Lumens, 13,000:1 Contrast Ratio
 - Throw Ratio 1.86-2.04 (53" @ 2m)
 - Projection Offset: 120% ±5%
 - SmartEco™ Power Saving Technology
 - Full 3D Ready
 - Spare Lamp Kit P/N: 5J9R05.001
 - 3D Glasses P/N: 5J9H25.001
 - 1 Year Parts/Labor; 180 Days/500 Hours of Lamp Life



- MX525**
- Native XGA (1024x768) Resolution
 - 3,200 ANSI Lumens, 13,000:1 Contrast Ratio
 - Throw Ratio 1.86-2.04 (53" @ 2m)
 - Projection Offset: 120% ±5%
 - SmartEco™ Power Saving Technology
 - HDMI, Full 3D Ready
 - Spare Lamp Kit P/N: 5J9R05.001
 - 3D Glasses P/N: 5J9H25.001
 - 1 Year Parts/Labor; 180 days/500 hours of lamp life



- MW526**
- Native WXGA (1280x800) Resolution
 - 3,200 ANSI Lumens, 13,000:1 Contrast Ratio
 - Throw Ratio 1.5-1.65 (62" @ 2m)
 - Projection Offset: 100% ±5%
 - SmartEco™ Power Saving Technology
 - HDMI, Full 3D Ready
 - Spare Lamp Kit P/N: 5JJC205.001
 - 3D Glasses P/N: 5J9H25.001
 - 1 Year Parts/Labor; 180 Days/500 Hours of Lamp Life



- MX570**
- Native XGA (1024x768) Resolution
 - 3,200 ANSI Lumens, 13,000:1 Contrast Ratio
 - Throw Ratio 1.51-1.97 (65" ±3% @ 2m)
 - Projection Offset Vertical: 115% ±5%
 - SmartEco™ Power Saving Technology
 - LAN Control & HDMI
 - Full 3D Ready
 - Spare Lamp Kit P/N: 5J9R05.001
 - 3D Glasses P/N: 5J9H25.001
 - 3 Year Parts/Labor; 1 Year or 2000 hours of lamp life



- MW571**
- Native WXGA (1280x800) Resolution
 - 3,200 ANSI lumens, 13,000:1 Contrast Ratio
 - Throw Ratio 1.21-1.57
 - Projection Offset: 120% ±5%
 - SmartEco™ Power Saving Technology
 - HDMI, New 3D Ready
 - 10W Speaker
 - LAN control
 - Spare Lamp Kit P/N: 5JJC205.001
 - 3D Glasses P/N: 5J9H25.001
 - 3 Years Parts/Labor; 1 Year or 2,000 Hours of Lamp Life



- MX631ST**
- Native XGA (1024x768) Resolution
 - 3,200 ANSI Lumens, 13,000:1 Contrast Ratio
 - Throw Ratio 0.9-1.08 (78" @ 1.44m)
 - Projection Offset: 110% ±5%
 - HDMI x 2, MHL
 - 10W Speaker
 - SmartEco™ Power Saving Technology
 - Spare Lamp Kit P/N: 5J9V05.001
 - Ceiling Mount P/N: 5J4N10.001
 - 3D Glasses P/N: 5J9H25.001
 - 1 Year Parts/ Labor; 1 Year or 2000 hours of lamp life



- MW632ST**
- Native WXGA (1280x800) Resolution
 - 3,200 ANSI Lumens, 13,000:1 Contrast Ratio
 - Throw Ratio 0.72-0.87(87" ±3% @ 1.36m)
 - Projection Offset: 105% ±5%
 - HDMI x 2, MHL
 - 10W Speaker
 - SmartEco™ Power Saving Technology
 - Spare Lamp Kit P/N: 5J9V05.001
 - Ceiling Mount P/N: 5J4M10.001
 - 3D Glasses P/N: 5J9H25.001
 - 1 Year Parts/ Labor; 1 Year or 2000 hours of lamp life



- MH680**
- Full HD (1920x1080) Resolution
 - 3,000 ANSI Lumens, 10,000:1 Contrast Ratio
 - Throw Ratio 1.15-1.5(78.3" ±3% @ 2m)
 - Projection Offset: 110% ±5%
 - HDMI
 - 10W Speaker
 - Wireless display/USB display/USB reader functions
 - SmartEco™ Power Saving Technology
 - Spare Lamp Kit P/N: 5J4H05.001
 - 3D Glasses P/N: 5J9H25.001
 - Wireless Dongle P/N: 5J3F28.A01
 - Remote Control P/N: 5J9V06.001
 - 1 Years Parts/Labor; 1 Year or 2,000 Hours of Lamp Life



- TH670**
- Full HD (1920x1080) Resolution
 - 3,000 ANSI Lumens, 10,000:1 Contrast Ratio
 - Throw Ratio 1.5-1.8
 - Projection Offset: 116% ±2.5%
 - HDMI
 - 10W Speaker
 - USB Type A with 1.5A power supply
 - SmartEco™ Power Saving Technology
 - Spare Lamp Kit P/N: 5J9EL05.001
 - 3D Glasses P/N: 5J9H25.001
 - QCast Dongle QP01 P/N: 5J3CK28.A01
 - Universal Ceiling Mount P/N: 5J4M10.001
 - 1 Years Parts/Labor; 1 Year or 2,000 Hours of Lamp Life

Best of all, BenQ's projectors are
COLORIFIC™
with accurate, crisp and long-lasting color!



BenQ America Corp.
www.BenQ.us

BenQ is a registered trademark of BenQ Corp. All rights reserved. Product names, logos, brands, and other trademarks featured or referred to in this material are the property of their respective trademark holders. Specifications subject to change without notice.



Because it matters

7 & 8 Series

NEW!



MW705

- Native WXGA Resolution (1280x800)
- 4,000 ANSI Lumens, 13,000:1 Contrast Ratio
- Throw Ratio 1.55-1.7, 1.1x Zoom
- Projection Offset 100% ±5%
- SmartEco™ Power Saving Technology
- Dual HDMI with one MHL
- H+V Keystone with Corner Fit
- USB Type A with power
- 2W Speaker
- Spare Lamp Kit P/N: 5JJEC05.001
- 3D Glasses P/N: 5JJ9H25.001
- Ceiling Mount P/N: 5JJAM10.001
- 1 Year Parts/Labor; 1 Year or 2000 Hours of Lamp Life



MX723

- Native XGA (1024x768) Resolution
- 3,700 ANSI Lumens, 13,000:1 Contrast Ratio
- Throw Ratio 1.4-2.3 (Wide 60"±3"@ 1.7m)
- Projection Offset 130% ±5%
- SmartEco™ Power Saving Technology
- 2D Keystone with Corner Fit
- LAN Control and Display
- HDMI, 1.6x Zoom, 10W Speaker
- Spare Lamp Kit P/N: 5JJCV05.001
- 3D Glasses P/N: 5JJ9H25.001
- Remote Control P/N: 5JJA606.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life



MW727

- Native WXGA Resolution (1280x800)
- 4,200 ANSI Lumens, 11,000:1 Contrast Ratio
- Throw Ratio 1.2-1.57 (77" @2m)), 1.3x Zoom
- Projection Offset 123% ±5%
- SmartEco™ Power Saving Technology
- Dual HDMI with MHL, 1.3x Zoom
- 2D Keystone with Corner Fit
- LAN Control and Display
- 10W Speaker
- Spare Lamp Kit P/N: 5JJCM05.001
- 3D Glasses P/N: 5JJ9H25.001
- Remote Control P/N: 5JJAD06.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life

Limited Supply!



MH740

- Full HD (1920x1080) Resolution
- 4,000 ANSI Lumens; 11,000:1 Contrast Ratio
- Throw Ratio 1.378-2.067
- Projection Offset 130% ±5%
- Dual HDMI
- Big Zoom Ratio: 1.5x
- SmartEco™ Power Saving Technology
- New 3D Ready
- Spare Lamp Kit P/N: 5JJ8805.001
- 3D Glasses P/N: 5JJ9H25.001
- Remote Control P/N: 5JJ8A06.001
- 1 Year Parts/Labor; 1 Year or 2000 Hours of Lamp Life

NEW!



MH741

- Full HD (1920x1080) Resolution
- 4,000 ANSI Lumens; 10,000:1 Contrast Ratio
- Throw Ratio 1.15-1.49
- Projection Offset 130% ±5%
- Dual HDMI (one MHL)
- Zoom Ratio: 1.3x
- SmartEco™ Power Saving Technology
- H+V Keystone
- USB Type A with 1.5A power supply
- Spare Lamp Kit P/N: 5JJEA05.001
- 3D Glasses P/N: 5JJ9H25.001
- Universal Ceiling Mount P/N: 5JJAM10.001
- 1 Year Parts/Labor; 1 Year or 2000 Hours of Lamp Life



MW769

- Native WXGA (1280 x 800) Resolution
- 4,200 ANSI Lumens, 13,000:1 Contrast Ratio
- Throw Ratio 1.45-2.17
- Projection Offset 125% ±5%
- Dual HDMI, 1.5x Zoom
- SmartEco™ Power Saving Technology
- New 3D Ready and nVidia 3DTV Play
- LAN Control/Display, USB Reader/Display
- Wireless Display (Opt)
- Spare Lamp Kit P/N: 5JJ6R05.001
- Remote Control P/N: 5JJA606.001
- Wireless Dongle P/N: 5JJ3F28.A01
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life

UP TO 10,000 HOURS LAMP LIFE



MX819ST

- Native XGA (1024x768) Resolution
- 3,000 ANSI Lumens, 13,000:1 Contrast Ratio
- Short Throw Ratio 0.61 (78" @0.96m)
- Projection Offset 130% ±5%
- SmartEco™ Power Saving Technology
- PointWrite Interactivity Ready (Opt)
- New 3D Ready
- HDMI, LAN Control
- 10W Speaker
- Spare Lamp Kit P/N: 5JJ9A05.001
- 0.6 Wall Mount P/N: 5JJ4R10.011
- 3D Glasses P/N: 5JJ9H25.001
- Remote Control P/N: 5JJ6R06.001
- PointWrite Kit P/N: 5JJ9A26.12E
- PointWrite Pen Only P/N: 5JJ9A26.001
- Touch Module PT02 P/N: 5JJ8L26.11E
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life

UP TO 10,000 HOURS LAMP LIFE



MW824ST

- Native WXGA (1280x800) Resolution
- 3,200 ANSI Lumens, 13,000:1 Contrast Ratio
- Throw Ratio 0.49 (87" @ .91m)
- Projection Offset 110% ±5%
- SmartEco™ Power Saving Technology
- PointWrite Interactivity Ready (Opt)
- New 3D Ready, LAN Control, 10W Speaker
- MHL-Enabled HDMI Port
- Spare Lamp Kit P/N: 5JJAD05.001
- 3D Glasses P/N: D3 5JJ9H25.001
- Remote Control P/N: 5JJAD06.001
- PointWrite Kit P/N: 5JJ9A26.12E
- PointWrite Pen Only P/N: 5JJ9A26.001
- Touch Module PT02 P/N: 5JJ8L26.11E
- Remote Control P/N: 5JJAD06.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life

Limited Supply!



MX842UST

*mount included

- Native XGA (1024x768) Resolution
- 3,000 ANSI Lumens, 13,000:1 Contrast Ratio
- Throw Ratio 0.47
- Projection Offset 153% ±5%
- SmartEco™ Power Saving Technology
- New 3D Ready, HDMI, LAN Control
- 10W speaker x 2
- Up to 7,000 Hours Lamp Life
- Wall Mount Included
- Spare Lamp Kit P/N: 5JJCA05.001
- 3D Glasses P/N: D3 5JJ9H25.001
- Remote Control P/N: 5JJAC06.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life

Limited Supply!



MW843UST

*mount included

- Native WXGA (1280x800) Resolution
- 3,000 ANSI Lumens, 13,000:1 Contrast Ratio
- Throw Ratio 0.37
- Projection Offset 147% ±5%
- SmartEco™ Power Saving Technology
- New 3D ready, HDMI, LAN Control
- 10W Speaker x 2
- Up to 7,000 Hours Lamp Life
- Wall Mount Included
- Spare Lamp Kit P/N: 5JJCA05.001
- 3D Glasses P/N: D3 5JJ9H25.001
- Remote Control P/N: 5JJAC06.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life

NEW!



MW855UST

*mount included

- Native WXGA (1280x800) Resolution
- 3,500 ANSI Lumens, 10,000:1 Contrast Ratio
- Throw Ratio 0.35, Vertical Lens Shift
- Projection Offset 140%-148% (±5%)
- New 3D Ready, 20W Audio
- Dual HDMI, LAN Control
- SmartEco™ Power Saving Technology
- PointWrite Interactivity Ready (Opt)
- Spare Lamp Kit P/N: 5JJCS05.001
- 3D Glasses P/N: 5JJ9H25.001
- PointWrite Kit (PW01U) P/N: 5JJ8L26.20E
- Touch Module PT02 P/N: 5JJ8L26.11E
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life

BenQ America Corp.
www.BenQ.us

BenQ is a registered trademark of BenQ Corp. All rights reserved. Product names, logos, brands, and other trademarks featured or referred to in this material are the property of their respective trademark holders. Specifications subject to change without notice.



Because it matters

S-Series



Limited Supply!

SX912

- Native XGA (1024x768) Resolution
- 5,000 ANSI Lumens; 11,000:1 Contrast Ratio
- Throw Ratio 1.428-2.142
- 1.5 x Zoom
- Projection Offset: 124% ±5%
- Dual HDMI; LAN Control
- New 3D Ready
- Spare Lamp Kit P/N: 5JJ8805.001
- 3D Glasses P/N: 5JJ9H25.001
- Remote Control P/N: 5JJ8A06.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life



SX914

- Native XGA (1024 x 768) Resolution
- 6,000 ANSI Lumens; 6,500:1 Contrast Ratio
- Throw Ratio 1.5-2.4 (65.6"±3% @ 2m)
- Lens Shift Vertical: 115%-125%±5%
- 1.6 x Zoom
- Dual HDMI, Wireless Display (Opt)
- LAN Control/Display, USB Reader/Display
- 20W SRS WOW HD™ Audio
- Spare Lamp Kit P/N: 5JJ8K05.001
- 3D Glasses P/N: 5JJ9H25.001
- Remote Control P/N: 5JJ6N06.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life



SH940

- Native Full HD (1920x1080) Resolution
- 4,000 ANSI Lumens; 50,000:1 Contrast Ratio
- Throw Ratio 1.62~2.43(55.7" @ 2m)
- Dual HDMI, HQV™ Image Processor
- H+V Lens Shift
- 1.5 Big Zoom,
- LAN Control
- Picture in Picture
- Spare Lamp Kit P/N: 5JJ8A05.001
- Remote Control P/N: 5JJ8A06.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life



NEW!

SU922

- Native WUXGA (1920x1200) Resolution
- 5,000 ANSI Lumens; 3,000:1 Contrast Ratio
- Throw Ratio 1.07-1.71
- 1.6 x Zoom, H+V Keystone
- Vertical Lens Shift +2.5%
- 20W Stereo Speaker
- Dual HDMI (one MHL), USB Type A with power
- LAN Control
- Spare Lamp Kit P/N: 5JJDP05.001
- 3D Glasses P/N: 5JJ9H25.001
- Universal Ceiling Mount P/N: 5JJAM10.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life



NEW!

SW921

- Native WXGA (1280x800) Resolution
- 5,000 ANSI Lumens; 5,000:1 Contrast Ratio
- Throw Ratio 1.12-1.8
- 1.6 x Zoom, H+V Keystone
- Vertical Lens Shift +2.5%
- 20W Stereo Speaker
- Dual HDMI (one MHL), USB Type A with power
- LAN Control
- Spare Lamp Kit P/N: 5JJDP05.001
- 3D Glasses P/N: 5JJ9H25.001
- Universal Ceiling Mount P/N: 5JJAM10.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life



NEW!

SX920

- Native XGA (1024x768) Resolution
- 5,000 ANSI Lumens; 5,000:1 Contrast Ratio
- Throw Ratio 1.41-2.25
- 1.6 x Zoom, H+V Keystone
- Vertical Lens Shift +7.5%
- 20W Stereo Speaker
- Dual HDMI (one MHL), USB Type A with power
- LAN Control
- Spare Lamp Kit P/N: 5JJDP05.001
- 3D Glasses P/N: 5JJ9H25.001
- Universal Ceiling Mount P/N: 5JJAM10.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life

HC-Series



HC1200

- Full HD (1920x1080)
- 3,000 sRGB lumens
- 510 ANSI Contract Ratio
- 10,000:1 Dynamic (On/Off) Contrast
- Throw Ratio 1.378~2.067
- Projection Offset 130% ±5%
- Big Zoom Ratio: 1.5x
- SmartEco™ Power Saving Technology
- New 3D Ready, 5W x 1 Speakers
- LAN Control
- Spare Lamp Kit P/N: 5JJ8805.001
- Remote Control P/N: 5JJ8A06.001
- 3 Years Parts/Labor; 1 Year or 2000 Hours of Lamp Life

BenQ America Corp.
www.BenQ.us

BenQ is a registered trademark of BenQ Corp. All rights reserved. Product names, logos, brands, and other trademarks featured or referred to in this material are the property of their respective trademark holders. Specifications subject to change without notice.



Because it matters

W & HT Home Video Series



W1070

- Native Full HD (1920x1080) Resolution
- 2,000 ANSI Lumens, 10,000:1 Contrast Ratio
- Throw Ratio 1.15-1.5 (79" @ 2M)
- Projection Offset: Vertical 110%-130%±5%
- Lens Shift: Vertical 110%-130%±5%
- SmartEco™ Power Saving Technology
- New 3D Ready & Nvidia 3DTV Play
- Dual HDMI
- Built-in 10W Speaker
- Spare Lamp Kit P/N: 5JJ7L05.001
- 3D Glasses P/N: 5JJ9H25.001
- Remote Control P/N: 5JJ7K06.001
- 1 Year Parts/Labor; 180 Days / 500 Hours of Lamp Life



WIRECUTTER
The Best \$1,000 Projector



HT1075

- Native Full HD (1920x1080) Resolution
- 2,200 ANSI Lumens, 10,000:1 Contrast Ratio
- Throw Ratio 1.15-1.5 (100" @ 2.5M)
- Projection Offset: Vertical 110%-130%±5%
- Lens Shift: Vertical 110%-130%±5%
- Dual HDMI, MHL Connectivity
- Optional Wireless Full HD Kit
- 3D Full HD, built-in 10W speaker
- Horizontal & Vertical Keystone
- Spare Lamp Kit P/N: 5JJ7L05.001
- 3D Glasses P/N: 5JJ9H25.001
- Wireless FHD Kit P/N: 5JJ9H28.A02
- 1 Year Parts/ Labor; 180 days or 500 hours of lamp life



HT1085ST

- Native Full HD 1080P (1920x1080) Resolution
- 2,200 ANSI Lumens, 10,000:1 High Contrast Ratio
- Throw Ratio 0.69-0.83 (65.7" @ 1M)
- Projection Offset: 105%±5%
- Dual HDMI, MHL Connectivity
- Optional Wireless Full HD Kit
- 3D Full HD, built-in 10W speaker
- Horizontal & Vertical Keystone
- Spare Lamp Kit P/N: 5JJ7L05.001
- 3D Glasses P/N: 5JJ9H25.001
- Wireless FHD Kit P/N: 5JJ9H28.A02
- 1 Year Parts/ Labor; 180 days or 500 hours of lamp life



NEW!

HT2050

- Native Full HD (1920x1080) Resolution
- 2,200 ANSI Lumens, 15,000:1 Contrast Ratio
- Throw Ratio 1.15-1.5 (100" @ 2.5M)
- Projection Offset: Vertical 105%±2.5%
- Vertical Lens Shift +10%
- Dual HDMI, USB Type A with 1.5A power
- 1.3X Zoom ratio
- 3D Full HD, built-in 10W speaker
- Vertical Keystone
- Spare Lamp Kit P/N: 5JJEE05.001
- 3D Glasses P/N: 5JJ9H25.001
- Wireless Kit WDP01 P/N: 5JJ9H28.A02
- 1 Year Parts/ Labor; 180 days or 500 hours of lamp life



NEW!

HT3050 – Rec. 709 CinematicColor

- Native Full HD (1920x1080) Resolution
- 2,000 ANSI Lumens, 15,000:1 Contrast Ratio
- Throw Ratio 1.15-1.5 (100" @ 2.5M)
- Projection Offset: Vertical 105%±2.5%
- Vertical Lens Shift +10%
- HDMI x 3 (MHL x 2)
- 1.3X Zoom ratio
- 3D Full HD, built-in 20W stereo HiFi speaker
- H+V Keystone
- Spare Lamp Kit P/N: 5JJEE05.001
- 3D Glasses P/N: 5JJ9H25.001
- Wireless Kit WDP01 P/N: 5JJ9H28.A02
- 1 Year Parts/ Labor; 180 days or 500 hours of lamp life



NEW!

HT4050 – Rec. 709 CinematicColor

- Native Full HD (1920x1080) Resolution
- 2,000 ANSI Lumens, 10,000:1 Contrast Ratio
- Throw Ratio 1.15-1.86 (100" @ 2.5M)
- Projection Offset: Vertical 115%±2.5%
- Horizontal & Vertical Lens Shift
- Dual HDMI (one MHL)
- 1.6X Zoom ratio
- 3D Full HD, built-in 10W HiFi speaker
- H+V Keystone
- Spare Lamp Kit P/N: 5JJEE05.001
- 3D Glasses P/N: 5JJ9H25.001
- Wireless Kit WDP01 P/N: 5JJ9H28.A02
- 1 Year Parts/ Labor; 180 days or 500 hours of lamp life



Contact Your Rep

Western Regional Sales Manager:

Miguel Lomeli • Miguel.Lomeli@BenQ.com • 503-998-0025

Eastern Regional Sales Manager:

Andrew Risner • Andrew.Risner@BenQ.com • 714-640-9423

Business & Education Solutions:

Jay Dellostretto • Jay.Dellostretto@BenQ.com • 201-248-5791

Glenn Allan • Glenn.Allan@BenQ.com • 864-451-9092

John Agnew • John.Agnew@BenQ.com • 714-586-7344

Consumer & Data Products:

Peter Bajor • Peter.Bajor@BenQ.com • 714-559-5877

Meredith.Marrs • Meredith.Marrs@BenQ.com • 317-376-0539

Kevin McGrath • Kevin.Mcgrath@BenQ.com • 714-559-4909

Neil MacFadyen • Neil.Macfadyen@BenQ.com • 716-725-9599

BenQ America Corp.
www.BenQ.us

BenQ is a registered trademark of BenQ Corp. All rights reserved. Product names, logos, brands, and other trademarks featured or referred to in this material are the property of their respective trademark holders. Specifications subject to change without notice.



Because it matters