Be bold. Be confident. Stand out.

Unleash your presentation potential with Optoma's ProScene 515 series.



Optoma

Say hello to your new best friends.

Meet the ProScene 515 series of projectors from Optoma — perfect for every install.

Bright projection for any venue

Unprecedented image quality

W515

Easy to install





World class. Best sellers.

From the number one brand in high-definition fixed lens projectors, Optoma's ProScene 515 series combines an unparalleled feature set with industry-leading technologies to offer an impressive image in conference rooms, houses of worship and other large venues.





* According to Future Source WW Projector Report Q2 2016, Optoma is No.1 in lamp-based, high resolution, above 5000 lumens, fixed lens with H/V lens shift category in the Americas.



Ideal for <u>museum</u> and <u>public display</u> installs — 4 corner geometric correction allows for basic stacking solutions or use on uneven walls while 1.8x zoom provides excellent image quality from short or long distances.



Numbers matter for maximized flexibility.



"Overall, the EH515's combination of features add up to an impressive level of capability for the price, and help make the EH515 an excellent option for large conference rooms, houses of worship, and higher-education lecture halls."

David Stone, Projector Central

^{*} Brightness ranges from 5500L to 6000L depending on resolution

















Get to know the Optoma ProScene 515 Family



Model	Lumens	Contrast Ratio	Native Resolution	Lamp Life Hrs max ~ min	Throw Ratio	Image Size	Projection Lens	I/O Connection Ports	Speaker	Weight & Size (W x H x D)
<u>WU515</u>	6000	19 10,000:1 19	1920 x 1200	5000	1.26 - 2.27	27.9" - 301.8"	Vertical and Horizontal Lens Shift	Display port, 2x HDMI 1.4a + MHL, 2x VGA-In, VGA out, Composite Video, S-Video, 3x Audio-In (stereo, 3.5mm and RCA), Audio-Out (3.5mm), Mic in (3.5mm), 12V trigger, USB-A (5V), 3D VESA, RS-232C, USB mini (service/control), RJ45, AC power	Two 10-Watt (stereo)	13 lb 16.7" x 6.3" x 13.
EH515	5500		1920 x 1080		1.2 - 2.16	27.2"-301.1"				
<u>W515</u>	6000		1280 x 800		1.26 - 2.27	26.6" - 302.1"				
VU515T	6000		1920 x 1200		1.26 - 2.27	27.9" - 301.8"		HDBaseT, Display port, 2x HDMI 1.4a + MHL, 2x VGA-In, VGA out, Composite Video, S-Video, 3x Audio-In (stereo, 3.5mm and RCA), Audio-Out (3.5mm), Mic in (3.5mm), 12V trigger, USB-A (5V), 3D VESA, RS-232C, USB mini (service/control), RJ45, AC power		
<u>H515T</u>	5500		1920 x 1080		1.2 - 2.16	27.2"-301.1"				
W515T	6000		1280 x 800		1.26 - 2.27	26.6" - 302.1"				

Optoma ProScene 515 Series Accessories



OCM818B-RU: Universal flush mount (black), suitable for installation in the office or at home.



WHD200: Effortlessly stream Full HD 1080p 3D content to your projector or TV wirelessly.



OCM818W-RU: Universal flush mount (white), suitable for installation in the office or at home.



WPS Pro: Collaborate and share content on a big screen wirelessly. The powerful WPS Pro enables multiple users to share their presentations in Full HD 1080p from a laptop to a projector with ease.



OCM815B: Easy to set up with a unique quick adjustment design, the OCM815B Black Universal Projector Pole Mount is flexible and ideal for high ceilings.



ZD302: Bright, stylish and lightweight Using DLP® Link™ active shutter technology, the Optoma ZD302 3D glasses allow you to watch the latest documentaries, sport and more in 3D.



<u>OCM815W</u>: The perfect universal projector pole mount, the OCM815W is flexible, adaptable and easy to install.



BL-FU365A: 515 series replacement lamp