



GENERAL INFORMATION

DIN rail Enclosures from ETC offer a convenient location to house your devices. Designed to work with all Unison Echo®, Unison Mosaic® and Response™ and additional third party products.

Available in small (14" x 14") and large (14" x 28") formats each enclosure features two vertically-aligned rails, and a re-positionable voltage divider allowing re-configuration to meet the needs of the project. Both version are wall-mountable and ETL listed.

FEATURES

- Available in two sizes:
 - Small (14" x 14")
 - Large (14" x 28")
- Two vertically-aligned DIN Rails

REGULATORY COMPLIANCE

- ETL Listed
- Conforms to ANSI/UL Standard 50/50E
- Certified to CAN/CSA Standard C22.2 No. 94.1/94.2

MECHANICAL

- Constructed of 16-gauge cold-rolled steel
- Finished in fine-textured, black powder coat
- Two vertically-aligned DIN rails provided:
 - Small Enclosure: 13" (330mm) long
 - Large Enclosure: 27" (686mm) long
- Complies with DIN43880 (35/7.5 rail)
- Conduit punch guide holes provided on all sides
- Re-positionable voltage divider allowing low voltage and line voltage in the same enclosure

ORDERING INFORMATION

DIN rail Installation Enclosures

MODEL	DESCRIPTION
DIN14	Small DIN rail Enclosure
DIN28	Large DIN rail Enclosure



PHYSICAL


DIN rail Enclosure Dimensions*

MODEL	HEIGHT		WIDTH		DEPTH	
	inches	mm	inches	mm	inches	mm
DIN14	14	355.6	14	355.6	5.05	128.3
DIN28	28	711.2	14	355.6	5.05	128.3

DIN rail Enclosure Weights*

MODEL	WEIGHT		SHIPPING WEIGHT	
	lbs	kg	lbs	kg
DIN14	11	4.99	15	6.8
DIN28	22	9.98	27	12.2

*Weights and dimensions typical



EXAMPLE ENCLOSURES

(Products not Included)

