

TRAVEL LITETM Lighting Kits



ALTMAN

THE QUALITY OF LIGHT


ALTMAN Lighting Kits

Ideal for use by TV, Film and Still photographers.

Compact Lighting Kits designed for safe, easy storage and transport. Everything you'll need to set up an intense, even field of light with sharp cutting capability has been included.

Altman top quality lights with matching barn doors, full and half scrims for easy light balance, sturdy telescoping stands that can extend up to nine feet and a heavy duty twenty-five foot extension cord. And they all fit quickly and neatly into an Altman lightweight, high impact molded "Easy Roll" travel/storage case.

All units are U.L. and c.U.L. listed and carry the famous Altman guarantee.



Altman "Action Pac" Lighting Kit

Contains:

Refer to Page 5 for exact for kit contents.



Altman "Model Pac" Lighting Kit

Contains:


Refer to Page 5 for exact for kit contents.



Altman "Comm Pac" Lighting Kit

Contains:

Refer to Page 6 for exact for kit contents.



Altman "Foto Pac" Lighting Kit

Contains:

Refer to Page 6 for exact for kit contents.

Altman "Swing Pac" Lighting Kit

Contains:



Refer to Page 7 for exact for kit contents.

See Back Cover for product specifications.

Mix & Match no longer available

ALTMAN

LIGHTING KITS - PRODUCTS SPECIFICATIONS

PHOTOMETRIC DATA

DISTANCE IN FEET				5	7.5	10	12.5	15	20	25	30	40	CANDLE-POWER (X 1000)
FITURE	LAMP	FOCUS	FIELD ANGLE	PEAK FOOTCANDLES									
				MAXIMUM DIAMETER IN FEET									
300L	300W FKW	SPOT	27°	600	267	150	96	67	38				15
				1.1	1.7	2.3	2.8	3.4	4.6				
		FLOOD	77°	168	75	42	27	19	11				4.2
				5.1	7.6	10.2	12.7	15.3	20.4				
650L	650W FRK	SPOT	26°			550		244	138	88	61	34	5.5
						2.0		3.0	4.0	5.0	6.0	8.0	
		FLOOD	79°			90		40	23	14	10	6	9
						11.3		17.0	22.6	28.3	33.9	45.3	
1000L	1000W EGT	SPOT	19°			1250		556	312	200	139	78	125
						1.7		2.6	3.5	4.3	5.1	7.0	
		FLOOD	69°			202		90	50	32	22	13	20
						11.5		17.3	23.1	28.9	34.6	46.2	
DISTANCE IN FEET				2.5	5	7.5	10	12.5	15	17.5			
SOFT-LITE-JR	1000W FCM	No Focus	115° H	785	196	88	49	33	22	16	4.9		
		No Focus	135° V	5 x 5	10 x 10	16 x 15	21 x 19	26 x 24	31 x 29	36 x 34			

1000L-SM - 5" Fresnel Luminaire

Provides an intense even field of light for key and backlight positions. This unit comes with an integral 25 foot power cord with an in-line on/off switch standard. The lens and safety mesh are mounted in a hinged door which allows easy access to the interior for re-lamping. No tools are required. U.L. and c.U.L. listed for 1000 watts.

650L - 4 1/2" Fresnel Luminaire

Delivers the highest ratio of size-to-light output in our location series of fresnel lights. The 25 foot integral cord with in-line, on/off switch, pop-top access for re-lamping without tools, and numerous different wattage lamps makes this a most versatile unit for key, fill, and backlighting situations. U.L. and c.U.L. listed for 650 watts.

Altman "Easy Roll" Storage/Travel Case

Made of high impact molded plastic with aluminum trim. Clamp down Turn-Latches lock extra tight and fold down to avoid accidental opening. Smooth ball bearing swivel casters easily snap off and snap on for safe airplane stowing. All cases are compartmentalized to match kit requirements. Cushioned carry handle on side and ends. Full length riveted piano hinged lid. Measures 44" (112 cm) (including casters) x 21" (53 cm) x 14 1/2" (37 cm).

Light Stands

Constructed of heavy gauge aluminum with an anodized non-reflective finish. Wide tri-leg, no-rock base, these stands telescope from 2'8" (0.82 m) through 9'0" (2.74 m). Their light weight and height extension make these stands ideal for quick set-up and wrap.

Barn Doors

Four leaf barn doors sized to match our fresnel lighting units. Flat black, non-reflective high temperature finish. Constructed of tough steel and lightweight aluminum. Folds flat for best control and storage.

Egg Crates

Designed to fit the Altman SOFT-LITE-JR lighting units. This fixture directs the flood of light into a more concentrated beam. Constructed of steel with a high temperature non-reflective finish.

300L - 3" FRESNEL LUMINAIRE

An unobtrusive lighting unit that provides an even field of intense illumination. pop-top access for re-lamping without tools Where physical space limitation is a factor, this unit is ideal for fill, backlight or low-key positions. The 25 foot power cord has an in-line, on/off switch. U.L. and c.U.L. listed for 300 watts.

SOFT-LITE-JR - Flood Luminaire

Utilizing a matte white reflector, this unit creates a very soft, even wash of illumination. Supplied with an FCM 1000 watt lamp. No tools required to re-lamp. The SOFT-LITE-JR is perfectly suited for high performance indirect fill. Lower wattage lamps can be used. The unit comes with a 25 foot extension power cable, standard. The cable has an in-line, on/off switch also standard. U.L. and c.U.L. listed for 1000 watts.

Scrim

Stainless steel scrims reduce light output without the use of power dimmers. Unlike electronic dimmers, our scrims will not affect color temperature or produce electronic interference. Color keyed for fast identification. Single, Half-Single, Double and Half-Double. Sized to match kit's fresnel lights.

Scrim Bag

Our scrim bags are made of heavy Cordura® which has been specially coated to inhibit moisture and mildew. Bright orange polypropylene webbing for reinforced construction and carrying handle/hanger, with velcro closing strap.

Extension Cords

A 25 foot extension cord with a molded U-Ground (household) plug is included with each lighting kit. The flexible 14 gauge safety orange colored cords terminate with a triple* outlet block. U.L. listed for 15 Amps.

**Action Pac™ kit comes with a single outlet extension cord.

MADE IN U.S.A.

Specifications subject to change without notice. Copyright © Altman Stage Lighting Co., Inc., 1996. All rights reserved. Altman™, Altman Stage Lighting™, The Quality of Light®, Action Pac™, Model Pac™, Comm Pac™, Foto Pac™, Swing Pac™, Easy Roll™, & Travel Lite™ are trademarks of Altman Stage Lighting Co., Inc.

Altman Stage Lighting Company, Inc.
57 Alexander Street, Yonkers, NY 10701
914 / 476-7987
212 / 569-7777
FAX: 914 / 963-7304

ALTMAN

THE QUALITY OF LIGHT

6/96-SM-P2B/D4



AK-MODEL-PAC Lighting Kit

Contains:

- 4- 650L-SM 4-1/2" Fresnel with;**
 - 4 Combination Spigot (F-SAS),**
 - 4 25' cord w/inline switch**
 - 4 Filter frame (F4-FF)**
 - 4 Lanyard**
 - 4 Male Edison plug installed.**
- 4- 4 Leaf Barn door (F4-BD4)
- 4- Full Single Density Scrim (F4-FS)
- 8- Full Double Density Scrim (F4-FD)
- 4- Half Single Density Scrim (F4-SD)
- 4- Half Double Density Scrim (F4-HD)
- 4- FRK 650W Lamps 120 Volt Lamps

- 1- 25' Extension Cord
- 4- Scrim Bags
- 3- 9' Telescoping aluminum light stands.
- 1- Rugged 4 cell "Easy Roll" case



AK-ACTION-PAC Lighting Kit

Contains:

- 3- 1000L-SM 5" Fresnel with;**
 - 3 Combination Spigot (F-SAS),**
 - 3 25' cord w/inline switch**
 - 3 Filter frame (F5-FF)**
 - 3 Lanyard**
 - 3 Male Edison plug installed.**
- 3- 4 Leaf Barn door (F5-BD4)
- 3- Full Single Density Scrim (F5-FS)
- 6- Full Double Density Scrim (F5-FD)
- 3- Half Single Density Scrim (F5-SD)
- 3- Half Double Density Scrim (F5-HD)
- 3- EGT 1000W Lamps 120 Volt Lamps

- 1- 25' Extension Cord
- 3- Scrim Bag
- 3- 9' Telescoping aluminum light stands.
- 1- Rugged 3 cell "Easy Roll" case



AK-COMM-PAC Lighting Kit

Contains:

- 2- 650L-SM 4-1/2" Fresnel with;**
 - 2 Combination Spigot (F-SAS),**
 - 2 25' cord w/inline switch**
 - 2 Filter frame (F4-FF)**
 - 2 Lanyard**
 - 2 Edison plug installed.**
- 2- 4 Leaf Barn door (F4-BD4)
- 2- Full Single Density Scrim (F4-FS)
- 4- Full Double Density Scrim (F4-FD)
- 2- Half Single Density Scrim (F4-SD)
- 2- Half Double Density Scrim (F4-HD)
- 2- FRK 650W Lamps 120 Volt Lamps

- 2- 300L-SM 3" Fresnel with;**
 - 2 Combination Spigot (F-SAS),**
 - 2 25' cord w/inline switch**
 - 2 Filter frame (F3-FF)**
 - 2 Lanyard**
 - 2 Male Edison plug installed.**
- 2- 4 Leaf Barn door (F3-BD4)
- 2- Full Single Density Scrim (F3-FS)
- 4- Full Double Density Scrim (F3-FD)
- 2- Half Single Density Scrim (F3-SD)
- 2- Half Double Density Scrim (F3-HD)
- 2- FKW 300W Lamps 120 Volt Lamps
- 1- 25' Extension Cord
- 4- Scrim Bags
- 4- 9' Telescoping aluminum light stands.
- 1- Rugged 4 cell "Easy Roll" case



AK-FOTO-PAC Lighting Kit

- 2- 650L-SM 4-1/2" Fresnel with;**
 - 2 Combination Spigot (F-SAS),**
 - 2 25' cord w/inline switch**
 - 2 Filter frame (F4-FF)**
 - 2 Lanyard**
 - 2 Edison plug installed.**

- 2- 4 Leaf Barn door (F4-BD4)
- 2- Full Single Density Scrim (F4-FS)
- 4- Full Double Density Scrim (F4-FD)
- 2- Half Single Density Scrim (F4-SD)
- 2- Half Double Density Scrim (F4-HD)
- 2- FRK 650W Lamps 120 Volt Lamps

- 1-SOFT-LITE-JR Softlight with;**
 - 1 Combination Spigot (F-SAS)**
 - 1- Filter Frame**
 - 1- Male Edison Plug Installed.**

- 1-25' Power cord w. switch (54-5006)
- 1- Egg Crate (SL-JR-EC)
- 1- FCM 1000W Lamp 120V
- 1- 25' Extension Cord
- 2- Scrim Bags
- 3- 9' Telescoping aluminum light stands.
- 1- Rugged 3 cell "Easy Roll" case



AK-SWING-PAC Lighting Kit

Contains:

- 1- 650L-SM 4-1/2" Fresnel with;**
 - 1 Combination Spigot (F-SAS)**
 - 1 25' cord w/inline switch**
 - 1 Filter frame (F4-FF)**
 - 1 Lanyard**
 - 1 Edison plug installed.**

- 1- 4 Leaf Barn door (F4-BD4)
- 1- Full Single Density Scrims (F4-FS)
- 2- Full Double Density Scrims (F4-FD)
- 1- Half Single Density Scrims (F4-SD)
- 1- Half Double Density Scrims (F4-HD)
- 1- FRK 650W Lamps 120 Volt Lamps

- 1- 300L-SM 3" Fresnel with;**
 - 1 Combination Spigot (F-SAS),**
 - 1 25' cord w/inline switch**
 - 1 Filter frame (F3-FF)**
 - 1 Lanyard**
 - 1 Male Edison plug installed.**

- 1- 4 Leaf Barn door (F3-BD4)
- 1- Full Single Density Scrims (F3-FS)
- 2- Full Double Density Scrims (F3-FD)
- 1- Half Single Density Scrims (F3-SD)
- 1- Half Double Density Scrims (F3-HD)
- 1- FKW 300W Lamps 120 Volt Lamps

- 1-SOFT-LITE-JR Softlight with;**
 - 1 Combination Spigot (F-SAS)**
 - 1- Filter Frame**
 - 1- Male Edison Plug Installed.**

- 1-25' Power cord w. switch (54-5006)
- 1- Egg Crate (SL-JR-EC)
- 1- FCM 1000W Lamp 120V

- 1- 25' Extension Cord
- 2- Scrim Bags
- 3- 9' Telescoping aluminum light stands.
- 1- Rugged 3 cell "Easy Roll" case