

Canon



PowerShot G-SERIES

A FAMILY OF POWERFUL CAMERAS WITH A CHOICE FOR EVERYONE

The Canon PowerShot G-Series line-up of cameras packs powerful features and impressive picture quality into advanced, easy-to-use compact cameras. A large 1.5-inch or 1.0-inch CMOS sensor brings outstanding image quality while fast, high-quality Canon zoom lenses grab sharp detail even in low light. Intuitive manual controls and customizable menus let you fine-tune your images with minimal effort. Five distinct, compact and stylish cameras, each with a powerful set of features designed to help capture photos and videos the way you want to. With the PowerShot G-Series of cameras, there's a choice for everyone.





1.5-inch
CMOS Sensor

PowerShot
G1X Mark II



High Zoom

PowerShot
G3X



High Performance
EVF

PowerShot
G5X



Compact Performer

PowerShot
G7X



Slim & Stylish

PowerShot
G9X



Shot with PowerShot G1 X Mark II
(1/40 sec, f/8, ISO 100)



Shot with PowerShot G1 X Mark II
(1/60 sec, f/4.0, ISO 800)




PowerShot G1 X Mark II



THE MARK OF POWERSHOT EXCELLENCE

Large 1.5-inch CMOS Sensor

The PowerShot G1 X Mark II camera's large 1.5-inch CMOS sensor helps capture low-light night scenes and the vibrant colors of bright daytime scenes. Its high sensitivity and extensive dynamic range bring images that have detailed highlights and shadows with minimal noise.



Fast and Versatile Zoom Lens

The versatile lens in the PowerShot G1 X Mark II camera features a wide 5x Optical Zoom, a bright f/2.0-3.9 aperture range and quick autofocus. These help capture gorgeous night landscapes, sharp midday close-ups and fast sports action. Its shallow depth of field also creates beautiful background blur to help make your subject stand out.



5X (120mm)

1X (24mm)




Shot with PowerShot G3 X
(1/80 sec, f/8, ISO 125)



Shot with PowerShot G3 X
(1/160 sec, f/6.3, ISO 800)



PowerShot G3 X




THE VERSATILITY OF HIGH ZOOM POWER

Bring What's Distant 25x Closer

The PowerShot G3 X camera's powerful 25x Optical Zoom silently brings you to the shot you want, without interrupting the action. The bright, f/2.8-5.6 lens helps you capture sharp, high-quality images all through the entire telephoto range. Wildlife in their natural habitat, facial expressions from afar, architectural details and more are all within reach.



25X (Optical Zoom)



1X (24mm)

Resistance to Dust and Water

Thanks to precisely aligned body sections and tight rubber seals, the rugged PowerShot G3 X camera resists water sprays, dust and rain. Whether you're deep in the jungle, crossing a dune in the desert or simply caught out in the rain, you can rely on the PowerShot G3 X to help capture that epic photo.





Shot with PowerShot G5 X
(1/5 sec, f/5.6, ISO 125)



Shot with PowerShot G5 X
(1/125 sec, f/5.6, ISO 125)



PowerShot G5 X

1.0"
type
CMOS
 f/1.8-2.8
LENS
 24mm
WIDE
4.2x
20.2 MEGA
PIXELS
HIGH-SENSITIVITY
CMOS
Total: 20.9 megapixels
 DIGIC 6
ISO 12800
WiFi CERTIFIED
N

THE PRECISION OF FINE CONTROL

Built-in Electronic Viewfinder

The PowerShot G5 X camera's 2.36 million dot electronic viewfinder adds flexibility in how you use the camera. Customize the image information you see in the viewfinder to help get your photo looking how you want it to, and view vivid edge-to-edge images you can easily compose, adjust and review.



Intuitively Easy

With easy-to-use customizable dials and a quiet control ring, the PowerShot G5 X camera lets you adjust the camera's settings without searching, and keep noise to a minimum when recording video. A variety of Vari-angle LCD screen and viewfinder layouts keep the information you want, right where you want to see it.





Shot with PowerShot G7 X
(1/250 sec, f/2.8, ISO 125)



Shot with PowerShot G7 X
(0.5 sec, f/1.8, ISO 125)



PowerShot G7X

POWERED TO INSPIRE

1.0" type CMOS	f/1.8-2.8 LENS	24mm WIDE 4.2x	20.2 MEGA PIXELS HIGH-SENSITIVITY CMOS	DIGIC 6	ISO 12800	WiFi CERTIFIED	N ™
-----------------------------	--------------------------	------------------------------------	--	--------------------------	----------------------------	--------------------------	---------------

Full Manual Control

Despite its compact size, the PowerShot G7 X camera features manual control similar to DSLRs. You can adjust the ISO setting to help capture low-light scenes, change the aperture for beautifully blurred backgrounds and modify exposure time for artistically blown-out highlights or fast action caught in the moment.



High Performance, Compact Size

Just because you're on the go, doesn't mean you need to sacrifice image quality. The PowerShot G7 X camera's compact size is still able to fit a fast f/1.8-2.8 lens with a 4.2x Optical Zoom (24-100mm equivalent) and a 1.0-inch CMOS sensor to help you take high-quality photos and videos.





Shot with PowerShot G9 X
(1/60 sec, f/2.8, ISO 400)



Shot with PowerShot G9 X
(36.9 sec, f/11, ISO 125)



PowerShot G9 X

THE BEAUTY OF SLIM DESIGN

1.0" type CMOS	f/2.0-4.9 LENS	28mm WIDE 3x	20.2 MEGA PIXELS HIGH-SENSITIVITY CMOS <small>Total: 20.9 megapixels</small>	DIGIC 6	ISO 12800	WiFi CERTIFIED	N
-----------------------------	--------------------------	----------------------------------	---	----------------	------------------	--------------------------	----------

Slim and Stylish

The PowerShot G9 X camera is slim, stylish, can fit in your pocket and help you take great photos. Its modern design comes in silver or black. Inside is a powerful 1.0-inch CMOS sensor that's paired with the DIGIC 6 Image Processor to help ensure you get the best possible pictures.



Easy to Hold, Easy to Use

The slim size and ergonomic design of the PowerShot G9 X camera helps ensure it remains comfortable in your hand, even while recording long videos. The durable, specially textured leather-like grip material helps you hold the camera securely so you're ready to capture that unforgettable moment. If you want to make adjustments, the capacitive LCD touch panel allows for quick settings changes even while you're taking a picture.





*PowerShot
G1X* Mark II

THE MARK OF POWERSHOT EXCELLENCE

- 1.5-inch CMOS Sensor
- 12.8 Megapixels*(3:2)
- 5x Optical Zoom Lens
- 24–120mm, f/2.0(W)–f/3.9(T) Lens
- Compatible with Electronic Viewfinder EVF-DC1**
- 3.0" Tilt (Up 180°/Down 45°), Capacitive Touch Panel LCD
- Shoot up to 5.2 fps
- Full HD Video Recording (30fps)
- DIGIC 6 Image Processor
- ISO 100–12800
- Intelligent IS
- Shutter Speed: 60–1/4000 sec.
- RAW Mode
- Built-in Wi-Fi*/NFC



*PowerShot
G3X*

THE VERSATILITY OF HIGH ZOOM POWER

- 1.0-inch CMOS Sensor
- 20.2 Megapixels*(3:2)
- 25x Optical Zoom Lens
- 24–600mm, f/2.8(W)–f/5.6(T) Lens
- Compatible with Electronic Viewfinder EVF-DC1**
- 3.2" Tilt (Up 180°/Down 45°), Capacitive Touch Panel LCD
- Shoot up to 5.9 fps
- Full HD Video Recording (60, 30, 24fps)
- Dust and Water-Resistant
- DIGIC 6 Image Processor
- ISO 125–12800
- Intelligent IS
- Shutter Speed: 15–1/2000 sec.
- RAW Mode
- Built-in Wi-Fi*/NFC



*PowerShot
G5X*

THE PRECISION OF FINE CONTROL

- 1.0-inch CMOS Sensor
- 20.2 Megapixels*(3:2)
- 4.2x Optical Zoom Lens
- 24–100mm, f/1.8(W)–f/2.8(T) Lens
- Built-in Electronic Viewfinder
- 3.0" Vari-Angle, Capacitive Touch Panel LCD
- Shoot up to 5.9 fps
- Full HD Video Recording (60, 30, 24fps)
- DIGIC 6 Image Processor
- ISO 125–12800
- Intelligent IS
- Shutter Speed: 30–1/2000 sec.
- RAW Mode
- Built-in Wi-Fi*/NFC



*PowerShot
G7X*

POWERED TO INSPIRE

- 1.0-inch CMOS Sensor
- 20.2 Megapixels*(3:2)
- 4.2x Optical Zoom Lens
- 24–100mm, f/1.8(W)–f/2.8(T) Lens
- 3.0" Tilt (180°), Capacitive Touch Panel LCD
- Shoot up to 6.5 fps
- Full HD Video Recording (60, 30fps)
- DIGIC 6 Image Processor
- ISO 125–12800
- Intelligent IS
- Shutter Speed: 250–1/2000 sec.
- RAW Mode
- Built-in Wi-Fi*/NFC



*PowerShot
G9X*

THE BEAUTY OF SLIM DESIGN

- 1.0-inch CMOS Sensor
- 20.2 Megapixels*(3:2)
- 3.0x Optical Zoom Lens
- 28–84mm, f/2.0(W)–f/4.9(T) Lens
- 3.0" Capacitive Touch Panel LCD
- Shoot up to 6.0 fps
- Full HD Video Recording (60, 30, 24fps)
- DIGIC 6 Image Processor
- ISO 125–12800
- Intelligent IS
- Shutter Speed: 30–1/2000 sec.
- RAW Mode
- Built-in Wi-Fi*/NFC

ONE FAMILY,
FIVE CAMERAS,
A CHOICE FOR
EVERYONE

* Image processing may cause a decrease in the number of pixels. ** Optional accessory.



Certain images and effects simulated. Products not shown to scale. All data are based on Canon's Standard Test Method. Specifications and availability are subject to change without notice. Not responsible for typographical errors.

© 2015 Canon U.S.A., INC. Canon, DIGIC, the DIGIC logo and PowerShot are registered trademarks of Canon Inc. in the United States, and may also be registered trademarks or trademarks in other countries. Wi-Fi and the Wi-Fi CERTIFIED logo are registered trademarks of the Wi-Fi Alliance. The N Mark is a trademark or registered trademark of NFC Forum, Inc. in the United States and in other countries. All other product names, brand names and logos are trademarks or service marks of their respective owners.

Canon makes no representations or warranties with respect to any third party accessory or product mentioned herein. Use of genuine Canon accessories is recommended; these products are designed to perform optimally when used with genuine Canon accessories.

Warning: Unauthorized recording of copyrighted materials may infringe on the right of copyright owners and be contrary to copyright laws.

GSERIESCAMERAS.USA.CANON.COM | 1-800-OK-CANON
Canon U.S.A., Inc. One Canon Park, Melville, NY 11747