

WP-211T

4K60 4:2:0 HDCP 2.2 HDMI Wall-Plate Auto Switcher and PoE Acceptor over HDBaseT

| HDMI | Ethernet - RJ-45 | 4K/60 UHD (4:2:0) | HDCP 2.2 Compatible



WP-211T is a high-performance wall-plate automatic switcher for 4K, HDBaseT, HDMI 1.4, HDCP 2.2 video signals. Offering priority and last-connected switching options, it automatically switches according to the selected switching scheme based on active video signal detection. WP-211T can be powered through PoE over the HDBaseT connection

FEATURES

Max. Data Rate - 8.91Gbps (2.97Gbps per data channel)

Max. Resolution - 4K@60Hz (4:2:0)

HDMI 1.4 & HDCP 2.2 Compliant

Supports up to 40m reach at 4K@60Hz (4:2:0)

PoE Acceptor

Kramer Equalization and re-Klocking Technology

HDTV Compatible

3D Pass-Though



TECHNICAL SPECIFICATIONS

Inputs 2 HDMI On female HDMI connectors

Outputs 1 HDBaseT On an RJ-45 connector

Video Max. Data Rate 8.91Gbps (2.97Gbps per graphic channel)

Max. Resolution 4K@60Hz (4:2:0)

Standards Compliance HDCP 2.2 (does not support conversion to HDCP 1.4),

HDMI 1.4

User Interface Controls Last connected/priority DIP-switches and toggles to select the input

manually

Enclosure Size 1 Gang wall plate

Cooling Passive heat sink (metal sheet)

REGULATORY COMPLIANCE

EMC EN 55032;IEC 60950-1(ed.2);IEC 60950-1(ed.2)am1;IEC 60950-1(ed.2)am2

Environmental Conditions

Operating Temperature 0° to +40°C (32° to 104°F)

Storage Temperature -40° to +70°C (-40° to 158°F)

Humidity 10% to 90%, RHL non-condensing

Power Source 5V DC

Consumption 780mA

Accessories Included with all versions 1 Power adapter, 1 power cord

Included with US-D version 2 US Frame sets and faceplates (1 in black and 1 in

white)

Included with European version 1 EU white frame, 1 UK white frame, 1 EU/UK

white faceplate

PRODUCT DIMENSION:

UK: 8.60cm x 3.80cm x 8.60cm (3.39" x 1.50" x 3.39") W, D, H

 $8.00cm \times 3.80cm \times 8.00cm (3.15" \times 1.50" \times 3.15") W, D, H$

EU: 8.00cm x 3.80cm x 8.00cm (3.15" x 1.50" x 3.15") W, D, H

US: $6.98 cm \times 3.70 cm \times 11.43 cm (2.75" \times 1.46" \times 4.50") W, D, H$

PRODUCT WEIGHT: UK: 0.2kg (0.4lbs) approx

0.2kg (0.4lbs) approx

EU: 0.2kg (0.4lbs) approx

US: 0.2kg (0.4lbs) approx

SHIPPING DIMENSION:

UK: 23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94") W, D, H

23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94") W, D, H

EU: 23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94") W, D, H

US: 23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94") W, D, H

SHIPPING WEIGHT: UK: 0.6kg (1.2lbs) approx

0.6kg (1.2lbs) approx

EU: 0.6kg (1.2lbs) approx

US: 0.6kg (1.2lbs) approx



CONFIGURATIONS

WP-211T/US(W)	US-size Wall-Plate - White
WP-211T/US(B)	US-size Wall-Plate - Black
WP-211T/EU-86(W)	UK-size Wall-Plate - White
WP-211T/EU-86(B)	UK-size Wall-Plate - Black
WP-211T/JP(W)	Japan-size Wall-Plate - White
WP-211T/JP(B)	Japan-size Wall-Plate - Black

